Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Viator

https://dzo00.github.io/Viator/index.html

Smer: Internet tehnologije

Modul: Web Programiranje

Predmet: Web Programiranje 1

Student: Jovana Lazarević 242/19

Sadržaj

Uvod	3
Korišćeni tehnologije	3
Opis funkcionalnosti	3
Sve stranice	3
• Index.html	3
Places.html i activities.html	4
Suitcase.html	4
Organizacija	5
Organizaciona šema	5
Mapa sajta	6
Opis stranica sajta	7
Index.html	7
Activities.html	9
Places.html	12
Suitcase.html	14
Kodovi	18
Index.html	18
Activities.html	20
Places.html	24
Suitcase.html	26
• CSS	31
Main is	47

Uvod

• Korišćeni tehnologije

Za izradu sajta korišćrne su tehnologije:

- HTML 5
- CSS 3
- JavaScript
- Jquery
- Local Storage
- Bootstrap
- Visual Studio Code

• Opis funkcionalnosti

• Sve stranice

- Dinamičko ispisivanje navigacije na svakoj stranici (i na autor.html)
- Dinamičko ispisivanje većine sadržaja iz JS objekata
- Ručno dodati linkovi stranicu autor i dokumentaciju u futeru

• Index.html

 Na index stranici klikom na neku od kategorija aktivnosti ili dole na lokalitet se na stranici activities.html pri inicijalnom ispisu filtrira sadržaj

- Dinamički slajder mesta
- Pri skrolovanju naniže pojavljuju se aktivnosti
- Prelaskom miša preko slike kativnosti pojavi se naziv (animate metod)
- Korišćen je Jquery plugin za slider (slick.js)

• Places.html i activities.html


- Dinamičko ispisivanje komandi za filtriranje
- Klikom na add to suitcase, sadržaj se dodaje u LS i prikazuje na stranici suitcase.html
- Pamćenje vrednosti filtera po lokaciji, smestaju i aktivnosti u Local Storage-u i njhovom proverom u funkciji Filter omogućena je funkcionalna pretraga po filterima
- Pamćenje identifikatora sadržaja za aktivnosti i smeštaja u Local Storage-u kako bi se on kasnije ispisao u koferu ako je odabran.
- Na places.html ima i filtriranje po ceni

• Suitcase.html

- Klikom na Remove from suitcase, sadržaj se izbacuje iz kofera
- Korišćenje modala za registraciju i logovanje
- Provera formi sa regularnim izrazima + ispis korekcije grešaka uzrokovanih nekorektnom popunom forme

Organizacija

• Organizaciona šema



• Mapa sajta

```
?xml version="1.0"?>
curlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<loc>https://dzo00.github.io/Viator/index.html</loc>
<lastmod>2020-12-12</lastmod>
<changefreq>daily</changefreq>
<loc>https://dzo00.github.io/Viator/activities.html</loc>
<lastmod>2020-12-12</lastmod>
<changefreq>weekly</changefreq>
<priority>0.9</priority>
<loc>https://dzo00.github.io/filmoteka/places.html</loc>
<lastmod>2020-12-12</lastmod>
<changefreq>weekly</changefreq>
<priority>0.8</priority>
<loc>https://dzo00.github.io/filmoteka/suitcase.html</loc>
<lastmod>2020-12-12</lastmod>
<changefreq>daily</changefreq>
<priority>0.7</priority>
```

Opis stranica sajta


• Index.html



Pri skrolu se pojavljuju aktivnosti









To help prepare yourself for the upcoming adventure, wander through each of the unique parts of Humboldt County.



COPYRIGHT © 2020 Created by Jovana Lazarevic






Dinamički slajder


COPYRIGHT © 2020 Created by Jovana Lazarevic


U delu za copyright godina se ispisuje sa korišćenjem metoda GetFullYear().


• Activities.html



Izgled vrha stranice i drop down liste za filtriranje.









COPYRIGHT © 2020 Created by Jovana Lazarevic







Izgled jednog box-a aktivnostu.


Klikom na Add to suitcase
Se dodaje u kofer

GRIZZLY CREEK REDWOODS STATE PARK

Located on the Van Duzen River is the small yet beautiful Grizzly Creek Redwoods State Park. While the park only covers a few acres there are a number of things you can do, ...

Learn more


Get directions



Learn more otvara modal sa dodatnim podacima o lokaciji

Get direction je link sa koordinatama na Google Maps





COPYRIGHT © 2020 Created by Jovana Lazarevic





Izgled filtriranog sadržaja

Izgled modala


SHRINE DRIVE THRU TREE

13708 Avenue of the Giants, Myers Flat, CA 95554 (707)-677-3570

You know you've witnessed some of the largest trees on the planet when you find yourself driving your car through the very center of one. The Shrine and Drive-Over Tree (Myers Flat) allows you to return home again with photographs to prove you were not subject to ingesting some of the local forest mushrooms and did, indeed, pass directly through a living giant.



No food on-site. Bring a snack or picnic.






Approx. all day to enjoy.



Weather is seasonal, and temperatures range from 50°F-65°F.

• Places.html







Izgled vrha stranice.













Izgled sa filtriranom cenom







• Suitcase.html


U zavisnosti od toga šta je stavljeno u LS – deli se u celine za aktivnost i smeštaj,



Your suitcase is empty!

Create an account to save your suitcase or sign in to see what you may have added before.

<mark>Prazan LS</mark>




Kad ima samo aktivnost

Kad ima smeštaj samo:







COPYRIGHT © 2020 Created by Jovana Lazarevic



2


Kad ima oba:












Klikom na Remove from suitcase izbacuje se kofera!


Create an account to save your suitcase or sign in to see what you may have added before.

Kada klinete na an account link




Pojaviće se modal za registracuju.


Ovo je sa ispisom grešaka!



Create an account to save your suitcase or sign in to see what you may have added before.

Kad se kline na sign in izadje modal za logovanje





Da bi videli autora klinite dole na ikonicu ninje i otovriće se portfolio u novom tabu!

Na rezolluciji ispod 1024 px širine će se pojaviti i klikom na njega će se otvoriti meni koji je sakriven!



Kodovi

Index.html

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Viator </title>
    <meta name="author" content="Jovana Lazarevic"/>
    <meta name="description" content="Explore the vast and mysterious region of C</pre>
alifornia - Humboldt"/>
    <meta name="keywords" content="beaches, humboldt, eureka, visit"/>
    <!-- Font awesome -->
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.12.1/css</pre>
/all.css">
    <!-- Font -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link href="https://fonts.googleapis.com/css2?family=Lovers+Quarrel&display=s</pre>
wap" rel="stylesheet">
    <!-- Bootstrap -->
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4</pre>
.1/css/bootstrap.min.css" integrity="sha384-
Vkoo8x4CGs03+Hhxv8T/05PaXtkKtu6ug5T0eNV6gBiFeWPGFN9Muh0f23Q9Ifjh" crossorigin="an
    <link rel="stylesheet" type="text/css" href="assets/css/slick.css"/>
    <!-- <link rel="stylesheet" type="text/css" href="assets/css/slick-
    <!-- Custom CSS -->
    <link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
</head>
<body>
    <header class="position-relative">
        <div id="logo" class="col-sm-4 position-</pre>
absolute"><a href="index.html"><h1>Viator</h1></a></div> <!-- Relative pos -->
        <div id="top" class="col-sm-12 d-flex justify-content-end">
            <!--Visible on lg -> Meni -->
            ul id="meni" class="col-lg-8 nav">
            <!--Visible on sm,md -> Meni -->
            <a href="#" id="toggle-menu"><i class="fas fa-bars"></i></a>
            <div id="sideMenu" class="justify-content-end align-self-end">
```

```
<a href="activities.html" class="text-uppercase">Things to do</a>
                <a href="places.html" class="text-uppercase">Places to Stay</a>
                <a href="suitcase.html" class="text-uppercase">My Suitcse</a>
        <div id="humboldtAreal"><img src="assets/images/humboldt.png" alt="Humbol</pre>
dt area line" class="img-fluid"/></div>
        </div>
        <div id="comment" class="position-absolute">
            <h2 class="text-
uppercase">Welcome to the other side of the rabbit hole.</h2>
            Ours is a world unlike any other.
Explore incredible destinati
ons and plan your vacation now.
        </div>
   </header>
    <main>
        <div id="top-main">
            <div class="headline">
                <i class="fas fa-map-marked-alt"></i></i>
                <h3>Start planning your adventure</h3>
                Select a category below to uncover the endless activities Humb
oldt County has to offer. When you find an adventure that suits your vacation sty
le, add it to your suitcase.
            </div>
            <div id="categories">
                <div class="row row-cols-4"></div>
            </div>
        </div>
        <div id="middle-main" class="position-relative">
            <div id="headline2" class="position-absolute">
                <h3 class="text-uppercase">Where to stay</h3>
                You can always find the perfect place to lay your head for the
 night in Humboldt. With an impressive variety and price range to fit every budge
t, you can see everything this magical world has to offer during the day...and slee
p warm and cozy the whole night through.
                <button id="btnPlaces" class="btn btn-</pre>
warning">Learn more</button>
            </div>
        </div>
        <div id="main-bottom">
            <div class="headline">
                <i class="fas fa-book-reader"></i></i>
                <h3>Get to know the county</h3>
                To help prepare yourself for the upcoming adventure, wander the
rough each of the unique parts of Humboldt County.
           </div>
```

```
<div id="places" class="d-flex justify-content-</pre>
evenly slickCarousel">
        </div>
    </main>
    <footer class="bg-gray-dark d-flex justify-content-evenly align-items-</pre>
center py-3">
        0">COPYRIGHT &copy <script>var datum= new Date(); document.write(datum.getFullYea
r());</script> Created by Jovana Lazarevic
        <div class="links col-6 d-flex justify-content-evenly">
            <a href="dokumentacija.pdf" target=" blank"><i class="fa fa-</pre>
archive" aria-hidden="true"></i></a>
            <a href="sitemap.xml" target=" blank"><i class="fa fa-sitemap" aria-</pre>
hidden="true"></i></a>
            <a href="https://dzo00.github.io/Portfolio/" target=" blank"><i class</pre>
="fas fa-user-ninja"></i></a>
        </div>
    </footer>
    <!-- SCRIPT -->
    <script src="assets/js/jquery-3.5.1.min.js"></script>
    <script src="assets/js/jquery-ui.js"></script>
    <script src="assets/js/popper.min.js"></script>
    <script src='assets/js/slick.js'></script>
    <script src="assets/js/main.js"></script>
</body>
</html>
```

• Activities.html

```
  <!DOCTYPE html>
```

```
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Viator | Activities</title>
    <meta name="author" content="Jovana Lazarevic"/>
    <meta name="description" content="it's time to explore, pack your bag</pre>
and come on!"/>
    <meta name="keywords" content="activities, rafting, hiking"/>
    <!-- Font awesome -->
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.1</pre>
2.1/css/all.css">
    <!-- Font -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link href="https://fonts.googleapis.com/css2?family=Lovers+Quarrel&di</pre>
splay=swap" rel="stylesheet">
   <!-- Bootstrap -->
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootst</pre>
rap/4.4.1/css/bootstrap.min.css" integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh" crossori
gin="anonymous">
    <!-- Custom CSS -->
    <link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
</head>
<body>
            <!-- HEADER -->
    <header id="activities-header">
        <div id="logo" class="col-sm-4 position-</pre>
absolute"><a href="index.html"><h1>Viator</h1></a></div> <!-
- Relative pos -->
        <div id="top" class="col-12 d-flex justify-content-end">
            <!--Visible on sm,md -> Meni -->
            <a href="#" id="toggle-menu"><i class="fas fa-bars"></i></a>
            <div id="sideMenu" class="justify-content-end align-self-</pre>
end">
                <a href="activities.html" class="text-
uppercase">Things to do</a>
                <a href="places.html" class="text-</pre>
uppercase">Places to Stay</a>
                <a href="suitcase.html" class="text-</pre>
uppercase">My Suitcse</a>
            </div>
    </header>
```

```
<div class="main">
       <div class="top-main d-flex mb-5 bg-gray">
               <select name="ddlActivity" class="form-control border-</pre>
secondary col-1 col-md-3 col-4 mx-3" id="ddlActivity">
                   <option value="0">Activity Type</option>
               </select>
               <select name="ddlLocation" class="form-control border-</pre>
secondary col-md-3 col-4" id="ddlLocation">
                   <option value="0">Location</option>
               </select>
       </div>
        <div class="middle-main justify-content-center row row-cols-</pre>
2"></div>
   </div>
    <!-- //MODAL AKTIVNOST -->
    <div class="modal fade show" id="modalAct" tabindex="-</pre>
1" role="dialog" aria-labelledby="myModalLabel">
       <div class="modal-dialog modal-lg" role="document">
           <!--Content-->
           <div class="modal-content">
               <div class="modal-header d-flex align-items-</pre>
center justify-content-center m-auto w-100">
                   <h5 id="actName" class="col-8 h3">Probni</h5>
                   <button type="button" class="close col-2" data-</pre>
dismiss="modal" aria-label="Close"><span aria-
hidden="true">×</span></button>
                 </div>
               <!--Body-->
               <div class="modal-body row row-cols-2 align-items-</pre>
center justify-content-center">
                   <div class="col-6 mr-3">
                       <div class="row justify-content-evenly">
                           normal pr-2 m-0">4150 Patricks Point Drive, Trinidad, CA 95570
                           <span id="number" class="border-left pl-</pre>
2">(707)-677-3570</span>
                       </div>
                       normal col-12 text-wrap px-
0">Patrick's Point State Park is the perfect location to watch whales, sea
lions, and beautiful sunsets. Appropriately located in the heart of the C
alifornia redwood coast and considered one of the most magical treasures o
f the rugged Northern Coast. Take long and memorable strolls over safe, we
```

```
11-
marked paths, bridges, steps and stairs winding in and around the crashing
 blue Pacific. Plus, get up close and personal in an ancient Sumeg village
. A good camera is required on Rim Trail, Wedding Rock, Ceremonial Rock, a
nd a never-ending display of why California is famous the world over.
                    </div>
                    <div class="col-6 row row-cols-1">
                        <div class="additional m-3"><i class="fas fa-</pre>
utensils"></i><span class="text-wrap">No food on-
site. Bring a snack or picnic.</div>
                        <div class="additional m-3"><span class="text-</pre>
wrap"><i class="fas fa-restroom"></i></span>Restrooms available.</div>
                        <div class="additional m-3"><span class="text-</pre>
wrap"><i class="far fa-clock"></i></span>Approx. all day to enjoy.</div>
                        <div class="additional m-3"><i class="fas fa-</pre>
sun"></i><span class="text-</pre>
wrap">Weather is seasonal, and temperatures range from 50°F-
65°F.</span></div>
                    </div>
                </div>
            </div>
            <!--/.Content-->
        </div>
    </div>
    <footer class="bg-gray-dark d-flex justify-content-evenly align-items-</pre>
center py-3">
        0">COPYRIGHT &copy <script>var datum= new Date(); document.write(datum.get
FullYear());</script> Created by Jovana Lazarevic
        <div class="links col-6 d-flex justify-content-evenly">
            <a href="dokumentacija.pdf" target=" blank"><i class="fa fa-</pre>
archive" aria-hidden="true"></i></a>
            <a href="sitemap.xml" target=" blank"><i class="fa fa-</pre>
sitemap" aria-hidden="true"></i></a>
            <a href="https://dzo00.github.io/Portfolio/" target="_blank"><</pre>
i class="fas fa-user-ninja"></i></a>
        </div>
    </footer>
    <!-- SCRIPT -->
    <script src="assets/js/jquery-3.5.1.min.js"></script>
    <script src="assets/js/jquery-ui.js"></script>
    <script src="assets/js/popper.min.js"></script>
    <script src="assets/js/bootstrap.min.js"></script>
    <script src="assets/js/main.js"></script>
</body>
```

</html>

• Places.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Viator</title>
    <meta name="author" content="Jovana Lazarevic"/>
    <meta name="description" content="Here are our suggestions for your accomodat</pre>
ion. Find the one that suits you best!"/>
    <meta name="keywords" content="lodging"/>
    <!-- Font awesome -->
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.12.1/css</pre>
/all.css">
    <!-- Font -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link href="https://fonts.googleapis.com/css2?family=Lovers+Quarrel&display=s</pre>
wap" rel="stylesheet">
   <!-- Bootstrap -->
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4</pre>
.1/css/bootstrap.min.css" integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh" crossorigin="an
onymous">
    <!-- Custom CSS -->
    <link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
</head>
<body>
            <!-- HEADER -->
    <header id="places-header">
        <div id="logo" class="col-sm-4 position-</pre>
absolute"><a href="index.html"><h1>Viator</h1></a></div> <!-- Relative pos -->
        <div id="top" class="col-sm-12 d-flex justify-content-end">
            ul id="meni" class="col-lg-8 nav">
            <!--Visible on sm,md -> Meni -->
            <a href="#" id="toggle-menu"><i class="fas fa-bars"></i></a>
            <div id="sideMenu" class="justify-content-end align-self-end">
                <a href="activities.html" class="text-uppercase">Things to do</a>
                <a href="places.html" class="text-uppercase">Places to Stay</a>
                <a href="suitcase.html" class="text-uppercase">Mv Suitcse</a>
```

```
</div>
    </header>
    <div class="main">
        <div class="top-main d-flex justify-content-between mb-5 bg-gray">
            <div class="top-main-left d-flex col-7">
                <select name="ddlAccType" class="form-control border-</pre>
secondary col-4 mr-3" id="ddlAccType">
                    <option value="0">Lodging</option>
                </select>
                <select name="ddlLocation" class="form-control border-</pre>
secondary col-4" id="ddlLocation">
                    <option value="0">Location</option>
                </select>
            </div>
            <div class="top-main-right d-flex justify-content-evenly col-5">
            </div>
        </div>
        <div class="middle-main justify-content-center row"></div>
    <footer class="bg-gray-dark d-flex justify-content-evenly align-items-</pre>
center py-3">
        0">COPYRIGHT &copy <script>var datum= new Date(); document.write(datum.getFullYea
r());</script> Created by Jovana Lazarevic
        <div class="links col-6 d-flex justify-content-evenly">
            <a href="dokumentacija.pdf" target="_blank"><i class="fa fa-</pre>
archive" aria-hidden="true"></i></a>
            <a href="sitemap.xml" target=" blank"><i class="fa fa-sitemap" aria-</pre>
hidden="true"></i></a>
            <a href="https://dzo00.github.io/Portfolio/" target=" blank"><i class</pre>
="fas fa-user-ninja"></i></a>
        </div>
    </footer>
    <!-- SCRIPT -->
    <script src="assets/js/jquery-3.5.1.min.js"></script>
    <script src="assets/js/jquery-ui.js"></script>
    <script src="assets/js/popper.min.js"></script>
    <script src="assets/js/bootstrap.min.js"></script>
    <script src="assets/js/main.js"></script>
</body>
</html>
```

• Suitcase.html

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Viator | Suitcase</title>
    <meta name="author" content="Jovana Lazarevic"/>
    <meta name="description" content="Hmm you are already pavking your suitcase.</pre>
Enjoy your trip!"/>
    <meta name="keywords" content="suitcase, adventure, lodging"/>
    <!-- Font awesome -->
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.12.1/css</pre>
/all.css">
    <!-- Font -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link href="https://fonts.googleapis.com/css2?family=Lovers+Quarrel&display=s</pre>
wap" rel="stylesheet">
    <!-- Bootstrap -->
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4</pre>
.1/css/bootstrap.min.css" integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh" crossorigin="an
onymous">
    <!-- Custom CSS -->
    <link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
</head>
<body>
    <header id="suitcase-header">
        <div id="logo" class="col-sm-4 position-</pre>
absolute"><a href="index.html"><h1>Viator</h1></a></div> <!-- Relative pos -->
        <div id="top" class="col-sm-12 d-flex justify-content-end">
            ul id="meni" class="col-lg-8 nav">
            <a href="#" id="toggle-menu"><i class="fas fa-bars"></i></a>
            <div id="sideMenu" class="justify-content-end align-self-end">
                <a href="activities.html" class="text-uppercase">Things to do</a>
                <a href="places.html" class="text-uppercase">Places to Stay</a>
                <a href="suitcase.html" class="text-uppercase">My Suitcse</a>
            </div>
        </div>
    </header>
```

```
<div class="main">
        <div class="message text-center mb-5">
            <h2 class="h1"></h2>
            Create <a href='#' data-toggle="modal" data-</pre>
target="#modalReg" class='sign-up text-
secondary'>an account</a> to save your suitcase or <a href='#' data-</pre>
toggle="modal" data-target="#modalLog" class ='sign-in text-
secondary'>sign in</a> to see what you may have added before.
        </div>
        <div class="middle-main mt-5">
            <div id="activity" class="w-100">
                <div class="text-center">
                    <i class="fas fa-map-marked-alt font-size-50"></i>
                    <h3>My Adventure</h3>
                </div>
                <div id="ispis1" class="row justify-content-evenly p-2"></div>
            </div>
            <div id="lodging">
                <div class="text-center mt-5">
                    <i class="fas fa-bed font-size-50"></i></i>
                    <h3>My Lodging</h3>
                </div>
                <div id="ispis2" class="row justify-content-evenly p-</pre>
2"></div>
            </div>
        </div>
    </div>
            <!-- LOGIN MODAL -->
            <div class="modal fade" id="modalLog" tabindex="-</pre>
1" role="dialog" aria-labelledby="myModalLabel"
        aria-hidden="true">
            <div class="text-primary modal-dialog" role="document">
                <div class="modal-content bg-gray-dark">
                <div class="modal-header text-center border-color-yellow">
                    <h4 class="modal-title w-100 font-weight-bold bg-gray-
dark text-pink">Log in</h4>
                    <button type="button" class="text-primary close" data-</pre>
dismiss="modal" aria-label="Close">
                    <span aria-hidden="true">x</span>
                    </button>
                </div>
                <form action="obrada.php" method="POST">
                    <div class="modal-body mx-3">
                        <div class="md-form mb-3">
                        <i class="fas fa-envelope prefix text-primary"></i></i>
```

```
<label class="text-</pre>
primary" for="emailLog">Your email</label>
                         <input type="email" id="emailLog" name="emailLog" class="</pre>
form-control">
                         </div>
                         <div class="md-form mb-2">
                         <i class="fas fa-lock prefix py-1 text-primary"></i></i>
                         <label class="text-primary" for="pass">Password</label>
                         <input type="password" id="pass" class="form-control">
                         <div class="text-danger mt-2"></div>
                         </div>
                    </div>
                     <div class="modal-footer d-flex justify-content-center">
                         <button type="submit" id="btnLog" name="btnLog" class="bt</pre>
n btn-white font-weight-bold rounded-lg border-secondary hover1">Log in</button>
                     </div>
                </form>
            </div>
            </div>
        </div>
        <!-- REGISTER MODAL -->
        <div class="modal fade" id="modalReg" tabindex="-1" role="dialog" aria-</pre>
labelledby="myModalLabel"
        aria-hidden="true">
        <div class="text-primary modal-dialog" role="document">
            <div class="modal-content bg-gray-dark">
                <div class="modal-header text-center border-color-yellow">
                <h4 class="modal-title w-100 font-weight-bold text-
pink">Make an account</h4>
                <button type="button" class="text-primary close" data-</pre>
dismiss="modal" aria-label="Close">
                     <span aria-hidden="true">x</span>
                </button>
                </div>
                <form action="obrada1.php" method="POST">
                     <div class="modal-body mx-3">
                     <div class="md-form mb-3">
                         <i class="fas fa-user prefix text-primary"></i></i>
                         <label class="text-</pre>
primary" for="name">Your full name</label>
                         <input type="text" id="name" name="name" class="form-</pre>
control fc1">
```

```
</div>
                     <div class="md-form mb-3">
                         <i class="fas fa-envelope prefix text-primary"></i></i>
                         <label class="text-</pre>
primary" for="emailReg">Your email</label>
                         <input type="email" id="emailReg" name="emailReg" class="</pre>
form-control fc1">
                     </div>
                     <div class="md-form mb-3">
                         <i class="fas fa-lock prefix text-primary"></i></i>
                         <label class="text-</pre>
primary" for="password">Enter password</label>
                         <input type="password" id="password" name="password" clas</pre>
s="form-control fc1">
                         <div class="text-danger mt-2"></div>
                     </div>
                     <div class="md-form mb-2">
                         <i class="fas fa-lock prefix text-primary"></i></i>
                         <label class="text-</pre>
primary" for="passwordRepeat">Repeat password</label>
                         <input type="password" id="passwordRepeat" name="password</pre>
Repeat" class="form-control fc1">
                         <div class="text-danger mt-1"></div>
                     </div>
                     </div>
                     <div class="modal-footer d-flex justify-content-</pre>
center border-color-secondary">
                     <button type="submit" id="btnReg" name="btnReg" class="btn bt</pre>
n-white font-weight-bold text-pink rounded-lg border border-
secondary hover1">Registruj se</button>
                     </div>
                 </form>
            </div>
            </div>
        <!-- <a href="#" data-target="#modalAct" data-
toggle="modal">MODALCINA BRE</a> -->
        <!-- //MODAL AKTIVNOST -->
        <div class="modal fade show" id="modalAct" tabindex="-</pre>
1" role="dialog" aria-labelledby="myModalLabel">
            <div class="modal-dialog modal-lg" role="document">
                <!--Content-->
```

```
<div class="modal-content">
                   <div class="modal-header d-flex align-items-center justify-</pre>
content-center m-auto w-100">
                       <h5 id="actName" class="col-8 h3">Probni</h5>
                       <button type="button" class="close col-2" data-</pre>
dismiss="modal" aria-label="Close"><span aria-</pre>
hidden="true">×</span></button>
                     </div>
                   <div class="modal-body row row-cols-2 align-items-</pre>
center justify-content-center">
                       <div class="col-6 mr-3">
                           <div class="row justify-content-evenly">
                               2 m-0">4150 Patricks Point Drive, Trinidad, CA 95570
                               <span id="number" class="border-left pl-2">(707)-
677-3570</span>
                           </div>
                           normal col-12 text-wrap px-
0">Patrick's Point State Park is the perfect location to watch whales, sea lions,
and beautiful sunsets. Appropriately located in the heart of the California redw
ood coast and considered one of the most magical treasures of the rugged Northern
Coast. Take long and memorable strolls over safe, well-
marked paths, bridges, steps and stairs winding in and around the crashing blue P
acific. Plus, get up close and personal in an ancient Sumeg village. A good camer
a is required on Rim Trail, Wedding Rock, Ceremonial Rock, and a never-
ending display of why California is famous the world over.
                       <div class="col-6 row row-cols-1">
                           <div class="additional m-3"><i class="fas fa-</pre>
utensils"></i><span class="text-wrap">No food on-
site. Bring a snack or picnic.</div>
                           <div class="additional m-3"><span class="text-</pre>
wrap"><i class="fas fa-restroom"></i></span>Restrooms available.</div>
                           <div class="additional m-3"><span class="text-</pre>
wrap"><i class="far fa-clock"></i></span>Approx. all day to enjoy.</div>
                           <div class="additional m-3"><i class="fas fa-</pre>
sun"></i><span class="text-
wrap">Weather is seasonal, and temperatures range from 50°F-65°F.</span></div>
                       </div>
                   </div>
               </div>
```

```
</div>
        </div>
        <footer class="bg-gray-dark d-flex justify-content-evenly align-items-</pre>
center py-3">
            0">COPYRIGHT &copy <script>var datum= new Date(); document.write(datum.getFullYea
r());</script> Created by Jovana Lazarevic
            <div class="links col-6 d-flex justify-content-evenly">
                <a href="dokumentacija.pdf" target="_blank"><i class="fa fa-</pre>
archive" aria-hidden="true"></i></a>
                <a href="sitemap.xml" target=" blank"><i class="fa fa-</pre>
sitemap" aria-hidden="true"></i></a>
                <a href="https://dzo00.github.io/Portfolio/" target=" blank"><i c</pre>
lass="fas fa-user-ninja"></i></a>
           </div>
        </footer>
    <!-- SCRIPT -->
    <script src="assets/js/jquery-3.5.1.min.js"></script>
    <script src="assets/js/jquery-ui.js"></script>
    <script src="assets/js/popper.min.js"></script>
    <script src="assets/js/bootstrap.min.js"></script>
    <script src="assets/js/main.js"></script>
</body>
</html>
```

• CSS

```
*{
    margin: 0px;
    padding: 0px;
}
a{
    text-decoration: none !important;
    color: rgb(255,255,255);
}
a:hover{
    color: rgba(255,255,255,1);
}
/* Main page header */
header{
    padding-top: 50px;
```

```
color:white;
.header{
   height: 1100px;
    background-image: url("../images/main_background.jpg");
    background-position: center;
    background-repeat: no-repeat;
    background-size: cover;
#top{
   height:80px;
    align-items: center;
    background-color: rgba(0,0,0,0.6);
#top ul{
    align-items: center;
#top ul li a{
   text-decoration: none;
    text-transform: uppercase;
   font-weight: 500;
    font-size: 21px;
    color: rgba(255,255,255,0.7)
#top ul li a:hover{
    color: rgba(255,255,255,1)
.font-size-50{
    font-size: 50px !important;
.message{
    margin: 0 auto;
    padding-bottom: 50px;
    width: 80%;;
    border-bottom: 3px solid black;
header #logo{
   top:-2%;
    left:5%;
    z-index: 1;
    width: 300px;
    height: 200px;
    background-image: url("../images/logo_background.jpg");
    border:1px solid rgb(2, 7, 32);
    border-radius: 6%;
```

```
header #logo h1{
    font-family: 'Lovers Quarrel', cursive;
    margin-top: 20%;
    text-align: center;
    font-size: 100px;
#logo h1:hover{
    color: #fff;
header #comment{
    top:28%;
    left:62%;
    right: 10%;
    padding:2%;
    border-radius: 3%;
    background-color: rgba(0,0,0,0.6);
    text-align: start;
header #comment h2 {
    letter-spacing: 4pt;
    font-weight:bold ;
header #comment p {
    font-size: 20px;
    letter-spacing: 1ptpt;
header #humboldtAreal{
    position: absolute;
    top:300%;
    left:54%;
header #humboldtAreal img{
  width:60%
main{
    position: relative;
    margin-top: 0px;
    padding-bottom: 50px;
    background-repeat: repeat-x;
    background-position: bottom;
    background-size: 1420px;
.header::after{
```

```
content: "";
   display: block;
   position: absolute;
   width: 100%;
   height: 380px;
   top: -371px;
   top: calc(850px);
   background-repeat: no-repeat;
   background-size: 2000px;
   background-position: center 29%;
   background-image: url("../images/forest1a.png");
    z-index: 0;
.headline {
   z-index: 1;
   padding-top: 80px;
   text-align: center;
   width:40%;
   margin: 0 auto;
   margin-bottom:20px;
.headline i {
   margin-top: 20px;
   font-size: 60px;
.headline h3,p {
    font-weight: bold;
.headline h3{
   margin-top: 20px;
   text-transform: uppercase;
   letter-spacing: 2.5pt;
   font-weight: 700;
.headline p{
   margin-top: 20px;
   font-weight: 500;
   font-size: 18px;
#categories{
   position: relative;
   transform: translateX(-1900px);
   overflow: hidden;
   padding: 0% 12%;
```

```
#categories>div{
    justify-content: space-evenly;
.circles{
    position: relative;
    margin-bottom: 20px;
    width:300px;
    height: 300px;
.circles img{
    width:300px;
    height: 300px;
    border-radius: 50%;
.hold{
    height: 90%;
    position: absolute;
    padding: 150px;
    width: 70%;
    left: 4%;
    bottom: 0%;
    border-radius: 50%;
    background-color: rgba(0,0,0,0.6);
    justify-content: center;
    display: flex;
    align-items: center;
    opacity: 0;
#middle-main{
    margin-top: 5%;
    width: 100%;
    background-image: url("../images/room2.jpg");
    background-size: cover;
    background-repeat: no-repeat;
    height: 500px;
    border-top: 1px solid rgb(248, 196, 54);
    border-bottom: 2px solid rgb(248, 196, 54);
#headline2{
    width:40%;
    padding:6% 8%;
    margin-left: 8.9%;
    background-color: transparent;
```

```
#headline2 h3{
    margin-top: 20px;
    text-transform: uppercase;
    letter-spacing: 2.5pt;
    font-weight: 700;
#headline2 p{
   margin-top: 20px;
    font-weight: 500;
    font-size: 18px;
#headline2 button{
   color: #000;
    font-weight: 500;
    border-color: transparent;
#places{
    margin-top: 3%;
.justify-content-evenly{
    justify-content: space-evenly;
.places-box{
   width: 15vw;
   height: 13vw;
    cursor: pointer;
    display: flex !important;
    align-items: center;
    justify-content: center;
.places-box h4{
    color:rgb(255, 255, 255);
    font-weight: 500;
    font-size: calc(4px + 1vw);
    background-color: rgba(0,0,0,0.8);
    border-radius: 10%;
    width: 30%;
    align-self: center;
    padding: 3% 0%;
    text-align:center;
    justify-self: center;
    transition-duration: 0.5s;
.places-box h4:hover{
   color:#000;
```

```
background-color: #fff;
    transition-duration: 1s;
footer{
    background-color:black;
/* Header on other pages */
#places-header{
    background-image: url("../images/bed.jpg");
    height:700px;
    background-position: center;
    background-repeat: no-repeat;
    background-size: cover;
#activities-header{
    background-image: url("../images/hiking1.jpg");
    height:700px;
    background-position: center;
    background-repeat: no-repeat;
    background-size: cover;
#suitcase-header{
    background-image: url("../images/suitcases.jpg");
    height:700px;
    background-position: center;
    background-repeat: no-repeat;
    background-size: cover;
footer{
   height: 65px;
    color: #a09b9b;;
    font-size: calc(4px + 1vw);
footer i{
    font-size: calc(15px + 1vw);
footer i:hover{
    background: linear-gradient(45deg, #fc6b29 0%, #fdf141 100%);
    -webkit-background-clip: text;
    -webkit-text-fill-color: transparent;
    transition: 0.7s;
.btn-secondary1{
   background-color: #989898;
```

```
color: #fff;
/* Main on other pages */
.main{
   padding: 40px 80px;
.top-main{
   border-top:2px solid #000;
   border-bottom:2px solid #000;
   padding: 3% 0%;
   width: 100%;
.top-main-right{
   width: 70%;
.w-10{
   width:10%;
   margin-right: 15px;
.w-18{
   width:18%;
   margin-right: 15px;
.w-20{
   width:20%;
.w-30{
   width:30%;
   margin-right: 15px;
.card-img-top{
   width: 100%;
   height: 55%;
.h-15{
   height: 15% !important;
.card{
   background-color: #e5e5e5;
   box-shadow: 10px 10px 16px 8x rgba(0,0,0,.7);
   border: 1px solid #bdbdbd;
   border-radius: 1%;
.proba{
```

```
overflow: hidden;
   width: 90%;
.line-clamp {
   display: -webkit-box;
   -webkit-line-clamp: 3;
   -webkit-box-orient: vertical;
.overflow {
   --max-lines: 3;
   position: relative;
   max-height: calc(var(--lh) * var(--max-lines));
   overflow: hidden;
   padding-right: 1rem; /* space for ellipsis */
 .overflow::before {
   position: absolute;
   content: "...";
 /* inset-block-end: 0;
   inset-inline-end: 0; */
   bottom: 0;
   right: 0;
 .overflow::after {
   content: "";
   position: absolute;
 /* inset-inline-end: 0; */
   right: 0;
   width: 1rem;
   height: 1rem;
   background: white;
.card-footer div{
   outline-style: none;
   border: none;
.modal-footer div:nth-of-type(1), .card-footer div:nth-of-type(1){
   background-color: #39495a;
   color:white;
.card-footer div:nth-of-type(1){
   background-color: #39495a;
   color:white;
.card-footer div:nth-of-type(1) span{
```

```
font-size:calc(20px + 1vw);
.card-footer div:nth-of-type(1) p{
    font-size: 17px;
    margin: 0px;
.card-footer div:nth-of-type(2){
    background-color: #989898;
.card-footer div:nth-of-type(2) span{
    text-align: center;
    font-size: 17px;
 .card-footer div:nth-of-type(2) span i{
    font-size: calc(10px + 1vw);
.modal-body .additional i{
    font-size: calc(30px + 1vw);
    margin-right: 10px;
.modal-header{
    background-color:#39495a;
    color: #fff !important;
.modal-header button{
    color: #fff !important;
.modal-body .additional{
    font-size: 17px;
.text-black{color:rgba(0,0,0,0.8);}
.text-black:hover{color:black;}
.a-card-color{
    color: #39495a;
.fw-500{
    font-weight: 500;
#sideMenu{
    display: flex;
    flex-direction: column;
    overflow: hidden;
    position: absolute;
    top:80px;
    right:0px;
```

```
background-color: rgba(0,0,0,0.6);
    padding: 20px;
}
/* KLASE ZA PRIMENU SA JS */
.active{
    color: #fff !important;
.suitcase, .remove{
    cursor: pointer;
:root {
   --lh: 1.4rem;
.truncate-overflow {
   --max-lines: 3;
    position: relative;
    max-height: calc(var(--lh) * var(--max-lines));
    overflow: hidden;
    padding-right: 1rem;
.truncate-overflow::before {
    position: absolute;
    content: "...";
    top:70%;
    right: 1%;
.truncate-overflow::after {
    content: "";
    position: absolute;
    right: 0;
    width: 1rem;
    height: 1rem;
    background: white;
.slick-prev, .slick-next {
    font-size: 0;
    position: absolute;
    color: black;
    border: 0;
    background: none;
    z-index: 1;
```

```
transition: 1s;
.slick-prev {
    left: 2%;
    top:40%;
.slick-prev:after {
    content: "<";</pre>
    font-size:30px;
    height: auto;
    cursor: pointer;
    padding: 17px;
    background-color: rgba(255, 255,255,0.8);
    border-radius: 50%;
    transition: 1s;
.slick-next {
    right: 2%;
    top: 40%;
.slick-next:after {
    content: ">";
    font-size: 30px;
    height: auto;
    cursor: pointer;
    background-color: rgba(255, 255,255,0.8);
    padding:17px;
    border-radius: 50%;
    transition: 1s;
.slick-prev:hover:after, .slick-next:hover:after{
    background-color: rgba(0,0,0,0.8);
    color: #fff;
    transform: 0.7s;
.hover1:hover{
    background-color: rgb(172, 172, 172);
    color: #fff;
.bg-gray{
    background: linear-gradient(50deg, #4e4e4e 0%, #fff 100%);
@media screen and (max-width:1543px){
    #comment h2{
        font-size: 22px !important;
```

```
#comment p{
        font-size: 18px !important;
@media screen and (max-width:1350px){
    .card-img-top{
        height: 48% !important;
    .cit1{
        height: 55% !important;
    #headline2{
        padding: 80px 50px !important;
@media screen and (max-width:1150px){
    .card-footer div:nth-of-type(1) p{
        font-size: 15px !important;
        padding: 0px !important;
    .card-footer div:nth-of-type(2) span{
        font-size: 15px;
    #comment h2{
        font-size: 20px !important;
    #comment p{
        font-size: 16px !important;
@media screen and (max-width:1100px){
    .card-img-top{
        height: 40% !important;
    .cit1{
        height: 80% !important;
    #comment h2{
        font-size: 18px !important;
    #comment p{
        font-size: 14px !important;
    .headline i {
```

```
font-size: 40px;
    .headline h3,p {
        font-weight: bold;
    .headline h3{
        font-size: 24px;
    .headline p{
        font-size: 17px;
@media screen and (max-width:1100px){
    .card-img-top{
        height: 35% !important;
    .cit1 .card-img-top{
        height: 40% !important;
    .cit1 .card-body p{
        font-size: 11px !important;
@media screen and (max-width:1000px){
    .slick-prev:after, .slick-next:after{
        font-size: 22px!important;
        padding: 16px !important;
@media screen and (max-width:915px){
    #headline2{
        padding:50px 0px !important;
@media screen and (max-width:770px){
    .card-img-top{
        height: 55% !important;
    .top-main-right{
        width: 100%;
        margin-top:20px;
    #logo{
        height: 180px !important;
```

```
.slick-prev:after, .slick-next:after{
        font-size: 19px!important;
        padding: 13px !important;
@media screen and (max-width:650px){
    .card-img-top{
        height: 43% !important;
    .cit1 .card-img-top{
        height: 60% !important;
    #headline2{
        padding: 70px 0px !important;
    #headline2 h3{
        font-size: 22px !important;
    #headline2 p {
        font-size:14px !important ;
@media screen and (max-width:600px){
    .places-box{
        height: 25vw !important;
    .headline{
        width: 80% !important;
    .headline i{
        font-size: 34px !important;
    .headline h3{
        font-size: 22px;
    .headline p{
        font-size: 16px !important;
    #logo{
        height: 160px;
    .slick-prev:after, .slick-next:after{
        font-size: 15px!important;
```

```
@media screen and (max-width:580px){
    .places-box{
        height: 29vw !important;
    .card-img-top{
        height: 45% !important;
    .card-footer div:nth-of-type(1) p{
        font-size: 13px !important;
        padding: Opx !important;
    .card-footer div:nth-of-type(2) span{
        font-size: 13px;
    .cit1 .card-img-top{
        height: 50% !important;
    .cit1 .card-body p{
        font-size: 10px !important;
    .cit1 .card-footer{
        font-size: 11px !important;
    .cit1 .card-footer span{
        font-size: 15px !important;
    #comment h2{
        font-size: 16px !important;
    #comment p{
        font-size: 12px !important;
@media screen and (max-width:450px){
     .places-box{
        height: 32vw !important;
    .places-box{
        width: 32vw !important;
    #headline2{
        width: 80%;
        padding: 70px 20px !important;
    #logo{
```

```
width: 150px!important;
    top:1% !important;
}
```

• Main.js

```
window.onload = function(){
    WriteMenu();
    $('#sideMenu').hide();
    $('#toggle-menu').on("click",displaySideMenu);
    // INDEX.HTML
    if(window.location.href.includes("index.html")){
        WriteCategories();
        var catEl = document.getElementsByClassName("activity");
        //console.log(catEl[0])
        for(let i=0;i<catEl.length;i++){</pre>
            catEl[i].addEventListener("click", RemmemberID);
        writePlaces();
        let catDivPos = $("#categories").offset().top;
        //console.log(catDivPos);
        $('#btnPlaces').on("click",function(){window.location.href="places
.html"});
        $(window).on('scroll',()=> {
            let scroll = $(window).scrollTop();
            //console.log(scroll);
            if(scroll<catDivPos - 310){</pre>
                $('#categories').css("transform", `translateX(${-
2000+scroll*1.83}px)`);
        });
        $('.slickCarousel').slick({
            autoplay: true,
```

```
autoplaySpeed: 2500,
            infinite: true,
            slidesToShow: 4,
            slidesToScroll: 1,
            responsive: [
                breakpoint: 1024,
                settings: {
                  slidesToShow: 3,
                  slidesToScroll: 1,
                  infinite: true,
              },
                breakpoint: 600,
                settings: {
                  slidesToShow: 2,
                  slidesToScroll: 1
              },
                breakpoint: 480,
                settings: {
                  slidesToShow: 1,
                  slidesToScroll: 1
          });
    // PLACES.HTML && ACTIVITIES.HTML
    if(window.location.href.includes("places.html") || window.location.hre
f.includes("activities.html")){
       MakeDDL("ddlLocation",places);
       $("#ddlLocation").on("change",Filter);
    if(window.location.href.includes("places.html")){
        MakeDDL("ddlAccType",accomodation);
        writeBoxes("accomodation",Lodging)
        $("#ddlAccType").on("change",Filter);
        writePriceButtons();
   if(window.location.href.includes("activities.html")){
```

```
MakeDDL("ddlActivity", categories);
       $("#ddlActivity").on("change",Filter);
        let activityID = localStorage.getItem("ActivityID");
       let locationID = localStorage.getItem('LocationID');
        if(locationID){
            WriteByLocalStorage(locationID, "Location", Activities);
        }else{
           WriteByLocalStorage(activityID, 'Activity', Activities);
        }
   // SUITCASE.HTML
   if(window.location.href.includes("suitcase.html")){
       $("#btnLog").click(proveraLog);
       $("#btnReg").click(proverRegister);
       mesta = JSON.parse(localStorage.getItem("Mesta"));
       aktivnosti = JSON.parse(localStorage.getItem("Aktivnosti"));
       // Inicjalno
       $('#lodging').hide();
       $('#activity').hide();
       $(".message h2").html("Your suitcase is empty!");
       if((mesta && mesta.length>0) || (aktivnosti && aktivnosti.length>0
)){
           $(".message h2").html("");
        if(mesta && mesta.length>0){
            $('#lodging').show();
            let niz = JSON.parse(localStorage.getItem('Mesta'));
            niz = Lodging.filter(el=>{
                for(let n of niz){
                    if(n.id==el.id){
                        return el;
                    }
            })
           writeBoxes("accomodation",niz,$('#ispis2'));
        if(aktivnosti && aktivnosti.length>0){
```

```
$('#activity').show();
            let niz = JSON.parse(localStorage.getItem('Aktivnosti'));
            niz = Activities.filter(el=>{
                for(let n of niz){
                    if(n.id==el.id){
                        return el;
            })
            writeBoxes("Activity",niz,$('#ispis1'));
    $(window).resize(CSS);
    CSS();
// TRENUTNA STRANICA
var url=window.location.href;
function displaySideMenu(e){
    e.preventDefault();
    $('#sideMenu').slideToggle();
// FILTRIRANJE SADRZAJA PO LOKACIJI / TIPU SMESTAJA / CENI i LOKACIJI/AKTI
VNOSTI
function Filter(){
    let locationID = $("#ddlLocation option:selected").val();
    let filtriraniNiz;
    let type;
    if(url.includes("activities.html")){
        filtriraniNiz = Activities;
        type="Activity";
        let activityID = $("#ddlActivity option:selected").val();
        //console.log(activityID);
        if(activityID){
            if(activityID!=0){
                filtriraniNiz = Activities.filter(el=>el.activityID==activ
ityID);
    }else if(url.includes("places.html")){
        filtriraniNiz = Lodging;
```

```
type="accomodation";
        let accTypeID = $("#ddlAccType option:selected").val();
        console.log(accTypeID);
        if(accTypeID){
            if(accTypeID!=0){
                filtriraniNiz = Lodging.filter(el=>el.accTypeID==accTypeID
);
            }
        }
        if($(this).hasClass("btn-price")){
            console.log(this.dataset.id)
            let low = $(this).data('min');
            let high = $(this).data('max');
            console.log(low)
            if(low=="" && high==""){
            else{
                console.log(filtriraniNiz)
                filtriraniNiz = filtriraniNiz.filter(el=> el.price>low);
                filtriraniNiz = filtriraniNiz.filter(el=> el.price<high);</pre>
   // console.log(locationID);
   if(locationID){
        if(locationID!=0){
            //console.log(locationID)
            filtriraniNiz = filtriraniNiz.filter(el=>el.locationID==locati
onID);
   writeBoxes(type,filtriraniNiz);
   $(".fadeIn").hide();
   //$(".fadeIn").fadeIn();
   $(".fadeIn").fadeIn("slow");
   //$(".fadeIn").fadeIn(4000);
// FUNKCIJE ZA DINAMICKO KREIRANJE I ISPISIVANJE DROPDOWN LISTI I SADRZAJA
//ISPIS MENIJA I FUNKCIOANLNOST AKTIVNOG LINKA
```

```
function WriteMenu(){
    var ul=document.getElementById('meni');
    for(let i=0; i<meni.length;i++){</pre>
        let li = document.createElement("li");
        li.setAttribute("class","col-lg-4 nav-item");
        let a = document.createElement('a');
        a.setAttribute("href", `${meni[i][1]}`);
        let txt = document.createTextNode(`${meni[i][0]}`);
        a.appendChild(txt);
        li.appendChild(a);
        ul.appendChild(li);
    function ActiveLink(){
        var navLink= document.getElementsByClassName("nav-item");
        for(let i=0; i<navLink.length;i++){</pre>
            //console.log(navLink[i]);
            //console.log(url);
            if(url.search(navLink[i].firstChild.getAttribute("href"))!=-
1){
                navLink[i].firstChild.classList.add("active");
    ActiveLink();
// ISPIS KATEGORIJA
function WriteCategories(){
    let div = document.getElementById("categories").firstElementChild;
    //console.log(div);
    let txt=``;
    for(let cat of categories){
        txt += `<div class="show-animation col-lg-3 circles">
                <a class="activity" href="activities.html" data-</pre>
id="${cat.id}">
                    <img src="assets/images/${cat.src}" alt="${cat.alt}"/>
                    <div class="hold"><h4>${cat.name}</h4></div>
                 </a>
            </div>`;
    div.innerHTML=txt;
    var anim = $(".show-animation");
```

```
//console.log(anim);
    for(let el of anim){
        //console.log(el);
        el.addEventListener("mouseenter", showActivity);
        el.addEventListener("mouseleave",hideActivity);
// ISPIS PRICE DUGMICA
function writePriceButtons(){
    let html=``;
    for(let data of buttons){
        html+=`<button class="btn btn-secondary1 font-weight-bold btn-</pre>
price" data-id="${data.id}" data-min="${data.price.low}" data-
max="${data.price.high}" class="btn btn-secondary">${data.name}</button>`
    $('.top-main-right').html(html);
    let buttoni = $('.btn-price');
    for(let b of buttoni){
        b.addEventListener("click",Filter);
// function Alert(){
       alert("dobio sam dogadjaj")
// ISPIS LOKACIJA
function writePlaces(){
    div1 = document.getElementById('places');
    let style = document.createElement("style");
    let i=0;
    for(let obj of places){
        let divDest = document.createElement("div");
        let h4 = document.createElement("h4");
        let name = document.createTextNode(obj.name);
        style.innerHTML += `.place${i} {background-
image:url("assets/images/${obj.image}");\nbackground-size:cover;\n
        background-repeat:no-repeat;\n}\n`;
        divDest.classList.add("places-box");
        divDest.classList.add(`place${i}`);
        divDest.setAttribute("data-pid",obj.id);
        h4.appendChild(name);
```

```
divDest.appendChild(h4);
        div1.appendChild(divDest);
        divDest.addEventListener("click", function(){
            //alert(this.dataset.pid);
            localStorage.setItem("LocationID",this.dataset.pid);
            window.location.href="activities.html";
        })
        i++;
    document.getElementsByTagName('head')[0].appendChild(style);
//ISPIS DDL U ZAVISNOSTI OD STRINGA KOJI JE PROSLEDJEN
function MakeDDL(string,object){
    //console.log(string);
    let options;
    let div;
    if(string.includes('ddlLocation')){
        options = MakeOptions(object);
        div = document.getElementById(string);
        div.innerHTML+=options;
    else if(string.includes('ddlActivity')){
        options = MakeOptions(object);
        div = document.getElementById(string);
        div.innerHTML+=options;
    else if(string.includes('ddlAccType')){
        options = MakeOptions(object);
        div = document.getElementById(string);
        div.innerHTML+=options;
// ISPIS SADRZAJA
function WriteByLocalStorage(selectedID, string, object){
    if(selectedID!=null){
        switch(string){
            case "Activity":
                $(`#ddl`+string)[0].selectedIndex = selectedID;
```

```
object = object.filter(el=> el.activityID == selectedID);
                //console.log(selectedID);
                console.log($(`#ddl`+string)[0].selectedIndex)
                console.log($(`#ddl`+string)[0])
                writeBoxes(string,object);
                localStorage.removeItem(string+"ID");
           break;
            case "Location":
                $(`#ddl`+string)[0].selectedIndex = selectedID;
                console.log($(`#ddl`+string)[0].selectedIndex)
                console.log($(`#ddl`+string)[0])
                object = object.filter(el=>el.locationID==selectedID);
                console.log(object);
                writeBoxes("Activity",object);
                localStorage.removeItem(string+"ID");
           break;
   }else{
       writeBoxes(string,object);
function writeBoxes(type,object,div=null,page=null){
   let html ="";
       if(object.length>0){
            if(type=='Activity'){
                html=MakeHTML(type,object);
                if(!div){
                    $('.middle-main').html(html);
                }else{
                    div[0].innerHTML = MakeHTML(type,object);
                    PromeniKlasePriInicijalnomIspisu(object);
                $(".card-title").click(pokreniModal);
                $(".suitcase").click(AddToSuitcase);
            else if(type=='accomodation'){
                html=MakeHTML(type,object);
                if(!div){
                    $('.middle-main').html(html);
                }else{
                    console.log(div)
```

```
div[0].innerHTML = MakeHTML(type,object);
                    PromeniKlasePriInicijalnomIspisu(object);
                $(".suitcase").click(AddToSuitcase);
        }else{
            if(!div){
                $('.middle-
main').html("<h3 class='fadeIn'>No information for selected content!</h3>"
);
            }else{
                if(page=="Activity"){
                    //alert(page)
                    localStorage.removeItem('Aktivnosti');
                    $("#activity").hide();
                }else if(page=="accomodation"){
                    //alert(page + 346);
                    localStorage.removeItem('Mesta');
                    $("#lodging").hide();
                if($("#lodging").css("display")=='none' && $("#activity").
css("display")=='none'){
                    $(".message h2").html("Your suitcase is empty!");
            }
    if(url.includes("places.html")){
        let mesta = JSON.parse(localStorage.getItem('Mesta'));
        PromeniKlasePriInicijalnomIspisu(mesta);
    }else if(url.includes("activities.html")){
        let aktivnosti = JSON.parse(localStorage.getItem('Aktivnosti'));
        PromeniKlasePriInicijalnomIspisu(aktivnosti);
// AKO JE U LS MENJA SE DEO SADRZAJA ODREDJENIH BOX-EVA
function PromeniKlasePriInicijalnomIspisu(ls){
    if(ls!=null){
        let all = $('.suitcase');
        //console.log(all)
        for(let a of all){
```

```
//console.log(a);
            for(let obj of ls){
                if(a.dataset.id==obj.id){
                    console.log(a);
                    a.classList.remove('suitcase');
                    a.classList.add('remove')
                    let str = a.childNodes[0].innerHTML;
                    let newStr = str .replace("Add to", "Remove from")
                    a.childNodes[0].innerHTML = newStr;
        $('.remove').on("click",RemoveFromSuitcase);
// DODAVANJE U SUITCASE U LS
function AddToSuitcase(){
    let outcome;
    if(url.includes("activities.html")){
        aktivnosti = JSON.parse(localStorage.getItem("Aktivnosti"));
        //console.log(aktivnosti)
       var id = this.dataset.id;
        //console.log(id)
        outcome = CheckAdd(aktivnosti,id,"Aktivnosti");
    }else if(url.includes("places.html")){
        mesta = JSON.parse(localStorage.getItem("Mesta"));
        var id = this.dataset.id;
        outcome = CheckAdd(mesta,id,"Mesta");
    if(outcome){
        let str = this.childNodes[0].innerHTML;
        let newStr = str .replace("Add to", "Remove from")
        this.childNodes[0].innerHTML = newStr;
        $(this).removeClass("suitcase").addClass('remove');
        $(this).on("click",RemoveFromSuitcase);
    }
// UKLANJANE IZ SUITCASE
function RemoveFromSuitcase(){
```

```
var caller = this.dataset.id;
var page = this.dataset.pg;
console.log(caller,page)
if(url.includes("suitcase.html")){
    if(page == "Activity"){
        let ls = JSON.parse(localStorage.getItem('Aktivnosti'));
        ls = ls.filter(el=> {
            if(el.id != caller)
            return el;
        })
        localStorage.setItem("Aktivnosti", JSON.stringify(ls));
        Activities = Activities.filter(el=>{
            for(let 1 of ls){
                if(1.id==e1.id){
                    return el;
        })
        //alert(Activities);
       writeBoxes("Activity", Activities, $('#ispis1'), page);
    }else if(page == "accomodation"){
       //alert("prvo da")
        let 1s = JSON.parse(localStorage.getItem('Mesta'));
        ls = ls.filter(el=> {
           if(el.id != caller)
            return el;
        })
        //alert(JSON.stringify(ls))
        localStorage.setItem("Mesta", JSON.stringify(ls));
        Lodging = Lodging.filter(el=>{
            for(let 1 of 1s){
                if(l.id==el.id){
                    return el;
                }
        })
        //alert(Lodging);
       writeBoxes("accomodation",Lodging,$('#ispis2'),page);
}else{
   let str = this.childNodes[0].innerHTML;
```

```
let newStr = str .replace("Remove from","Add to")
        this.childNodes[0].innerHTML = newStr;
        $(this).removeClass("remove").addClass('suitcase');
        $(this).on("click",AddToSuitcase);
        if(page == "Activity"){
            let 1s = JSON.parse(localStorage.getItem('Aktivnosti'));
            ls = ls.filter(el=> {
                if(el.id != caller)
                return el;
            })
            localStorage.setItem("Aktivnosti", JSON.stringify(ls));
        }else if(page == "accomodation"){
            let 1s = JSON.parse(localStorage.getItem('Mesta'));
            ls = ls.filter(el=> {
                if(el.id != caller)
                return el;
            })
            localStorage.setItem("Mesta", JSON.stringify(ls));
// PROVERA PRE DODAVANJA U LS
function CheckAdd(array,id,string){
   if (array != null){
        if (array.filter(a=> a.id == id).length>0){
            //console.log("ne upisuje ponovo");
            return false;
        else{
            array.push({
                id : id
            localStorage.setItem(string, JSON.stringify(array));
   else{
        let niz=[];
        niz[0] = {
            id: id
        };
        //console.log(niz)
```

```
localStorage.setItem(string, JSON.stringify(niz));
    return true;
// POKRETANJE MODALA
// FUNKCIJA ZA POKRETANJA MODALA FILMA
function pokreniModal() {
    var id= this.dataset.id;
    console.log(this.dataset.id);
        let data = Activities;
        data= data.find(el => el.id==id);
        document.getElementById("actName").innerHTML= data.name;
        document.getElementById("actDescription").innerHTML= data.descript
ion;
        document.getElementById("actAddress").innerHTML= data.address;
        document.getElementById("actNumber").innerHTML= data.number;
        alert(id);
        //$("#modalAct").modal("show");
// KREIRANJE OPTION TAGOVA I KARTICA ZA SADRZAJ
function MakeOptions(object){
    let html = ``;
    for(let obj of object){
        html+= `<option value="${obj.id}">${obj.name}</option>`;
    return html;
function MakeHTML(type,object){
    let html = ``;
    if(type=='Activity'){
        for(let obj of object){
            html += `
            <div class="card fadeIn m-lg-4 m-md-2 m-sm-3 m-2 px-0 col-md-</pre>
4 col-10">
                <img class="card-img-</pre>
top" src="assets/images/${obj.image.src}" alt="${obj.image.alt}">
                <div class="card-body">
                    <h5 class="card-title font-weight-bold text-</pre>
uppercase">${obj.name}</h5>
```

```
normal my-2">${obj.description}
                  <a href="#" data-id="${obj.id}" data-</pre>
toggle="modal" data-target="#modalAct" class="card-title h6 black mt-3 d-
block text-black font-weight-bold">Learn more</a>
              </div>
              <div class="card-footer w-100 p-0 h-10 d-flex justify-</pre>
content-evenly">
                  <div class="pt-xl-3 pt-lg-4 pt-md-3 pt-sm-3 pt-2 h-</pre>
100 align-items-center col-6 text-center font-weight-
bold"><a href="${obj.directions}">Get directions</a></div>
                  <div data-pg="Activity" data-</pre>
id="${obj.id}" class="suitcase py-3 col-6 bg-black d-flex align-items-
center justify-content-center"><span class="font-weight-
bold"><i class="fas fa-suitcase-rolling mx-</pre>
2"></i>Add to suitcase</span></div>
              </div>
           </div>
       return html;
   else if(type=="accomodation"){
       for(let obj of object){
           html += 
              <div class="card cit1 fadeIn m-lg-4 m-md-2 m-sm-3 m-2 px-</pre>
0 col-md-5 col-10">
                  <img class="card-img-</pre>
top" src="assets/images/${obj.image.src}" alt="${obj.image.alt}">
                  <div class="card-body">
                      <h5 class="card-title font-weight-
bold">${obj.name}</h5>
                      <div class="d-flex justify-content-evenly px-3">
                          0 align-self-center">${obj.address}
                          <div class="col-5">
                             <a href="${obj.directions}">
ction-link card-text a-card-color w-100 font-weight-bold text-
uppercase" data-id="">Get Directions</a>
                              500">${obj.number}
                          </div>
                      </div>
                  </div>
```

```
<div class="card-footer w-100 p-0 h-15 d-flex justify-</pre>
content-evenly">
                         <div class="align-items-center col-6 d-</pre>
flex justify-content-center text-center font-weight-
bold">FROM <span class="mx-2">$${obj.price}</span></div>
                         <div data-pg="accomodation" data-</pre>
id="${obj.id}" class="suitcase col-6 bg-black d-flex align-items-
center justify-content-center"><span class="font-weight-
bold"><i class="fas fa-suitcase-rolling mx-
2"></i>Add to suitcase</span></div>
                     </div>
                </div>
        return html;
// JS OBJEKTI
// DDL SADRZAJ SE UZIMA IZ JS OBJEKATA
var meni = [["Things to do", "activities.html"],["Places to stay", "places.h
tml"],["My Suitcase","suitcase.html"]];
// SADRZAJ ZA KATEGORIJE
var categories = [{"id":1,"name":"Redwoods","alt":"redwood forest","src":"
Redwood.jpg"},{"id":2,"name":"Beaches","alt":"cloudy beach coast","src":"b
each.jpg"},{"id":3,"name":"Hiking","alt":"hiking road","src":"hiking.png"}
,{"id":4,"name":"Water activities","alt":"people rafting","src":"wact.jpg"
},{"id":5,"name":"Leisure","alt":"cycling break coast","src":"leisure.jpg"
},{"id":6,"name":"Towns","alt":"town","src":"towns.jpg"},{"id":7,"name":"H
istory","alt":"redwood tree","src":"historical.jpg"},{"id":8,"name":"Tours
/Guides", "alt": "road",
"src":"tour.jpg"}];
// SADRZAJ ZA DUGMICE
var buttons = [
                {"id":5,"name":"All","price":{"low":"","high":""}},
                {"id":1, "name": "$0-$79", "price": {"low":0, "high": 79}},
                {"id":2, "name": "$80-$149", "price": {"low": 80, "high": 149}},
                {"id":3,"name":"$150-
$250", "price": {"low": 150, "high": 250}},
                {"id":4,"name":"$250+","price":{"low":250,"high":100000}}
```

```
// SADRZAJ ZA TIP SMESTAJA
var accomodation=[{"id":1,"name":"Bed & Breakfast"},{"id":2,"name":"Hotels
 & Motels"},{"id":3,"name":"Cabins & Cottages"},{"id":4,"name":"RV Parks &
 Campgrounds"}];
// SADRZAJ ZA MESTA
var places = [
        "id":1,
        "name": "Eureka",
        "image": "eureka.jpg"
        "id":2,
        "name":"Arcata",
        "image":"arcata.jpg"
    , {
        "id":3,
        "name": "Fortuna",
        "image":"fortuna.jpg"
    ,{
        "id":4,
        "name":"Ferndale",
        "image":"ferndale.jpg"
        "id":5,
        "name":"Trinidad",
        "image":"trinidad.jpg"
    },
        "id":6,
        "name": "County East",
        "image":"east.jpg"
    },
        "id":7,
        "name": "County North",
        "image":"north.jpg"
```

```
"id":8,
        "name": "Southern Humboldt",
        "image": "southern.jpg"
// SADRZAJ ZA AKTIVNOSTI
var Activities = [
    {"id":1, "image": { "src": "drive-
thruu.jpg", "alt": "SHRINE DRIVE THRU TREE, Redwood"}, "name": "SHRINE DRIVE T
HRU TREE", "description": "You know you've witnessed some of the largest tre
es on the planet when you find yourself driving your car through the very
center of one. The Shrine and Drive-
Over Tree (Myers Flat) allows you to return home again with photographs to
prove you were not subject to ingesting some of the local forest mushroom
s and did, indeed, pass directly through a living giant.", "address": "13708
Avenue of the Giants, Myers Flat, CA 95554", "number": "(707)-943-
1975", "directions": "https://www.google.com/maps/dir//13708+Avenue+of+the+G
iants%2C+Myers+Flat%2C+CA+95554","locationID":8,"activityID":1},
    {"id":2,"image":{"src":"rhododendron.jpg","alt":"RHODODENDRON trail"},
"name": "RHODODENDRON TRAIL", "description": "To find the magic of the Rhodod
endron Trail you must first begin your journey at the Prairie Creek Visito
r Center on the edge of scenic Elk Prairie. The trail is lined with lichen
encrusted maples, blackberry brambles, and magnificent redwoods. If you do
 anything in Humboldt make sure you don't miss the beautiful scenery of th
e Rhododendron Trail.", "address": "Prairie Creek Visitor Center, Newton B.
Drury Scenic Parkway, Orick", "number": "", "directions": "https://www.google.
com/maps/dir//Prairie+Creek+Visitor+Center%2C+Newton+B.+Drury+Scenic+Parkw
ay%2C+Orick","locationID":7,"activityID":3},
    {"id":3, "image":{"src": "PatricksPoint.jpg", "alt": "PATRICK'S POINT STAT
E PARK"}, "name": "PATRICK'S POINT STATE PARK", "description": "Patrick's Poin
t State Park is the perfect location to watch whales, sea lions, and beaut
iful sunsets. Appropriately located in the heart of the California redwood
 coast and considered one of the most magical treasures of the rugged Nort
hern Coast. Take long and memorable strolls over safe, well-
marked paths, bridges, steps and stairs winding in and around the crashing
blue Pacific. Plus, get up close and personal in an ancient Sumeg village
. A good camera is required on Rim Trail, Wedding Rock, Ceremonial Rock, a
nd a never-
ending display of why California is famous the world over.", "address": "406
30 CA-299, Willow Creek, CA 95573", "number": "(530) 629-
```

```
2263", "directions": "https://www.google.com/maps/dir//4150+Patricks+Point+D
rive%2C+Trinidad%2C+CA+95570","locationID":5,"activityID":2},
    {"id":4,"image":{"src":"bigfoot.jpg","alt":"Bigfoot Rafting"},"name":"
BIGFOOT RAFTING", "description": "Come join the Bigfoot Rafting family for r
iver fun in the mountain sun! Bigfoot Rafting has been popular with touris
t and locals alike since 1984, making them one of the largest and most exp
erienced rafting company in Northern California. While they offer action-
packed whitewater rafting to calm gentle floats safety always comes first.
 All guides are CPR, First Aid, and Swift Water Rescue certified. And ther
e is no need to bring anything Bigfoot Rafting has all the gear and rafts
you need. They even have a shuttle service that takes you to the rafting s
ite.", "address": "13708 Avenue of the Giants, Myers Flat, CA 95554", "number
":"(707)-943-
1975", "directions": "https://www.google.com/maps/dir//40630+CA-
299%2C+Willow+Creek%2C+CA+95573","locationID":6,"activityID":4},
    {"id":5,"image":{"src":"willow-
creek.jpg","alt":"willow creek lake"},"name":"WILLOW CREEK","description":
"Come visit Bigfoot's old stomping grounds. Where you can learn more about
the hairy legend at the China Flat Bigfoot Museum with the world's larges
t collection of Bigfoot artifacts. "River fun in the mountain sun" is a li
fe motto here. Relax and enjoy never-
ending private swimming holes, rock jumping into deep pools, and some of t
he best whitewater rafting you'll ever experience. There's so much to do
in Willow Creek, you'll find yourself booking a trip to come back before y
ou leave. You can even book a backcountry auto tour and get up close and p
ersonal with Six Rivers National Forest, enjoy a variety of wine tasting c
hoices, sample the freshest produce from local farm stands, and as mention
ed earlier...share a little quality-
time with Bigfoot.", "address": "Willow Creek, CA, USA", "number": "", "directi
ons":"https://www.google.com/maps/dir//Willow+Creek%2C+CA%2C+USA","locatio
nID":6, "activityID":5},
    {"id":6, "image": {"src": "ferndale-
museum.jpg","alt":"Ferndale museum"},"name":"FERNDALE MUSEUM","description
":"An experience you can only get in Ferndale. This is a historical and ed
ucational museum that brings the community an appreciation and understandi
ng of the culture and heritage of Ferndale, the Eel River and Mattole Vall
eys. The museum publishes a magazine, produce original documentary videos,
 conduct tours of historic houses and businesses, stage photography exhibi
ts, publish original biographies and historic cookbooks, and maintain a co
nstantly enriched and varied collection. The museum's collections include
a working seismograph, player piano, active blacksmith shop, and a vast di
splay of artifacts that pertain to or were used by our forebears. We also
assist our members in genealogical research, welcome visitors and new frie
nds, and provide information on our two town cemeteries.", "address": "515 S
haw Ave, Ferndale, CA 95536", "number": "(707) 786-
```

```
4466", "directions": "https://www.google.com/maps/dir//515+Shaw+Ave%2C+Fernd
ale%2C+CA+95536","locationID":4,"activityID":6},
    {"id":7,"image":{"src":"pacific-
adventure.jpg","alt":"PACIFIC OUTFITTERS ADVENTURE, bus"},"name":"PACIFIC
OUTFITTERS ADVENTURE", "description": "Pacific Outfitters has been a part of
the Humboldt community for years and a one-stop-
shop for all your outdoor needs and information in Humboldt . Their apprec
iation for the outdoors carries over to the products they sell and the ser
vice you'll receive. In each store department, you will find some of the t
op local experts of the area and provide the advice you're in search of. C
ustomers come in and share stories and photos, sign up for classes, pick u
p useful tips, and become educated on the latest, leading edge gear for th
e outdoors. The staff is made up of outfitting specialists who hunt, fish,
hike, bike, snowboard, dive, kayak, play disc golf, other outdoor sports.
","address":"1600 5th Street, Eureka, CA 95501 ","number":"(707)-443-
6328", "directions": "https://www.google.com/maps/dir//1600+5th+Street%2C+Eu
reka%2C+CA+95501","locationID":1,"activityID":7},
    {"id":8,"image":{"src":"arcata-
marsh.jpg", "alt": "ARCATA MARSH & WILDLIFE SANCTUARY"}, "name": "ARCATA MARSH
& WILDLIFE SANCTUARY", "description": "The Arcata Marsh and Wildlife Sanctu
ary is an internationally popular wetland system. If you enjoy bird watchi
ng all year round, this is the place for you. Located at the northern end
of the Humboldt Bay, the sanctuary is set along the migration route for th
ousands of birds that head north to California, Mexico and South and Centr
al America.", "address": "569 South G Street, Arcata, CA 95521", "number": "(7
07) 826-
2359", "directions": "https://www.google.com/maps/dir//569+South+G+Street%2C
+Arcata%2C+CA+95521", "locationID":2, "activityID":8},
    {"id":9,"image":{"src":"grizzly-
creek.jpg", "alt": "GRIZZLY CREEK REDWOODS STATE PARK"}, "name": "GRIZZLY CREE
K REDWOODS STATE PARK", "description": "Located on the Van Duzen River is th
e small yet beautiful Grizzly Creek Redwoods State Park. While the park on
ly covers a few acres there are a number of things you can do, such as fis
hing, swimming, canoeing, and hiking. Very few visitors come on a weekday,
 so it is entirely possible to be the only person in the park.", "address":
"16949 State Highway 36, Carlotta, CA 95528", "number": "(707)-777-
3683", "directions": "https://www.google.com/maps/dir//1600+5th+Street%2C+Eu
reka%2C+CA+95501","locationID":3,"activityID":1}
];
// SADRZAJ ZA SMESTAJ
var Lodging = [
    {"id":1, "name": "Cornelius Daly Inn", "image": {"src": "holiday-inn-
express-and-suites-
```

```
eureka.jpg", "alt": "cornelius daly inn"}, "price": 130, "address": "1125 H Stre
et, Eureka, CA 95501", "number": "(707) 445-
3638", "directions": "https://www.google.com/maps/dir//1125+H+St,+Eureka,+CA
+95501,+%D0%A1%D1%98%D0%B5%D0%B4%D0%B8%D1%9A%D0%B5%D0%BD%D0%B5+%D0%94%D1%8
0%D0%B6%D0%B0%D0%B2%D0%B5/@40.7968961,-
124.2322344,12z/data=!4m8!4m7!1m0!1m5!1m1!1s0x54d3ffd8efbc5419:0x4c451ecf9
495c779!2m2!1d-124.1621945!2d40.7969173","locationID":1,"accTypeID":1},
    {"id":2,"name":"MAD RIVER RAPIDS RV PARK","image":{"src":"mad-river-
rapids-rv-
park.jpg", "alt": "mad river rapids rv park" }, "price": 42, "address": "3501 Jan
es Road, Arcata, CA 95521", "number": "(707) 822-
7275", "directions": "https://www.google.com/maps/dir//3501+Janes+Rd,+Arcata
,+CA+95521,+%D0%A1%D1%98%D0%B5%D0%B4%D0%B8%D1%9A%D0%B5%D0%BD%D0%B5+%D0%94%
D1%80%D0%B6%D0%B0%D0%B2%D0%B5/@40.9016469,-
124.093386,17z/data=!4m8!4m7!1m0!1m5!1m1!1s0x54d150ab8aee0305:0xad53e93a06
30388d!2m2!1d-124.0911973!2d40.9016469","locationID":2,"accTypeID":4},
    {"id":3,"name":"RIVERS'S EDGE RV PARK","image":{"src":"RiversEdgeRVPar
k.jpg","alt":"River's Edge RV park"},"price":50,"address":"620 Davis Stree
t, Rio Dell, CA", "number": "(707) 764-
5420", "directions": "https://www.google.com/maps/dir//620+Davis+Street%2C+R
io+Dell%2C+CA", "locationID":3, "accTypeID":2},
    {"id":4, "name": "VICTORIAN INN BOUTIQUE HOTEL", "image": {"src": "victoria
n-inn-front-
daylight.jpg","alt":"VICTORIAN INN BOUTIQUE HOTEL"},"price":149,"address":
"400 Ocean Avenue, Ferndale, CA 95536", "number": "(707) 786-
4949", "directions": "https://www.google.com/maps/dir//400+Ocean+Avenue%2C+F
erndale%2C+CA+95536", "locationID":4, "accTypeID":3},
    {"id":5,"name":"TURTLE ROCK OCEANFRONT INN","image":{"src":"turtle.jpg
","alt":"TURTLE ROCK OCEANFRONT INN"},"price":189,"address":"3392 Patricks
Point Drive, Trinidad, CA 95570", "number": "(707) 677-
3707", "directions": "https://www.google.com/maps/dir//3392+Patricks+Point+D
rive%2C+Trinidad%2C+CA+95570","locationID":5,"accTypeID":3},
    {"id":6, "name": "DEAN CREEK RESDORT", "image": {"src": "dean-
creek.webp","alt":"dean creek resort"},"price":84,"address":"4112 Redwood
Drive, Redway, CA 95542", "number": "(707) 923-
2555", "directions": "https://www.google.com/maps/dir//4112+Redwood+Dr,+Redw
ay,+CA+95560,+%D0%A1%D1%98%D0%B5%D0%B4%D0%B8%D1%9A%D0%B5%D0%BD%D0%B5+%D0%9
4%D1%80%D0%B6%D0%B0%D0%B2%D0%B5/@40.1407506,-
123.8125965,17z/data=!4m8!4m7!1m0!1m5!1m1!1s0x54d492c246cf94e1:0x170a3d6a5
323fe91!2m2!1d-123.8104078!2d40.1407506","locationID":8,"accTypeID":3},
    {"id":7,"name":"COHO COTTAGES HOTEL","image":{"src":"coho.webp","alt":
"cogo cottages hotel"},"price":159,"address":"76                              Willow Road, Willow Creek
, CA 95573", "number": "(530) 629-
4000", "directions": "https://www.google.com/maps/dir//76+Willow+Rd,+Willow+
Creek,+CA+95573,+%D0%A1%D1%98%D0%B5%D0%B4%D0%B8%D1%9A%D0%B5%D0%BD%D0%B5+%D
```

```
0%94%D1%80%D0%B6%D0%B0%D0%B2%D0%B5/@40.9412058,-
123.6353805,17z/data=!4m8!4m7!1m0!1m5!1m1!1s0x54d3d835d44686b1:0x82027f9ba
df8ee96!2m2!1d-123.6331918!2d40.9412058","locationID":6,"accTypeID":3},
    {"id":8,"name":"GIANT REDWOODS RV & CAMP","image":{"src":"giant-
redwood.jpg", "alt": "GIANT REDWOODS RC & CAMP"}, "price": 35, "address": "400 M
yers Avenue, Myers Flat, CA 95554", "number": "(707) 943-
9999", "directions": "https://www.google.com/maps/dir//7+Valley+Green+Camp+R
oad%2C+Orick%2C+CA+95555","locationID":8,"accTypeID":4},
    {"id":9, "name": "ELK MEADOW VILLAGE IN REDWOOD NATIONAL PARK", "image": {
"src": "elk-
meadow.jpg", "alt": "elk meadow village, redwood national park"}, "price": 289
,"address":"7 Valley Green Camp Road, Orick, CA 95555","number":"(866) 733
9637", "directions": "https://www.google.com/maps/dir//7+Valley+Green+Camp+R
oad%2C+Orick%2C+CA+95555","locationID":7,"accTypeID":3},
];
// DODATNO
// ANIMATE METOD
function showActivity(){
    $(this).children().find(".hold").stop(true,ture).animate({"opacity":"1
","transition":"opacity 0.7s"});
function hideActivity(){
    $(this).children().find(".hold").stop(true,true).animate({"opacity":"0
","transition":"opacity 0.4s"});
// Local Storage funkcionalnost
function RemmemberID(e){
    e.preventDefault();
    localStorage.setItem("ActivityID",this.dataset.id);
    window.location.href="activities.html";
    // alert(this.dataset.id);
}
//REGULRANI IZRAZI
```

```
var reEmail,rePassword;
 reEmail = /^([a-z]{3,}\d{0,}\@((gmail|yahoo)\.com)|ict\.edu\.rs)|([a-c]{3,}\d{0,}\@((gmail|yahoo)\.com)|ict\.edu\.rs)|([a-c]{3,}\d{0,}\@((gmail|yahoo)\.com)|ict\.edu\.rs)|([a-c]{3,}\d{0,}\@((gmail|yahoo)\.com)|ict\.edu\.rs)|([a-c]{3,}\d{0,}\d{0,}\@((gmail|yahoo)\.com)|ict\.edu\.rs)|([a-c]{3,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,}\d{0,
 z]{3,}\d{0,}\.[a-z]{3,}\d{0,}\@((gmail|yahoo)\.com)|ict\.edu\.rs)$/;
 rePassword= /^(?:(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{8,15})$/;
//LOGOVANJE
 function proveraLog(e){
             e.preventDefault();
            var email, pass;
             email = $("#emailLog").val();
             pass= $("#pass").val();
            alert(pass)
            let fail=[];
             if(!rePassword.test(pass) || pass.length==0){
                         $("#pass").css("border-
 color","#ee0f0f").next().text("Password or username don't match!");
                         fail[0]="Bad password";
            else{
                         $("#pass").css("border-color","#08b108").next().text(" ");
             if(!reEmail.test(email)){
                         $("#emailLog").css("border-
 color","#ee0f0f").attr("placeholder","eg. john@gmail.com");
                        fail[1]='Bad email';
            else{
                         $("#emailLog").css("border-color","#08b108");
             if(fail.length==0){
                         setTimeout(function(){
                                     window.location.href = "https://dzo00.github.io/Viator/suitcas
                         },1000);
 //REGISTRACIJA
 function proverRegister(e){
             e.preventDefault();
            var ime, reIme, email, password;
```

```
ime= document.getElementById("name").value;
    email = $("#emailReg").val();
    password= $("#password").val();
    passCheck= $("#passwordRepeat").val();
    console.log(password); console.log(passCheck);
    reIme=/^[A-Z][a-z]{2,12}(\s[A-z][a-z]{2,12})+$/;
    let error=[];
    if(!reIme.test(ime)){
        $("#name").css("border-
color","#ee0f0f").attr("placeholder","eg. John Doe");
        error[0]="bad name";
    else{
        $("#name").css("border-color","#08b108");
    if(!rePassword.test(password) || password.length==0){
        $("#password").css("border-
color","#ee0f0f").next().text("Password must contain at least one uppercas
ed letter, an lowercased letter, number and have 8-15 characters!");
        error[0]="bad password";
    else{
        $("#password").css("border-color","#08b108").next().text(" ");
    if(!reEmail.test(email)){
        $("#emailReg").css("border-
color","#ee0f0f").attr("placeholder","eg. john@gmail.com");
        error[0]="bad email";
   else{
        $("#emailReg").css("border-color","#08b108");
    if(!rePassword.test(passCheck) && passCheck==""){
        $("#passwordRepeat").css("border-
color","#ee0f0f").next().text("Password must contain at least one uppercas
ed letter, an lowercased letter, number and have 8-15 characters!");
        error[0]="bad pass";
    else if(passCheck!=password){
        $("#passwordRepeat").css("border-
color","#ee0f0f").next().text("Passwords don't match!");
        error[0]="pass dont match";
```

```
else{
        $("#passwordRepeat").css("border-
color","#08b108").next().text(" ");
    if(error.length==0){
        $("#passwordRepeat").next().text("Welcome our new Viator!");
        $("#passwordRepeat").next().css("font-weight","bold")
        $("#passwordRepeat").next().removeClass('text-
danger').addClass("text-success");
        setTimeout(function(){
            window.location.href = "https://dzo00.github.io/Viator/suitcas
e.html"
        },1000);
// GLUPI CSS - hate it x(
function CSS(){
    if(url.includes('index.html')){
        let div = document.getElementsByClassName("headline")[1];
        //console.log(div);
        div.style.padding="0px 60px 0px 0px";
    if(url.includes('places.html')){
        if(screen.width<1100){</pre>
            console.log($('.card-body p'))
            let cards = $('.card-body p');
            for(let card of cards){
                card.style.fontSize = '13px'
        console.log(screen.width<930)</pre>
        if(screen.width<930){</pre>
            let h5 = $('.card-body h5');
            for(let h5s of h5){
                h5s.style.fontSize = '15px'
            }
    if(url.includes('suitcase.html')){
        let cards= $('.card');
```