

Knowledge Template

by PRESSAPPS

Documentation

Table of Content

[Structure](#)

[Folder Structure](#)

[Using Build Process](#)

[Manually Overriding Files](#)

[Framework](#)

[Live Search](#)

[Fonts](#)

[Support](#)

Structure

Folder Structure

Within the template you'll find the following folders:

- /assets (production ready CSS/JS files)
- /src (LESS/JS source files when using build process)

Using Build Process

To setup and compile template source files (LESS/JS) from /src folder, run the following npm commands using terminal in template directory:

- `npm install` (run once to install dependencies)
- `npm run dev` (compile all sources to assets folder)

Additional commands:

- `npm run watch` (watch files and compile automatically every time a file changes)
- `npm run build` (compile all sources and minify)

Note: npm must be first installed globally, see npm site <https://www.npmjs.com/>

Manually Overriding Files

If you decide to manually modify CSS/JS files use /assets folder.

Framework

Template uses Ulkit front-end framework, documentation is located here:

<https://getuikit.com/docs/introduction>

Live Search

The template uses jQuery Autocomplete script, details how to modify can be found on the script page: <https://www.devbridge.com/sourcery/components/jquery-autocomplete/>

Demo search data is located in the assets/content/countries.txt file.

Fonts

Knowledge uses Google Web Font Open Sans:

<https://fonts.google.com/specimen/Open+Sans>

Support

Support is only provided through external support system at <http://pressapps.co/help/>

If you have a pre-sale question feel free to use the item comments section on Envato.