

# History of special relativity

“History of relativity” redirects here. For the history of general relativity, see [history of general relativity](#).

The **history of special relativity** consists of many theoretical results and empirical findings obtained by [Albert A. Michelson](#), [Hendrik Lorentz](#), [Henri Poincaré](#) and others. It culminated in the theory of [special relativity](#) proposed by [Albert Einstein](#) and subsequent work of [Max Planck](#), [Hermann Minkowski](#) and others.

## 1 Introduction

Although [Isaac Newton](#) based his physics on [absolute time and space](#), he also adhered to the [principle of relativity](#) of [Galileo Galilei](#). This can be stated as: as far as the laws of mechanics are concerned, all observers in inertial motion are equally privileged, and no preferred state of motion can be attributed to any particular inertial observer. However, as to electromagnetic theory and electrodynamics, during the 19th century the wave theory of light as a disturbance of a “light medium” or [Luminiferous ether](#) was widely accepted, the theory reaching its most developed form in the work of [James Clerk Maxwell](#). According to Maxwell’s theory, all optical and electrical phenomena propagate through that medium, which suggested that it should be possible to experimentally determine motion relative to the aether.

The failure of any known experiment to detect motion through the aether led [Hendrik Lorentz](#), starting in 1892, to develop a [theory of electrodynamics](#) based on an immobile luminiferous aether (about whose material constitution Lorentz didn’t speculate), physical length contraction, and a “local time” in which Maxwell’s equations retain their form in all inertial frames of reference. Working with Lorentz’s aether theory, [Henri Poincaré](#), having earlier proposed the “relativity principle” as a general law of nature (including [electrodynamics](#) and [gravitation](#)), used this principle in 1905 to correct Lorentz’s preliminary transformation formulas, resulting in an exact set of equations that are now called the [Lorentz transformations](#). A little later in the same year [Albert Einstein](#) published his original paper on [special relativity](#) in which, again based on the relativity principle, he independently derived and radically reinterpreted the Lorentz transformations by changing the fundamental definitions of space and time intervals, while abandoning the absolute simultaneity of Galilean kinematics, thus avoiding the need for any reference to a luminiferous aether in clas-

sical electrodynamics.<sup>[1]</sup> Subsequent work of [Hermann Minkowski](#), in which he introduced a 4-dimensional geometric “spacetime” model for Einstein’s version of special relativity, paved the way for Einstein’s later development of his [general theory of relativity](#) and laid the foundations of [relativistic field theories](#).

## 2 Aether and electrodynamics of moving bodies

### 2.1 Aether models and Maxwell’s equations

Following the work of [Thomas Young](#) (1804) and [Augustin-Jean Fresnel](#) (1816), it was believed that light propagates as a [transverse wave](#) within an elastic medium called [luminiferous aether](#). However, a distinction was made between optical and electrodynamical phenomena so it was necessary to create specific aether models for all phenomena. Attempts to unify those models or to create a complete mechanical description of them did not succeed,<sup>[2]</sup> but after considerable work by many scientists, including [Michael Faraday](#) and [Lord Kelvin](#), [James Clerk Maxwell](#) (1864) developed an accurate theory of [electromagnetism](#) by deriving a set of equations in [electricity](#), [magnetism](#) and [inductance](#), named [Maxwell’s equations](#). He first proposed that light was in fact undulations ([electromagnetic radiation](#)) in the *same* aetherial medium that is the cause of electric and magnetic phenomena. However, Maxwell’s theory was unsatisfactory regarding the optics of moving bodies, and while he was able to present a complete mathematical model, he was not able to provide a coherent mechanical description of the aether.<sup>[3]</sup>

After [Heinrich Hertz](#) in 1887 demonstrated the existence of electromagnetic waves, Maxwell’s theory was widely accepted. In addition, [Oliver Heaviside](#) and Hertz further developed the theory and introduced modernized versions of Maxwell’s equations. The “Maxwell-Hertz” or “Heaviside-Hertz” equations subsequently formed an important basis for the further development of electrodynamics, and Heaviside’s notation is still used today. Other important contributions to Maxwell’s theory were made by [George FitzGerald](#), [Joseph John Thomson](#), [John Henry Poynting](#), [Hendrik Lorentz](#), and [Joseph Larmor](#).<sup>[4][5]</sup>

## 2.2 Search for the aether

Regarding the relative motion and the mutual influence of matter and aether, there were two controversial theories. One of them was developed by Fresnel (and subsequently Lorentz). This model (Stationary Aether Theory) supposed that light propagates as a transverse wave and aether is partially dragged with a certain coefficient by matter. Based on this assumption, Fresnel was able to explain the aberration of light and many optical phenomena.<sup>[6]</sup>

The other hypothesis was proposed by George Gabriel Stokes, who stated in 1845 that the aether was fully dragged by matter (later this view was also shared by Hertz). In this model the aether might be (by analogy with pine pitch) rigid for fast objects and fluid for slower objects. Thus the Earth could move through it fairly freely, but it would be rigid enough to transport light.<sup>[7]</sup> Fresnel's theory was preferred because his dragging coefficient was confirmed by the Fizeau experiment in 1851, who measured the speed of light in moving liquids.<sup>[8]</sup>



A. A. Michelson

Albert A. Michelson (1881) tried to measure the relative motion of the Earth and aether (Aether-Wind), as it was expected in Fresnel's theory, by using an interferometer. He could not determine any relative motion, so he interpreted the result as a confirmation of the thesis of Stokes.<sup>[9]</sup> However, Lorentz (1886) showed Michelson's calculations were wrong and that he had overestimated the accuracy of the measurement. This, together with the large margin of error, made the result of Michelson's experiment inconclusive. In addition, Lorentz showed that Stokes' completely dragged aether led to contradictory consequences, and therefore he supported an aether


theory similar to Fresnel's.<sup>[10]</sup> To check Fresnel's theory again, Michelson and Edward W. Morley (1886) performed a repetition of the Fizeau experiment. Fresnel's dragging coefficient was confirmed very exactly on that occasion, and Michelson was now of the opinion that Fresnel's stationary aether theory was correct.<sup>[11]</sup> To clarify the situation, Michelson and Morley (1887) repeated Michelson's 1881-experiment, and they substantially increased the accuracy of the measurement. However, this now famous Michelson–Morley experiment again yielded a negative result, i.e., no motion of the apparatus through the aether was detected (although the Earth's velocity is 60 km/s different in winter than summer). So the physicists were confronted with two seemingly contradictory experiments: the 1886-experiment as an apparent confirmation of Fresnel's stationary aether, and the 1887-experiment as an apparent confirmation of Stokes' completely dragged aether.<sup>[12]</sup>

A possible solution to the problem was shown by Woldemar Voigt (1887), who investigated the Doppler effect for waves propagating in an incompressible elastic medium and deduced transformation relations that left the wave equation in free space unchanged, and explained the negative result of the Michelson–Morley experiment. The Voigt transformations include the Lorentz factor  $1/\sqrt{1-v^2/c^2}$  for the y- and z-coordinates, and a new time variable  $t' = t - vx/c^2$  which later was called “local time”. However, Voigt's work was completely ignored by his contemporaries.<sup>[13][14]</sup>

FitzGerald (1889) offered another explanation of the negative result of the Michelson–Morley experiment. Contrary to Voigt, he speculated that the intermolecular forces are possibly of electrical origin so that material bodies would contract in the line of motion (length contraction). This was in connection with the work of Heaviside (1887), who determined that the electrostatic fields in motion were deformed (Heaviside Ellipsoid), which leads to physically undetermined conditions at the speed of light.<sup>[15]</sup> However, FitzGerald's idea remained widely unknown and was not discussed before Oliver Lodge published a summary of the idea in 1892.<sup>[16]</sup> Also Lorentz (1892b) proposed length contraction independently from FitzGerald in order to explain the Michelson–Morley experiment. For plausibility reasons, Lorentz referred to the analogy of the contraction of electrostatic fields. However, even Lorentz admitted that that was not a necessary reason and length-contraction consequently remained an ad hoc hypothesis.<sup>[17][18]</sup>

## 2.3 Lorentz's theory of electrons

Lorentz (1892a) set the foundations of Lorentz aether theory, by assuming the existence of electrons which he separated from the aether, and by replacing the “Maxwell-Hertz” Equations by the “Maxwell-Lorentz” Equations. In his model, the aether is completely motionless and, contrary to Fresnel's theory, also is not par-



Hendrik Antoon Lorentz

tially dragged by matter. An important consequence of this notion was that the velocity of light is totally independent of the velocity of the source. Lorentz gave no statements about the mechanical nature of the aether and the electromagnetic processes, but, vice versa, tried to explain the mechanical processes by electromagnetic ones and therefore created an abstract electromagnetic æther. In the framework of his theory, Lorentz calculated, like Heaviside, the contraction of the electrostatic fields.<sup>[19]</sup> Lorentz (1895) also introduced what he called the “Theorem of Corresponding States” for terms of first order in  $v/c$ . This theorem states that a moving observer (relative to the aether) in his “fictitious” field makes the same observations as a resting observer in his “real” field. An important part of it was local time  $t' = t - vx/c^2$ , which paved the way to the Lorentz transformation and which he introduced independently of Voigt. With the help of this concept, Lorentz could explain the aberration of light, the Doppler effect and the Fizeau experiment as well. However, Lorentz’s local time was only an auxiliary mathematical tool to simplify the transformation from one system into another – it was Poincaré in 1900 who recognized that “local time” is actually indicated by moving clocks.<sup>[20][21][22]</sup> Lorentz also recognized that his theory violated the principle of action and reaction, since the aether acts on matter, but matter cannot act on the immobile aether.<sup>[23]</sup>

A very similar model was created by Joseph Larmor (1897, 1900). Larmor was the first to put Lorentz’s 1895-

transformation into a form algebraically equivalent to the modern Lorentz transformations, however, he stated that his transformations preserved the form of Maxwell’s equations only to second order of  $v/c$ . Lorentz later noted that these transformations did in fact preserve the form of Maxwell’s equations to all orders of  $v/c$ . Larmor noticed on that occasion, that not only can length-contraction be derived from it, but he also calculated some sort of time dilation for electron orbits. Larmor specified his considerations in 1900 and 1904.<sup>[14][24]</sup> Independently of Larmor, also Lorentz (1899) extended his transformation for second order terms and noted a (mathematical) Time Dilation effect as well.

Other physicists besides Lorentz and Larmor also tried to develop a consistent model of electrodynamics. For example, Emil Cohn (1900, 1901) created an alternative Electrodynamics in which he, as one of the first, discarded the existence of the aether (at least in the previous form) and would use, like Ernst Mach, the fixed stars as a reference frame instead. Due to inconsistencies within his theory, like different light speeds in different directions, it was superseded by Lorentz’s and Einstein’s.<sup>[25]</sup>

## 2.4 Electromagnetic mass

Main article: [Electromagnetic mass](#)

During his development of Maxwell’s Theory, J. J. Thomson (1881) recognized that charged bodies are harder to set in motion than uncharged bodies. Electrostatic fields behave as if they add an “electromagnetic mass” to the mechanical mass of the bodies. I.e., according to Thomson, electromagnetic energy corresponds to a certain mass. This was interpreted as some form of self-inductance of the electromagnetic field.<sup>[26][27]</sup> He also noticed that the mass of a body *in motion* is increased by a constant quantity. Thomson’s work was continued and perfected by FitzGerald, Heaviside (1888), and George Frederick Charles Searle (1896, 1897). For the electromagnetic mass they gave — in modern notation — the formula  $m = (4/3)E/c^2$ , where  $m$  is the electromagnetic mass and  $E$  is the electromagnetic energy. Heaviside and Searle also recognized that the increase of the mass of a body is not constant and varies with its velocity. Consequently, Searle noted the impossibility of superluminal velocities, because infinite energy would be needed to exceed the speed of light. Also for Lorentz (1899), the integration of the speed-dependence of masses recognized by Thomson was especially important. He noticed that the mass not only varied due to speed, but is also dependent on the direction, and he introduced what Abraham later called “longitudinal” and “transverse” mass. (The transverse mass corresponds to what later was called relativistic mass.<sup>[28]</sup>)

Wilhelm Wien (1900) assumed (following the works of Thomson, Heaviside, and Searle) that the *entire* mass is of

electromagnetic origin, which was formulated in the context that all forces of nature are electromagnetic ones (the “Electromagnetic World View”). Wien stated that, if it is assumed that gravitation is an electromagnetic effect too, then there has to be a proportionality between electromagnetic energy, inertial mass and gravitational mass.<sup>[29]</sup> In the same paper **Henri Poincaré** (1900b) found another way of combining the concepts of mass and energy. He recognized that electromagnetic energy behaves like a fictitious fluid with mass density of  $m=E/c^2$  (or  $E=mc^2$ ) and defined a fictitious electromagnetic momentum as well. However, he arrived at a radiation paradox which was fully explained by Einstein in 1905.<sup>[30]</sup>

**Walter Kaufmann** (1901–1903) was the first to confirm the velocity dependence of electromagnetic mass by analyzing the ratio  $e/m$  (where  $e$  is the charge and  $m$  the mass) of **cathode rays**. He found that the value of  $e/m$  decreased with the speed, showing that, assuming the charge constant, the mass of the electron increased with the speed. He also believed that those experiments confirmed the assumption of Wien, that there is no “real” mechanical mass, but only the “apparent” electromagnetic mass, or in other words, the mass of all bodies is of electromagnetic origin.<sup>[31]</sup>

**Max Abraham** (1902–1904), who was a supporter of the electromagnetic world view, quickly offered an explanation for Kaufmann’s experiments by deriving expressions for the electromagnetic mass. Together with this concept, Abraham introduced (like Poincaré in 1900) the notion of “Electromagnetic Momentum” which is proportional to  $E/c^2$ . But unlike the fictitious quantities introduced by Poincaré, he considered it as a *real* physical entity. Abraham also noted (like Lorentz in 1899) that this mass also depends on the direction and coined the names “Longitudinal” and “Transverse” Mass. In contrast to Lorentz, he didn’t incorporate the Contraction Hypothesis into his theory, and therefore his mass terms differed from those of Lorentz.<sup>[32]</sup>

Based on the preceding work on electromagnetic mass, **Friedrich Hasenöhl** suggested that part of the mass of a body (which he called apparent mass) can be thought of as radiation bouncing around a cavity. The “apparent mass” of radiation depends on the temperature (because every heated body emits radiation) and is proportional to its energy. Hasenöhl stated that this energy-apparent-mass relation only holds as long as the body radiates, i.e., if the temperature of a body is greater than 0 K. At first he gave the expression  $m=(8/3)E/c^2$  for the apparent mass; however, Abraham and Hasenöhl himself in 1905 changed the result to  $m=(4/3)E/c^2$ , the same value as for the electromagnetic mass for a body at rest.<sup>[33]</sup>

## 2.5 Absolute space and time

Some scientists and philosophers of science were critical of Newton’s definitions of absolute space and

time.<sup>[34][35][36]</sup> **Ernst Mach** (1883) argued that **absolute time and space** are essentially metaphysical concepts and thus scientifically meaningless, and suggested that only relative motion between material bodies is a useful concept in physics. Mach argued that even effects that according to Newton depend on accelerated motion with respect to absolute space, such as rotation, could be described purely with reference to material bodies, and that the inertial effects cited by Newton in support of absolute space might instead be related purely to acceleration with respect to the fixed stars. **Carl Neumann** (1870) introduced a “Body alpha”, which represents some sort of rigid and fixed body for defining inertial motion. Based on the definition of Neumann, **Heinrich Streintz** (1883) argued that in a coordinate system where **gyroscopes** don’t measure any signs of rotation, then one can speak of inertial motion which is related to a “Fundamental body” and a “Fundamental Coordinate System”. Eventually, **Ludwig Lange** (1885) was the first to coin the expression **inertial frame of reference** and “inertial time scale” as operational replacements for absolute space and time; he defined “inertial frame” as “*a reference frame in which a mass point thrown from the same point in three different (non-co-planar) directions follows rectilinear paths each time it is thrown*”. In 1902, **Henri Poincaré** published a collection of essays titled *Science and Hypothesis*, which included: detailed philosophical discussions on the relativity of space, time, and on the conventionality of distant simultaneity; the conjecture that a violation of the relativity principle can never be detected; the possible non-existence of the aether, together with some arguments supporting the aether; and many remarks on non-Euclidean vs. Euclidean geometry.

There were also some attempts to use time as a **fourth dimension**.<sup>[37][38]</sup> This was done as early as 1754 by **Jean le Rond d’Alembert** in the *Encyclopédie*, and by some authors in the 19th century like **H. G. Wells** in his novel *The Time Machine* (1895). In 1901 a philosophical model was developed by **Menyhért Palágyi**, in which space and time were only two sides of some sort of “spacetime”.<sup>[39]</sup> He used time as an imaginary fourth dimension, which he gave the form  $it$  (where  $i=\sqrt{-1}$ , i.e. **imaginary number**). However, Palágyi’s time coordinate is not connected to the speed of light. He also rejected any connection with the existing constructions of  $n$ -dimensional spaces and non-Euclidean geometry, so his philosophical model bears only little resemblance with spacetime physics, as it was later developed by **Minkowski**.<sup>[40]</sup>

## 2.6 Light constancy and the principle of relative motion

In the second half of the 19th century there were many attempts to develop a worldwide clock network synchronized by electrical signals. For that endeavor, the finite propagation speed of light had to be considered, because synchronization signals could travel no faster than the





Henri Poincaré

speed of light. So Henri Poincaré (1898) in his paper *The Measure of Time* drew some important consequences of this process and explained that astronomers, in determining the speed of light, simply assume that light has a constant speed and that this speed is the same in all directions. Without this *postulate* it would be impossible to infer the speed of light from astronomical observations, as Ole Rømer did based on observations of the moons of Jupiter. Poincaré also noted that the propagation speed of light can be (and in practice often is) used to define simultaneity between spatially separate events. He concluded by saying that "*The simultaneity of two events, or the order of their succession, the equality of two durations, are to be so defined that the enunciation of the natural laws may be as simple as possible. In other words, all these rules, all these definitions are only the fruit of an unconscious opportunism.*"<sup>[41]</sup>

In some other papers, Poincaré (1895, 1900b) argued that experiments like that of Michelson–Morley show the impossibility of detecting the absolute motion of matter, i.e., the relative motion of matter in relation to the aether. He called this the "principle of relative motion".<sup>[42]</sup> In the same year he interpreted Lorentz's local time as the result of a *synchronization procedure based on light signals*. He assumed that 2 observers A and B, which are moving in the aether, synchronize their clocks by optical signals. Since they believe themselves to be at rest, they must consider only the transmission time of the signals and then cross-reference their observations to examine whether their clocks are synchronous. However, from

the point of view of an observer at rest in the aether, the clocks are not synchronous and indicate the local time  $t' = t - vx/c^2$ . But because the moving observers do not know anything about their movement, they do not recognize this. So, contrary to Lorentz, Poincaré-defined local time can be measured and indicated by clocks.<sup>[43]</sup> Therefore, in his recommendation of Lorentz for the Nobel Prize in 1902, Poincaré argued that Lorentz has convincingly explained the negative outcome of the aether drift experiments by inventing the "diminished" or "local" time, i.e. a time coordinate in which two events at different places could appear as simultaneous, although they are not simultaneous in reality.<sup>[44]</sup>

Like Poincaré, Alfred Bucherer (1903) believed in the validity of the relativity principle within the domain of electrodynamics, but contrary to Poincaré, Bucherer even assumed that this implies the nonexistence of the aether. However, the theory that was created by him later in 1906 was incorrect and not self-consistent, and the Lorentz transformation was absent within his theory as well.<sup>[45]</sup>

## 2.7 Lorentz's 1904 model

In his paper *Electromagnetic phenomena in a system moving with any velocity smaller than that of light*, Lorentz (1904) was following the suggestion of Poincaré and attempted to create a formulation of Electrodynamics, which explains the failure of all known aether drift experiments, i.e. the validity of the relativity principle. He tried to prove the applicability of the Lorentz transformation for all orders, although he didn't succeed completely. Like Wien and Abraham, he argued that there exists only electromagnetic mass, not mechanical mass, and derived the correct expression for longitudinal and *transverse mass*, which were in agreement with Kaufmann's experiments (even though those experiments were not precise enough to distinguish between the theories of Lorentz and Abraham). And using the electromagnetic momentum, he could explain the negative result of the *Trouton–Noble experiment*, in which a charged parallel-plate capacitor moving through the aether should orient itself perpendicular to the motion. Also the *experiments of Rayleigh and Brace* could be explained. Another important step was the postulate that the Lorentz transformation has to be valid for non-electrical forces as well.<sup>[46]</sup>

At the same time, when Lorentz worked out his theory, Wien (1903) recognized an important consequence of the velocity dependence of mass. He argued that superluminal velocities were impossible, because that would require an infinite amount of energy — the same was already noted by Thomson (1893) and Searle (1897). And in June 1904, after he had read Lorentz's 1904 paper, he noticed the same in relation to length contraction, because at superluminal velocities the factor  $\sqrt{1-v^2/c^2}$  becomes imaginary.<sup>[47]</sup>

Lorentz's theory was criticized by Abraham, who demon-

strated that on one side the theory obeys the relativity principle, and on the other side the electromagnetic origin of all forces is assumed. Abraham showed, that both assumptions were incompatible, because in Lorentz's theory of the contracted electrons, non-electric forces were needed in order to guarantee the stability of matter. However, in Abraham's theory of the rigid electron, no such forces were needed. Thus the question arose whether the Electromagnetic conception of the world (compatible with Abraham's theory) or the Relativity Principle (compatible with Lorentz's Theory) was correct.<sup>[48]</sup>

In a September 1904 lecture in St. Louis named *The Principles of Mathematical Physics*, Poincaré drew some consequences from Lorentz's theory and defined (in modification of Galileo's Relativity Principle and Lorentz's Theorem of Corresponding States) the following principle: *"The Principle of Relativity, according to which the laws of physical phenomena must be the same for a stationary observer as for one carried along in a uniform motion of translation, so that we have no means, and can have none, of determining whether or not we are being carried along in such a motion."* He also specified his clock synchronization method and explained the possibility of a "new method" or "new mechanics", in which no velocity can surpass that of light for *all* observers. However, he critically noted that the Relativity Principle, Newton's action and reaction, the conservation of mass, and the conservation of energy are not fully established and are even threatened by some experiments.<sup>[49]</sup>

Also Emil Cohn (1904) continued to develop his alternative model (as described above), and while comparing his theory with that of Lorentz, he discovered some important physical interpretations of the Lorentz transformations. He illustrated (like Joseph Larmor in the same year) this transformation by using rods and clocks: If they are at rest in the aether, they indicate the true length and time, and if they are moving, they indicate contracted and dilated values. Like Poincaré, Cohn defined local time as the time, which is based on the assumption of isotropic propagation of light. Contrary to Lorentz and Poincaré it was noticed by Cohn, that within Lorentz's theory the separation of "real" and "apparent" coordinates is artificial, because no experiment can distinguish between them. Yet according to Cohn's own theory, the Lorentz transformed quantities would only be valid for optical phenomena, while mechanical clocks would indicate the "real" time.<sup>[25]</sup>

## 2.8 Poincaré's dynamics of the electron

On June 5, 1905, Henri Poincaré submitted the summary of a work which closed the existing gaps of Lorentz's work. (This short paper contained the results of a more complete work which would be published later, in January 1906.) He showed that Lorentz's equations of electrodynamics were not fully Lorentz-covariant. So he pointed out the group characteristics of the transforma-

tion, and he corrected Lorentz's formulas for the transformations of charge density and current density (which implicitly contained the relativistic velocity-addition formula, which he elaborated in May in a letter to Lorentz). Poincaré used for the first time the term "Lorentz transformation", and he gave the transformations their symmetrical form used to this day. He introduced a non-electrical binding force (the so-called "Poincaré stresses") to ensure the stability of the electrons and to explain length contraction. He also sketched a Lorentz-invariant model of gravitation (including gravitational waves) by extending the validity of Lorentz-invariance to non-electrical forces.<sup>[50][51]</sup>


Eventually Poincaré (independently of Einstein) finished a substantially extended work of his June paper (the so-called "Palermo paper", received July 23, printed December 14, published January 1906). He spoke literally of "the postulate of relativity". He showed that the transformations are a consequence of the principle of least action and developed the properties of the Poincaré stresses. He demonstrated in more detail the group characteristics of the transformation, which he called the Lorentz group, and he showed that the combination  $x^2 + y^2 + z^2 - c^2 t^2$  is invariant. While elaborating his gravitational theory, he said the Lorentz transformation is merely a rotation in four-dimensional space about the origin, by introducing  $ct\sqrt{-1}$  as a fourth imaginary coordinate (contrary to Palagyi, he included the speed of light), and he already used four-vectors. He wrote that the discovery of magneto-cathode rays by Paul Ulrich Villard (1904) seemed to threaten the entire theory of Lorentz, but this problem was quickly solved.<sup>[52]</sup> However, although in his philosophical writings Poincaré rejected the ideas of absolute space and time, in his physical papers he continued to refer to an (undetectable) aether. He also continued (1900b, 1904, 1906, 1908b) to describe coordinates and phenomena as local/apparent (for moving observers) and true/real (for observers at rest in the aether).<sup>[22][53]</sup> So, with a few exceptions,<sup>[54][55][56][57]</sup> most historians of science argue that Poincaré did not invent what is now called special relativity, although it is admitted that Poincaré anticipated much of Einstein's methods and terminology.<sup>[58][59][60][61][62][63]</sup>

## 3 Special relativity

### 3.1 Einstein 1905

#### 3.1.1 Electrodynamics of moving bodies

On September 26, 1905 (received June 30), Albert Einstein published his *annus mirabilis* paper on what is now called *special relativity*. Einstein's paper includes a fundamental new definition of space and time (all time and space coordinates in all reference frames are on an equal footing, so there is no physical basis for distinguishing



Albert Einstein, 1921

“true” from “apparent” time) and makes the aether an unnecessary concept, at least in regard to inertial motion. Einstein identified two fundamental principles, the *principle of relativity* and the *principle of the constancy of light* (*light principle*), which ostensibly served as the axiomatic basis of his theory. To better understand Einstein’s step, a summary of the situation before 1905, as it was described above, shall be given<sup>[64]</sup> (it must be remarked that Einstein was familiar with the 1895 theory of Lorentz, and *Science and Hypothesis* by Poincaré, but not their papers of 1904-1905):

- a) Maxwell’s electrodynamics, as presented by Lorentz in 1895, was the most successful theory at this time. Here, the speed of light is constant in all directions in the stationary aether and completely independent of the velocity of the source;
- b) The inability to find an absolute state of motion, *i.e.* the validity of the relativity principle as the consequence of the negative results of all aether drift experiments and effects like the *moving magnet and conductor problem* which only depend on relative motion;
- c) The Fizeau experiment;
- d) The *aberration of light*;

with the following consequences for the speed of light and the theories known at that time:

1. The speed of light is not composed of the speed of light in vacuum and the velocity of a preferred frame

of reference, by *b*. This contradicts the theory of the (nearly) stationary aether.

2. The speed of light is not composed of the speed of light in vacuum and the velocity of the light source, by *a* and *c*. This contradicts the *emission theory*.
3. The speed of light is not composed of the speed of light in vacuum and the velocity of an aether that would be dragged within or in the vicinity of matter, by *a*, *c*, and *d*. This contradicts the hypothesis of the *complete aether drag*.
4. The speed of light in moving media is not composed of the speed of light when the medium is at rest and the velocity of the medium, but is determined by Fresnel’s dragging coefficient, by *c*.<sup>[W 1]</sup>

In order to make the principle of relativity as required by Poincaré an exact law of nature in the immobile aether theory of Lorentz, the introduction of a variety *ad hoc hypotheses* was required, such as the contraction hypothesis, local time, the Poincaré stresses, etc.. This method was criticized by many scholars, since the assumption of a conspiracy of effects which completely prevent the discovery of the aether drift is considered to be very improbable, and it would violate *Occam’s razor* as well.<sup>[20][65][66][67]</sup> Einstein is considered the first who completely dispensed with such auxiliary hypotheses and drew the direct conclusions from the facts stated above:<sup>[20][65][66][67]</sup> that the relativity principle is correct and the directly observed speed of light is the same in all inertial reference frames. Based on his axiomatic approach, Einstein was able to derive *all results* obtained by his predecessors – and in addition the formulas for the *relativistic Doppler effect* and *relativistic aberration* – in a few pages, while prior to 1905 his competitors had devoted years of long, complicated work to arrive at the same mathematical formalism. Before 1905 Lorentz and Poincaré had adopted these same principles, as necessary to achieve their final results, but didn’t recognize that they were also sufficient in the sense that there was no immediate logical need to assume the existence of a stationary aether in order to arrive at the Lorentz transformations.<sup>[62][68]</sup> Another reason for Einstein’s early rejection of the aether in any form (which he later partially retracted) may have been related to his work on *quantum physics*. Einstein discovered that light can also be described (at least heuristically) as a kind of particle, so the aether as the medium for electromagnetic “waves” (which was highly important for Lorentz and Poincaré) no longer fitted into his conceptual scheme.<sup>[69]</sup>

It’s notable that Einstein’s paper contains no direct references to other papers. However, many historians of science like Holton,<sup>[65]</sup> Miller,<sup>[59]</sup> Stachel,<sup>[70]</sup> have tried to find out possible influences on Einstein. He stated that his thinking was influenced by the *empiricist* philosophers *David Hume* and *Ernst Mach*. Regarding the Relativity Principle, the *moving magnet and conductor problem*



(possibly after reading a book of August Föppl) and the various negative aether drift experiments were important for him to accept that principle — but he denied any significant influence of the *most important* experiment: the Michelson–Morley experiment.<sup>[70]</sup> Other likely influences include Poincaré's *Science and Hypothesis*, where Poincaré presented the Principle of Relativity (which, as has been reported by Einstein's friend Maurice Solovine, was closely studied and discussed by Einstein and his friends over a period of years before the publication of Einstein's 1905 paper),<sup>[71]</sup> and the writings of Max Abraham, from whom he borrowed the terms “Maxwell-Hertz equations” and “longitudinal and transverse mass”.<sup>[72]</sup>

Regarding his views on Electrodynamics and the Principle of the Constancy of Light, Einstein stated that Lorentz's theory of 1895 (or the Maxwell-Lorentz electrodynamics) and also the Fizeau experiment had considerable influence on his thinking. He said in 1909 and 1912 that he borrowed that principle from Lorentz's stationary aether (which implies validity of Maxwell's equations and the constancy of light in the aether frame), but he recognized that this principle together with the principle of relativity makes any reference to an aether unnecessary (at least as to the description of electrodynamics in inertial frames).<sup>[73]</sup> As he wrote in 1907 and in later papers, the apparent contradiction between those principles can be resolved if it is admitted that Lorentz's local time is not an auxiliary quantity, but can simply be defined as *time* and is connected with *signal velocity*. Before Einstein, Poincaré also developed a similar physical interpretation of local time and noticed the connection with signal velocity, but contrary to Einstein he continued to argue that clocks at rest in the stationary aether show the true time, while clocks in inertial motion relative to the aether show only the apparent time. Eventually, near the end of his life in 1953 Einstein described the advantages of his theory over that of Lorentz as follows (although Poincaré had already stated in 1905 that Lorentz invariance is an exact condition for any physical theory).<sup>[73]</sup>

### 3.1.2 Mass-energy equivalence

Main article: *Mass–energy equivalence § History*

Already in §10 of his paper on electrodynamics, Einstein used the formula

$$E_{kin} = mc^2 \left( \frac{1}{\sqrt{1 - \frac{v^2}{c^2}}} - 1 \right)$$

for the kinetic energy of an electron. In elaboration of this he published a paper (received September 27, November 1905), in which Einstein showed that when a material body lost energy (either radiation or heat) of amount  $E$ , its mass decreased by the amount  $E/c^2$ . This led to

the famous *mass–energy equivalence* formula:  $E = mc^2$ . Einstein considered the equivalency equation to be of paramount importance because it showed that a massive particle possesses an energy, the “rest energy”, distinct from its classical kinetic and potential energies.<sup>[30]</sup> As it was shown above, many authors before Einstein arrived at similar formulas (including a 4/3-factor) for the relation of mass to energy. However, their work was focused on electromagnetic energy which (as we know today) only represents a small part of the entire energy within matter. So it was Einstein who was the first to: (a) ascribe this relation to all forms of energy, and (b) understand the connection of Mass-energy equivalence with the relativity principle.

## 3.2 Early reception

### 3.2.1 First assessments

Walter Kaufmann (1905, 1906) was probably the first who referred to Einstein's work. He compared the theories of Lorentz and Einstein and, although he said Einstein's method is to be preferred, he argued that both theories are observationally equivalent. Therefore, he spoke of the relativity principle as the “Lorentz-Einsteinian” basic assumption.<sup>[74]</sup> Shortly afterwards, Max Planck (1906a) was the first who publicly defended the theory and interested his students, Max von Laue and Kurd von Mosengeil, in this formulation. He described Einstein's theory as a “generalization” of Lorentz's theory and, to this “Lorentz-Einstein-Theory”, he gave the name “relative theory”; while Alfred Bucherer changed Planck's nomenclature into the now common “theory of relativity”. On the other hand, Einstein himself and many others continued to refer simply to the new method as the “relativity principle”. And in an important overview article on the relativity principle (1908a), Einstein described SR as a “union of Lorentz's theory and the relativity principle”, including the fundamental assumption that Lorentz's local time can be described as real time. (Yet, Poincaré's contributions were rarely mentioned in the first years after 1905.) All of those expressions, (Lorentz-Einstein theory, relativity principle, relativity theory) were used by different physicists alternately in the next years.<sup>[75]</sup>

### 3.2.2 Kaufmann-Bucherer experiments

Kaufmann (1905, 1906) announced the results of his new experiments on the charge to mass ratio, i.e. the velocity dependence of mass. They represented, in his opinion, a clear refutation of the relativity principle and the Lorentz-Einstein-Theory, and a confirmation of Abraham's theory. For some years Kaufmann's experiments represented a weighty objection against the relativity principle, although it was criticized by Planck and Adolf Bestelmeyer (1906). Following Kaufmann other physicists, like Alfred Bucherer (1908) and Günther Neu-



mann (1914), also examined the velocity-dependence of mass and this time it was thought that the “Lorentz-Einstein theory” and the relativity principle were confirmed, and Abraham’s theory disproved. However, it was later pointed out that the **Kaufmann–Bucherer–Neumann experiments** only showed a qualitative mass increase of moving electrons, but they were not precise enough to distinguish between the models of Lorentz-Einstein and Abraham. So it continued until 1940, when experiments of this kind were repeated with sufficient accuracy for confirming the Lorentz-Einstein formula.<sup>[74]</sup> However, this problem occurred only with this kind of experiment. The investigations of the **fine structure of the hydrogen lines** already in 1917 provided a clear confirmation of the Lorentz-Einstein formula and the refutation of Abraham’s theory.<sup>[76]</sup>

### 3.2.3 Relativistic momentum and mass



Max Planck

Planck (1906a) defined the relativistic **momentum** and gave the correct values for the longitudinal and transverse mass by correcting a slight mistake of the expression given by Einstein in 1905. Planck’s expressions were in principle equivalent to those used by Lorentz in 1899.<sup>[77]</sup> Based on the work of Planck, the concept of **relativistic mass** was developed by **Gilbert Newton Lewis** and **Richard C. Tolman** (1908, 1909) by defining mass as the ratio of momentum to velocity. So the older defini-

tion of longitudinal and transverse mass, in which mass was defined as the ratio of force to acceleration, became superfluous. Finally, Tolman (1912) interpreted relativistic mass simply as *the* mass of the body.<sup>[78]</sup> However, many modern textbooks on relativity don’t use the concept of relativistic mass anymore, and **mass in special relativity** is considered as an invariant quantity.

### 3.2.4 Mass and energy

Einstein (1906) showed that the inertia of energy (mass-energy-equivalence) is a necessary and sufficient condition for the conservation of the **center of mass** theorem. On that occasion, he noted that the formal mathematical content of Poincaré paper on the center of mass (1900b) and his own paper were mainly the same, although the physical interpretation was different in light of relativity.<sup>[30]</sup>

**Kurd von Mosengeil** (1906) by extending Hasenöhl’s calculation of black-body-radiation in a cavity, derived the same expression for the additional mass of a body due to electromagnetic radiation as Hasenöhl. Hasenöhl’s idea was that the mass of bodies included a contribution from the electromagnetic field, he imagined a body as a cavity containing light. His relationship between mass and energy, like all other pre-Einstein ones, contained incorrect numerical prefactors (see **Electromagnetic mass**). Eventually Planck (1907) derived the mass-energy-equivalence in general within the framework of **special relativity**, including the binding forces within matter. He acknowledged the priority of Einstein’s 1905 work on  $E = mc^2$ , but Planck judged his own approach as more general than Einstein’s.<sup>[79]</sup>

### 3.2.5 Experiments by Fizeau and Sagnac

As was explained above, already in 1895 Lorentz succeeded in deriving Fresnel’s dragging coefficient (to first order of  $v/c$ ) and the **Fizeau experiment** by using the electromagnetic theory and the concept of local time. After first attempts by **Jakob Laub** (1907) to create a relativistic “optics of moving bodies”, it was **Max von Laue** (1907) who derived the coefficient for terms of all orders by using the colinear case of the relativistic velocity addition law. In addition, Laue’s calculation was much simpler than the complicated methods used by Lorentz.<sup>[23]</sup>

In 1911 Laue also discussed a situation where on a platform a beam of light is split and the two beams are made to follow a trajectory in opposite directions. On return to the point of entry the light is allowed to exit the platform in such a way that an interference pattern is obtained. Laue calculated a displacement of the interference pattern if the platform is in rotation – because the speed of light is independent of the velocity of the source, so one beam has covered less distance than the other beam. An experiment of this kind was performed by **Georges**

Sagnac in 1913, who actually measured a displacement of the interference pattern (**Sagnac effect**). While Sagnac himself concluded that his theory confirmed the theory of an aether at rest, Laue's earlier calculation showed that it is compatible with special relativity as well because in *both* theories the speed of light is independent of the velocity of the source. This effect can be understood as the electromagnetic counterpart of the mechanics of rotation, for example in analogy to a **Foucault pendulum**.<sup>[80]</sup> Already in 1909–11, Franz Harress (1912) performed an experiment which can be considered as a synthesis of the experiments of Fizeau and Sagnac. He tried to measure the dragging coefficient within glass. Contrary to Fizeau he used a rotating device so he found the same effect as Sagnac. While Harress himself misunderstood the meaning of the result, it was shown by Laue that the theoretical explanation of Harress' experiment is in accordance with the Sagnac effect.<sup>[81]</sup> Eventually, the **Michelson–Gale–Pearson experiment** (1925, a variation of the Sagnac experiment) indicated the angular velocity of the Earth itself in accordance with special relativity and a resting aether.



Hermann Minkowski

### 3.2.6 Relativity of simultaneity

The first derivations of relativity of simultaneity by synchronization with light signals were also simplified.<sup>[82]</sup> **Daniel Frost Comstock** (1910) placed an observer in the middle between two clocks A and B. From this observer a signal is sent to both clocks, and in the frame in which A and B are at rest, they synchronously start to run. But from the perspective of a system in which A and B are moving, clock B is first set in motion, and then comes clock A – so the clocks are not synchronized. Also Einstein (1917) created a model with an observer in the middle between A and B. However, in his description two signals are sent *from* A and B to the observer. From the perspective of the frame in which A and B are at rest, the signals are sent at the same time and the observer "*is hastening towards the beam of light coming from B, whilst he is riding on ahead of the beam of light coming from A. Hence the observer will see the beam of light emitted from B earlier than he will see that emitted from A. Observers who take the railway train as their reference-body must therefore come to the conclusion that the lightning flash B took place earlier than the lightning flash A.*"

## 3.3 Spacetime physics

### 3.3.1 Minkowski's spacetime

Poincaré's attempt of a four-dimensional reformulation of the new mechanics was not continued by himself,<sup>[52]</sup> so it was **Hermann Minkowski** (1907), who worked out the consequences of that notion (other contributions were made by **Roberto Marcolongo** (1906) and **Richard Hargreaves** (1908)<sup>[83]</sup>). This was based on the work of many

mathematicians of the 19th century like **Arthur Cayley**, **Felix Klein**, or **William Kingdon Clifford**, who contributed to **group theory**, **invariant theory** and **projective geometry**.<sup>[84]</sup> Using similar methods, Minkowski succeeded in formulating a geometrical interpretation of the Lorentz transformation. He completed, for example, the concept of **four vectors**; he created the **Minkowski diagram** for the depiction of space-time; he was the first to use expressions like **world line**, **proper time**, **Lorentz invariance/covariance**, etc.; and most notably he presented a four-dimensional formulation of electrodynamics. Similar to Poincaré he tried to formulate a Lorentz-invariant law of gravity, but that work was subsequently superseded by Einstein's elaborations on gravitation.

In 1907 Minkowski named four predecessors who contributed to the formulation of the relativity principle: Lorentz, Einstein, Poincaré and Planck. And in his famous lecture **Space and Time** (1908) he mentioned Voigt, Lorentz and Einstein. Minkowski himself considered Einstein's theory as a generalization of Lorentz's and credited Einstein for completely stating the relativity of time, but he criticized his predecessors for not fully developing the relativity of space. However, modern historians of science argue that Minkowski's claim for priority was unjustified, because Minkowski (like Wien or Abraham) adhered to the electromagnetic world-picture and apparently didn't fully understand the difference between Lorentz's electron theory and Einstein's kinematics.<sup>[85][86]</sup> In 1908, Einstein and Laub rejected the four-dimensional electrodynamics of Minkowski as overly complicated "learned superfluous-

ness” and published a “more elementary”, non-four-dimensional derivation of the basic-equations for moving bodies. But it was Minkowski’s geometric model that (a) showed that the special relativity is a complete and internally self-consistent theory, (b) added the Lorentz invariant proper time interval (which accounts for the actual readings shown by moving clocks), and (c) served as a basis for further development of relativity.<sup>[83]</sup> Eventually, Einstein (1912) recognized the importance of Minkowski’s geometric spacetime model and used it as the basis for his work on the foundations of **general relativity**.

Today special relativity is seen as an application of **linear algebra**, but at the time special relativity was being developed the field of linear algebra was still in its infancy. There were no textbooks on linear algebra as modern vector space and transformation theory, and the matrix notation of **Arthur Cayley** (that unifies the subject) had not yet come into widespread use. Cayley’s matrix calculus notation was used by Minkowski (1908) in formulating relativistic electrodynamics, even though it was later replaced by Sommerfeld using vector notation.<sup>[87]</sup> In retrospect, we can see that the Lorentz transformations are equivalent to hyperbolic rotations.<sup>[88]</sup>

### 3.3.2 Vector notation and closed systems

Minkowski’s space-time formalism was quickly accepted and further developed.<sup>[86]</sup> For example, **Arnold Sommerfeld** (1910) replaced Minkowski’s matrix notation by an elegant vector notation and coined the terms “four vector” and “six vector”. He also introduced a **trigonometric** formulation of the relativistic velocity addition rule, which according to Sommerfeld, removes much of the strangeness of that concept. Other important contributions were made by Laue (1911, 1913), who used the spacetime formalism to create a relativistic theory of deformable bodies and an elementary particle theory.<sup>[89][90]</sup> He extended Minkowski’s expressions for electromagnetic processes to all possible forces and thereby clarified the concept of mass-energy-equivalence. Laue also showed that non-electrical forces are needed to ensure the proper Lorentz transformation properties, and for the stability of matter – he could show that the “Poincaré stresses” (as mentioned above) are a natural consequence of relativity theory so that the electron can be a closed system.

### 3.3.3 Lorentz transformation without second postulate

There were some attempts to derive the Lorentz transformation without the postulate of the constancy of the speed of light. **Vladimir Ignatowski** (1910) for example used for this purpose (a) the principle of relativity, (b) homogeneity and isotropy of space, and (c) the requirement of reciprocity. **Philipp Frank** and **Hermann Rothe**

(1911) argued that this derivation is incomplete and needs additional assumptions. Their own calculation was based on the assumptions that: (a) the Lorentz transformation forms a homogeneous linear group, (b) when changing frames, only the sign of the relative speed changes, (c) length contraction solely depends on the relative speed. However, according to Pauli and Miller such models were insufficient to identify the invariant speed in their transformation with the speed of light — for example, Ignatowski was forced to seek recourse in electrodynamics to include the speed of light. So Pauli and others argued that both **postulates** are needed to derive the Lorentz transformation.<sup>[91][92]</sup> However, until today, others continued the attempts to derive special relativity without the light postulate.

### 3.3.4 Non-euclidean formulations without imaginary time coordinate

It was noted by Minkowski (1907) that his space-time formalism represents a four-dimensional non-euclidean manifold, but in order to emphasize the formal similarity to the more familiar Euclidean geometry, Minkowski noted that the time coordinate could be treated as imaginary. This was just a way of representing a non-Euclidean metric while emphasizing the formal similarity to a Euclidean metric. However, subsequent writers<sup>[93]</sup> have dispensed with the imaginary time coordinate, and simply written the metric in explicitly non-Euclidean form (i.e., with a negative signature): Sommerfeld (1910) gave a trigonometric formulation of velocities; **Vladimir Varčák** (1912) emphasized the similarity of this formulation to (Bolyai-Lobachevskian) hyperbolic geometry and tried to reformulate relativity using that non-euclidean geometry; **Alfred Robb** (1911) introduced the concept of **rapidity** as a **hyperbolic angle** to characterize frame velocity; **Edwin Bidwell Wilson** and **Gilbert N. Lewis** (1912) introduced a vector notation for spacetime; **Émile Borel** (1913) derived the kinematic basis of **Thomas precession**; **Felix Klein** (1910) and **Ludwik Silberstein** (1914) employed such methods as well. One historian argues that the non-Euclidean style had little to show “in the way of creative power of discovery”, but it offered notational advantages in some cases, particularly in the law of velocity addition.<sup>[94]</sup> So in the years before **World War I**, the acceptance of the non-Euclidean style was approximately equal to that of the initial spacetime formalism, and it continued to be employed in relativity textbooks of the 20th century.<sup>[94]</sup>

### 3.3.5 Time dilation and twin paradox

Einstein (1907a) proposed a method for detecting the **transverse Doppler effect** as a direct consequence of time dilation. And in fact, that effect was measured in 1938 by **Herbert E. Ives** and **G. R. Stilwell** (**Ives–Stilwell experiment**).<sup>[95]</sup> And **Lewis** and **Tolman** (1909) described the



reciprocity of **time dilation** by using two light clocks A and B, traveling with a certain relative velocity to each other. The clocks consist of two plane mirrors parallel to one another and to the line of motion. Between the mirrors a light signal is bouncing, and for the observer resting in the same reference frame as A, the period of clock A is the distance between the mirrors divided by the speed of light. But if the observer looks at clock B, he sees that within that clock the signal traces out a longer, angled path, thus clock B is slower than A. However, for the observer moving alongside with B the situation is completely in reverse: Clock B is faster and A is slower. Also Lorentz (1910–1912) discussed the reciprocity of time dilation and analyzed a clock “paradox”, which apparently occurs as a consequence of the reciprocity of time dilation. Lorentz showed that there is no paradox if one considers that in one system only one clock is used, while in the other system two clocks are necessary, and the relativity of simultaneity is fully taken into account.



Max von Laue

A similar situation was created by **Paul Langevin** in 1911 with what was later called the “**twin paradox**”, where he replaced the clocks by persons (Langevin never used the word “twins” but his description contained all other features of the paradox). Langevin solved the paradox by alluding to the fact that one twin accelerates and changes direction, so Langevin could show that the symmetry is broken and the accelerated twin is younger. However, Langevin himself interpreted this as a hint to the existence of an aether. Although Langevin’s explanation is used in principle until today, his deductions regarding the

aether were not accepted. Laue (1913) pointed out that the acceleration can be made arbitrarily small in relation to the inertial motion of the twin. So it is much more important that one twin travels within two inertial frames during his journey, while the other twin remains in one frame. Laue was also the first to visualize the situation using Minkowski spacetime-formalism – he demonstrated how the world lines of inertially moving bodies maximize the proper time elapsed between two events.<sup>[96]</sup>

### 3.3.6 Acceleration

Einstein (1908) tried – as a preliminary in the framework of special relativity – also to include accelerated frames within the relativity principle. In the course of this attempt he recognized that for any single moment of acceleration of a body one can define an inertial reference frame in which the accelerated body is temporarily at rest. It follows that in accelerated frames defined in this way, the application of the constancy of the speed of light to define simultaneity is restricted to small localities. However, the **equivalence principle** that was used by Einstein in the course of that investigation, which expresses the equality of inertial and gravitational mass and the equivalence of accelerated frames and homogeneous gravitational fields, transcended the limits of special relativity and resulted in the formulation of general relativity.<sup>[97]</sup>

Nearly simultaneously with Einstein, also Minkowski (1908) considered the special case of uniform accelerations within the framework of his space-time formalism. He recognized that the world-line of such an accelerated body corresponds to a **hyperbola**. This notion was further developed by Born (1909) and Sommerfeld (1910), with Born introducing the expression “**hyperbolic motion**”. He noted that uniform acceleration can be used as an approximation for any form of acceleration within special relativity.<sup>[98]</sup> In addition, **Harry Bateman** and **Ebenezer Cunningham** (1910) showed that Maxwell’s equations are invariant under a much wider group of transformation than the Lorentz-group, i.e., the **spherical wave transformations**, being a form of **conformal transformations**. Under those transformations the equations preserve their form for some types of accelerated motions.<sup>[99]</sup> A general covariant formulation of electrodynamics in Minkowski space was eventually given by **Friedrich Kottler** (1912), whereby his formulation is also valid for general relativity.<sup>[100]</sup> Concerning the further development of the description of accelerated motion in special relativity, the works by Langevin and others for rotating frames (Born coordinates), and by **Wolfgang Rindler** and others for uniform accelerated frames (Rindler coordinates) must be mentioned.<sup>[101]</sup>

### 3.3.7 Rigid bodies and Ehrenfest paradox

Einstein (1907b) discussed the question of whether, in rigid bodies, as well as in all other cases, the velocity of

information can exceed the speed of light, and explained that information could be transmitted under these circumstances into the past, thus causality would be violated. Since this contravenes radically against every experience, superluminal velocities are thought impossible. He added that a dynamics of the **rigid body** must be created in the framework of SR. Eventually, **Max Born** (1909) in the course of his above-mentioned work concerning accelerated motion, tried to include the concept of rigid bodies into SR. However, **Paul Ehrenfest** (1909) showed that Born's concept lead the so-called **Ehrenfest paradox**, in which, due to length contraction, the circumference of a rotating disk is shortened while the radius stays the same. This question was also considered by **Gustav Herglotz** (1910), **Fritz Noether** (1910), and von Laue (1911). It was recognized by Laue that the classic concept is not applicable in SR since a "rigid" body possesses infinitely many **degrees of freedom**. Yet, while Born's definition was not applicable on rigid bodies, it was very useful in describing rigid *motions* of bodies.<sup>[102]</sup> In connection to the Ehrenfest paradox, it was also discussed (by **Vladimir Varičák** and others) whether length contraction is "real" or "apparent", and whether there is a difference between the dynamic contraction of Lorentz and the kinematic contraction of Einstein. However, it was rather a dispute over words because, as Einstein said, the kinematic length contraction is "apparent" for a co-moving observer, but for an observer at rest it is "real" and the consequences are measurable.<sup>[103]</sup>

### 3.3.8 Acceptance of special relativity

Planck, in 1909, compared the implications of the modern relativity principle — he particularly referred to the relativity of time — with the revolution by the Copernican system.<sup>[104]</sup> An important factor in the adoption of special relativity by physicists was its development by Minkowski into a spacetime theory.<sup>[86]</sup> Consequently, by about 1911, most theoretical physicists accepted special relativity.<sup>[105][106]</sup> In 1912 **Wilhelm Wien** recommended both Lorentz (for the mathematical framework) and Einstein (for reducing it to a simple principle) for the **Nobel Prize in Physics** — although it was decided by the Nobel committee not to award the prize for special relativity.<sup>[107]</sup> Only a minority of theoretical physicists such as Abraham, Lorentz, Poincaré, or Langevin still believed in the existence of an aether.<sup>[105]</sup> (Einstein later (1918–1920) qualified his position by arguing that one can speak about a relativistic aether, but the "idea of motion" cannot be applied to it.<sup>[108]</sup> Lorentz and Poincaré had always argued that motion through the aether was undetectable.) Einstein used the expression "special theory of relativity" in 1915, to distinguish it from general relativity.

## 3.4 Relativistic theories

### 3.4.1 Gravitation

The first attempt to formulate a relativistic theory of gravitation was undertaken by Poincaré (1905). He tried to modify Newton's law of gravitation so that it assumes a Lorentz-covariant form. He noted that there were many possibilities for a relativistic law, and he discussed two of them. It was shown by Poincaré that the argument of **Pierre-Simon Laplace**, who argued that the **speed of gravity** is many times faster than the speed of light, is not valid within a relativistic theory. That is, in a relativistic theory of gravitation, planetary orbits are stable even when the speed of gravity is equal to that of light. Similar models as that of Poincaré were discussed by Minkowski (1907b) and Sommerfeld (1910). However, it was shown by Abraham (1912) that those models belong to the class of "vector theories" of gravitation. The fundamental defect of those theories is that they implicitly contain a negative value for the gravitational energy in the vicinity of matter, which would violate the energy principle. As an alternative, Abraham (1912) and **Gustav Mie** (1913) proposed different "scalar theories" of gravitation. While Mie never formulated his theory in a consistent way, Abraham completely gave up the concept of Lorentz-covariance (even locally), and therefore it was irreconcilable with relativity.

In addition, all of those models violated the equivalence principle, and Einstein argued that it is impossible to formulate a theory which is both Lorentz-covariant and satisfies the equivalence principle. However, **Gunnar Nordström** (1912, 1913) was able to create a model which fulfilled both conditions. This was achieved by making both the gravitational and the inertial mass dependent on the gravitational potential. **Nordström's theory of gravitation** was remarkable because it was shown by Einstein and **Adriaan Fokker** (1914), that in this model gravitation can be completely described in terms of space-time curvature. Although Nordström's theory is without contradiction, from Einstein's point of view a fundamental problem persisted: It doesn't fulfill the important condition of general covariance, as in this theory preferred frames of reference can still be formulated. So contrary to those "scalar theories", Einstein (1911–1915) developed a "tensor theory" (i.e. **general relativity**), which fulfills both the equivalence principle and general covariance. As a consequence, the notion of a complete "special relativistic" theory of gravitation had to be given up, as in general relativity the constancy of light speed (and Lorentz covariance) is only locally valid. The decision between those models was brought about by Einstein, when he was able to exactly derive the **perihelion precession of Mercury**, while the other theories gave erroneous results. In addition, Einstein's theory was the only theory which gave the correct value for the **deflection of light** near the sun.<sup>[109][110]</sup>

### 3.4.2 Quantum field theory

The need to put together relativity and quantum mechanics was one of the major motivations in the development of quantum field theory. Pascual Jordan and Wolfgang Pauli showed in 1928 that quantum fields could be made to be relativistic, and Paul Dirac produced the Dirac equation for electrons, and in so doing predicted the existence of antimatter.<sup>[111]</sup>

Many other domains have since been reformulated with relativistic treatments: relativistic thermodynamics, relativistic statistical mechanics, relativistic hydrodynamics, relativistic quantum chemistry, relativistic heat conduction, etc.

### 3.5 Experimental evidence

Main article: Tests of special relativity

Important early experiments confirming special relativity as mentioned above were the Fizeau experiment, the Michelson–Morley experiment, the Kaufmann–Bucherer–Neumann experiments, the Trouton–Noble experiment, the experiments of Rayleigh and Brace, and the Trouton–Rankine experiment.

In the 1920s, a series of Michelson–Morley type experiments were conducted, confirming relativity to even higher precision than the original experiment. Another type of interferometer experiment was the Kennedy–Thorndike experiment in 1932, by which the independence of the speed of light from the velocity of the apparatus was confirmed. Also time dilation was directly measured in the Ives–Stilwell experiment in 1938 and by measuring the decay rates of moving particles in 1940. All of those experiments have been repeated several times with increased precision. In addition, that the speed of light is unreachable for massive bodies was measured in many tests of relativistic energy and momentum. Therefore, knowledge of those relativistic effects is required in the construction of particle accelerators.

In 1962 J. G. Fox pointed out that all previous experimental tests of the constancy of the speed of light were conducted using light which had passed through stationary material: glass, air, or the incomplete vacuum of deep space. As a result, all were thus subject to the effects of the extinction theorem. This implied that the light being measured would have had a velocity different than that of the original source. He concluded that there was likely as yet no acceptable proof of the second postulate of special relativity. This surprising gap in the experimental record was quickly closed in the ensuing years, by experiments by Fox, and by Alvager et al., which used gamma rays sourced from high energy mesons. The high energy levels of the measured photons, along with very careful accounting for extinction effects, eliminated any significant doubt from their results.

Many other tests of special relativity have been conducted, testing possible violations of Lorentz invariance in some variants of quantum gravity. However, no sign of anisotropy of the speed of light has been found even at the  $10^{-17}$  level, and some experiments even ruled out Lorentz violations at the  $10^{-40}$  level, see Modern searches for Lorentz violation.

### 3.6 Priority

Some claim that Poincaré and Lorentz, not Einstein, are the true founders of special relativity. For more see the article on relativity priority dispute.

### 3.7 Criticisms

Main article: Criticism of relativity theory

Some criticized Special Relativity for various reasons, such as lack of empirical evidence, internal inconsistencies, rejection of mathematical physics *per se*, or philosophical reasons. Although there still are critics of relativity outside the scientific mainstream, the overwhelming majority of scientists agree that Special Relativity has been verified in many different ways and there are no inconsistencies within the theory.

## 4 See also

- History of Lorentz transformations
- Tests of special relativity

## 5 References

### 5.1 Primary sources

- Abraham, Max (1902), "Dynamik des Electrons", *Nachrichten von der Gesellschaft der Wissenschaften zu Göttingen, Mathematisch-Physikalische Klasse*: 20–41
- Abraham, Max (1903), "Prinzipien der Dynamik des Elektrons", *Annalen der Physik* **315** (1): 105–179, Bibcode:1902AnP...315..105A, doi:10.1002/andp.19023150105
- Abraham, Max (1904), "Die Grundhypothesen der Elektronentheorie" [The Fundamental Hypotheses of the Theory of Electrons], *Physikalische Zeitschrift* **5**: 576–579



- Abraham, Max (1914), “Neuere Gravitationstheorien”, *Jahrbuch für Radioaktivität und Elektronik* **11** (4): 470–520.
- Alväger, Farley, Kjellmann, Walle (1964), “Test of the second postulate of special relativity in the GeV region”, *Phys. Rev. Letters* **12** (3): 260–262, Bibcode:1964PhL....12..260A, doi:10.1016/0031-9163(64)91095-9
- Bartoli, Adolfo (1876/1884), “Il calorico raggiante e il secondo principio di termodinamica” (PDF), *Nuovo Cimento* **15**: 196–202, doi:10.1007/bf02737234 Check date values in: ldate= (help)
- Bateman, Harry (1909/10), “The Transformation of the Electrodynamical Equations”, *Proceedings of the London Mathematical Society* **8** (1): 223–264, doi:10.1112/plms/s2-8.1.223. Check date values in: ldate= (help)
- Borel, Émile (1913), “La théorie de la relativité et la cinématique”, *Comptes Rendus des Séances de l'Académie des Sciences* **156**: 215–218
- Borel, Émile (1913), “La cinématique dans la théorie de la relativité”, *Comptes Rendus des Séances de l'Académie des Sciences* **157**: 703–705
- Born, Max (1909), “Die Theorie des starren Körpers in der Kinematik des Relativitätsprinzips” [The Theory of the Rigid Electron in the Kinematics of the Principle of Relativity], *Annalen der Physik* **335** (11): 1–56, Bibcode:1909AnP...335....1B, doi:10.1002/andp.19093351102
- Brecher, Kenneth (1977), “Is the Speed of Light Independent of the Velocity of the Source?”, *Phys. Rev. Letters* **39** (17): 1051–1054, Bibcode:1977PhRvL..39.1051B, doi:10.1103/PhysRevLett.39.1051
- Bucherer, A. H. (1903), “Über den Einfluß der Erdbewegung auf die Intensität des Lichtes”, *Annalen der Physik* **316** (6): 270–283, Bibcode:1903AnP...316..270B, doi:10.1002/andp.19033160604
- Bucherer, A. H. (1908), “Messungen an Becquerelstrahlen. Die experimentelle Bestätigung der Lorentz-Einsteinschen Theorie. (Measurements of Becquerel rays. The Experimental Confirmation of the Lorentz-Einstein Theory)”, *Physikalische Zeitschrift* **9** (22): 755–762
- Cohn, Emil (1901), “Über die Gleichungen der Elektrodynamik für bewegte Körper”, *Archives néerlandaises des sciences exactes et naturelles* **5**: 516–523
- Cohn, Emil (1904), “Zur Elektrodynamik bewegter Systeme I” [On the Electrodynamics of Moving Systems I], *Sitzungsberichte der Königlich Preussischen Akademie der Wissenschaften*, 1904/2 (40): 1294–1303
- Cohn, Emil (1904), “Zur Elektrodynamik bewegter Systeme II” [On the Electrodynamics of Moving Systems II], *Sitzungsberichte der Königlich Preussischen Akademie der Wissenschaften*, 1904/2 (43): 1404–1416
- Comstock, Daniel Frost (1910), “The Principle of Relativity”, *Science* **31** (803): 767–772, Bibcode:1910Sci....31..767C, doi:10.1126/science.31.803.767, PMID 17758464
- Cunningham, Ebenezer (1909/10), “The principle of Relativity in Electrodynamics and an Extension Thereof”, *Proceedings of the London Mathematical Society* **8** (1): 77–98, doi:10.1112/plms/s2-8.1.77. Check date values in: ldate= (help)
- De Sitter, Willem (1913), “A proof of the constancy of the velocity of light”, *Proceedings of the Royal Netherlands Academy of Arts and Sciences* **15** (2): 1297–1298
- De Sitter, Willem (1913), “On the constancy of the velocity of light”, *Proceedings of the Royal Netherlands Academy of Arts and Sciences* **16** (1): 395–396
- Ehrenfest, Paul (1909), “Gleichförmige Rotation starrer Körper und Relativitätstheorie” [Uniform Rotation of Rigid Bodies and the Theory of Relativity], *Physikalische Zeitschrift* **10**: 918
- Einstein, Albert (1905a), “Zur Elektrodynamik bewegter Körper” (PDF), *Annalen der Physik* **322** (10): 891–921, Bibcode:1905AnP...322..891E, doi:10.1002/andp.19053221004. See also: English translation.
- Einstein, Albert (1905b), “Ist die Trägheit eines Körpers von seinem Energieinhalt abhängig?” (PDF), *Annalen der Physik* **323** (13): 639–641, Bibcode:1905AnP...323..639E, doi:10.1002/andp.19053231314. See also the English translation.
- Einstein, Albert (1906), “Das Prinzip von der Erhaltung der Schwerpunktsbewegung und die

- Trägheit der Energie" (PDF), *Annalen der Physik* **325** (8): 627–633, Bibcode:1906AnP...325..627E, doi:10.1002/andp.19063250814
- Einstein, Albert (1907), "Über die vom Relativitätsprinzip geforderte Trägheit der Energie" (PDF), *Annalen der Physik* **328** (7): 371–384, Bibcode:1907AnP...328..371E, doi:10.1002/andp.19073280713
  - Einstein, Albert (1908a), "Über das Relativitätsprinzip und die aus demselben gezogenen Folgerungen" (PDF), *Jahrbuch der Radioaktivität und Elektronik* **4**: 411–462, Bibcode:1908JRE....4..411E
  - Einstein, Albert & Laub, Jakob (1908b), "Über die elektromagnetischen Grundgleichungen für bewegte Körper" (PDF), *Annalen der Physik* **331** (8): 532–540, Bibcode:1908AnP...331..532E, doi:10.1002/andp.19083310806
  - Einstein, Albert (1909), "The Development of Our Views on the Composition and Essence of Radiation", *Physikalische Zeitschrift* **10** (22): 817–825
  - Einstein, Albert (1912), "Relativität und Gravitation. Erwiderung auf eine Bemerkung von M. Abraham" (PDF), *Annalen der Physik* **38** (10): 1059–1064, Bibcode:1912AnP...343.1059E, doi:10.1002/andp.19123431014
  - Einstein A. (1916), *Relativity: The Special and General Theory*, Springer
  - Einstein, Albert (1922), *Ether and the Theory of Relativity*, Methuen & Co.
  - FitzGerald, George Francis (1889), "The Ether and the Earth's Atmosphere", *Science* **13** (328): 390, Bibcode:1889Sci....13..390F, doi:10.1126/science.ns-13.328.390, PMID 17819387
  - Fizeau, H. (1851). "The Hypotheses Relating to the Luminous Aether, and an Experiment which Appears to Demonstrate that the Motion of Bodies Alters the Velocity with which Light Propagates itself in their Interior". *Philosophical Magazine* **2**: 568–573.
  - Fox, J.G. (1962), "Experimental Evidence for the Second Postulate of Special Relativity", *American Journal of Physics* **30** (1): 297–300, Bibcode:1965AmJPh..33....1F, doi:10.1119/1.1941992.
  - Filippas, T.A.; Fox, J.G. (1964), "Velocity of Gamma Rays from a Moving Source", *Physical Review* **135** (4B): B1071–1075, Bibcode:1964PhRv..135.1071F, doi:10.1103/PhysRev.135.B1071
  - Frank, Philipp & Rothe, Hermann (1910), "Über die Transformation der Raum-Zeitkoordinaten von ruhenden auf bewegte Systeme", *Annalen der Physik* **339** (5): 825–855, Bibcode:1911AnP...339..825F, doi:10.1002/andp.19113390502
  - Augustin Fresnel (1816), "Sur la diffraction de la lumière", *Annales de chimie et de physique* **1**: 239–281
  - Hasenöhl, Friedrich (1904), "Zur Theorie der Strahlung in bewegten Körpern" [On the Theory of Radiation in Moving Bodies], *Annalen der Physik* **320** (12): 344–370, Bibcode:1904AnP...320..344H, doi:10.1002/andp.19043201206
  - Hasenöhl, Friedrich (1905), "Zur Theorie der Strahlung in bewegten Körpern. Berichtigung" [On the Theory of Radiation in Moving Bodies. Correction], *Annalen der Physik* **321** (3): 589–592, Bibcode:1905AnP...321..589H, doi:10.1002/andp.19053210312
  - Heaviside, Oliver (1888/1894), "Electromagnetic waves, the propagation of potential, and the electromagnetic effects of a moving charge", *Electrical papers* **2**, pp. 490–499 Check date values in: |date= (help)
  - Heaviside, Oliver (1889), "On the Electromagnetic Effects due to the Motion of Electrification through a Dielectric", *Philosophical Magazine*, **5** **27** (167): 324–339, doi:10.1080/14786448908628362
  - Herglotz, Gustav (1909), "Über den vom Standpunkt des Relativitätsprinzips aus als starr zu bezeichnenden Körper" [On bodies that are to be designated as "rigid" from the standpoint of the relativity principle], *Annalen der Physik* **336** (2): 393–415, Bibcode:1910AnP...336..393H, doi:10.1002/andp.19103360208
  - Hertz, Heinrich (1890a), "Über die Grundgleichungen der Elektrodynamik für ruhende Körper", *Annalen der Physik* **276** (8): 577, Bibcode:1890AnP...276..577H, doi:10.1002/andp.18902760803
  - Hertz, Heinrich (1890b), "Über die Grundgleichungen der Elektrodynamik für bewegte Körper", *Annalen der Physik* **277** (11): 369–399, Bibcode:1890AnP...277..369H, doi:10.1002/andp.18902771102

- Ignatowsky, W. v. (1910). "Einige allgemeine Bemerkungen über das Relativitätsprinzip" [Some General Remarks on the Relativity Principle]. *Physikalische Zeitschrift* **11**: 972–976.
- Ignatowsky, W. v. (1911). "Das Relativitätsprinzip". *Archiv der Mathematik und Physik.* 17, 18: 1–24, 17–40.
- Kaufmann, Walter (1902), "Die elektromagnetische Masse des Elektrons" [The Electromagnetic Mass of the Electron], *Physikalische Zeitschrift* **4** (1b): 54–56
- Kaufmann, Walter (1905), "Über die Konstitution des Elektrons" [On the Constitution of the Electron], *Sitzungsberichte der Königlich Preussische Akademie der Wissenschaften* **45**: 949–956
- Kaufmann, Walter (1906), "Über die Konstitution des Elektrons" [On the Constitution of the Electron], *Annalen der Physik* **324** (3): 487–553, Bibcode:1906AnP...324..487K, doi:10.1002/andp.19063240303
- Lange, Ludwig (1885), "Ueber die wissenschaftliche Fassung des Galileischen Beharrungsgesetzes", *Philosophische Studien* **2**: 266–297
- Langevin, Paul (1904/1908), "The Relations of Physics of Electrons to Other Branches of Science", *International Congress of Arts and Science* **7**: 121–156 Check date values in: `|date=` (help)
- Langevin, Paul (1905), "Sur l'impossibilité physique de mettre en évidence le mouvement de translation de la Terre", *Comptes Rendus des Séances de l'Académie des Sciences* **140**: 1171–1173
- Langevin, P. (1911), "The evolution of space and time", *Scientia* **X**: 31–54 (translated by J. B. Sykes, 1973).
- Larmor, Joseph (1897), "On a Dynamical Theory of the Electric and Luminiferous Medium, Part 3, Relations with material media", *Philosophical Transactions of the Royal Society* **190**: 205–300, Bibcode:1897RSPTA.190..205L, doi:10.1098/rsta.1897.0020
- Larmor, Joseph (1900), *Aether and Matter*, Cambridge University Press
- Laub, Jakob (1907), "Zur Optik der bewegten Körper", *Annalen der Physik* **328** (9): 738–744, Bibcode:1907AnP...328..738L, doi:10.1002/andp.19073280910
- Laue, Max von (1907), "Die Mitführung des Lichtes durch bewegte Körper nach dem Relativitätsprinzip" [The Entrainment of Light by Moving Bodies in Accordance with the Principle of Relativity], *Annalen der Physik* **328** (10): 989–990, Bibcode:1907AnP...328..989L, doi:10.1002/andp.19073281015
- Laue, Max von (1911a), *Das Relativitätsprinzip on Internet Archive*, Braunschweig: Vieweg External link in `|title=` (help)
- Laue, Max von (1911b), "Zur Diskussion über den starren Körper in der Relativitätstheorie" [On the Discussion Concerning Rigid Bodies in the Theory of Relativity], *Physikalische Zeitschrift* **12**: 85–87
- Laue, Max von (1911c), "Über einen Versuch zur Optik der bewegten Körper" [On an Experiment on the Optics of Moving Bodie], *Münchener Sitzungsberichte* **1911**: 405–412
- Laue, Max von (1913), *Das Relativitätsprinzip* (2 ed.), Braunschweig: Vieweg
- Lewis, Gilbert N. (1908), "A revision of the Fundamental Laws of Matter and Energy", *Philosophical Magazine* **16**: 705–717, doi:10.1080/14786441108636549
- Lewis, Gilbert N. & Tolman, Richard C. (1909), "The Principle of Relativity, and Non-Newtonian Mechanics", *Proceedings of the American Academy of Arts and Sciences* **44**: 709–726, doi:10.2307/20022495
- Lewis, Gilbert N. & Wilson, Edwin B. (1912), "The Space-time Manifold of Relativity. The Non-Euclidean Geometry of Mechanics and Electromagnetics on Internet Archive", *Proceedings of the American Academy of Arts and Sciences* **48**: 387–507, doi:10.2307/20022840 External link in `|title=` (help)
- Lorentz, Hendrik Antoon (1886), "De l'influence du mouvement de la terre sur les phénomènes lumineux", *Archives néerlandaises des sciences exactes et naturelles* **21**: 103–176
- Lorentz, Hendrik Antoon (1892a), "La Théorie électromagnétique de Maxwell et son application aux corps mouvants on Internet Archive", *Archives néerlandaises des sciences exactes et naturelles* **25**: 363–552 External link in `|title=` (help)
- Lorentz, Hendrik Antoon (1892b), "De relatieve beweging van de aarde en den aether" [The Relative Motion of the Earth and the Aether], *Zittingsverlag Akad. V. Wet.* **1**: 74–79



- Lorentz, Hendrik Antoon (1895), *Versuch einer Theorie der electrischen und optischen Erscheinungen in bewegten Körpern* [Attempt of a Theory of Electrical and Optical Phenomena in Moving Bodies], Leiden: E.J. Brill
- Lorentz, Hendrik Antoon (1899), "Simplified Theory of Electrical and Optical Phenomena in Moving Systems", *Proceedings of the Royal Netherlands Academy of Arts and Sciences* **1**: 427–442
- Lorentz, Hendrik Antoon (1900), "Considerations on Gravitation", *Proceedings of the Royal Netherlands Academy of Arts and Sciences* **2**: 559–574
- Lorentz, Hendrik Antoon (1904a), "Weiterbildung der Maxwellschen Theorie. Elektronentheorie.", *Encyclopädie der mathematischen Wissenschaften* **5** (2): 145–288
- Lorentz, Hendrik Antoon (1904b), "Electromagnetic phenomena in a system moving with any velocity smaller than that of light", *Proceedings of the Royal Netherlands Academy of Arts and Sciences* **6**: 809–831
- Lorentz, Hendrik Antoon (1931) [1910], *Lecture on theoretical physics, Vol.3*, London: MacMillan
- Lorentz, Hendrik Antoon & Einstein, Albert & Minkowski, Hermann (1913), *Das Relativitätsprinzip. Eine Sammlung von Abhandlungen. on Internet Archive*, Leipzig & Berlin: B.G. Teubner External link in ltitle= (help)
- Lorentz, Hendrik Antoon (1914), *Das Relativitätsprinzip. Drei Vorlesungen gehalten in Teylers Stifting zu Haarlem*, Leipzig and Berlin: B.G. Teubner
- Lorentz, Hendrik Antoon (1914), "La Gravitation", *Scientia* **16**: 28–59
- Lorentz, Hendrik Antoon (1916), *The theory of electrons and its applications to the phenomena of light and radiant heat on Internet Archive*, Leipzig & Berlin: B.G. Teubner External link in ltitle= (help)
- Lorentz, Hendrik Antoon (1921), "Deux Mémoires de Henri Poincaré sur la Physique Mathématique" [Two Papers of Henri Poincaré on Mathematical Physics], *Acta Mathematica* **38** (1): 293–308, doi:10.1007/BF02392073;
- Lorentz, Hendrik Antoon; Lorentz, H. A.; Miller, D. C.; Kennedy, R. J.; Hedrick, E. R.; Epstein, P. S. (1928), "Conference on the Michelson-Morley Experiment", *The Astrophysical Journal* **68**: 345–351, Bibcode:1928ApJ....68..341M, doi:10.1086/143148
- Mach, Ernst (1883/1912), *Die Mechanik in ihrer Entwicklung* (PDF), Leipzig: Brockhaus Check date values in: ldate= (help)
- Maxwell, James Clerk (1864), "A Dynamical Theory of the Electromagnetic Field", *Philosophical Transactions of the Royal Society* **155**: 459–512, Bibcode:1865RSPT..155..459C, doi:10.1098/rstl.1865.0008
- Maxwell, James Clerk (1873), "§ 792", *A Treatise on electricity and magnetism on Internet Archive* **2**, London: Macmillan & Co., p. 391 External link in ltitle= (help)
- Michelson, Albert A. (1881), "The Relative Motion of the Earth and the Luminiferous Ether", *American Journal of Science* **22**: 120–129, doi:10.2475/ajs.s3-22.128.120
- Michelson, Albert A. & Morley, Edward W. (1886), "Influence of Motion of the Medium on the Velocity of Light", *American Journal of Science* **31**: 377–386, doi:10.2475/ajs.s3-31.185.377
- Michelson, Albert A. & Morley, Edward W. (1887), "On the Relative Motion of the Earth and the Luminiferous Ether", *American Journal of Science* **34**: 333–345, doi:10.2475/ajs.s3-34.203.333
- Michelson, Albert A. & Gale, Henry G. (1925), "The Effect of the Earth's Rotation on the Velocity of Light", *The Astrophysical Journal* **61**: 140–145, Bibcode:1925ApJ....61..140M, doi:10.1086/142879
- Minkowski, Hermann (1915) [1907], "Das Relativitätsprinzip", *Annalen der Physik* **352** (15): 927–938, Bibcode:1915AnP...352..927M, doi:10.1002/andp.19153521505
- Minkowski, Hermann (1908), "Die Grundgleichungen für die elektromagnetischen Vorgänge in bewegten Körpern" [The Fundamental Equations for Electromagnetic Processes in Moving Bodies], *Nachrichten von der Gesellschaft der Wissenschaften zu Göttingen, Mathematisch-Physikalische Klasse*: 53–111 (English translation in 1920 by Meghnad Saha).
- Minkowski, Hermann (1909), "Raum und Zeit", *Physikalische Zeitschrift* **10**: 75–88

- Various English translations on Wikisource: [Space and Time](#)
- Mosengeil, Kurd von (1907), "Theorie der stationären Strahlung in einem gleichförmig bewegten Hohlraum", *Annalen der Physik* **327** (5): 867–904, Bibcode:1907AnP...327..867V, doi:10.1002/andp.19073270504
- Neumann, Carl (1870), Ueber die Principien der Galilei-Newtonschen Theorie *on Internet Archive*, Leipzig: B.G. Teubner External link in ltitle= (help)
- Neumann, Günther (1914), "Die träge Masse schnell bewegter Elektronen", *Annalen der Physik* **350** (20): 529–579, Bibcode:1914AnP...350..529N, doi:10.1002/andp.19143502005
- Nordström, Gunnar (1913), "Zur Theorie der Gravitation vom Standpunkt des Relativitätsprinzips", *Annalen der Physik* **347** (13): 533–554, Bibcode:1913AnP...347..533N, doi:10.1002/andp.19133471303.
- Palagyi, Menyhért (1901), *Neue Theorie des Raumes und der Zeit*, Leipzig: Wilhelm Engelmann
- Planck, Max (1906a), "Das Prinzip der Relativität und die Grundgleichungen der Mechanik" [The Principle of Relativity and the Fundamental Equations of Mechanics], *Verhandlungen Deutsche Physikalische Gesellschaft* **8**: 136–141
- Planck, Max (1906b), "Die Kaufmannschen Messungen der Ablenkbarkeit der  $\beta$ -Strahlen in ihrer Bedeutung für die Dynamik der Elektronen" [The Measurements of Kaufmann on the Deflectability of  $\beta$ -Rays in their Importance for the Dynamics of the Electrons], *Physikalische Zeitschrift* **7**: 753–761
- Planck, Max (1907), "Zur Dynamik bewegter Systeme" [On the Dynamics of Moving Systems], *Sitzungsberichte der Königlich-Preussischen Akademie der Wissenschaften, Berlin*, Erster Halbband (29): 542–570
- Planck, Max (1908), "Bemerkungen zum Prinzip der Aktion und Reaktion in der allgemeinen Dynamik" [Notes on the Principle of Action and Reaction in General Dynamics], *Physikalische Zeitschrift* **9** (23): 828–830
- Planck, Max (1915) [1909], "General Dynamics. Principle of Relativity", *Eight lectures on theoretical physics*, New York: Columbia University Press
- Poincaré, Henri (1889), *Théorie mathématique de la lumière* **1**, Paris: G. Carré & C. Naud Preface partly reprinted in "Science and Hypothesis", Ch. 12.
- Poincaré, Henri (1895), "A propos de la Théorie de M. Larmor", *L'Éclairage électrique* **5**: 5–14 Reprinted in Poincaré, Oeuvres, tome IX, pp. 395–413
- Poincaré, Henri (1898/1913), "The Measure of Time", *The Foundations of Science (The Value of Science)*, New York: Science Press, pp. 222–234 Check date values in: ldate= (help)
- Poincaré, Henri (1900a), "Les relations entre la physique expérimentale et la physique mathématique", *Revue générale des sciences pures et appliquées* **11**: 1163–1175. Reprinted in "Science and Hypothesis", Ch. 9–10.
- Poincaré, Henri (1900b), "La théorie de Lorentz et le principe de réaction", *Archives néerlandaises des sciences exactes et naturelles* **5**: 252–278. See also the English translation.
- Poincaré, Henri (1901a), "Sur les principes de la mécanique", *Bibliothèque du Congrès international de philosophie*: 457–494. Reprinted in "Science and Hypothesis", Ch. 6–7.
- Poincaré, Henri (1901b), *Électricité et optique on Internet Archive*, Paris: Gauthier-Villars External link in ltitle= (help)
- Poincaré, Henri (1902), *Science and Hypothesis*, London and Newcastle-on-Cyne (1905): The Walter Scott publishing Co.
- Poincaré, Henri (1904/6), "The Principles of Mathematical Physics", *Congress of arts and science, universal exposition, St. Louis, 1904* **1**, Boston and New York: Houghton, Mifflin and Company, pp. 604–622 Check date values in: ldate= (help)
- Poincaré, Henri (1905b), "Sur la dynamique de l'électron" [On the Dynamics of the Electron], *Comptes Rendus* **140**: 1504–1508.
- Poincaré, Henri (1906), "Sur la dynamique de l'électron" [On the Dynamics of the Electron], *Rendiconti del Circolo matematico di Palermo* **21**: 129–176, doi:10.1007/BF03013466
- Poincaré, Henri (1908/13), "The New Mechanics", *The foundations of science (Science and Method)*, New York: Science Press, pp. 486–522 Check date values in: ldate= (help)

- Poincaré, Henri (1909), "La Mécanique nouvelle (Lille)", *Revue scientifique* (Paris) **47**: 170–177
- Poincaré, Henri (1909/10), "The New Mechanics (Göttingen)", *Sechs Vorträge über ausgewählte Gegenstände aus der reinen Mathematik und mathematischen Physik*, Leipzig und Berlin: B.G. Teubner, pp. 41–47 Check date values in: `|date=` (help)
- Poincaré, Henri (1910/1), *Die neue Mechanik (Berlin)*, Leipzig & Berlin: B.G. Teubner Check date values in: `|date=` (help)
- Poincaré, Henri (1912), "L'hypothèse des quanta", *Revue scientifique* **17**: 225–232 Reprinted in Poincaré 1913, Ch. 6.
- Poincaré, Henri (1913), *Last Essays on Internet Archive*, New York: Dover Publication (1963) External link in `|title=` (help)
- Ritz, Walter (1908), "Recherches critiques sur l'Électrodynamique Générale", *Annales de Chimie et de Physique* **13**: 145–275, see English translation.
- Robb, Alfred A. (1911), *Optical Geometry of Motion: A New View of the Theory of Relativity on Internet Archive*, Cambridge: W. Heffer External link in `|title=` (help)
- Sagnac, Georges (1913), "L'éther lumineux démontré par l'effet du vent relatif d'éther dans un interféromètre en rotation uniforme" [The demonstration of the luminiferous aether by an interferometer in uniform rotation], *Comptes Rendus* **157**: 708–710
- Sagnac, Georges (1913), "Sur la preuve de la réalité de l'éther lumineux par l'expérience de l'interférographe tournant" [On the proof of the reality of the luminiferous aether by the experiment with a rotating interferometer], *Comptes Rendus* **157**: 1410–1413
- Searle, George Frederick Charles (1897), "On the Steady Motion of an Electrified Ellipsoid", *Philosophical Magazine*, 5 **44** (269): 329–341, doi:10.1080/14786449708621072
- Sommerfeld, Arnold (1910), "Zur Relativitätstheorie I: Vierdimensionale Vektoralgebra" [On the Theory of Relativity I: Four-dimensional Vector Algebra], *Annalen der Physik* **337** (9): 749–776, Bibcode:1910AnP...337..749S, doi:10.1002/andp.19103370904
- Sommerfeld, Arnold (1910), "Zur Relativitätstheorie II: Vierdimensionale" [On the Theory of Relativity II: Four-dimensional Vector Analysis], *Annalen der Physik* **338** (14): 649–689, Bibcode:1910AnP...338..649S, doi:10.1002/andp.19103381402
- Stokes, George Gabriel (1845), "On the Aberration of Light", *Philosophical Magazine* **27**: 9–15, doi:10.1080/14786444508645215
- Streintz, Heinrich (1883), *Die physikalischen Grundlagen der Mechanik on Internet Archive*, Leipzig: B.G. Teubner External link in `|title=` (help)
- Thomson, Joseph John (1881), "On the Electric and Magnetic Effects produced by the Motion of Electrified Bodies", *Philosophical Magazine*, 5 **11** (68): 229–249, doi:10.1080/14786448108627008
- Tolman, Richard Chase (1912), "The mass of a moving body", *Philosophical Magazine* **23**: 375–380, doi:10.1080/14786440308637231
- Varičák, Vladimír (1911), "Zum Ehrenfest'schen Paradoxon" [On Ehrenfest's Paradox], *Physikalische Zeitschrift* **12**: 169
- Varičák, Vladimír (1912), "Über die nichteuklidische Interpretation der Relativtheorie" [On the Non-Euclidean Interpretation of the Theory of Relativity], *Jahresbericht der Deutschen Mathematiker-Vereinigung* **21**: 103–127
- Voigt, Woldemar (1887), "Ueber das Doppler'sche Princip" [On the Principle of Doppler], *Nachrichten von der Königl. Gesellschaft der Wissenschaften und der Georg-Augusts-Universität zu Göttingen* (2): 41–51
- Wien, Wilhelm (1900), "Über die Möglichkeit einer elektromagnetischen Begründung der Mechanik" [On the Possibility of an Electromagnetic Foundation of Mechanics], *Annalen der Physik* **310** (7): 501–513, Bibcode:1901AnP...310..501W, doi:10.1002/andp.19013100703
- Wien, Wilhelm (1904a), "Über die Differentialgleichungen der Elektrodynamik für bewegte Körper. I", *Annalen der Physik* **318** (4): 641–662, Bibcode:1904AnP...318..641W, doi:10.1002/andp.18943180402
- Wien, Wilhelm (1904a), "Über die Differentialgleichungen der Elektrodynamik für bewegte Körper. II", *Annalen der Physik* **318** (4): 663–668, Bibcode:1904AnP...318..663W, doi:10.1002/andp.18943180403



- Wien, Wilhelm (1904b), "Erwiderung auf die Kritik des Hrn. M. Abraham", *Annalen der Physik* **319** (8): 635–637, Bibcode:1904AnP...319..635W, doi:10.1002/andp.19043190817

## 5.2 Notes and Secondary sources

## 6 External links

- O'Connor, John J.; Robertson, Edmund F., "Special relativity", *MacTutor History of Mathematics archive*, University of St Andrews.
- Mathpages: Corresponding States, The End of My Latin, Who Invented Relativity?, Poincaré Contemplates Copernicus

- [1] For many other experiments on light constancy and relativity, see PhysicsFaq: What is the experimental basis of special relativity?

## 7 Text and image sources, contributors, and licenses

### 7.1 Text

- **History of special relativity** *Source:* [https://en.wikipedia.org/wiki/History\\_of\\_special\\_relativity?oldid=688816900](https://en.wikipedia.org/wiki/History_of_special_relativity?oldid=688816900) *Contributors:* Edward, William M. Connolley, Charles Matthews, Robbot, Lowellian, Giftlite, Wolfkeeper, Marcika, Dratman, Muzzle, Alvestrand, Dvavasour, JoJan, Rich Farmbrough, Pjacobi, Vapour, Bender235, Rgdboer, Shadow demon, Teorth, Haham hanuka, Tony Sidaway, Allen McC.-enwiki, Drbreznjev, Daniel Case, Carcharoth, Robert K S, Ketiltrout, Rjwilmsi, Nightscream, Arabani, Ems57fcva, Alphachimp, Tedder, DVdm, Bgwhite, Hillman, Pip2andahalf, Gaius Cornelius, ErkDemon, Schlafly, Tony1, Zover0, Meegs, Infinity0, SmackBot, Harald88, MediaMangler, Chris the speller, JCSantos, Colonies Chris, Bob Denny, Squigish, CWesling, Leonard Dickens, Pgf, Reade, Dr Greg, Iridescent, Eluchil404, DickBrook, CmdrObot, Myasuda, Cydebot, Michael C Price, Martin Hogbin, Headbomb, James086, D.H, Dawnseeker2000, Tim Shuba, Igodard, Harmanjitsingh, JamesBWatson, Email4mobile, CommonsDelinker, Vanwhistler, Adavidb, Maurice Carbonaro, Lantonov, Gemini1980, Alan U. Kennington, JohnBlackburne, Nxavar, Joshb2, Grant.Alpaugh, Paradoc-tor, Likebox, Punkvijay, Renata500, Blue bear sd, Roibeird, RAmesbury, Paulcmnt, Spirals31, Yizhenwilliam, ChrisHodgesUK, El bot de la dieta, MystBot, Addbot, Leszek Jańczuk, Delaszk, Mwse87, CosmiCarl, OIEnglish, CountryBot, Luckas-bot, Drdonzi, Yobot, Kilom691, AnomieBOT, Citation bot, Xqbot, NORbeck, Cantons-de-l'Est, Charvest, Ignoranteconomist, Shadowjams, CES1596, Fortdj33, Agnon5, Citation bot 1, Wandering-teacher, Pinethicket, RedBot, Foobarnix, Trappist the monk, Mauricewa, Flegelpuss, Cardinality, ZoneW, Iphegenia, JLincoln, Earthandmoon, RjwilmsiBot, Ripchip Bot, Blighcapn, John of Reading, Bethnim, ZéroBot, Relativa, JFB80, Lom Konkreta, ClueBot NG, BobHK, Frietjes, Euty, Lincoln Josh, Helpful Pixie Bot, Bibcode Bot, BG19bot, Benzband, BattyBot, Justincheng12345-bot, Niltone, ChrisGualtieri, Dextbot, Mogism, Flau98bert, Joeinwiki, FeliksK, Sol1, Ginsuloft, Anrnusna, Monkb0t, Xerberos, Jwinder47 and Anonymous: 89

### 7.2 Images

- **File:Albert\_Abraham\_Michelson.JPG** *Source:* [https://upload.wikimedia.org/wikipedia/commons/b/ba/Albert\\_Abraham\\_Michelson.JPG](https://upload.wikimedia.org/wikipedia/commons/b/ba/Albert_Abraham_Michelson.JPG) *License:* Public domain *Contributors:* ? *Original artist:* ?
- **File:De\_Raum\_zeit\_Minkowski\_Bild.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/c/c5/De\\_Raum\\_zeit\\_Minkowski\\_Bild.jpg](https://upload.wikimedia.org/wikipedia/commons/c/c5/De_Raum_zeit_Minkowski_Bild.jpg) *License:* Public domain *Contributors:* scan from original book *Original artist:* **Hermann Minkowski**
- **File:Einstein1921\_by\_F\_Schmutzer\_4.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/7/78/Einstein1921\\_by\\_F\\_Schmutzer\\_4.jpg](https://upload.wikimedia.org/wikipedia/commons/7/78/Einstein1921_by_F_Schmutzer_4.jpg) *License:* Public domain *Contributors:* Edited version of Image:Einstein1921 by F Schmutzer 2.jpg. *Original artist:* Ferdinand Schmutzer (1870-1928)
- **File:Hendrik\_Antoon\_Lorentz\_in\_1916\_geschilderd\_door\_Menso\_Kamelingh\_Onnes.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/2/26/Hendrik\\_Antoon\\_Lorentz%2C\\_in\\_1916\\_geschilderd\\_door\\_Menso\\_Kamelingh\\_Onnes.jpg](https://upload.wikimedia.org/wikipedia/commons/2/26/Hendrik_Antoon_Lorentz%2C_in_1916_geschilderd_door_Menso_Kamelingh_Onnes.jpg) *License:* Public domain *Contributors:* ? *Original artist:* ?
- **File:Max\_planck.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/d/d7/Max\\_planck.jpg](https://upload.wikimedia.org/wikipedia/commons/d/d7/Max_planck.jpg) *License:* Public domain *Contributors:* <http://clendening.kumc.edu/dc/pc/planck.jpg> (Clendening History of Medicine Library, University of Kansas Medical Center. <http://clendening.kumc.edu/dc/>) *Original artist:* Unknown
- **File:Max\_von\_Laue.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/0/0e/Max\\_von\\_Laue.jpg](https://upload.wikimedia.org/wikipedia/commons/0/0e/Max_von_Laue.jpg) *License:* Public domain *Contributors:* Les Prix Nobel 1914 *Original artist:* Nobel foundation
- **File:Poincare.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/e/ed/Poincare.jpg> *License:* Public domain *Contributors:* fr:Image:Poincare.jpg *Original artist:* Eugène Pirou (1841–1909) [1]
- **File:Stylised\_Lithium\_Atom.svg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/e/e1/Stylised\\_Lithium\\_Atom.svg](https://upload.wikimedia.org/wikipedia/commons/e/e1/Stylised_Lithium_Atom.svg) *License:* CC-BY-SA-3.0 *Contributors:* based off of Image:Stylised Lithium Atom.png by Halfdan. *Original artist:* SVG by Indolences. Recoloring and ironing out some glitches done by Rainer Klute.
- **File:Wikisource-logo.svg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/4/4c/Wikisource-logo.svg> *License:* CC BY-SA 3.0 *Contributors:* Rei-artur *Original artist:* Nicholas Moreau

### 7.3 Content license

- Creative Commons Attribution-Share Alike 3.0