



Will your production tools still work in ten years?

On another continent,
in a customer's workshop?




*But often,
it **breaks**.*

Two years later, on site,
the tool refuses to start.




! ! ! ?




Why?

- Ageing or very specific hardware
- OS-specific packages
- Interpreted languages,
tied to the machine they ran on






Our answer: *Go + a TUI*

One binary, one terminal.




Go

- Everything in one binary — no runtime to install
- Compiling and testing in one toolchain
- Easy cross-compilation



A terminal UI



- Graphical libraries are heavy
- A terminal exists on every OS
- Works over SSH —
no display server needed
- Mouse still supported

ed-nrfdfu

Nordic Secure DFU over BLE,
straight from the terminal.

EXAMPLE RUN — FLASHING AN NRF52

```
> ./ed-nrfdfu --mac "CA:BB:CC:DD:EE:01" --dfuPath /tmp/dfu_file.zip
```

Selected file	dfu_file.zip
Device	CA:BB:CC:DD:EE:01 · 00000000
Transport	BLE / Nordic Secure DFU
Status	Uploading firmware

83%

Elapsed	01:28
Logs	/tmp/CA_BB_CC_DD_EE_01-dfu_file.zip-1786436990901.log

◆ eDevice — Connectivity That Cares

press q to quit

Try it

[github.com/E-DEVICE/
ed-nrfdfu](https://github.com/E-DEVICE/ed-nrfdfu)

Apache 2.0 — and we are looking for
macOS and Windows testers.

