សាកលវិទ្យាល័យនរ៉ាតុន

NORTON UNIVERSITY

College of science

Department Of Computer Science

Project: Coffee Shop management System

Subject: System Analysis and Design

Year III

Group E1

Group's Member :

ឈ្មោះ	Name	ID
១.ដុក ដារ៉ា	Dok Dara	B20214864
២.ម៉ាត់សុះ	Mat Sos	B20230761
៣.សាលី ហ្ការីត	Saly Farith	B20191365

Lecturer: Prum Chan Samedy

សេចក្តីគោរពដឹងគុណ

យើងខ្ញុំទាំងអស់គ្នាជានិសិត្សនៃសាកលវិទ្យាល័យ ន័រតុន មហាវិទ្យាល័យវិទ្យាសាស្ត្រ ផ្នែកកុំព្យូទ័រវិទ្យា ជំនាញវិទ្យាសាស្ត្រកុំព្យូទ័រ ដែលមានសមាជិកចំនួន3រូប ដែលបានរាយនាមដូច ខាងក្រោម:

១. ដុក ដារ៉ា

២. ម៉ាត់ សុះ

៣. សាលី ហ្ការ៉ីត

សូមថ្លែងអំណរគុណ និង កត្តញ្ញូតាធម៌យ៉ាងជ្រាលជ្រៅចំពោះ

- លោកអ្នកមានគុណទាំងពីរ ដែលបានចំណាយនូវ កម្លាំងកាយ កម្លាំងចិត្ត ចំណាយពេលវេលា និង ទ្រព្យសម្បត្តិច្រើនអនេក ដើម្បីឧបត្ថម្ភគាំទ្រដល់ជីវិតកូនៗ និងបានទំនុកបំរុងដល់ការសិក្សាតាំងពីបឋមសិក្សា មធ្យមសិក្សា ហើយរហូតបានចូលរៀននៅខ្ពស់ជាងមសិក្សា ផ្នែកកុំព្យូទ័រវិទ្យា ជំនាញវិទ្យាសាស្ត្រកុំព្យូទ័រ នៃសាកលវិទ្យាល័យន័រតុននាពេលបច្ចុប្បន្ននេះទៀតៗ ជាពិសេសបានផ្តល់នូវការអប់រំផ្នែកសីលធម៌ សុជីវធម៌ ព្រមទាំងបទពិសោធន៍ក្នុងការរស់នៅក្នុងសង្គមជាច្រើនផងដែរៗ
- លោកសាស្ត្រាចារ្យ ព្រ៊ុ ចាន់សាម៉ីឌ្ធី ដែលលោកគ្រូបានចំណាយពេលវេលា និងកម្លាំងកាយចិត្តនៅក្នុងការបង្រៀន ផ្តល់ជាគំនិតយោបល់ និងបច្ចេកទេសដោយឥតលាក់លៀមៗ
- លោកសាកលវិទ្យាធិការនៃសាកលវិទ្យាល័យ ន័រតុនដែលបានខិតខំរៀបចំថ្នាក់បណ្តុះបណ្តាល សម្រាប់អ្នកសិក្សាគ្រប់មជ្ឈដ្ឋានអាចក្រេបយកចំណេះដឹង ដែលជាធនធានសំខាន់ក្នុងការអភិវឌ្ឍប្រទេស ជាតិៗ
- លោកគ្រូសាស្ត្រាចារ្យ និងបុគ្គលិកសិក្សាទាំងអស់ដែលបានជួយសម្រួលដល់ការសិក្សារបស់សិស្ស នុសិស្សទាំងអស់គ្នាៗ

ជាចុងក្រោយនេះ យើងខ្ញុំសូមជូនពរដល់លោកអ្នកមានគុណទាំងអស់ សូមជួបប្រទះតែពុទ្ធពរទាំង ៤ ប្រការ គឺ អាយុ វណ្ណ: សុខ ពល: កុំបីឈ្លាងឈ្លាតឡើយៗ និងជូនពរដល់មិត្តអ្នកសិក្សាគ្រប់មជ្ឈដ្ឋានទទួល បានជោគជ័យក្នុងការសិក្សា និងអាជីពការងារៗ

ន័រតុន ថ្ងៃទី ១៣ ខែ កុម្ភ: ឆ្នាំ ២០២៤

ក្រុមនិស្សិតសាកលវិទ្យាល័យ ន័រតុន

អារម្មណ៍កថា

ជាបឋមខ្ញុំបាទសូមគោរពដល់លោកគ្រូដែលបានបង្ហាត់ខ្ញុំបាទលើមុខជំនាញ System analysis and Design ដែលធ្វើឲ្យក្រុមរបស់ខ្ញុំបានបណ្តុះនូវគំនិតថ្មីៗពាក់ព័ន្ធនឹងការវិភាគប្រព័ន្ធស្វែងយល់នូវបញ្ហា តម្រូវការរបស់អ្នកប្រើប្រាស់ លើបច្ចេកវិទ្យានិងធ្វើឲ្យក្រុមរបស់ខ្ញុំបានមានគំនិតច្នៃប្រឌិតថ្មីៗពាក់ព័ន្ធនឹងការសរសេរPrograming ឲ្យមានប្រសិទ្ធភាពនឹងចេះរៀបចំនូវឯកសារសម្រាប់អ្នកប្រើប្រាស់នឹងសម្រាប់អ្នកសរសេរកូដៗ

ជាចុងក្រោយ ក្រុមរបស់ខ្ញុំបានពិតជាមានសេចក្តីរីករាយយ៉ាងខ្លាំង នឹងថ្លែងអំណរគុណយ៉ាងធំក្រៃលែងជូនចំពោះលោកគ្រូ អ្នកគ្រូ សូមឲ្យលោកអ្នកស្រី លោកគ្រូអ្នកគ្រូមានជួបប្រទះនូវពុទ្ធពរទាំង៨ ប្រការគឺអាយុ វណ្ណៈ សុខៈ ពលៈ កុំបីឈ្លាងឈ្លាតឡើយៗ

ធ្វើថ្ងៃទី ១៣ខែកុម្ភៈ ឆ្នាំ២០២៤

ក្រុមនិស្សិតសាកលវិទ្យាល័យន័រតុន

Contents

Chapter1 សេចក្តីផ្តើម 1

1. Description about this system 1

2.បញ្ហានៃការសិក្សារ 1

3 Object of study 1

Chapter2 ទ្រឹស្តីពាក់ព័ន្ធ 2

2.1 និយមន័យ 2

2.2 DFDs 6

a. DFD Symbol 6

b. illegal and legal of dataflow 8

Chapter 3 System Analysis design and Implement 9

3.1DataFlow 9

1. Context diagram 9

2.Diagram 0 10

3.Child Diagram 11

3.2Data Requirement 12

3.3 ERD 13

3.4Logical Database Schema 14

4. Data dictionary 15

4.1DATA ELEMENT: 15

4.2 DATAFLOW 31

4.3 DATARECORD 34

4.4 DATA STORE 35

4.5 DATA PROCESS 39

4.6 EXTERNAL ENTITY 41

5.Form 43

a. Mainform **43**
b. Form Employee **43**
c. Customer Form **44**
d. Invoice form **44**
e. Province form **46**
f. Product form **47**
g. Rpt invoice **47**
h. Rpt Employee **48**
6. **សេចក្ដីសន្និដ្ឋាន** **50**

Chapter1 សេចក្ដីផ្ដើម

1. Description about this system

នៅក្នុងអាជីវកម្មមួយតែងតែជួបនូវបញ្ហានានាមិនថាមុខជំនួញណាទេសុទ្ធជួបនូវផលលំបាកដែលមិនអាចជៀសផុតៗហេតុដូចនេះហើយចំពោះការលើកហាង Coffee ក៏ដូចគ្នាៗ ហើយក្រុមរបស់ខ្ញុំបានស្វែងយល់នូវបញ្ហាខ្លះពាក់ព័ន្ធនឹងការគ្រប់គ្រង Coffee Shop Managements Systemៗ ហើយព័ត៌មានអតិថិជននិង តេស្ត:ៗ

2.បញ្ហានៃការសិក្សារ

ផលលំបាកនៃការគ្រប់គ្រងហាងគឺ

- ❖ ពិបាកក្នុងការគ្រប់គ្រងតេស្ត:
- ❖ ពិបាកក្នុងការរក្សារទុកនូវព័ត៌មានបុគ្គលិក
- ❖ ពិបាកក្នុងការរក្សារទុកនូវព័ត៌មានអតិថិជន
- ❖ ពិបាកក្នុងការមើលរបាយការអតិថិជន របាយការណ៍លក់ជាដើម

3 Object of study

ក្នុងកម្មវិធីនេះអនុញ្ញាតឲ្យអ្នកប្រើប្រាស់មានតាពងាយស្រួលជាងមុននោះ

- ❖ ងាយស្រួលក្នុងការគ្រប់គ្រងនូវព័ត៌មានបុគ្គលិក
- ❖ ងាយស្រួលគ្រប់គ្រងតេស្ត:និងបង្កើត តេស្ត:ថ្មីៗ
- ❖ ងាយស្រួលគ្រប់គ្រងព័ត៌មានអតិថិជន
- ❖ ងាយស្រួលមើលរបាយការណ៍អតិថិជន របាយការណ៍លក់ៗ

Chapter2 ទ្រឹស្តីពាក់ព័ន្ធ

2.1 និយមន័យ

DBMS: គឺជាបណ្តុំ Tools Features និង interfaces ដែលធ្វើឲ្យអ្នកប្រើប្រាស់អាចមានលទ្ធភាពបញ្ចូល កែប្រ ប្រាស់អាចមានលទ្ធភាពបញ្ចូល កែប្រែ គ្រប់គ្រង ប្រើប្រាស់ និងវិភាគទិន្នន័យនៅក្នុង database.។ គេនៅតែប្រើ file process system ដើម្បីធ្វើការជាមួយ specific applications ប៉ុន្តែសព្វថ្ងៃនេះ ប្រព័ន្ធព័ត៌មានភាគច្រើនកសាងទំរង់ជា Database។

Entity-Relationship Diagrams គឺជាការបង្ហាញជាលក្ខណៈ:រូបភាពចំពោះប្រព័ន្ធព័ត៌មានដោយបង្ហាញពីទំនាក់ទំនងរវាងentity ទាំងនោះ។

Entity: សំដៅលើមនុស្ស ទីកន្លែង វត្ថុ ឬព្រឹត្តការណ៍សម្រាប់ប្រមូល និងរក្សារទុកទិន្នន័យ។

Strong Entity Type: គឺជាEntity typeទាំងឡាយណាដែលមាន key attributeដែលត្រូវបានគេប្រើប្រាស់សម្រាប់សំគាល់ Entity ។

Weak Entity គឺជា Entity ទាំងឡាយណាដែលអត់មាន Key attribute ផ្ទាល់ខ្លួន របស់វាទេ។

Key គឺជា សម្រាប់សំគាល់ table ហើយវាជួយយើងស្វែងរកទំនាក់ទំនងរវាង table ។

Primary key គឺជា key សម្រាប់សំគាល់នៅក្នុង Table មួយវាមិនឲ្យដូចគ្នា។ មិនឲ្យទទេហើយគ្រប់ table ត្រូវតែមាន primary មួយជាដាច់ខាត។

Candidate key គឺជាkey ដែលបម្រង់ក្លាយជាprimary key ។ គ្រប់ table ទាំងអស់អាចមាន ច្រើនCandidate។

Foreign key គឺជាkey ដែលស្ថិតនៅTable មួយហើយវា primary key នៅtable ផ្សេងទៀតដែលទាក់ទងគ្នា។

Relationship បែងចែកជាបីប្រភេទ គឺ

One-to-One relationshipគឺតម្លៃមួយrecord នៅtable មួយអាចមានតែមួយគត់នៅtableផ្សេងទៀតដែលទាក់ទងគ្នាៗ

One-to-Many relationship គឺតម្លៃមួយrecord នៅtable មួយអាចមានច្រើនrecordនៅtable ផ្សេងទៀតៗ

Many-to-Many relationship គឺតម្លៃច្រើនrecord នៅ tableមួយអាចមានតម្លៃច្រើនrecord នៅ Table ផ្សេងទៀតៗ



Type of attribute:

Simple or atomic គឺជា attribute ទាំងឡាយណាដែលមិនអាចបំបែកបានៗ

Composite គឺជាកើតចេញពីបណ្តុំនៃ attributeរួមបញ្ចូលគ្នាៗ ex address អាចមានhouse, number, street,khan, provice ជាដើមៗ

Multiple-value attribute គឺវាអាចផ្ទុកតម្លៃបានច្រើននៅក្នុងនឹងៗ ex មនុស្សម្នាក់អាចមានលេខទូរស័ព្ទច្រើនខ្សែៗ

Deride Attribute គឺ ជាattribute សម្រាប់ធ្វើការគណនាៗ



Relationship Degree

1. One if unary/ recursive កើតមាននៅពេល Entity មួយមានទំនាក់ទំនងជាមួយខ្លួនឯងៗ



Figure : Supervise Relationship

Figure : Recursive Relationship Notation

2. Binary relationship កើតមាននៅពេល Entity មួយមានទំនាក់ទំនងជាមួយEntity មួយទៀតៗ

Degree of Relationship Type...

- Binary relationship type: This relationship type has two entity types link together. This is the most common relationship.
- For example the "Joins in" relationship between EMPLOYEE and PROJECT



Figure : "Joins in" Relationship

Figure : "Joins in" relationship notation

3. Ternary Relationship កើតមាននៅពេល Entity 3មាន ទំនាក់ទំនងគ្នាៗ

- Ternary relationship type: If there are three entity types link together, the relationship is called ternary relationship.
- For example: The Supply relationship associates a SUPPLIER, a PART and a PROJECT.



Figure : Ternary relationship example



Figure : Ternary relationship notation

4. N-nary Relationshipកើតមាននៅពេល Entity ចាប់ពីបីមានទំនាក់ទំនងគ្នាៗ

2.2 DFDs

Dataflow បង្ហាញពីរបៀបដែលData ធ្វើនៅក្នុងប្រព័ន្ធ ប៉ុន្តែវាមិនបង្ហាញពី program logic ។

a. DFD Symbol



FIGURE 5-3 Data flow diagram symbols, symbol names, and examples of the Gane and Sarson and Yourdon symbol sets.

Process បង្ហាញពីការទទួលយកinput និងផលិត output ។

Data flow បង្ហាញពីការ ផ្លាស់ប្តូរទីតាំងរបស់data នៅក្នុង information system ។

Data Store គឺជាកន្លែងសម្រាប់ផ្ទុកនៅ data សម្រាប់ប្រើប្រាស់នៅពេលក្រោយ។

External Entity symbol គឺសំដៅលើមនុស្ស វត្ថុ ឬអ្វីមួយដែលផ្តល់ data ទៅលើ System ឬក៏ទទួលយក output ពីប្រព័ន្ធៗ Example CUSTOMER, STUDENT, and BANK.

របៀបគូរ DFDs

ដើម្បីគូរ DFDs យើងគួរតែធ្វើតាមជំហានេះ

- គូរ Context Diagram ត្រឹមតែមួយទំព័រ
- ប្រើឈ្មោះ Information System ជាឈ្មោះ Process
- ប្រើឈ្មោះអត់ឲ្យដូចគ្នានៅគ្រប់ Symbol
- កុំឲ្យគូរឆ្លងបន្ទាត់
- ប្រើឈ្មោះនិង Reference Number អត់ឲ្យដូចគ្នានៅគ្រប់Process
- Obtain as much user input and feedback as possible

របៀបបង្កើតContext Diagram

- មានតែមួយProcess តំណាងឲ្យ ប្រព័ន្ធទាំងមូល
- Process តាងដោយលេខ 0
- បង្ហាញពីExternal Entities និង Dataflow ទាំងអស់

របៀបគូរ diagram 0

- យក Context Diagram មកបំបែក
- អាចរួមបញ្ចូល Process ប្រាំបួន
- Process នីមួយៗត្រូវបានដាក់លេខ
- Major data stores and all external entities ទាំងអស់ត្រូវបានរួមបញ្ចូល
- គូស Data flow ចូលទៅ entity នៅ input side

- ❖ គូស Data flow ចេញពី entity នៅ output side
- ❖ ពិនិត្យមើលថាតើ data flow ចេញឬចូលពី data store
- ❖ Analyse a well-defined process
- ❖ Take note of any fuzzy areas

Child Diagram គឺជា ការយកprocess នីមួយៗរបស់ diagram 0 មកលំអិតៗ

b. illegal and legal of dataflow

FIGURE 5-11 Examples of correct and incorrect uses of data flows.

Creating a Set of DFDs

During requirements modeling, you used interviews, questionnaires, and other techniques to gather facts about the system, and you learned how the various people, departments, data, and processes fit together to support business operations. Now you are ready to create a graphical model of the information system based on your fact-finding results.

To learn how to construct DFDs, you will use examples of two information systems. The first example is a grading system that instructors use to assign final grades based on the scores that students receive during the term. The second example is an order system that a company uses to enter orders and apply payments against a customer's balance. First, you will review a set of guidelines for drawing DFDs. Then you will learn how to apply these guidelines and create a set of DFDs using a three-step process.

3.1DataFlow

គាមរយ:ការសិក្សារកន្លងមក យើងបានបង្កើតនូវ Diagram នៃប្រព័ន្ធសំណើរគឺការប្រព័ន្ធគ្រប់គ្រង នូវហាង Coffee ដែលគាត់ចង់បាននូវការគិតលុយនៅហាងផ្ទាល់តែម្តងដូចច្នេះហើយយើងបានសម្រេចក្នុងការធ្វើលំហូរនៃប្រព័ន្ធ មានដូចខាងក្រោម

1. Context diagram



នៅក្នុងContext diagram 0 ខាងលើបានបង្ហាញពីទំនាក់ទំនងរវាង Customer Emplyee និង Manager។

2.Diagram 0



Diagram 0 of drink order system

នៅក្នុងប្រព័ន្ធសំណើរនៃការសិក្សារួចមកយើងឃើញថាមាន ៣ ដំណើរការសំខាន់ៗដូចបង្ហាញក្នុងរូបៗ នេះជាការបកស្រាយសម្រាប់ Process នីមួយៗដូចខាងក្រោម

- ដំណើរការទី១ៈ Create drink order ជាដំណើរការមួយដែលអតិថិជនធ្វើការកម្មង់ទំនិញពីបុគ្គលិកនិងការបង្កើតនូវវិក័យប័ត្រសម្រាប់អតិថិជនពេលដែលគាត់កម្មង់ៗ
- ដំណើរការទី២ៈ Report Detail គឺជាដំណើរការពេលដែលអតិថិជនគាត់កម្មង់ហើយវិក័ត្រមួយនោះត្រូវបានទុកនៅក្នុង Invoice ហើយវាត្រូវបានផ្ញើទៅឲ្យ អ្នកគ្រប់គ្រងសម្រាប់មើលពីចំនួននៃការកម្មង់ទៅលើតេស្ត:ជាដើម។
- ដំណើរការទី៣ៈ Report Employee គឺជាដំណើរការដែលmanager គាត់មើលទៅលើបុគ្គលិក

3.Child Diagram

នៅក្នុងដំណាក់កាលនេះជាដំណាក់កាលដែលយើងយកទាំង 3 Process មកបកស្រាយ

a. Detail diagram 0 of process1 in drink order system



នៅក្នុងដំណើរការនេះ អតិថិជនគាត់ធ្វើការកម្មង់ ពេលដែលគាត់កម្មង់ទំនិញត្រូវតែមានបុគ្គលិកម្នាក់ដែលបុគ្គលិកម្នាក់នោះទាញចេញពី Datastore ដែលមានឈ្មោះថា Employee ពេលដែលដាក់ Employee រួចទើបគាត់អាចណែនាំវតេស្ត:ដែលគាត់ចង់ទិញបានហើយពេលនោះបុគ្គលិកបានសួរបញ្ជាក់ថាតេស្ត:ដែលអតិថិជនចង់ទិញនោះមានអីគេខ្លះ មានចំនួនប៉ុន្មានបន្ទាប់ពីនោះមកគាត់បានបញ្ចប់នៅការកម្មង់របស់គាត់ហើយពេលនោះ បុគ្គលិកបានទុកនៅ ព័ត៌មានដែលអតិថិជននោះបានទិញនៅក្នុង Datastore ដែលមានឈ្មោះថា Invoice ហើយក៏ផ្ញើរកំណត់ត្រាថ្លៃទិញទំនិញទៅកាន់អតិថិជនៗ

b. Detail of process Report all invoice and process Report Employee

diagram 2 of Drink order System

diagram 3 of drink order system

នៅក្នុង diagram 2 of drink order system មានន័យថា ក្នុងដំណើរការនេះគ្រប់រាកិយបញ្ជ្រាទាំងអស់ត្រូវបានផ្ញើទៅឲ្យអ្នកគ្រប់គ្រងសម្រាប់មើលនូវរបាយការណ៍ទាំងអស់នោះ។

នៅក្នុង diagram 3 of drink order system មានន័យថា ជាដំណើរការដែល អ្នកគ្រប់គ្រងទទួលនូវការពិនិត្យមើលរបាយការណ៍របស់បុគ្គលិក។

3.2Data Requirement

ដើម្បីធ្វើប្រព័ន្ធនេះឲ្យបានល្អយើងចាំបាច់ត្រូវសួរកនិងដឹងពីតម្រូវការរបស់អតិថិជនដែលគេឲ្យឈ្មោះថា Data Requirement ។ហើយនៅក្នុងប្រព័ន្ធនេះយើងចាំបាច់មាន data requirement ដូចខាងក្រោម

- Customer: CustomerID (Integer) is unique CustomerName(shortText) , sex(text) address(number)ទាញយកProvinceName ចេញពី Table Province and phone(Text)។

- Employee: EmployeeID(Integer) EmployeeName(text), sex(text) ,place of birth(date/time), titleID(number)ទាញយកID ចេញពី Table title, Current Address(number) ទាញយក ProvinceName ចេញពី Table Province , Phonenumber(text),Picture(attachment)
- Product : ProductID(integer)is unique, ProductName(text),Price(currency), Picture(attachment)។
- **Invoice** ៖ផ្ទុកនូវព័ត៌មាន ដូចជាលេខវិក័យប័ត្រ អ្នកលក់ អតិថិជន ថ្ងៃខែទិញ ។អតិថិជនម្នាក់អាចមានអ្នកគិតលុយតែម្នាក់ហើយក្នុងវិក័យប័ត្រតែមួយហើយអតិថិជនអាចទិញបានច្រើនដងនៅវិក័យប័ត្រជាច្រើនហើយក្នុងវិក័យប័ត្រមួយនោះអាចឲ្យអតិថិជនទិញទំនិញបានច្រើនមុខហើយទំនិញច្រើនមុខអាចមានក្នុងមួយវិក័យប័ត្រ។ ហើយ Invoice_detail បង្ហាញពីចំនួនដែលទិញ។
- Province: ProvinceID(integer)is unique,ProvinceName(text) , Description(Text).province មួយអាចមានអតិថិជន និង បុគ្គលិក ដែលរស់នៅទីនោះ។
- Title: titleID(integer) is unique, TitleName(text), Salary(currency)

3.3 ERD

Entity Relationship Diagram គឺជាគំនូសតាងនៃ database ទាំងមូល និងការបង្ហាញនូវទំនាក់ទំនងរវាង Entity មួយទៅ Entity មួយទៀតនៅក្នុង database ។ ដូចនេះ មុននឹង ធ្វើការបង្កើតនូវ database នៅក្នុង ការសិក្សារ ស្រាវជ្រាវចាំបាច់ត្រូវធ្វើERD ជាមុនសិន ដើម្បីជាប្រយោជន៍ មានភាពងាយស្រួលក្នុងការកែប្រែនៅពេលមានបញ្ហាកើតឡើង ឬការមិនពេញចិត្តពីអ្នកស្នើសុំ។



3.4Logical Database Schema



4. Data dictionary

ដើម្បីអោយការគ្រប់គ្រងទិន្នន័យទៅបានងាយស្រួលក្នុងការMaintenance ប្រព័ន្ធសំណើរនេះនៅថ្ងៃក្រោយ គឺតម្រូវឲ្យ មានការចងក្រង Data Dictionary សម្រាប់ធ្វើការពិពណ៌នាអំពី Entity, Datae Element, Data Flow, Process, Data Store និង Data recordៗ

4.1DATA ELEMENT:

a. form Employee

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: EMPLOYEE ID **Label: EmployeeID**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: AutoNumber **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:**

PROMPT COLUMN HEADER:NONE

SOURCE:EMPLOYEE FORM **SECURITY: EMPLOYEE/MANAGER**

RESPONSIBLE USER:EMPLOYEE/MGR **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: **អត្តលេខបុគ្គលិក**

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: EMPLOYEENAME **Label: Employeename**

ALTERNATIVE NAME: NONE

TYPE AND LENGTH: SHORTTEXT **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES: Text**

PROMPT COLUMN HEADER: NONE

SOURCE: EMPLOYEE FORM **SECURITY: EMPLOYEE/MANAGER**

RESPONSIBLE USER: EMPLOYEE/MGR **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: ឈ្មោះបុគ្គលិក

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: SEX **Label: Sex**

ALTERNATIVE NAME: NONE

TYPE AND LENGTH: AutoNumber **OUTPUT FORMAT: M or F**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES: m "M"or f "F'**

PROMPT COLUMN HEADER:NONE

SOURCE:EMPLOYEE FORM **SECURITY: EMPLOYEE/MANAGER**

RESPONSIBLE USER:EMPLOYEE/MGR **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS:

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: PLACE OF BIRTH **Label: Place of Birth**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: ShortText (255) **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:**

PROMPT COLUMN HEADER:NONE

SOURCE:EMPLOYEE FORM **SECURITY: EMPLOYEE/MANAGER**

RESPONSIBLE USER:EMPLOYEE/MGR **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: **ទាញយកខេត្តចេញពី Province**

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: BIRTHDATE **Label: BIRTHDATE**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: DATE/TIME **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:**

PROMPT COLUMN HEADER:NONE

SOURCE:EMPLOYEE FORM **SECURITY: EMPLOYEE.MANAGER**

RESPONSIBLE USER:EMPLOYEE/MGR **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS:

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: TITLEID **Label: titleID**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: NUMBER **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:**

PROMPT COLUMN HEADER:NONE

SOURCE:EMPLOYEE FORM **SECURITY: EMPLOYEE**

RESPONSIBLE USER:EMPLOYEE **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS:

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: CURRENTADDRESS **Label: currentAddress**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: Number **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:**

PROMPT COLUMN HEADER:NONE

SOURCE:EMPLOYEE FORM **SECURITY: EMPLOYEE**

RESPONSIBLE USER:EMPLOYEE **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS:

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: Phone **Label: Phone**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: ShortText **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES: text**

PROMPT COLUMN HEADER:NONE

SOURCE:EMPLOYEE FORM **SECURITY: EMPLOYEE**

RESPONSIBLE USER:EMPLOYEE **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: បំពេញលេខទូរស័ព្ទ

B. Customer

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: CUSTOMERID **Label: CustomerID**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: AutoNumber **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:none:**

PROMPT COLUMN HEADER:NONE

SOURCE:EMPLOYEE FORM **SECURITY: EMPLOYEE**

RESPONSIBLE USER:EMPLOYEE **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: មិនចាំបាច់បំពេញទេ

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: Customer Name **Label: CustomerName**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: ShortText **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES: any charector**

PROMPT COLUMN HEADER:NONE

SOURCE:CUSTOMER FORM **SECURITY: EMPLOYEE**

RESPONSIBLE USER:EMPLOYEE **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS:

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: SEX **Label: Sex**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: SHORTTEXT (1) **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:M OR F**

PROMPT COLUMN HEADER:NONE

SOURCE:CUSTOMER FORM **SECURITY: EMPLOYEE**

RESPONSIBLE USER:EMPLOYEE **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS:

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: ADDRESS **Label: Address**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: Number **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:M or F**

PROMPT COLUMN HEADER:NONE

SOURCE:CUSTOMER FORM **SECURITY: EMPLOYEE**

RESPONSIBLE USER:EMPLOYEE **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS:

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: PHONE **Label: Phone**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: Short Text **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:**

PROMPT COLUMN HEADER:NONE

SOURCE:CUSTOMER FORM **SECURITY: EMPLOYEE**

RESPONSIBLE USER:EMPLOYEE **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS:

c. Product

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: PRODUCTID **Label: ProductID**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: Number **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:**

PROMPT COLUMN HEADER:NONE

SOURCE:PRODUCT FORM **SECURITY: EMPLOYEE,MANAGER**

RESPONSIBLE USER:MANAGER, EMPLOYEE **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS:

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: Product Name **Label: ProductName**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: SHORTTEXT **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:anytext**

PROMPT COLUMN HEADER:NONE

SOURCE:PRODUCT FORM **SECURITY: EMPLOYEE,MANAGER**

RESPONSIBLE USER:MANAGER, EMPLOYEE **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS:

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: PRICE **Label: Price**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: Currency **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES: currency**

PROMPT COLUMN HEADER:NONE

SOURCE:PRODUCT FORM **SECURITY: EMPLOYEE,MANAGER**

RESPONSIBLE USER:MANAGER, EMPLOYEE **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: ប្រើ dollar$

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME:Picture **Label: Picture**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: Attachment **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES: file jpgm,…**

PROMPT COLUMN HEADER:NONE

SOURCE:PRODUCT FORM **SECURITY: EMPLOYEE,MANAGER**

RESPONSIBLE USER:MANAGER, EMPLOYEE **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: បំពេញនូវរូបតាងជា file jpg ឬរូបតាងណាក៏បាន

d.Province

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: ProvinceID **Label: ProvinceID**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: Number **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:number**

PROMPT COLUMN HEADER:NONE

SOURCE:PROVINCE FORM **SECURITY: EMPLOYEE,MANAGER**

RESPONSIBLE USER:MANAGER, EMPLOYEE **DERIVATION FORMULA: NONE**

NEW VALUES: INCREMENT

DESCRIPTION AND COMMENTS: **មិនត្រូវការការបំពេញព្រោះយើងដាក់វាឲ្យតម្លើងដោយខ្លួនឯង**

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: PROVINCENAME **Label: ProvinceName**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: ShortText **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:any charector**

PROMPT COLUMN HEADER:NONE

SOURCE:PROVINCE FORM **SECURITY: EMPLOYEE,MANAGER**

RESPONSIBLE USER:MANAGER, EMPLOYEE **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: **បំពេញឈ្មោះខេត្ត**

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: Description **Label: Description**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: ShortText **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:**

PROMPT COLUMN HEADER:NONE

SOURCE:PROVINCE FORM **SECURITY: EMPLOYEE,MANAGER**

RESPONSIBLE USER:MANAGER, EMPLOYEE **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS:

E. TITTLE

DATA DICTIONARY FORM

/DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: TITLE ID **Label: TitleID**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: Number **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:number**

PROMPT COLUMN HEADER:NONE

SOURCE: TITLE FORM **SECURITY: MANAGER**

RESPONSIBLE USER:MANAGER **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: **អត្តលេខរបស់ជំនាញ**

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: TITLE NAME **Label: TitleName**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: SHORTTEXT **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES: ANY TEXT**

PROMPT COLUMN HEADER:NONE

SOURCE:TITLE FORM **SECURITY: MANAGER**

RESPONSIBLE USER:MANAGER **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: **បំពេញនូវឈ្មោះតួនាទី**

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: SALARY **Label: Salary**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: CURRENCY **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:number**

PROMPT COLUMN HEADER:NONE

SOURCE: TITLE FORM **SECURITY: MANAGER**

RESPONSIBLE USER:MANAGER **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: **បំពេញនូវប្រាក់ខែនៃតួនាទី**

F. INVOICE

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: INVOICENO **Label: InvoiceNO**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: Number **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES: number**

PROMPT COLUMN HEADER:NONE

SOURCE: INVOICE FORM **SECURITY: MANAGER, EMPLOYEE**

RESPONSIBLE USER:EMPLOYEE,MANAGER **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: លេខវិក័យប័ត្រ

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: CUSTOMERID **Label: CUSTOMERID**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: Number **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES: number**

PROMPT COLUMN HEADER:NONE

SOURCE: INVOICE FORM **SECURITY: MANAGER, EMPLOYEE**

RESPONSIBLE USER:EMPLOYEE,MANAGER **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: បំពេញលេខកូដរបស់អតិថិជន

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: EMPLOYEE ID **Label: EmployeeID**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: Number **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES: number**

PROMPT COLUMN HEADER:NONE

SOURCE: INVOICE FORM **SECURITY: MANAGER, EMPLOYEE**

RESPONSIBLE USER:EMPLOYEE,MANAGER **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: **បំពេញអតិលេខរបស់បុគ្គលិក**

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: BUYDATE **Label: Buydate**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: DATE/TIME **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES:**

PROMPT COLUMN HEADER:NONE

SOURCE: INVOICE FORM **SECURITY: MANAGER, EMPLOYEE**

RESPONSIBLE USER:EMPLOYEE,MANAGER **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: **ថ្ងៃខែទិញទំនិញ**

G.INVOICE_DETAIL

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: INVOICENO **Label: InvoiceNO**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: Number **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES: number**

PROMPT COLUMN HEADER:NONE

SOURCE: INVOICE FORM **SECURITY: MANAGER, EMPLOYEE**

RESPONSIBLE USER:EMPLOYEE,MANAGER **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: លេខវិក័យប័ត្រ

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: PRODUCTID **Label: ProductID**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: Number **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES: number**

PROMPT COLUMN HEADER:NONE

SOURCE: PRODUCT **SECURITY: MANAGER, EMPLOYEE**

RESPONSIBLE USER:EMPLOYEE,MANAGER **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: លេខកូដរបស់Product

DATA DICTIONARY FORM

DATA ELEMENT

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

NAME: QUANTITY **Label: Qty**

ALTERNATIVE NAME:NONE

TYPE AND LENGTH: Number **OUTPUT FORMAT: NONE**

DEFAULT VALUE:NONE **ACCEPTABLE VALUES: number**

PROMPT COLUMN HEADER:NONE

SOURCE: INVOICE FORM **SECURITY: MANAGER, EMPLOYEE**

RESPONSIBLE USER:EMPLOYEE, MANAGER **DERIVATION FORMULA: NONE**

DESCRIPTION AND COMMENTS: ចំនួនដែលត្រូវទិញ

4.2 DATAFLOW

DATA DICTIONARY FORM

DATA FLOW

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

ID: DF1 **NAME: ORDER DETAIL**

DESCRIPTION: DETAIL OF PRODUCT THAT CUSTOMER BUY AND VERIFY IT.

ORIGIN: VERIFY ORDER **DESTINATION: EMPLOYEE**

RECORD:

VALUMN AND FREQUENCY: EVERY TIME CUSTOMER BUY

COMMENT:

DATA DICTIONARY FORM

DATA FLOW

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

ID: DF2 **NAME: RECEIPT**

DESCRIPTION: DETAIL OF PRODUCT THAT YOU HAVE BUY AND MONEY YOU NEED TO PAY ON THE PRODUCT YOU HAVE BEEN BUY.

ORIGIN: CREATE INVOICE **DESTINATION: CUSTOMER**

RECORD: INVOICE

VALUMN AND FREQUENCY: EVERY TIME CUSTOMER BUY

COMMENT:

DATA DICTIONARY FORM

DATA FLOW

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

ID: DF3 **NAME: REPORT DOCUMENT**

DESCRIPTION: DETAIL PRODUCT THAT HAVE BEEN BUY AND THE MONEY THAT COST TO BUY IT. AND WHICH EMPLOYEE THAT SELL IT TO CUSTOMER. WHICH DATE THAT THEY BUY

ORIGIN: VERIFY ORDER **DESTINATION: EMPLOYEE**

RECORD:

VALUMN AND FREQUENCY: EVERY WEEK, MONTH AND YEAR, AND WHEN EVER MANAGER WANT.

COMMENT:

DATA DICTIONARY FORM
DATA FLOW

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

ID: DF4 **NAME: EMPLOYEE DETAIL**

DESCRIPTION: ពណ៌នាពីរបាយការណ៍បុគ្គលិកដែលធ្វើការជាមួយយើងហើយយើងចង់ដឹងថាមានអ្នកណាគេខ្លះ ដើម្បីផ្សៀងផ្ទាត់ឬឡើងតំណែងទៅឲ្យបុគ្គលិកផ្នឹម

ORIGIN: REPORT DETAIL **DESTINATION: EMPLOYEE**

RECORD:

VALUMN AND FREQUENCY: EVERY TIME MANAGER WANT.

COMMENT:

4.3 DATARECORD

DATA DICTIONARY FORM

DATA RECORD DESCRIPTION

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

ID: R1 **NAME: Invoice_Detail**

ALTERNATIVE NAMES: none

Definition: វ៉ាត្រូវបានបង្កើតឡើងដោយ Employee សម្រាប់ប្រាប់រីកំ្ងយប៍ត្រសរុបនឹងសម្រាប់គិតថ្លៃទំនិញឲ្យអតិថិជន

DATA ELEMENT CONTENT :

CustomerID

EmployeeID

BuyDate

ProductID

Qty

4.4 DATA STORE

DATA DICTIONARY FORM

DATA STORE

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

ABBREVIATION: NONE **NAME: Employee**

DESCRIPTION: DATABASE STORE INFORMATION ABOUT EMPLOYEE

SOURCE: COFFEE SHOP MANAGEMENT SYSTEM

DESTINATION: COFFEE SHOP MANAGEMENT SYSTEM

RECORD: អំពីព័ត៌មាន EMPLOYEE

DATA DICTIONARY FORM

DATA STORE

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

ABBREVIATION: NONE **NAME: Customer**

DESCRIPTION: DATABASE STORE INFORMATION ABOUT CUSTOMER

SOURCE: COFFEE SHOP MANAGEMENT SYSTEM

DESTINATION: COFFEE SHOP MANAGEMENT SYSTEM

RECORD: អំពីព័ត៌មាន CUSTOMER

DATA DICTIONARY FORM

DATA STORE

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

ABBREVIATION: NONE **NAME: Product**

DESCRIPTION: DATABASE STORE INFORMATION ABOUT PRODUCT

SOURCE: COFFEE SHOP MANAGEMENT SYSTEM

DESTINATION: COFFEE SHOP MANAGEMENT SYSTEM

RECORD: អំពីព័ត៌មាន ឈ្មោះ:

DATA DICTIONARY FORM

DATA STORE

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

ABBREVIATION: NONE **NAME: Title**

DESCRIPTION: DATABASE STORE INFORMATION ABOUT ROLE

SOURCE: COFFEE SHOP MANAGEMENT SYSTEM

DESTINATION: COFFEE SHOP MANAGEMENT SYSTEM

RECORD: អំពីព័ត៌មាន តួនាទី

DATA DICTIONARY FORM

DATA STORE

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

ABBREVIATION: NONE **NAME: Province**

DESCRIPTION: DATABASE STORE INFORMATION ABOUT PROVINCE

SOURCE: COFFEE SHOP MANAGEMENT SYSTEM

DESTINATION: COFFEE SHOP MANAGEMENT SYSTEM

RECORD: អំពីព័ត៌មាន ខេត្ត

DATA DICTIONARY FORM

DATA STORE

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

ABBREVIATION: NONE **NAME: Invoice**

DESCRIPTION: DATABASE STORE INFORMATION ABOUT INVOICE

SOURCE: COFFEE SHOP MANAGEMENT SYSTEM

DESTINATION: COFFEE SHOP MANAGEMENT SYSTEM

RECORD: អំពីព័ត៌មាន មានដូចជា លេខវិក័យប័ត្រ អត្តលេខអតិថិជន បុគ្គលិក នឹងថ្ងៃខែឆ្នាំទិញ

DATA DICTIONARY FORM

DATA STORE

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

ABBREVIATION: NONE **NAME: Invoice_Detail**

DESCRIPTION: DATABASE STORE INFORMATION ABOUT INVOICE_DETAIL

SOURCE: COFFEE SHOP MANAGEMENT SYSTEM

DESTINATION: COFFEE SHOP MANAGEMENT SYSTEM

RECORD: អំពីព័ត៌មាន INVOICENO Product ចំនួននៃការទិញ

4.5 DATA PROCESS

DATA DICTIONARY FORM

DATA PROCESS

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

ID: 1 **NAME: Create drink order**

PURPOSE : ធ្វើការបញ្ជាទិញទំនិញ និងបង់ថ្លៃទំនិញ

INPUT DATA FLOW: Order , Complete Order , Invoice detail

OUT PUT DATAFLOW: Receipt, order item, make invoice

PROCESS DESCRIPTION: ការបញ្ចូលទិន្នន័យពេលដែលអតិថិជនអត់មានអត្តលេខមិនអាចទិញទំនិញបានទេបើ

សិនជាគាត់អត់បានបញ្ចូលបុគ្គលិក នោះវានឹងបង្ហាញ message error ហើយគាត់មិនអាចទិញទំនិញបានទេៗ

DATA DICTIONARY FORM

DATA PROCESS

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

ID: 2 **NAME: Report Detail**

PURPOSE : សម្រាប់ទាញមើលនូវរបាយការណ៍លើមុខទំនិញដែលអតិថិជនទិញ

INPUT DATA FLOW: invoice product usage

OUT PUT DATAFLOW: report Documents

PROCESS DESCRIPTION: នៅកន្លែងនេះយើងទាញយកនូវព័ត៌មានដូចជា InvoiceNo BuyDate

CustomerName, EmployeeName ProductName, Prize, Qty នៅក្នុងReport នោះមាននូវការគណនា

សម្រាប់ចំនួនដែល អតិថិជនបានទិញគុណនឹងតម្លៃនឹងយើញតម្លៃដែលត្រូវទិញទំនិញនោះហើយមួយវិញទៀតយើងត្រូវ

មាននូវ Total ដែលជាការបូកសរុបនៃតម្លៃទំនិញដែលបានទិញនីមួយៗៗ

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

ID: 2 **NAME: Report Employee**

PURPOSE : សម្រាប់ទាញមើលនូវរបាយការណ៍លើបុគ្គលិកនឹងពីនិត្យមើលថាបុគ្គលិកណាគួរតែតម្លើងតំណែង

INPUT DATA FLOW: shown employee

OUT PUT DATAFLOW: Employee Detail

PROCESS DESCRIPTION: នៅកន្លែងនេះយើងទាញយកនូវព័ត៌មានដូចជា EmployeeID, EmployeeName

Sex, place of Birth, TitleID, TitleName, Salary ហើយនឹងរូបនាព

4.6 EXTERNAL ENTITY

DATA DICTIONARY FORM

EXTERNAL ENTITY

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

Label: Customer

Alias Name: None

Description:

Input Data Flow: order

Output Dataflow: Receipt

DATA DICTIONARY FORM

EXTERNAL ENTITY

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

Label: Employee

Alias Name: None

Description:

Input Data Flow: Complete order, shown employee

Output Dataflow: Order Item

DATA DICTIONARY FORM

EXTERNAL ENTITY

SYSTEM: COFFEE SHOP MANAGEMENT SYSTEM

Label: Manager

Alias Name: None

Description:

Input Data Flow: None

Output Dataflow: Report documents, Employee Detail

5.Form

a. Mainform



b. Form Employee

Enter/edit Employee នៅកន្លែងនេះពេលយើងចុចកន្លែងនឹងវានឹងដំណើរការចូលទៅក្នុងការកែប្រែនូវព័ត៌មានរបស់បុគ្គលិករបស់ខ្លួននឹងអាចឲ្យបន្ថែមបុគ្គលិកថ្មីនៅក្នុង Form Employeeៗ

Form Employee



c. Customer Form

Customer នៅក្នុង Main Form យើងប្រើវាដើម្បីចូលទៅបង្កើតថ្មីសម្រាប់អតិថិជនដែលចង់ចូលហាងរបស់យើងហើយ ទើបគាត់មានសិទ្ធទិញទំនិញរបស់យើងបានឬក៏មួយទៀតបើគាត់មិនចង់ប្រើប្រព័ន្ធនឹងទេយើងអាចបង្កើតឈ្មោះថា Guest នេះជាទម្រង់ពេលចូលទៅក្នុង Customer



d. Invoice form

Enter Invoice នៅក្នុងmain form ពេលដែលអតិថិជនទិញទំនិញយើងចូលទៅក្នុងនោះហើយយើងនឹងឃើញបែបនេះ



ហើយយើងជ្រើសរើសបង្កើតថ្មីនឹងឃើញបែបនេះ



e. Province form

Province នៅក្នុង Mainform យើងប្រើសម្រាប់បង្កើតខេត្តឬក្រុងក្នុងករណីដែលរដ្ឋបង្កើតខេត្តថ្មីមួយទៀតដូចក្នុងករណីខេត្តកំពង់ចាមនិងខេត្តត្បូងឃ្មុំជាតិកតាងៗ នេះជា Province Form



f. Product form

ProductInfo នៅក្នុង MainForm គឺយើងប្រើវានៅទីនេះដើម្បីបង្កើតនូវតេសជ្ជ:ថ្មីឬមើលទៅតេស្ជ:ចាស់ហើយអាចឲ្យអតិថិជនមើលអ៊ីដែលគាត់ចង់ឃ្លានៗ នេះជា Product Info Form



g. Rpt invoice

Rpt_invoiceនៅក្នុង mainform ប្រើសម្រាប់មើលរបាយការណ៍នៃការលក់និងការទិញនៅថ្ងៃណាហើយទិញអ៊ីខ្លះៗ

នេះជា Report invoice



Invoice

				Cuppuccino	$1.00	1
					Total:	$1.00
35	20/02/2025	khang	Tola			
				Cuppuccino	$1.00	8
					Total:	$8.00
				Green Tea	$2.00	5
					Total:	$10.00
38	21/02/2025	guest	Sopheak			
				Cuppuccino	$1.00	10
					Total:	$10.00
				Green Tea	$2.00	30
					Total:	$60.00
				Coffee	$2.30	20
					Total:	$46.00
39	21/02/2025	kakdla	Chan ko men			
				Coffee	$2.30	30
					Total:	$69.00
				Green Tea	$2.00	20
					Total:	$40.00

h. Rpt Employee

Rpt Employee នៅលើ Mainform នេះយើងប្រើវាសម្រាប់មើលនូវព័ត៌មានរបស់បុគ្គលិករបស់យើងៗនេះជា Employee Report


Rpt_employee
EmployeeID 2
EmployeeName Kanha
Sex F
PlaceOfBirth Pousat
BirthDate 26/07/2015
TitleID 1
TittleName Manager
Salary $500.00
Picture
EmployeeID 3
EmployeeName Sopheak
Sex M
PlaceOfBirth Tbong Khmom
BirthDate 01/08/2016
TitleID 2
TittleName Seller
Salary $200.00
Picture
EmployeeID 4
EmployeeName Chan ko men
Sex M
Picture

6.សេចក្ដីសន្និដ្ឋាន

បន្ទាប់ពីធ្វើការសិក្សារនិងរៀបចំប្រព័ន្ធនេះរួចមកយើងយើងថាប្រព័ន្ធមួយនេះពិតជាជួយដល់អ្នកប្រើប្រាស់ច្បាន ច្រើនពិតមែនព្រោះវាច្បានជួយកាត់បន្ថយនូវពេលវេលាជាច្រើនក្នុងការរក្សារទុក នូវព័ត៌មានមិនឲ្យច្បាត់បង់ងាយស្រួល ស្វែងរក ឯកសារ កាត់បន្ថយការចំណាយ ពេលវេលានិងធនធានៗ

សរុបមក ការប្រើប្រាស់ Coffee shop management system វាពិតជាជួយកាត់បន្ថយនូវពេលវេលាហើយវា កាត់បន្ថយនូវការចំណាយក្នុងការរក្សាទុកឯកសារ ហើយវាជួយបង្កើនល្បឿនក្នុងការ ស្វែងរក នូវព័ត៌មានផ្សេងៗ ហើយវា ងាយស្រួលមិនឲ្យយើងពិបាកក្នុងការគណនាៗហើយម្យ៉ាងវិញទៀត វាច្បានជួយយើងក្នុងការ ឲ្យអតិថិជនជ្រើសរើស នូវ ប្រភេទតេស្ត: ដែលគាត់ចង់ច្បានៗ

ទោះជាយ៉ាងណាក៏ប្រព័ន្ធមួយនេះមិនទាន់ល្អគ្រប់គ្រាន់ សម្រាប់ឲ្យយើងយកមកធ្វើនៅក្នុងអាជីវកម្មធំដុំនៅឡើយ ទេ បញ្ហានោះរួមមាន មិនទាន់មាន Security គ្រប់គ្រាន់សម្រាប់ការការពារប្រព័ន្ធនេះឲ្យល្អ ហើយម្យ៉ាងវិញទៀតនៅ កន្លែងខ្លះរូបតាពមិនទាន់មានសតាពស្រស់ស្អាត គ្រប់គ្រាន់នៅឡើងៗទោះជាមានបញ្ហាបែបនេះក៏ដោយក៏ ប្រព័ន្ធមួយ នេះច្បានជួយសម្រួលដល់អាជីវកម្មធនតូចដែលកាត់បន្ថយការចំណាយច្បានមួយកម្រិតផងដែរៗ