

# MATLAB

# Fundamentals

Heidelberg-EMBL  
12-15/09/2016

Tutor: Karin Sasaki  
(EMBL Centre for Biological Modelling)

# Introductions and expectation

What is your name?

What do you do?

Why do you want to learn MATLAB?

# Course content

- Get familiarised:
  - MATLAB syntax and functions
  - Basics of programming
- Learn to:
  - Import, visualise, explore and export data
  - Build, simulate and explore mathematical models of biological systems with MATLAB

# MATLAB

- MATLAB is a language for technical computing
- MATLAB (Matrix Laboratory) is based on matrix (**array**) operations
- It integrates computation, visualisation, and programming
- Interactive environment
- MATLAB is a numerical software



# MATLAB Windows, variables and output format



# MATLAB Windows, variables and output format

exercise 2.1 in pdf

# Arrays

MATLAB was originally written to ease dealing with tools of linear algebra – vectors and matrices.

**Array** - is a multi dimensional grid of data.

**Single number:** is a 1 x 1 array.

**Column vector:** a  $m \times 1$  array.

$$\mathbf{x} = \begin{pmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \end{pmatrix} \begin{array}{c} \uparrow \\ m \\ \downarrow \end{array} \begin{array}{c} \leftarrow 1 \rightarrow \end{array}$$

**Row vector:** a  $1 \times n$  array.


$$\mathbf{y} = (y_1 \ y_2 \ y_3 \ y_4 \ y_5) \begin{array}{c} \uparrow \\ 1 \\ \downarrow \end{array} \begin{array}{c} \leftarrow n \rightarrow \end{array}$$

**Matrix:** a  $m \times n$  array.

$$\mathbf{A} = \begin{pmatrix} -3 & 0 & 2 & 3 & -3 \\ -5 & -1 & 3 & 0 & -3 \\ 2 & 3 & -5 & 2 & 2 \\ -1 & 0 & 2 & -1 & -2 \\ 4 & -3 & -1 & -2 & 0 \end{pmatrix} \begin{array}{c} \uparrow \\ m \\ \downarrow \end{array} \begin{array}{c} \leftarrow n \rightarrow \end{array}$$

**MATLAB stores data all in arrays**

So working with arrays is fundamental to working with MATLAB



# Arrays

4x4 array

column

row

{1, 1}	{1, 2}	{1, 3}	{1, 4}
{2, 1}	{2, 2}	{2, 3}	{2, 4}
{3, 1}	{3, 2}	{3, 3}	{3, 4}
{4, 1}	{4, 2}	{4, 3}	{4, 4}

3x3x2 array

A(2,3,2)

1	0	3
4	-1	2
8	2	1

6	8	3
4	3	6
5	9	2

A(:, :, 1) =

1	0	3
4	-1	2
8	2	1

A(:, :, 2) =

6	8	3
4	3	6
5	9	2

page

column

row


(1, 1, 1)	(1, 2, 1)	(1, 3, 1)	(1, 4, 1)	(1, 1, 2)	(1, 2, 2)	(1, 3, 2)	(1, 4, 2)	(1, 1, 3)	(1, 2, 3)	(1, 3, 3)	(1, 4, 3)
(2, 1, 1)	(2, 2, 1)	(2, 3, 1)	(2, 4, 1)	(2, 1, 2)	(2, 2, 2)	(2, 3, 2)	(2, 4, 2)	(2, 1, 3)	(2, 2, 3)	(2, 3, 3)	(2, 4, 3)
(3, 1, 1)	(3, 2, 1)	(3, 3, 1)	(3, 4, 1)	(3, 1, 2)	(3, 2, 2)	(3, 3, 2)	(3, 4, 2)	(3, 1, 3)	(3, 2, 3)	(3, 3, 3)	(3, 4, 3)
(4, 1, 1)	(4, 2, 1)	(4, 3, 1)	(4, 4, 1)	(4, 1, 2)	(4, 2, 2)	(4, 3, 2)	(4, 4, 2)	(4, 1, 3)	(4, 2, 3)	(4, 3, 3)	(4, 4, 3)



# Arrays - Example 1

## Image storage




**Image:** set of data that is real-valued, ordered, represents color and intensity



73	61	55	27	137	112	121	197	239
9	25	131	55	124	147	173	133	135
32	42	86	76	144	68	143	94	178
26	76	57	78	91	87	51	176	148
42	60	95	90	95	36	150	158	122
38	26	84	65	51	49	106	66	119
32	48	78	28	24	19	94	127	62
61	128	88	92	55	99	110	126	127
55	70	57	63	59	101	118	90	88
54	26	38	31	67	78	31	127	107
67	57	81	70	83	142	143	99	88
103	48	78	119	61	55	120	139	201

# Arrays - Example 2

## Stoichiometry matrix




	E	S	ES	P
$E + S \rightarrow ES$	-1	-1	1	0
$ES \rightarrow E + S$	1	1	-1	0
$ES \rightarrow E + P$	1	0	-1	1


# Arrays - Other examples

- Can you think of other examples?

# Operations on Arrays



# Help





# Arrays

exercise 2.2 in pdf

# Data types/classes






# Data types

exercise 2.3 in pdf



# In-built Functions



# In-built Functions



exercise 2.4 in pdf

# Scripts, logical operators and control of flow



# Relational/Logical Operator



<	Less than
<=	Less than or equal to
>	Greater than
>=	Greater than or equal to
==	Equal to
~=	Not equal to
&	Logical AND
	Logical OR



# Control flow

	Description	Language Synthanx	Use for:
<b>if, elseif, else</b>	Execute statements if condition is true	if logical operator (true) statements elseif logical operator (true) statements else statements end	<ul style="list-style-type: none"><li>• Conditional assignment</li><li>• Compare arrays</li><li>• Test for equality</li><li>• Evaluate various conditions</li></ul>
<b>for</b>	Execute statements a specified number of times	for condition statements end	<ul style="list-style-type: none"><li>• Assign matrix values</li><li>• Decrement values</li><li>• Execute statements for specificed values</li></ul>
<b>while</b>	Repeat execution of statements while condition is true	while logical operator (true) statements end	<ul style="list-style-type: none"><li>• Repeat statements until expression is false</li></ul>

- Loops have always been slow in MATLAB, so avoid loops if possible.; Vectorisation still speeds things up.

# Scripts, logical operators and control of flow



exercises 2.5 and 4.3 in pdf

# Array operations vs loops



# Functions







# Functions

exercise 4.1 in pdf

# Scripts vs Functions



# Scripts vs Functions



exercise 4.2 in pdf

# Debugging tools






# Debugging

exercise 4.4 in pdf


# Contractile actin network

80 $\mu$ m in diameter



# Contractile actin network

The  
nucleus  
is (0,0)




Q3. Is the  
network  
contracting?

Q4. Can you  
quantify the  
behaviour?

Cytosim



# Lipid-mediated recruitment of proteins to specific membranes





# Lipid-mediated recruitment of proteins to specific membranes

Measured membrane-binding properties of some of the most common phosphoinositide-binding targets

We want to answer two questions

Q1. Do we observe cooperativity between lipids?

Q2. Is cooperativity inhibitory or enhancing for protein recruitment?



Importing data  
interactively/programmatically


# Importing data



exercise 6.1 in pdf

Plotting interactively/  
programmatically





# Plotting

plot(x, y)	Plots graph with x and y being vecotors with the coordinates in the x and y axes
xlabel('X') ylabel('Y')	names the axes
title('Plot')	Names the figure
xlabel('range') ylabel('variable')	Names the axes
legend('name1'...)	Graph legend for lines and patches
hold on hold off	Retains current graph in figure Transcribes current graph in figure
figure (1)	Creates figure 1
saveas(h, filename)	Saves figure with handle h to file filename

Color specifier	Colors	Line specifier		Marker specifier	
r	Red	'-'	Solid line (default)	'+'	Plus sign
g	Green	'--'	Dashed line	'o'	Circle
b	Blue	'.'	Dotted line	'*'	Asterisk
c	Cyan	'-.'	Dash-dot line	'.'	Point
m	Magenta			'x'	Cross
y	Yellow			'square' or 's'	Square
k	Black			'diamond' or 'd'	Diamond
w	White				

# Plotting

## (interactively/programmatically)



exercise 6.2 in pdf

# More practice!

Mathematical descriptions of  
the time behaviour of a spatially  
homogenous chemical system

Image processing

Mathematical descriptions of  
the time behaviour of a spatially  
homogenous chemical system



# What is a mathematical model?

Wikipedia (April 17th 2013): “A mathematical model is a description of a **system** using **mathematical** concepts and language.”

## variables

$[x]$

Vmax

Kd

EC<sub>50</sub>

length

$t_{1/2}$

## relationships

$$K_d = \frac{[A] \cdot [B]}{[AB]}$$

$$d[X]/dt = k \cdot [Y]^2$$

$$\sum_i [X]_i - F(t) = 0$$

$$k(t) \sim N(k, \sigma^2)$$

If  $\text{mass}_t > \text{threshold}$   
then  $\text{mass}_{t+\Delta t} = 0.5 \cdot \text{mass}$

## constraints

$$[x] > 0$$

Energy conservation

Boundary conditions  
( $v < \text{upper limit}$ )

Objective functions  
(maximise ATP)

**Initial conditions**

Different types: Dynamical models, logical models, rule-based models, multi-agent models, statistical models, etc.

# Why using mathematical models?

**Describe**


**Explain**

**Predict**

ON GROWTH  
AND FORM


D'Arcy Wentworth Thompson

1917




"Not unique! Several system structures may generate the same properties."

Michael Stumpf (ICL)



1952



2000

# Modelling the spread of HIV in a society

## Necessary constituents?

- ✓ Susceptible - S
- ✓ Infected/infective - I
- ✓ Recovered/no longer susceptible - R


## Emerging properties



Naming variables carefully is very important!!

## Relationships

$$\begin{aligned}\frac{dS}{dt} &= -\beta \frac{SI}{N} \\ \frac{dI}{dt} &= \beta \frac{SI}{N} - \gamma I \\ \frac{dR}{dt} &= \gamma I \\ N &= S + I + R\end{aligned}$$



# Why using mathematical models?

Mathematical modelling can be very helpful for discovering and understanding biological processes and organisation principles, because:

- it forces the investigator to formulate hypotheses and insights in a clear-cut and formal way
- it may allow for the representation and evaluation of system compounds that are experimentally not accessible
- it allows to explore many scenarios or parameter values in less time and cheaper than in experiments
- it may help to extract structural dependencies or mathematical and physical relation that are hard to find by biological intuition, e.g. + and - loops



# **Deterministic** mathematical description of the time behaviour of a spatially homogenous chemical system


Assumptions:

1. chemical reactions are **continuous** rate processes
2. chemical reactions are a **predictable** process, based only on the initial conditions
  - ➔ **governed** by a set of coupled, ordinary differential equations (**ODEs**)

# Differential Equations

**A differential equation is a mathematical equation that relates some function with its derivatives.**

(In biology) the **functions** represent **physical quantities**, the **derivatives** represent their **rates of change**, and the **equation** defines a **relationship between the two**.



$$\frac{d[x]^{(t)}}{dt} = -1 \cdot k \cdot [x]^{(t)}$$

# Law of Mass Action

Waage and Guldberg (1864)





$$v = k \cdot \prod_i [X_i]^{n_i}$$

Diagram illustrating the Law of Mass Action equation:

- $v$ : velocity
- $k$ : rate-constant
- $\prod_i$ : activity
- $[X_i]$ : stoichiometry
- $n_i$ : stoichiometry

When the numbers of catalyst and substrate molecules are usually in the same order of magnitude, using mass action kinetics would make sense, since the reaction depends on those concentrations.

# Reversible reaction



$$\frac{d[x]}{dt} =$$


$$\frac{d[y]}{dt} =$$



# Example of an enzymatic reaction



$$\begin{aligned} d[E]/dt &= -k_1[E][S] + k_2[ES] + k_3[ES] \\ d[S]/dt &= -k_1[E][S] + k_2[ES] \\ d[ES]/dt &= +k_1[E][S] - k_2[ES] - k_3[ES] \\ d[P]/dt &= +k_3[ES] \end{aligned}$$




Not feasible in general



Numerical integration

(In biology) the **functions** represent **physical quantities**, the **derivatives** represent their **rates of change**, and the **equation** defines a **relationship between the two**.

Describe



Explain

$$\frac{d[x]^{(t)}}{dt} = -1 \cdot k \cdot [x]^{(t)}$$

Predict

$$x(t) =$$

?

Analytical (exact) solution

$$x(t) = [x]_0 \cdot e^{-kt}$$


Numerical approximation to solution

Others





# Exercises

**Decay:**






**Equilibrium:**



**Exercises:**





1. Write an ODE model of each of these systems
  - use mass action
2. Simulate the model in python

**Enzymatic reaction:**



**Gene expression (central dogma):**



Reactions:



**Gene regulation:**

Add a feedback in which the Protein inhibits transcription by binding.

Additional reactions:



(GP is inactive)

**Challenges:**

Conceive an oscillatory system involving gene expression.

Conceive an oscillatory system involving the phosphorylation of proteins.

Develop a program which takes a list of reactions, and parameters as arguments.

# Image processing



exercise 8.2 in pdf

# Next steps

- Difference between decimal numbers and floating point numbers.
- **Algorithmic analysis:** How to define efficiency of an algorithm and why does this matter.
- **Performance tuning:** Useful Matlab tools for understanding your code: `mlint`, `tic/toc`, `profile on/off/report`.
- Learn about **numerical approaches for searching** (e.g. exhaustive enumeration, bisection search) and **numerical methods for approximations** to equations (e.g. Euler method, Newton method).
- Learn how to write **recursive programs** and why they might be useful. Use examples such as solving the problem of the Tower of Hanoi and calculating the Fibonacci numbers.

# Final comments

- For MATLAB, think \*ARRAYS\*
- Carefully name variables and files; choose names that already explain the program/variable
- Comment! (spend almost as much time as programming).
- Save, save save!
- More tips: <http://www.matlabtips.com>

# Final comments

- **Other apps:** <http://uk.mathworks.com/discovery/matlab-apps.html>
- **If you don't know how to do something:**
  - Find previous examples (Google) and edit them
  - See the MATLAB documentation and videos
  - See MATLAB examples  
<http://www.mathworks.com/examples/matlab>  
MATLAB Central
  - For more mathematical questions see/ask in [mathoverflow.net](http://mathoverflow.net)
- **Alternatives:**
  - SciLab
- **Feedback - Please fill in the online form!**