

Business gaps for the BA

31 open questions from the 16 user stories (PALJ-2 to PALJ-20), checked against the development plan v0.5 and merged with the backend team's Sprint 0 questions. Prepared 4 October 2026.

How to answer: reply per ID (BA-01 ...). Until an item is answered, the team builds the assumption shown, behind a setting where possible, so an answer changes configuration rather than code.

14**Blocks Sprint 0**

Answer by 8 Oct

7**Sprint 1**

Answer by 15 Oct

8**Sprint 2**

Answer by 2 Nov

2**Sprint 3**

Answer by 16 Nov

Decisions the stories should reflect

No answer needed. Please update the stories so partners and testers see the same behaviour.

Results are delivered later, not in the first reply

Every partner action gets an immediate “queued” acknowledgement with a tracking ID. The data in each story's response table (authorization number, statuses, amounts, message codes) arrives in the result message, by push or poll. Please reflect this in the stories' response sections.

UC002 eligibility inquiry is queued too

UC002 ALT002 describes a synchronous call. It is handled like every other action: queued, with the result in a message.

Push and poll, chosen per partner

FHIR for partner systems

Each partner chooses webhook delivery (with ACK_STATUS RECEIVED / FAILED, retries, then “Delivery failed”) or polling. After a failed delivery partners use the UC016 query.

The story data tables are mapped to FHIR R4 messages (NPHIES style) with CNHI extensions. Field names in the stories stay the business reference.

Action log written within seconds

UC014 says “in the same transaction”. The log entry is saved with the change and appears in the log screens a few seconds later. Nothing is lost.

Questions

DOCUMENTS AND APPENDICES

BA-01 **Blocks Sprint 0 · by 8 Oct** All UCs

Please share BRD V1.1 and the appendices the stories refer to: attachment rules, the full status list and allowed status changes, the role × action matrix, service levels, reference code lists and numbering formats.

Why it matters	The stories point to these appendices for rules we must implement; without them several rules are guesses.
Until answered	The user stories are the source of truth. Statuses come from the stories; the old package's state-machine draft fills the gaps.

SUBMITTING AN AUTHORIZATION (UC001)

BA-02 **Blocks Sprint 0 · by 8 Oct** UC001 preconditions, MSG005

How is the TPA for a provider decided, and who maintains the link? Can a provider have more than one TPA (by region or service type)? What happens when a provider has no TPA, or its TPA changes while requests are open?

Why it matters	Every new request is routed to a TPA at submission.
Until answered	One TPA per provider, loaded as reference data. No TPA → reject with MSG005. Open requests keep their original TPA.

BA-03 **Blocks Sprint 0 · by 8 Oct** Table 001-01 ACCESS_MODE, table 001-04

The create request uses ACCESS_MODE (DA01, DA, DA02, DA07, DA08, DA12, DA13, DA14) but the request sent to the TPA uses DIRECT_ADMISSION_REASON (DA01–

DA13). Which list is current? What do “DA” (new referral), DA14 (no financial coverage) and the access type “Already admitted” mean for processing?	
Why it matters	We validate these codes and pass them to the TPA; mismatched lists will reject valid requests or confuse TPAs.
Until answered	Store ACCESS_MODE as received and map it to the TPA codes through a configurable table.

BA-04 **Blocks Sprint 0 · by 8 Oct** Tables 001-01 and 001-04

ENCOUNTER_CLASS and EMERGENCY_DEPARTMENT_DISPOSITION are sent to the TPA but are not in the create request, and the triage rule depends on the visit class being “Emergency”. Should the provider send both? What does VISIT_DATE mean, and how is it different from ADMISSION_DATE?

Why it matters	Fields we send to the TPA must come from somewhere; the triage rule cannot run without the visit class.
Until answered	Both are optional create-request fields, passed through to the TPA. VISIT_DATE is stored as given.

BA-05 **Blocks Sprint 0 · by 8 Oct** UC001 BR007

On the first request for a newborn or an unidentified patient there is no CNHI_ID yet, but PATIENT_IDENTIFIER is mandatory. What should the provider send?

Why it matters	Without an answer these first requests fail validation.
Until answered	The provider sends its own file number; the system generates the CNHI_ID and returns it in the result message.

BA-06 **Blocks Sprint 0 · by 8 Oct** UC001 validation (BR011)

Besides “admission date cannot be in the future”, should an admission date before the referral date be rejected?

Why it matters	It changes the validation rule set.
Until answered	No extra check: only “not in the future”.

BA-07 **Blocks Sprint 0 · by 8 Oct** Tables 001-01, 001-04

Total amounts have different names in different tables (for example TPA_AMOUNT in the create response, and NET_AMOUNT holding the after-tax total in the request sent to the TPA). Can we use one set everywhere: total before tax, total tax, total after tax?

Why it matters	Different names for the same value cause wrong amounts in partner messages.
----------------	---

Until answered

Internally: net / tax / gross totals. Partner field names follow each table until confirmed.

BA-08 **Blocks Sprint 0 · by 8 Oct** UC001 BR011 (VAT)

Which VAT rate applies, and how is a service marked as tax-exempt? Is this part of the price list?

Why it matters

We cannot validate tax amounts without the rate and exemptions.

Until answered

Only check that gross = net + tax for each service.

BA-09 **Blocks Sprint 0 · by 8 Oct** UC001 BR011, BC004

Prices come from a CNHI list by provider category. Where does the list come from, how are new versions published, and which version applies: the one valid on the request date or on the admission date?

Why it matters

Price validation and the approved amounts depend on it.

Until answered

The version valid on the request date, per provider category.

BA-10 **Blocks Sprint 0 · by 8 Oct** Attachments appendix, tables 001-04, 003-02, 016-03

Please confirm 5 MB per file, 10 files per action, PDF / JPG / PNG. Attachments travel as Base64 (10 × 5 MB ≈ 67 MB in one message), including in notifications to partners and in UC016 downloads. Is a total size per message acceptable?

Why it matters

Gateway and partner systems usually reject messages this large.

Until answered

Configurable limits with those defaults, plus a total size cap per message.

BA-11 **Blocks Sprint 0 · by 8 Oct** UC001 ALT006

When the Yaqeen check ends as NOT_VERIFIED, the story says the Center “takes the appropriate action”. What is that action? Does the request continue as normal meanwhile? Does the Center need a work list of these cases?

Why it matters

Decides whether we build a Center work queue or only a flag.

Until answered

The request continues. The authorization is flagged and the portal can filter on it. No work queue.

BA-12 **Blocks Sprint 0 · by 8 Oct** UC001 ALT006, ALT007, ALT012

When a delayed Yaqeen, eligibility or referral check finishes, the parties are notified, but no data table defines this notification. What should it contain?

Why it matters

We cannot build or test the message without its fields.

Until answered	Verification type, result and the request status; recipients as in the story (Yaqeen: provider and TPA; eligibility: TPA; referral: TPA, or both when not verified).
----------------	--

BA-13 **Blocks Sprint 0 · by 8 Oct** UC001 BR006, BR008, BR013

How long do we keep retrying Yaqeen, eligibility and the referral system before the result becomes NOT_VERIFIED?

Why it matters	Affects when the parties are told a check failed.
Until answered	Every 15 minutes for 72 hours (configurable).

BA-14 **Blocks Sprint 0 · by 8 Oct** UC001 step 3, table 001-06, UC013

Referral distribution system: who owns it, and can we get its interface description and test environment? Is PATIENT_MOBILE on the coverage form taken only from referral data (so empty for direct admissions)?

Why it matters	The referral check is part of every referral submission.
Until answered	Build from table 001-06 with a simulator until the interface is shared. PATIENT_MOBILE empty when there is no referral.

TPA DECISION, RETURNS AND REASSIGNMENT (UC003–UC006, UC012)

BA-15 **Sprint 1 · by 15 Oct** UC003, gap #18

What is the TPA decision service level (how many days or hours), and what happens when it is breached?

Why it matters	The SLA timer must start when a request is assigned; the breach action is a business rule.
Until answered	Configurable and switched off until answered.

BA-16 **Sprint 1 · by 15 Oct** UC006

Does the TPA decision service level pause while a sub-request is “Return requested by provider” (RETURN_REQUESTED)?

Why it matters	Changes how TPA performance is measured.
Until answered	It pauses (configurable).

BA-17 **Sprint 1 · by 15 Oct** Tables 001-01, 003 MSG001; filters in UC012, UC015, UC016

RETURN_REQUESTED is defined in UC006 but missing from the status lists in table 001-01, UC003 MSG001 and the status filters of UC012, UC015 and UC016. Please confirm it

is a valid sub-request status everywhere.

Why it matters Partners and screens must handle every status the system can produce.

Until answered It is included in every status list and filter.

BA-18 **Sprint 1 · by 15 Oct** UC001 BR003, UC004 BR006, table 005-01

Main-authorization data may be edited on “the first return of the sub-request” (UC001 BR003) or on “the first return of the first sub-request only” (UC004 BR006)? UC005 also lets the provider send diagnosis codes with a new sub-request “at main authorization level”. Which rule applies?

Why it matters The edit rule is enforced on every provider response.

Until answered Main data only on the first return of the first sub-request; diagnoses may be added with a new sub-request (UC005).

BA-19 **Sprint 2 · by 2 Nov** Table 005-01

PATIENT_SHARE_AMOUNT appears in the add-sub-request input but is not used anywhere else. What is it for, and should it be validated or shown?

Why it matters Unclear fields end up stored but never used.

Until answered Stored as received; not validated or displayed.

BA-20 **Sprint 2 · by 2 Nov** UC012 BR006

Please clarify BR006: “لا يمكن رفع طلب فرعي جديد حتى لو تم إعادة الطلب...”.

Why it matters We cannot implement the rule as written.

Until answered No new sub-request while another sub-request of the authorization is still open (same as UC005).

BA-21 **Sprint 1 · by 15 Oct** UC003 BR003, UC004 BR002, UC007, UC009

Are the 7-day provider response period and the 90-day claim period calendar days or working days? Are public holidays excluded?

Why it matters Deadlines trigger automatic cancellations.

Until answered Calendar days, Saudi time (configurable).

DISCHARGE, AUTOMATIC UPDATES, CANCEL AND REOPEN (UC007–UC011)

BA-22 **Sprint 2 · by 2 Nov** Table 009-01, UC010 BR002

Claim events only include CLAIM_SUBMITTED and CLAIM_ACCEPTED. Cancelling is allowed when the linked claim was rejected or cancelled, and the claim deadline may need to restart. Can the Claims Service also send CLAIM_REJECTED and CLAIM_CANCELLED?

Why it matters	Without them we cannot know a claim was rejected or cancelled.
Until answered	Accept both as optional event types; the cancel check also asks the Claims Service for the claim status.

BA-23 **Sprint 2 · by 2 Nov** UC009, UC011 table 011-02, UC015, UC016

Claims Service: is it the future Claims module of this platform or an existing service? Who owns it, and when can we get the interface for its events (009-01) and the linked-claims lookup (011-02)?

Why it matters	Reopen is blocked when the lookup fails, and authorizations complete only from claim events.
Until answered	An adapter with a simulator until the interface is known.

BA-24 **Sprint 2 · by 2 Nov** UC011 BR008 vs ALT003, ALT007, MSG004, MSG007

BR008 says there is no maximum number of reopens, but ALT003, ALT007, MSG004 and MSG007 refer to a maximum period, a maximum count and a count above which a supporting document is mandatory. Which applies, and what are the values?

Why it matters	The story contradicts itself.
Until answered	No limit by default (configurable); the reopen counter is always kept.

BA-25 **Sprint 2 · by 2 Nov** UC011 conflict check

Before reopening, the system checks for another authorization for the same beneficiary, provider and month that is not cancelled (Completed included). This is stricter than the duplicate rule at submission (Active and not discharged). Please confirm.

Why it matters	It decides whether some reopens are blocked.
Until answered	As written: any non-cancelled authorization blocks the reopen.

BA-26 **Sprint 2 · by 2 Nov** UC010 BR007

Providers cannot cancel. Please confirm they ask the Center (support) to cancel, and whether that request needs to be recorded in the system.

Why it matters	Decides whether we need a “cancellation request” flow for providers.
Until answered	Handled outside the system; the Center Admin cancels on the portal with a reason.

NOTIFICATIONS (ALL USE CASES)

BA-27 **Sprint 1 · by 15 Oct** UC012 BR005, UC011 BR010, UC016 BR004

The stories disagree: UC016 BR004 says automatic updates, cancel, reopen and reassign are not notified, while UC012 BR005 (reassign) and UC011 BR010 (reopen) say the provider and TPA are notified. Which is correct?

Why it matters	Partners build their integration around which events they receive.
Until answered	No notification for automatic updates and cancel; notify on reopen and reassign, behind a switch.

BA-28 **Sprint 1 · by 15 Oct** All UCs with notifications

Please confirm the complete event → recipient list (which events notify the provider, the TPA, or both), including the delayed verification results in BA-12.

Why it matters	One table drives every notification; gaps mean missing or extra messages.
Until answered	Notify the assigned TPA and the provider on the events the stories list; nothing else.

ACTION LOG, COVERAGE FORM AND RETENTION (UC013, UC014)

BA-29 **Sprint 2 · by 2 Nov** UC014 BR009, BR010

The action list does not include: a delayed verification finishing, a difference between the provider's patient data and Yaqeen's (UC001 BR005), and a failed notification delivery. Other stories say some of these are logged. Should all of them be added?

Why it matters	The action log is permanent; missing entries cannot be added later.
Until answered	Log all three.

BA-30 **Sprint 3 · by 16 Nov** UC013

The coverage decision form has fields still marked “to be set by the business”: Transaction Type, Episode ID, Period From / To and Adjudication Reason. Please provide them and sign off the two layouts (authorization and sub-request, Arabic and English).

Why it matters	The form cannot be finished without them.
Until answered	Build both layouts with placeholders for these fields.

BA-31 **Sprint 3 · by 16 Nov** Gap #9, UC014

Is permanent retention of authorizations, the action log and attachments confirmed? Is there a legal maximum retention period?

Why it matters

Drives storage and archiving design.

Until answered

Permanent, with older data moved to cheaper storage.

Handled by the technical team

For information; no business answer needed.

- CNHI_ID algorithm (CNHI + YY + 8 digits, unique, non-sequential, with a check digit) — a proposal is ready in code.
 - Request limits per partner system per minute (UC002 BR005, UC016 BR006).
 - Retry counts and intervals for notifications.
 - Storage technology for attachments.
-

Source: user stories in docs/stories/, development plan v0.5 section 15, backend team Sprint 0 questions (Q1–Q13).
Markdown copy: docs/plans/sprint-0/business-gaps-for-ba.md.