```
CREATE DATABASE IF NOT EXISTS `bd_industria_alimenticia` /*!40100 DEFAULT CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci */ /*!80016 DEFAULT ENCRYPTION='N' */; USE `bd_industria_alimenticia`; -- MySQL dump 10.13 Distrib 8.0.42, for Win64 (x86_64) -- -- Host: 127.0.0.1 Database: bd_industria_alimenticia -- ------------------------------------------------------ -- Server version 8.0.43 /*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */; /*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */; /*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */; /*!50503 SET NAMES utf8 */; /*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE */; /*!40103 SET TIME_ZONE='+00:00' */; /*!40014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0 */; /*!40014 SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0 */; /*!40101 SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */; /*!40111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */; -- -- Table structure for table `cliente` -- DROP TABLE IF EXISTS `cliente`; /*!40101 SET @saved_cs_client = @@character_set_client */; /*!50503 SET character_set_client = utf8mb4 */; CREATE TABLE `cliente` ( `CLI_CNPJ` varchar(14) NOT NULL, `CLI_RAZAO_SOCIAL` varchar(100) NOT NULL, `CLI_TELEFONE` varchar(15) NOT NULL, `CLI_EMAIL` varchar(100) NOT NULL, `CLI_ENDERECO_LOGRADOURO` varchar(100) NOT NULL, `CLI_ENDERECO_NUMERO` varchar(10) NOT NULL, `CLI_ENDERECO_CIDADE` varchar(100) NOT NULL, `CLI_ENDERECO_ESTADO` varchar(2) NOT NULL, PRIMARY KEY (`CLI_CNPJ`) ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client = @saved_cs_client */; -- -- Dumping data for table `cliente` -- LOCK TABLES `cliente` WRITE; /*!40000 ALTER TABLE `cliente` DISABLE KEYS */; INSERT INTO `cliente` VALUES ('10101010000110','Rede Sul Alimentos LTDA','5132225555','compras@redesul.com','Rua Gaúcha','450','Porto Alegre','RS'), ('66666666000106','Supermercado Central LTDA','1132221111','compras@supercentral.com','Rua Comercial','150','São Paulo','SP'), ('77777777000107','Mercado Popular LTDA','2132222222','pedidos@mercadopopular.com','Avenida Brasil','700','Rio de Janeiro','RJ'), ('88888888000108','Atacado Econômico LTDA','3132223333','compras@atacadoeconomico.com','Rua Minas','300','Belo Horizonte','MG'),('99999999000109','Distribuidora Nordeste LTDA','8132224444','contato@distnordeste.com','Avenida Recife','1000','Recife','PE'); /*!40000 ALTER TABLE `cliente` ENABLE KEYS */; UNLOCK TABLES; -- -- Table structure for table `compra_item` -- DROP TABLE IF EXISTS `compra_item`; /*!40101 SET @saved_cs_client = @@character_set_client */; /*!50503 SET character_set_client = utf8mb4 */; CREATE TABLE `compra_item` ( `CIT_ID` int NOT NULL AUTO_INCREMENT, `CIT_QUANTIDADE` decimal(10,2) NOT NULL, `CIT_VALOR_UNITARIO` decimal(10,2) NOT NULL, `FK_COM_ID` int NOT NULL, `FK_MAT_ID` int NOT NULL, PRIMARY KEY (`CIT_ID`), KEY `FK_COM_ID` (`FK_COM_ID`), KEY `FK_MAT_ID` (`FK_MAT_ID`), CONSTRAINT `compra_item_ibfk_1` FOREIGN KEY (`FK_COM_ID`) REFERENCES `compra_materia_prima` (`COM_ID`) ON DELETE CASCADE, CONSTRAINT `compra_item_ibfk_2` FOREIGN KEY (`FK_MAT_ID`) REFERENCES `materia_prima` (`MAT_ID`) ON DELETE CASCADE ) ENGINE=InnoDB AUTO_INCREMENT=6 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client = @saved_cs_client */; -- -- Dumping data for table `compra_item` -- LOCK TABLES `compra_item` WRITE; /*!40000 ALTER TABLE `compra_item` DISABLE KEYS */; INSERT INTO `compra_item` VALUES (1,5000.00,3.20,1,1), (2,1500.00,18.50,2,2),(3,3000.00,4.10,3,3),(4,20000.00,0.35,4,4),(5,1200.00,7.80,5,5); /*!40000 ALTER TABLE `compra_item` ENABLE KEYS */; UNLOCK TABLES; -- -- Table structure for table `compra_materia_prima` -- DROP TABLE IF EXISTS `compra_materia_prima`; /*!40101 SET @saved_cs_client = @@character_set_client */; /*!50503 SET character_set_client = utf8mb4 */; CREATE TABLE `compra_materia_prima` ( `COM_ID` int NOT NULL AUTO_INCREMENT, `COM_DATA` date NOT NULL, `COM_VALOR_TOTAL` decimal(10,2) NOT NULL, `FK_FOR_CNPJ` varchar(14) NOT NULL, PRIMARY KEY (`COM_ID`), KEY
```

`FK_FOR_CNPJ` (`FK_FOR_CNPJ`), CONSTRAINT `compra_materia_prima_ibfk_1` FOREIGN KEY (`FK_FOR_CNPJ`) REFERENCES `fornecedor` (`FOR_CNPJ`) ON DELETE CASCADE) ENGINE=InnoDB AUTO_INCREMENT=6 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client = @saved_cs_client */; -- -- Dumping data for table `compra_materia_prima` -- LOCK TABLES `compra_materia_prima` WRITE; /*!40000 ALTER TABLE `compra_materia_prima` DISABLE KEYS */; INSERT INTO `compra_materia_prima` VALUES (1,'2026-05-10',16000.00,'11111111000101'),(2,'2026-05-12',27750.00,'22222222000102'),(3,'2026-05-15',12300.00,'33333333000103'),(4,'2026-05-18',7000.00,'44444444000104'),(5,'2026-05-20',9360.00,'55555555000105'); /*!40000 ALTER TABLE `compra_materia_prima` ENABLE KEYS */; UNLOCK TABLES; -- -- Table structure for table `expedicao` -- DROP TABLE IF EXISTS `expedicao`; /*!40101 SET @saved_cs_client = @@character_set_client */; /*!50503 SET character_set_client = utf8mb4 */; CREATE TABLE `expedicao` (`EXP_ID` int NOT NULL AUTO_INCREMENT, `EXP_DATA_ENVIO` date NOT NULL, `EXP_TRANSPORTADORA` varchar(100) NOT NULL, `EXP_PLACA_VEICULO` varchar(10) NOT NULL, `EXP_STATUS` varchar(50) NOT NULL, `FK_PED_ID` int NOT NULL, PRIMARY KEY (`EXP_ID`), KEY `FK_PED_ID` (`FK_PED_ID`), CONSTRAINT `expedicao_ibfk_1` FOREIGN KEY (`FK_PED_ID`) REFERENCES `pedido` (`PED_ID`) ON DELETE CASCADE) ENGINE=InnoDB AUTO_INCREMENT=6 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client = @saved_cs_client */; -- -- Dumping data for table `expedicao` -- LOCK TABLES `expedicao` WRITE; /*!40000 ALTER TABLE `expedicao` DISABLE KEYS */; INSERT INTO `expedicao` VALUES (1,'2026-06-12','TransAlimentos Logística','ABC1D23','Enviado',1),(2,'2026-06-13','Rápido Brasil Transportes','DEF4G56','Em Separação',2),(3,'2026-06-14','Carga Segura LTDA','GHI7J89','Enviado',3),(4,'2026-06-15','Nordeste Express','JKL0M12','Entregue',4),(5,'2026-06-16','Sul Cargas','NOP3Q45','Em Separação',5); /*!40000 ALTER TABLE `expedicao` ENABLE KEYS */; UNLOCK TABLES; -- -- Table structure for table `fornecedor` -- DROP TABLE IF EXISTS `fornecedor`; /*!40101 SET @saved_cs_client = @@character_set_client */; /*!50503 SET character_set_client = utf8mb4 */; CREATE TABLE `fornecedor` (`FOR_CNPJ` varchar(14) NOT NULL, `FOR_RAZAO_SOCIAL` varchar(100) NOT NULL, `FOR_TELEFONE` varchar(15) NOT NULL, `FOR_EMAIL` varchar(100) NOT NULL, `FOR_ENDERECO_LOGRADOURO` varchar(100) NOT NULL, `FOR_ENDERECO_NUMERO` varchar(10) NOT NULL, `FOR_ENDERECO_CIDADE` varchar(100) NOT NULL, `FOR_ENDERECO_ESTADO` varchar(2) NOT NULL, PRIMARY KEY (`FOR_CNPJ`)) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client = @saved_cs_client */; -- -- Dumping data for table `fornecedor` -- LOCK TABLES `fornecedor` WRITE; /*!40000 ALTER TABLE `fornecedor` DISABLE KEYS */; INSERT INTO `fornecedor` VALUES ('11111111000101','Agro Trigo Brasil LTDA','1933331111','vendas@agrotrigo.com','Rua das Safras','250','Ribeirão Preto','SP'), ('22222222000102','Laticínios Campo Verde LTDA','3133332222','comercial@campoverde.com','Avenida do Leite','500','Belo Horizonte','MG'),('33333333000103','Açúcar Forte Distribuidora LTDA','7133333333','contato@acucarforte.com','Rua Doce','80','Salvador','BA'), ('44444444000104','Embalagens Seguras LTDA','4133334444','atendimento@embalagensseguras.com','Rua Plástica','900','Curitiba','PR'), ('55555555000105','Óleos Naturais LTDA','5133335555','vendas@oleosnaturais.com','Avenida Vegetal','1200','Porto Alegre','RS'); /*!40000 ALTER TABLE `fornecedor` ENABLE KEYS */; UNLOCK TABLES; -- -- Table structure for table `funcionario` -- DROP TABLE IF EXISTS `funcionario`; /*!40101 SET @saved_cs_client = @@character_set_client */; /*!50503 SET character_set_client = utf8mb4 */; CREATE TABLE `funcionario` (`FUN_CPF` varchar(11) NOT NULL, `FUN_NOME` varchar(100) NOT NULL, `FUN_DATA_NASCIMENTO` date NOT NULL, `FUN_TELEFONE` varchar(15) NOT NULL, `FUN_EMAIL` varchar(100) NOT NULL, `FUN_CARGO` varchar(100) NOT NULL, `FUN_SALARIO` decimal(10,2) NOT NULL, `FUN_CARTEIRA_TRABALHO` blob, `FUN_BANCO_AGENCIA` varchar(5) NOT NULL, `FUN_BANCO_CONTA` varchar(10) NOT NULL, `FUN_DATA_ADMISSAO` date NOT NULL, `FUN_JORNADA_TRABALHO` varchar(100) NOT NULL, `FK_SET_ID` int NOT NULL, PRIMARY KEY (`FUN_CPF`), KEY `FK_SET_ID` (`FK_SET_ID`), CONSTRAINT `funcionario_ibfk_1` FOREIGN KEY (`FK_SET_ID`) REFERENCES `setor` (`SET_ID`) ON

DELETE CASCADE) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client = @saved_cs_client */; -- -- Dumping data for table `funcionario` -- LOCK TABLES `funcionario` WRITE; /*!40000 ALTER TABLE `funcionario` DISABLE KEYS */; INSERT INTO `funcionario` VALUES ('11122233344','Carlos Henrique Souza','1985-03-12','11988887777','carlos@boamesa.com','Operador de Produção',2800.00,NULL,'1234','9876543210','2020-02-10','Segunda a sexta - 08h às 17h',1),('22233344455','Mariana Alves Lima','1990-07-25','11977776666','mariana@boamesa.com','Analista de Qualidade',4200.00,NULL,'1234','8765432109','2021-06-15','Segunda a sexta - 08h às 17h',2),('33344455566','Roberto Dias Martins','1982-11-03','11966665555','roberto@boamesa.com','Supervisor de Logística',5000.00,NULL,'1234','7654321098','2019-09-01','Segunda a sexta - 07h às 16h',3),('44455566677','Fernanda Costa Ribeiro','1993-01-18','11955554444','fernanda@boamesa.com','Assistente Administrativo',3100.00,NULL,'1234','6543210987','2022-04-20','Segunda a sexta - 09h às 18h',4),('55566677788','Paulo Ricardo Nunes','1988-05-30','11944443333','paulo@boamesa.com','Comprador',4500.00,NULL,'1234','5432109876','2020-11-05','Segunda a sexta - 08h às 17h',5); /*!40000 ALTER TABLE `funcionario` ENABLE KEYS */; UNLOCK TABLES; -- -- Table structure for table `industria` -- DROP TABLE IF EXISTS `industria`; /*!40101 SET @saved_cs_client = @@character_set_client */; /*!50503 SET character_set_client = utf8mb4 */; CREATE TABLE `industria` (`IND_CNPJ` varchar(14) NOT NULL, `IND_RAZAO_SOCIAL` varchar(100) NOT NULL, `IND_NOME_FANTASIA` varchar(100) NOT NULL, `IND_TELEFONE` varchar(15) NOT NULL, `IND_EMAIL` varchar(100) NOT NULL, `IND_ENDERECO_LOGRADOURO` varchar(100) NOT NULL, `IND_ENDERECO_NUMERO` varchar(10) NOT NULL, `IND_ENDERECO_CIDADE` varchar(100) NOT NULL, `IND_ENDERECO_ESTADO` varchar(2) NOT NULL, `IND_ENDERECO_CEP` varchar(8) NOT NULL, PRIMARY KEY (`IND_CNPJ`)) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client = @saved_cs_client */; -- -- Dumping data for table `industria` -- LOCK TABLES `industria` WRITE; /*!40000 ALTER TABLE `industria` DISABLE KEYS */; INSERT INTO `industria` VALUES ('12345678000190','Alimentos Boa Mesa LTDA','Boa Mesa Alimentos','1133334444','contato@boamesa.com','Avenida Industrial','1000','Campinas','SP','13000000'); /*!40000 ALTER TABLE `industria` ENABLE KEYS */; UNLOCK TABLES; -- -- Table structure for table `inspecao_qualidade` -- DROP TABLE IF EXISTS `inspecao_qualidade`; /*!40101 SET @saved_cs_client = @@character_set_client */; /*!50503 SET character_set_client = utf8mb4 */; CREATE TABLE `inspecao_qualidade` (`INS_ID` int NOT NULL AUTO_INCREMENT, `INS_DATA` date NOT NULL, `INS_RESULTADO` varchar(50) NOT NULL, `INS_OBSERVACAO` varchar(300) DEFAULT NULL, `FK_LOT_ID` int NOT NULL, `FK_FUN_CPF` varchar(11) NOT NULL, PRIMARY KEY (`INS_ID`), KEY `FK_LOT_ID` (`FK_LOT_ID`), KEY `FK_FUN_CPF` (`FK_FUN_CPF`), CONSTRAINT `inspecao_qualidade_ibfk_1` FOREIGN KEY (`FK_LOT_ID`) REFERENCES `lote_producao` (`LOT_ID`) ON DELETE CASCADE, CONSTRAINT `inspecao_qualidade_ibfk_2` FOREIGN KEY (`FK_FUN_CPF`) REFERENCES `funcionario` (`FUN_CPF`) ON DELETE CASCADE) ENGINE=InnoDB AUTO_INCREMENT=6 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client = @saved_cs_client */; -- -- Dumping data for table `inspecao_qualidade` -- LOCK TABLES `inspecao_qualidade` WRITE; /*!40000 ALTER TABLE `inspecao_qualidade` DISABLE KEYS */; INSERT INTO `inspecao_qualidade` VALUES (1,'2026-06-02','Aprovado','Produto dentro dos padrões de qualidade.',1,'22233344455'),(2,'2026-06-04','Aprovado','Lote aprovado sem ressalvas.',2,'22233344455'),(3,'2026-06-06','Aprovado','Produto aprovado para distribuição.',3,'22233344455'),(4,'2026-06-08','Pendente','Aguardando segunda análise microbiológica.',4,'22233344455'),(5,'2026-06-10','Aprovado','Produto liberado para expedição.',5,'22233344455'); /*!40000 ALTER TABLE `inspecao_qualidade` ENABLE KEYS */; UNLOCK TABLES; -- -- Table structure for table `lote_producao` -- DROP TABLE IF EXISTS `lote_producao`; /*!40101 SET @saved_cs_client = @@character_set_client */; /*!50503 SET character_set_client = utf8mb4 */; CREATE TABLE `lote_producao` (`LOT_ID` int NOT NULL

AUTO_INCREMENT, `LOT_CODIGO` varchar(50) NOT NULL, `LOT_DATA_PRODUCAO` date NOT NULL, `LOT_DATA_VALIDADE` date NOT NULL, `LOT_QUANTIDADE_PRODUZIDA` int NOT NULL, `LOT_STATUS` varchar(50) NOT NULL, `FK_PRO_ID` int NOT NULL, `FK_FUN_CPF` varchar(11) NOT NULL, PRIMARY KEY (`LOT_ID`), KEY `FK_PRO_ID` (`FK_PRO_ID`), KEY `FK_FUN_CPF` (`FK_FUN_CPF`), CONSTRAINT `lote_producao_ibfk_1` FOREIGN KEY (`FK_PRO_ID`) REFERENCES `produto` (`PRO_ID`) ON DELETE CASCADE, CONSTRAINT `lote_producao_ibfk_2` FOREIGN KEY (`FK_FUN_CPF`) REFERENCES `funcionario` (`FUN_CPF`) ON DELETE CASCADE) ENGINE=InnoDB AUTO_INCREMENT=6 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client = @saved_cs_client */; -- -- Dumping data for table `lote_producao` -- LOCK TABLES `lote_producao` WRITE; /*!40000 ALTER TABLE `lote_producao` DISABLE KEYS */; INSERT INTO `lote_producao` VALUES (1,'LOT-BIS-001','2026-06-01','2026-11-30',3000,'Liberado',1,'11122233344'),(2,'LOT-BOLO-001','2026-06-03','2026-10-20',2000,'Liberado',2,'11122233344'),(3,'LOT-MAC-001','2026-06-05','2027-01-15',5000,'Liberado',3,'11122233344'),(4,'LOT-ACH-001','2026-06-07','2026-09-25',1800,'Em Análise',4,'11122233344'),(5,'LOT-SAL-001','2026-06-09','2026-08-30',6000,'Liberado',5,'11122233344'); /*!40000 ALTER TABLE `lote_producao` ENABLE KEYS */; UNLOCK TABLES; -- -- Table structure for table `materia_prima` -- DROP TABLE IF EXISTS `materia_prima`; /*!40101 SET @saved_cs_client = @@character_set_client */; /*!50503 SET character_set_client = utf8mb4 */; CREATE TABLE `materia_prima` (`MAT_ID` int NOT NULL AUTO_INCREMENT, `MAT_NOME` varchar(100) NOT NULL, `MAT_UNIDADE_MEDIDA` varchar(20) NOT NULL, `MAT_QUANTIDADE_ESTOQUE` decimal(10,2) NOT NULL, `MAT_CUSTO_UNITARIO` decimal(10,2) NOT NULL, `MAT_DATA_VALIDADE` date NOT NULL, `FK_FOR_CNPJ` varchar(14) NOT NULL, PRIMARY KEY (`MAT_ID`), KEY `FK_FOR_CNPJ` (`FK_FOR_CNPJ`), CONSTRAINT `materia_prima_ibfk_1` FOREIGN KEY (`FK_FOR_CNPJ`) REFERENCES `fornecedor` (`FOR_CNPJ`) ON DELETE CASCADE) ENGINE=InnoDB AUTO_INCREMENT=8 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client = @saved_cs_client */; -- -- Dumping data for table `materia_prima` -- LOCK TABLES `materia_prima` WRITE; /*!40000 ALTER TABLE `materia_prima` DISABLE KEYS */; INSERT INTO `materia_prima` VALUES (1,'Farinha de Trigo','KG',5000.00,3.20,'2026-12-31','11111111000101'),(2,'Leite em Pó','KG',1500.00,18.50,'2026-10-15','22222222000102'),(3,'Açúcar Refinado','KG',3000.00,4.10,'2027-01-20','33333333000103'),(4,'Embalagem Plástica 500g','UN',20000.00,0.35,'2028-05-10','44444444000104'),(5,'Óleo Vegetal','L',1200.00,7.80,'2026-09-30','55555555000105'),(6,'Cacau em Pó','KG',800.00,22.00,'2026-11-25','33333333000103'),(7,'Sal Refinado','KG',900.00,2.30,'2027-03-14','11111111000101'); /*!40000 ALTER TABLE `materia_prima` ENABLE KEYS */; UNLOCK TABLES; -- -- Table structure for table `pedido` -- DROP TABLE IF EXISTS `pedido`; /*!40101 SET @saved_cs_client = @@character_set_client */; /*!50503 SET character_set_client = utf8mb4 */; CREATE TABLE `pedido` (`PED_ID` int NOT NULL AUTO_INCREMENT, `PED_DATA` date NOT NULL, `PED_STATUS` varchar(50) NOT NULL, `PED_VALOR_TOTAL` decimal(10,2) NOT NULL, `FK_CLI_CNPJ` varchar(14) NOT NULL, PRIMARY KEY (`PED_ID`), KEY `FK_CLI_CNPJ` (`FK_CLI_CNPJ`), CONSTRAINT `pedido_ibfk_1` FOREIGN KEY (`FK_CLI_CNPJ`) REFERENCES `cliente` (`CLI_CNPJ`) ON DELETE CASCADE) ENGINE=InnoDB AUTO_INCREMENT=6 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client = @saved_cs_client */; -- -- Dumping data for table `pedido` -- LOCK TABLES `pedido` WRITE; /*!40000 ALTER TABLE `pedido` DISABLE KEYS */; INSERT INTO `pedido` VALUES (1,'2026-06-11','Faturado',13800.00,'66666666000106'),(2,'2026-06-12','Separação',10800.00,'77777777000107'),(3,'2026-06-13','Faturado',17000.00,'88888888000108'),(4,'2026-06-14','Entregue',19800.00,'99999999000109'),(5,'2026-06-15','Separação',8400.00,'10101010000110'); /*!40000 ALTER TABLE `pedido` ENABLE KEYS */; UNLOCK TABLES; -- -- Table structure for table `pedido_produto` -- DROP TABLE IF EXISTS `pedido_produto`; /*!40101 SET @saved_cs_client = @@character_set_client */; /*!50503 SET character_set_client = utf8mb4 */; CREATE TABLE `pedido_produto` (`PPR_ID` int NOT NULL AUTO_INCREMENT, `PPR_QUANTIDADE` int NOT NULL,

```
`PPR_PRECO_UNITARIO` decimal(10,2) NOT NULL, `FK_PED_ID` int NOT NULL, `FK_PRO_ID` int NOT NULL, PRIMARY KEY (`PPR_ID`), KEY `FK_PED_ID` (`FK_PED_ID`), KEY `FK_PRO_ID` (`FK_PRO_ID`), CONSTRAINT `pedido_produto_ibfk_1` FOREIGN KEY (`FK_PED_ID`) REFERENCES `pedido` (`PED_ID`) ON DELETE CASCADE, CONSTRAINT `pedido_produto_ibfk_2` FOREIGN KEY (`FK_PRO_ID`) REFERENCES `produto` (`PRO_ID`) ON DELETE CASCADE ) ENGINE=InnoDB AUTO_INCREMENT=8 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client = @saved_cs_client */; -- -- Dumping data for table `pedido_produto` -- LOCK TABLES `pedido_produto` WRITE; /*!40000 ALTER TABLE `pedido_produto` DISABLE KEYS */; INSERT INTO `pedido_produto` VALUES (1,1000,6.90,1,1),(2,800,8.50,1,2),(3,2000,5.40,2,3),(4,1000,9.90,3,4),(5,1690,4.20,3,5),(6,2000,9.90,4,4),(7,2000,4.20,5,5); /*!40000 ALTER TABLE `pedido_produto` ENABLE KEYS */; UNLOCK TABLES; -- -- Table structure for table `produto` -- DROP TABLE IF EXISTS `produto`; /*!40101 SET @saved_cs_client = @@character_set_client */; /*!50503 SET character_set_client = utf8mb4 */; CREATE TABLE `produto` ( `PRO_ID` int NOT NULL AUTO_INCREMENT, `PRO_CODIGO_BARRAS` varchar(100) NOT NULL, `PRO_NOME` varchar(100) NOT NULL, `PRO_CATEGORIA` varchar(100) NOT NULL, `PRO_PESO` decimal(10,2) NOT NULL, `PRO_UNIDADE_MEDIDA` varchar(20) NOT NULL, `PRO_QUANTIDADE_ESTOQUE` int NOT NULL, `PRO_PRECO_VENDA` decimal(10,2) NOT NULL, `PRO_DATA_VALIDADE` date NOT NULL, PRIMARY KEY (`PRO_ID`) ) ENGINE=InnoDB AUTO_INCREMENT=6 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client = @saved_cs_client */; -- -- Dumping data for table `produto` -- LOCK TABLES `produto` WRITE; /*!40000 ALTER TABLE `produto` DISABLE KEYS */; INSERT INTO `produto` VALUES (1,'7891000000011','Biscoito Doce 500g','Biscoitos',500.00,'G',8000,6.90,'2026-11-30'),(2,'7891000000028','Mistura para Bolo Chocolate 400g','Misturas',400.00,'G',5000,8.50,'2026-10-20'),(3,'7891000000035','Macarrão Tradicional 500g','Massas',500.00,'G',10000,5.40,'2027-01-15'),(4,'7891000000042','Achocolatado em Pó 400g','Bebidas em Pó',400.00,'G',4500,9.90,'2026-09-25'),(5,'7891000000059','Salgadinho de Trigo 100g','Snacks',100.00,'G',12000,4.20,'2026-08-30'); /*!40000 ALTER TABLE `produto` ENABLE KEYS */; UNLOCK TABLES; -- -- Table structure for table `produto_materia_prima` -- DROP TABLE IF EXISTS `produto_materia_prima`; /*!40101 SET @saved_cs_client = @@character_set_client */; /*!50503 SET character_set_client = utf8mb4 */; CREATE TABLE `produto_materia_prima` ( `PMP_ID` int NOT NULL AUTO_INCREMENT, `PMP_QUANTIDADE_UTILIZADA` decimal(10,2) NOT NULL, `FK_PRO_ID` int NOT NULL, `FK_MAT_ID` int NOT NULL, PRIMARY KEY (`PMP_ID`), KEY `FK_PRO_ID` (`FK_PRO_ID`), KEY `FK_MAT_ID` (`FK_MAT_ID`), CONSTRAINT `produto_materia_prima_ibfk_1` FOREIGN KEY (`FK_PRO_ID`) REFERENCES `produto` (`PRO_ID`) ON DELETE CASCADE, CONSTRAINT `produto_materia_prima_ibfk_2` FOREIGN KEY (`FK_MAT_ID`) REFERENCES `materia_prima` (`MAT_ID`) ON DELETE CASCADE ) ENGINE=InnoDB AUTO_INCREMENT=18 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client = @saved_cs_client */; -- -- Dumping data for table `produto_materia_prima` -- LOCK TABLES `produto_materia_prima` WRITE; /*!40000 ALTER TABLE `produto_materia_prima` DISABLE KEYS */; INSERT INTO `produto_materia_prima` VALUES (1,0.30,1,1),(2,0.08,1,3),(3,1.00,1,4),(4,0.22,2,1),(5,0.10,2,3),(6,0.06,2,6),(7,1.00,2,4),(8,0.45,3,1),(9,1.00,3,4),(10,0.20,4,2),(11,0.10,4,6),(12,0.08,4,3),(13,1.00,4,4),(14,0.07,5,1),(15,0.02,5,5),(16,0.01,5,7),(17,1.00,5,4); /*!40000 ALTER TABLE `produto_materia_prima` ENABLE KEYS */; UNLOCK TABLES; -- -- Table structure for table `setor` -- DROP TABLE IF EXISTS `setor`; /*!40101 SET @saved_cs_client = @@character_set_client */; /*!50503 SET character_set_client = utf8mb4 */; CREATE TABLE `setor` ( `SET_ID` int NOT NULL AUTO_INCREMENT, `SET_NOME` varchar(100) NOT NULL, `SET_DESCRICAO` varchar(200) DEFAULT NULL, `FK_IND_CNPJ` varchar(14) NOT NULL, PRIMARY KEY (`SET_ID`), KEY `FK_IND_CNPJ` (`FK_IND_CNPJ`), CONSTRAINT `setor_ibfk_1` FOREIGN KEY (`FK_IND_CNPJ`) REFERENCES `industria` (`IND_CNPJ`) ON DELETE CASCADE ) ENGINE=InnoDB AUTO_INCREMENT=6 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci; /*!40101 SET character_set_client = @saved_cs_client */; -- -- Dumping data for table `setor` -- LOCK TABLES `setor` WRITE; /*!40000 ALTER TABLE `setor` DISABLE KEYS */; INSERT INTO `setor` VALUES (1,'Produção','Setor responsável pela
```

fabricação dos alimentos','12345678000190'),(2,'Qualidade','Setor responsável pela inspeção dos produtos','12345678000190'),(3,'Logística','Setor responsável pelo armazenamento e expedição','12345678000190'),(4,'Administrativo','Setor responsável pela gestão administrativa','12345678000190'),(5,'Compras','Setor responsável pela aquisição de matérias-primas','12345678000190'); /*!40000 ALTER TABLE `setor` ENABLE KEYS */; UNLOCK TABLES; -- -- Dumping routines for database 'bd_industria_alimenticia' -- /*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */; /*!40101 SET SQL_MODE=@OLD_SQL_MODE */; /*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */; /*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */; /*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */; /*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */; /*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */; /*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */; -- Dump completed on 2026-06-26 9:44:30