2017 ECE 411 Practicum Project Information and Requirements

Overview

Your team will be responsible for designing, constructing, and demonstrating a small project as part of ECE411. The project is intended to both give you some necessary implementation skills and experience as well as serve as a model for your capstone experience. In fact, the capstone evaluation forms and worksheets will be used in evaluating and grading your practicum project. You will get experience with PCB schematic and layout tools, project documentation and management tools, revision control systems, PCB assembly, and (depending upon your project) microcontroller IDEs. Equally important, you will create project requirements, test plans, schedules, and documentation as you would for your capstone project (or a project in industry).

Requirements Overview

Your project can do almost anything but must satisfy the following course requirements:

- Have one or more sensors (inputs)
- Have one or more actuators (outputs)
- Have one or more processing modules which control actuators based on sensors.
- Use a two or more layer PCB
- Use 25% or more surface mount components that can be hand soldered

Grading Criteria

Your project will be evaluated using the capstone evaluation forms found on the capstone web site. Other aspects are evaluated as part of your project demonstration: final project presentation, design documentation, communication (e.g. weekly progress reports).

Originality

Ideally, you should choose an original project idea or a new implementation of an existing idea. To receive an A on the practicum project you must not use existing work (unless specifically approved in advance by the instructor in writing). If you choose to implement an existing design or incorporate existing work (including but not limited to schematics, layout, or code), your maximum achievable grade is a B. However, you must disclose both what you've borrowed and the source. Use of existing work that is not disclosed will result in a practicum grade of F.

Recommendation

It's far more important that your project be complete and functioning than original or complex. It's essential that you complete all aspects of the project from idea generation through requirements definition, design description/modeling, layout, construction, test, debug, and documentation. It's important that you demonstrate a working project.

A simple project designed and implemented completely by the team using the disciplined design process taught in class and demonstrably working will beat out an overly ambitious project that's incomplete, non-functioning, or haphazardly implemented. Consider this in choosing a project.

That's not to suggest you shouldn't be imaginative or ambitious. Everything else being equal, a creative or challenging project (that's complete and works) will earn more points.

2017/09/28 Page 1 of 3

Formal Specifications

You will design, build, test, document and demonstrate a single device designed by your team of 4 students that:

MUST

Project Concept

- Have \geq 1 sensor.
 - Sensors route information into the processor.
- Have \ge 1 actuator.
 - Actuators route information out of the processor.
- Have a digital or analog processor.
- Has to be safe.

Schematic

- Be in a schematic capture program.
- Be at least forward annotated with your PCB design.

PCB

- \circ Have ≥ 2 layers, with solder mask and at least a top-side silk screen.
- Have an area between > 9 cm2 and < 900 cm2
- Have no linear dimension < 2 cm or > 30 cm.
- Have the processor on your PCB (i.e., PCB may not be a daughter board or "shield").
 - NB: Sensors and other ICs besides your processor may be on daughterboards.

Components

- Have ≥ 25% surface mount components
 - NB: "assembled by hand" below.

Assembly and debug

- Be assembled by hand (yes, your hands).
- Be tested.

Work

• You will receive 4 PCBs back from manufacturing; at least 1 must work.

Documentation

- Have live documentation.
- Have all documentation and design files under revision control.
- Use collaborative documentation tools (e.g., Github wiki, Redmine wiki, Google Docs).

SHOULD

• Project Concept

- Have a novel or interesting purpose.
- Be packaged in an enclosure.
- Have more complex sensors and actuators.

Firmware

- Be "bare metal", with no 3rd party code used besides an IDE and vendor-provided libraries
- NB: this does not exclude Arduino since this is a SHOULD.

PCB

- Be as small as possible.
- Components

2017/09/28 Page 2 of 3

• Have mostly surface mount components.

• Assembly and debug

- Use SMT components that are not hard to hand assemble
- All parts \ge 0603, no or very few QFNs, no BGAs, etc.

Documentation

• Have each component choice documented.

MAY

• Project Concept

- Move / Explode
 - NB: "Be safe" is in MUST
- Have a cool custom enclosure.

• Schematic

• Use EAGLE CAD (supported in ECE411)

PCB

• Use EAGLE CAD (supported in ECE411)

• Documentation

• Have a video describing concept, use, and technology overview

2017/09/28 Page 3 of 3