


THREAT REPORT: JEETBOT DEPLOYS MALICIOUS TWITCH BROWSER EXTENSION TO HARVEST OAUTH TOKENS

Visual Summary



Summary

The source attributes this activity to JeetBot, which distributed a malicious Twitch browser extension that captured OAuth tokens from approximately 30,000 users. No specific CVE or malware family was identified in the source material, and the victim profile is not detailed. The activity culminates in credential theft and exfiltration to cloud storage. Priority should be given to applying the MITRE ATT&CK mitigation for Software Extensions and implementing host and network detections together with least-privilege controls.

Threat Overview

JeetBot is reported to have leveraged a malicious browser extension targeting Twitch users. The extension's functionality aligns with a range of ATT&CK techniques, including software extensions, browser session hijacking, and credential theft. No particular CVE or malware family was disclosed, and the targeted geography or sector remains unspecified.

Attack Chain and Priority Control

The observed chain begins with the deployment of a malicious software extension (T1176) that integrates into the victim's browser. Once installed, the extension performs adversary-in-the-middle interception, keylogging, and browser session hijacking (T1185, T1557). It then steals web session cookies and credentials from browsers (T1539, T1555.003), stores them in files (T1552.001), and forwards the data through external proxies to cloud storage (T1090.002, T1567.002). The chokepoint technique is **T1176 Software Extensions**, and the concrete mitigation is: **Apply the specific MITRE ATT&CK mitigation for this technique; add host/network detections and least-privilege controls around it.**

Infrastructure and Corroboration

Third-party enrichment indicates that the malicious infrastructure is hosted by Clodo Cloud Service Co. L.L.C. (as reported by the source). AbuseIPDB shows no indicators flagged with confidence $\geq 80\%$ (0% highest confidence). Abuse.ch correlates the activity with an "Unknown malware" family.

Technical Appendix

Ground-truth telemetry from the source pulse; analytical scores are secondary and clearly labelled.

Observed Techniques (ATT&CK, expert-tagged by source)

- T1557 Adversary-in-the-Middle
- T1056.001 Keylogging
- T1213.002 Sharepoint
- T1539 Steal Web Session Cookie
- T1176 Software Extensions
- T1219 Remote Access Tools
- T1185 Browser Session Hijacking
- T1555.003 Credentials from Web Browsers
- T1090.002 External Proxy
- T1552.001 Credentials In Files
- T1573.002 Asymmetric Cryptography
- T1567.002 Exfiltration to Cloud Storage
- T1071.001 Web Protocols

Analytical Scores

- Priority technique (graph chokepoint): T1176 Software Extensions (centrality 0.3367).

- Operational risk: Critical (score 0.968, reaches exfiltration).

Behavioral Signature Cluster

- Method: technique-overlap cosine vs 170 MITRE ATT&CK Groups (top overlap 0.3086; reference threshold $\tau = 0.6$).
- These are behavioural resemblances for defensive playbook cross-referencing, not an identity assessment. Where the source pulse names an actor, that attribution is authoritative; the overlaps below neither confirm nor contest it.

Nearest historical profiles by behavioural overlap (resemblance only):

Historical Profile	Behavioural Overlap
RedEcho	0.3086
APT42	0.2865
Ajax Security Team	0.276
MuddyWater	0.2701
RedCurl	0.2535

Enrichment Signal

- Highest AbuseIPDB confidence among IOCs: 0%.
- Malware families corroborated by abuse.ch: Unknown malware.
- Note: enrichment raises the severity signal (an IOC at or above 80% AbuseIPDB confidence, or a confirmed malware-family hit). This is context, not a change to the source assessment.

Indicators of Compromise (defanged — non-clickable)

The network and file indicators observed in this activity are listed below for blocklisting:

Type	Indicator	Context
IP	132[.]243[.]113[.]25	AbuseIPDB 0% (NL) · AS216154 Clodo Cloud Service Co. L.L.C
IP	80[.]74[.]26[.]162	AbuseIPDB 0% (NL) · AS216154 Clodo Cloud Service Co. L.L.C
Domain	alexue4[.]dev	
Domain	morphilina[.]me	Unknown malware

Type	Indicator	Context
Domain	jeetbot[.]cc	Unknown malware
Domain	api[.]jeetbot[.]cc	Unknown malware
Domain	enhanced-1[.]jeetbot[.]cc	Unknown malware
Domain	enhanced[.]jeetbot[.]cc	Unknown malware
Domain	ext-03[.]jeetbot[.]cc	Unknown malware
Domain	ext-styles[.]jeetbot[.]cc	Unknown malware
Domain	img[.]drisnya[.]online	Unknown malware
Domain	proxy[.]morphilina[.]me	Unknown malware
Domain	proxy[.]thebeholder[.]deno[.]net	
Domain	thebeholder-proxy[.]deno[.]dev	
URL	hxxp://api[.]jeetbot[.]cc/api/v2/public/extension_helper/	
URL	hxxp://enhanced[.]jeetbot[.]cc/set-token	
URL	hxxp://ext-styles[.]jeetbot[.]cc/api/v1/forced-proxy	
URL	hxxp://ext-styles[.]jeetbot[.]cc/api/v1/proxies	
URL	hxxp://proxy[.]thebeholder[.]deno[.]net/set-token	
URL	hxxp://thebeholder-proxy[.]deno[.]dev/set-token	
URL	hxxps://enhanced[.]jeetbot[.]cc/	
URL	hxxps://ext-styles[.]jeetbot[.]cc/api/v1/proxies	
URL	hxxps://proxy[.]morphilina[.]me/	
URL	hxxps://proxy[.]thebeholder[.]deno[.]net/	

Type	Indicator	Context
URL	hxxps://thebeholder-proxy[.]deno[.]dev/	
Hash	141c35607dc0e8e400deb380126b3052bd0495b4d37c8 dd979c6aa0204b142fc	
Hash	e17e1e671b597da19b89c5b2d0fa821e90e627860e756 ae4947ed27c035330a8	

Reputation by AbuseIPDB · malware attribution by abuse.ch · Geo/ASN data by IP2Location LITE.

Flame Cell // Adversary Pivot [BETA]

BETA. A hypothetical tabletop projection, anchored to documented ATT&CK behaviour and technique co-occurrence across 170 tracked groups. It is not a prediction; treat it as a war-game prompt and review before acting. Spot a pivot that looks wrong? norbert@salacti.com

- **Control applied:** T1176 Software Extensions (persistence)
- **Observed here:** T1176 Software Extensions was the only persistence technique observed in this campaign, so the pivot is projected from cross-actor behaviour.
- **Projected pivot:** T1053 Scheduled Task/Job (persistence)
- **Basis:** canonical technique for persistence (no in-campaign or co-occurrence signal).

With T1176 Software Extensions blocked, JeetBot could preserve the same objective by pivoting to T1053 Scheduled Task/Job, a technique commonly used for persistence. Defensive countermeasure: Alert on new scheduled tasks (Event ID 4698); restrict schtasks/at to admins; baseline legitimate task creators.

Detection and hardening for the pivot (T1053 Scheduled Task/Job)

- **Telemetry:** Windows Security (Object Access audit); Microsoft-Windows-TaskScheduler/Operational; Sysmon
- **Detect:**
 - Security 4698 (task created), 4702 (updated), 4700/4701 (enabled/disabled), 4699 (deleted)
 - TaskScheduler/Operational 106 (registered), 140 (updated), 141 (deleted)
 - Sysmon 1 for schtasks.exe and at.exe; Sysmon 11 for writes under C:\Windows\System32\Tasks\
- **Harden:**
 - Restrict schtasks/at to administrators; disable the legacy at.exe
 - Baseline the legitimate task creators and alert on anything outside it
- **MITRE:** M1047 Audit, M1028 Operating System Configuration, M1026 Privileged Account Management · DS0003 Scheduled Job, DS0009 Process, DS0022 File