

NEW CRITICAL VULNERABILITY ADVISORY: CVE-2026-79697

Summary

CVE-2026-79697 is a newly disclosed Critical vulnerability. It is not yet on CISA's actively-exploited list; treat it as proactive patching before it is weaponised. A vulnerability was determined in Advantech WISE-6610-NB, WISE-6610-EB, WISE-6610-TB, WISE-6610-JB, WISE-6610-CB, WISE-6610-EL-NB, WISE-6610-EL-EB, WISE-6610-EL-TB, WISE-6610-EL-JB, WISE-6610-EL-CB, WISE-6610P-DEA, WISE-6610P-DNA and WISE-6610P-DTA 1.2.1_20251110. This affects the function basicstation_apply of the component Basic Station Certificate-Deletion Handler. This manipulation of the argument act causes command injection. The attack can be initiated remotely. The exploit has been publicly disclosed and may be utilized. Upgrading to version 1.2.4_20260821 is able to mitigate this issue. Upgrading the affected component is advised. The vendor was contacted early, responded in a very professional manner and quickly released a fixed version of the affected product.

What we know

- **CVE:** CVE-2026-79697
- **Status:** Newly disclosed, not yet known-exploited (not on CISA KEV)
- **Severity:** CVSS 9.9 Critical, Network-exploitable, no user interaction (CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H)
- **Exploitation likelihood (EPSS):** 3%

Recommended action

Patch as a fix becomes available, prioritised by the exposure and EPSS above. Until then, limit network exposure of the affected service and tighten access until patched. This does not yet trigger CRA 24-hour reporting, which requires active exploitation, but patching ahead of exploitation is the whole point.

Sources: NIST NVD. Public data; an advisory of a newly disclosed vulnerability, not an incident report. Verify applicability to your estate before acting.