


THREAT REPORT: MACSYNC STEALER AND RAT CAMPAIGN


Visual Summary

Kill-Chain Reach — High (deepest phase reached: collection)



How far down the attack chain this campaign reached; deepest phase in crimson.

Defensive Chokepoint — why this control is the priority



The control that most disrupts the attack (priority in crimson).

Summary

The observed cluster of activity involves the deployment of MacSync, AMOS, Atomic Stealer, and SectopRAT malware families, targeting unspecified countries and sectors. The threat actor's identity remains unknown. Priority should be given to constraining scripting capabilities to mitigate the threat. The campaign's operational risk band is considered high, indicating a significant potential for data collection.

Threat Overview

The threat actor, whose identity is unknown, is utilizing a range of malware families including MacSync, AMOS, Atomic Stealer, and SectopRAT. The targeted vulnerability and specific sectors affected are not specified. The actor's techniques include various methods for data theft and system exploitation.

Attack Chain and Priority Control

The attack chain involves multiple techniques, including archive via utility, screen capture, and steal web session cookie, among others. The priority technique identified is T1059.002 AppleScript, which serves as a key point in the attack chain. To mitigate this threat, the priority control is to "Constrain PowerShell for unprivileged users (Constrained Language Mode + AppLocker); enable script-block logging; block wscript/cscript where unneeded."

Infrastructure and Corroboration

There is no specific information available on the hosting providers or ASNs observed in relation to this campaign. Additionally, no malware families have been corroborated by abuse.ch, and AbuseIPDB has not flagged any indicators with a confidence level of 80% or higher, with the highest confidence seen being 0%.

Technical Appendix

Ground-truth telemetry from the source pulse; analytical scores are secondary and clearly labelled.

Observed Techniques (ATT&CK, expert-tagged by source)

- T1560.001 Archive via Utility
- T1113 Screen Capture
- T1539 Steal Web Session Cookie
- T1074.001 Local Data Staging
- T1555.001 Keychain
- T1082 System Information Discovery
- T1059.002 AppleScript
- T1005 Data from Local System
- T1140 Deobfuscate/Decode Files or Information
- T1036 Masquerading
- T1555.003 Credentials from Web Browsers
- T1548 Abuse Elevation Control Mechanism
- T1552.001 Credentials In Files
- T1204 User Execution
- T1056.002 GUI Input Capture
- T1059.004 Unix Shell
- T1027 Obfuscated Files or Information
- T1553 Subvert Trust Controls
- T1543.001 Launch Agent
- T1070.004 File Deletion

Analytical Scores

- Priority technique (graph chokepoint): T1059.002 AppleScript (centrality 0.2658).
- Operational risk: High (score 0.604, reaches collection).

Behavioral Signature Cluster

- Method: technique-overlap cosine vs 170 MITRE ATT&CK Groups (top overlap 0.417; reference threshold $\tau = 0.6$).
- These are behavioural resemblances for defensive playbook cross-referencing, not an identity assessment. Where the source pulse names an actor, that attribution is authoritative; the overlaps below neither confirm nor contest it.

Nearest historical profiles by behavioural overlap (resemblance only):

Historical Profile	Behavioural Overlap
APT3	0.417
RedCurl	0.3975
Patchwork	0.3637
Group5	0.3637
APT39	0.3629

Enrichment Signal

- Highest AbuseIPDB confidence among IOCs: 0%.

Indicators of Compromise (defanged — non-clickable)

The network and file indicators observed in this activity are listed below for blocklisting:

Type	Indicator
Domain	malwareaudit[.]com
Domain	agenticSORA[.]com
Domain	sdhomeinspectors[.]com
Domain	sldev[.]cz
Domain	southcarolinacounselor[.]com
Domain	main[.]sdhomeinspectors[.]com
Domain	main[.]southcarolinacounselor[.]com

Type	Indicator
URL	hxxp://com[.]apple[.]preference[.]security?Privacy_AllFiles
URL	hxxp://agenticsora[.]com/curl/
URL	hxxp://agenticsora[.]com/dynamic?txd=
URL	hxxp://agenticsora[.]com/gate?buildtxd=
URL	hxxp://main[.]sdhomeinspectors[.]com/modules/wallets
URL	hxxp://main[.]southcarolinacounselor[.]com/modules/wallets
URL	hxxps://agenticsora[.]com/ledger/
URL	hxxps://agenticsora[.]com/loader/agent/
URL	hxxps://agenticsora[.]com/loader/capture-agent/
URL	hxxps://main[.]sdhomeinspectors[.]com/modules/wallets'
Hash	9dd465d26c7d86b4a6f514a4b46b2295
Hash	071bd109208eb1080ef525b5be394244cec467c59ffef5b8782cfb5e4850401d
Hash	230dff4bf9442a951dcd6898b2110924969a20668c20a43e3ceed6fcef65963e
Hash	31566a1df7070f30cb990aa5eab310c1d4e0266c8776e9438138e5438ec1cff8
Hash	3ae26ed89d3a1a140edc89ca78513aba2895789ed0d0f64cad6605b6f2347c7e
Hash	3db8befc08dc02ab7a76b5193abd81653775e8f3ceac5864c7c2188b2dbd3c54
Hash	78dea0693ac2d70bdf8be7588667a75910e43fd84397ad484e710e37369a30f7
Hash	9c09c303fa058c2d3e179969bd58ca5523775ff2d310fb2f8266ac74cb21ee81

Flame Cell // Adversary Pivot [BETA]

BETA. A hypothetical tabletop projection, anchored to documented ATT&CK behaviour and technique co-occurrence across 170 tracked groups. It is not a prediction; treat it as a war-game prompt and review before acting. Spot a pivot that looks wrong? norbert@salacti.com

- **Control applied:** T1059.002 AppleScript (execution)
- **Observed here:** T1059.002 AppleScript was the only execution technique observed in this campaign, so the pivot is projected from cross-actor behaviour.
- **Projected pivot:** T1053 Scheduled Task/Job (execution)

- **Basis:** of the 54+ groups that use AppleScript, this pairing runs 1.3x above base rate, a disproportionately-coupled move rather than the obvious one.

The actor could pivot to utilizing T1053 Scheduled Task/Job to maintain persistence and execute malicious tasks at scheduled intervals, potentially leveraging the Windows Task Scheduler to blend in with legitimate system activity, which may allow them to bypass initial detection. This technique in particular may be appealing as it enables the actor to execute tasks under the context of a legitimate system process, making it more challenging to distinguish from authorized activity. The defensive countermeasure would be to alert on new scheduled tasks (Event ID 4698); restrict schtasks/at to admins; baseline legitimate task creators.

Also plausible (same tactic): T1574 Hijack Execution Flow (n=32, lift 1.2), T1106 Native API (n=19, lift 1.3)

Detection and hardening for the pivot (T1053 Scheduled Task/Job)

- **Telemetry:** Windows Security (Object Access audit); Microsoft-Windows-TaskScheduler/Operational; Sysmon
- **Detect:**
 - Security 4698 (task created), 4702 (updated), 4700/4701 (enabled/disabled), 4699 (deleted)
 - TaskScheduler/Operational 106 (registered), 140 (updated), 141 (deleted)
 - Sysmon 1 for schtasks.exe and at.exe; Sysmon 11 for writes under C:\Windows\System32\Tasks\
- **Harden:**
 - Restrict schtasks/at to administrators; disable the legacy at.exe
 - Baseline the legitimate task creators and alert on anything outside it
- **MITRE:** M1047 Audit, M1028 Operating System Configuration, M1026 Privileged Account Management · DS0003 Scheduled Job, DS0009 Process, DS0022 File