


THREAT REPORT: APT37


Visual Summary

Kill-Chain Reach — High (deepest phase reached: command-and-control)



How far down the attack chain this campaign reached; deepest phase in crimson.

Defensive Chokepoint — why this control is the priority



The control that most disrupts the attack (priority in crimson).

Summary

The source attributes this activity to APT37, a threat actor that has compromised a gaming platform in a supply-chain attack. The malware families used include BirdCall and ROKRAT, and the actor has employed various techniques to gain control. Priority should be given to defending against this attack, as it poses a high operational risk. The compromised software supply chain is a critical vulnerability that needs to be addressed.

Threat Overview

The threat actor, attributed to APT37 by the source, has used the BirdCall and ROKRAT malware families to carry out the attack. Although the central CVE is insufficient, the actor has exploited various vulnerabilities to compromise the gaming platform. The victimology of the attack is not well-defined, with insufficient data on the targeted country and sectors.

Attack Chain and Priority Control

The attack chain involves a series of techniques, including establishing accounts, network service discovery, and virtualization/sandbox evasion, ultimately leading to the compromise of the software supply chain. The priority technique is T1195.002 Compromise Software Supply Chain, which is the graph chokepoint. To defend against this attack, the priority control is to Verify software supply chain integrity (signing, SBOM); pin and monitor third-party dependencies and update channels.

Technical Appendix

Ground-truth telemetry from the source pulse; analytical scores are secondary and clearly labelled.

Observed Techniques (ATT&CK, expert-tagged by source)

- T1585 Establish Accounts
- T1046 Network Service Discovery
- T1497 Virtualization/Sandbox Evasion
- T1480.001 Environmental Keying
- T1083 File and Directory Discovery
- T1082 System Information Discovery
- T1555 Credentials from Password Stores
- T1005 Data from Local System
- T1587.001 Malware
- T1056 Input Capture
- T1140 Deobfuscate/Decode Files or Information
- T1584.004 Server
- T1070.004 File Deletion
- T1195.002 Compromise Software Supply Chain
- T1112 Modify Registry
- T1113 Screen Capture
- T1090 Proxy
- T1608.001 Upload Malware
- T1027 Obfuscated Files or Information
- T1059.003 Windows Command Shell
- T1115 Clipboard Data

Analytical Scores

- Priority technique (graph chokepoint): T1195.002 Compromise Software Supply Chain (centrality 0.2721).
- Operational risk: High (score 0.636, reaches command-and-control).

Behavioral Signature Cluster

- Method: technique-overlap cosine vs 170 MITRE ATT&CK Groups (top overlap 0.3724; reference threshold $\tau = 0.6$).
- These are behavioural resemblances for defensive playbook cross-referencing, not an identity assessment. Where the source pulse names an actor, that attribution is authoritative; the overlaps below neither confirm nor contest it.

Nearest historical profiles by behavioural overlap (resemblance only):

Historical Profile	Behavioural Overlap
OilRig	0.3724
Sandworm Team	0.362
Contagious Interview	0.3588
Group5	0.3571
Windigo	0.3571

Indicators of Compromise (defanged — non-clickable)

The network and file indicators observed in this activity are listed below for blocklisting:

Type	Indicator
Domain	1980food[.]co[.]kr
Domain	cndsoft[.]co[.]kr
Domain	colorncopy[.]co[.]kr
Domain	sejonghaeun[.]com
Domain	www[.]inodea[.]com
Domain	www[.]lawwell[.]co[.]kr
Domain	inodea[.]com
Domain	sqgame[.]com
Domain	sqgame[.]com[.]cn
Domain	www[.]sqgame[.]net
Domain	xiazai[.]sqgame[.]com[.]cn

Type	Indicator
Hash	21ca0287ec5eaae8fb2f5d0542e378267d6ca0a6
Hash	2c6cc71b7e7e4b28c2c176b504bc5bdb687c4d41
Hash	5b70453ab58824a65ed0b6175c903aa022a87d6a
Hash	d9a369e328ea4f1b8304b6e11b50275f798e9d6b
Hash	f9f6c0184cee9c1e4e15c2a73e56d7b927ea685b
Hash	7331602726f61959d8f0e7820d457370
Hash	03e3ece9f48cf4104aafc535790ca2fb3c6b26cf
Hash	33d887ca2e57fa03fc807dfba5376bf96718ee88f56e90d95ee4896a2c019bd0
Hash	23a1eacad84be4f2c5830755b1948582
Hash	3d3d2dc34f01bcf890f185a5421836c7
Hash	72ac1287a8d71b27c437ec1f379ab506
Hash	a0830ce48537ba052f1d3b905d11a5bf
Hash	a48b62e55a692bf6d1046d2be64d7150
Hash	01a33066fbc6253304c92760916329abd50c3191
Hash	2b81f78ec4c3f8d6cf8f677d141c5d13c35333af
Hash	409c5acaed587f62f7e23da47f72c4d9ec3144d9
Hash	59a9b9d47ae36411b277544f25ad2cc955d8dd2c
Hash	7356d7868c81499fb4e720f7c9530e5763b4c1d0
Hash	95bdb94f6767a3cce6d92363bbf5bc84b786bdb0
Hash	b06110e0feb7592872e380b7e3b8f77d80dd1108
Hash	fc0c691db7e2d2bd3b0b4c1e24d18df72168b7d9
Hash	185633e5dbe9235fc7e6a1ccb8631650afefd8f7da88c5c07d9b99ea38159822
Hash	415b253a81e67c8c860a97c73edc9017ce732b3c025d943d3b1a445b4ac82822
Hash	5aa7afd790481ad98357636fa4d9927ae01111409c8d7ce69998d2485c1d5e6f
Hash	95cda8431419f77407484ab72dc1e356421dcd801eccabe8869f77ee0eb58eb2

Type	Indicator
Hash	dfa9c6adac98311d0f62e0eeecb947d92f7bda41ddf4ce9a6f9e20af7990422d
Hash	a8fe823d451d636d0a0366c0629ef5c3

