

LDAP Browser

DIT

Root DSE (3)

ou=schema

ou=system (5)

uid=admin

ou=configuration

ou=groups (2+)

cn=admin

cn=Administrators

prefNodeName=sysPrefRoot

ou=users (1+)

uid=brian

Searches

Bookmarks

Connections

Local LDAP Server

Entry Editor

DN: uid=brian,ou=users,ou=system

| Attribute Description | Value   |
|-----------------------|---|
| <b>objectClass</b>    | <i>inetOrgPerson (structural)</i>             |
| <b>objectClass</b>    | <i>organizationalPerson (structural)</i>      |
| <b>objectClass</b>    | <i>person (structural)</i>                    |
| <b>objectClass</b>    | <i>tlsKeyInfo (auxiliary)</i>                 |
| <b>objectClass</b>    | <i>top (abstract)</i>                         |
| cn                    | brian   |
| keyAlgorithm          | RSA   |
| privateKey            | Binary Data (344 Bytes)                       |
| privateKeyFormat      | PKCS#8  |
| publicKey             | Binary Data (94 Bytes)                        |
| publicKeyFormat       | X.509   |
| sn                    | brian   |
| displayName           | Brian   |
| <b>mail</b>           | brian@example.com                             |
| uid                   | brian   |
| userCertificate       | Binary Data (375 Bytes)                       |
| userPassword          | Plain text password                           |
| createTimestamp       | Dec 30, 2008 6:12:19 PM CST (20081231001219Z) |
| creatorsName          | 0.9.2342.19200300.100.1.1=admin,2.5.4.11=sys  |

Open Connection