Introduction to Geographic Information Science

Christopher G. Prener, Ph.D.

Spring, 2016

Directions

The Stata portion of the lab requires you to use the census dataset that you cleaned for Problem Set 1.

The ArcGIS aspect of this lab will require the geodatabase Midhill.gbd, which is included in the Goor and Kurland (2011) data release. You can find it in GIST1\Data\Pittsburgh. Complete Assignment 1-2 pp. 45-46 except for the final section where you are asked to use Microsoft PowerPoint. The instructions given on those two pages are repeated below with two changes in questions 18, 27 and 28. Please note those changes.

Once you are done, submit the assignment 1-2 PDF file, the assignment 1-2 Excel file, the Stata do-file, and the Stata log file in a single .zip file.

Part 1 - Working with Spatial Data in Stata

- 1. Create a directory on your flash drive called lab-04-work.
- 2. Create a sub-directory within lab-04-work called stata-work to store all Stata files you generate for this lab assignment.
- 3. Open Stata and begin by constructing a do-file that is well documented and contains all of the relevant opening and closing commands. This should be based on the template available on GitHub. Save this file in lab-04-work\stata-work. Make sure the appropriate changes are made to the log file and change directory commands.
- 4. Open the census dataset that you have already cleaned for Problem Set 1.
- 5. Save a new copy of the file.
- 6. Relabel the dataset and add at least one note to the dataset these should be used to document that changes have been made, who made those changes, and when.
- 7. Remove the following variables from the dataset pop10, white, black, nativeAmerican, asian, nativeHawaiian, and twoMore.
- 8. Remove the variable labels from all remaining variables.

- 9. Apply new variable labels to each of these remaining variables.
- 10. Remove the value labels from division10 and region.
- 11. Apply newly defined value labels to both of these variables.
- 12. Drop all observations for states located in the South census region.
- 13. Execute your do-file and debug it (fix errors) until it runs cleanly.

Part 2 - Working Spatial Data in ArcGIS

- 14. Create a sub-directory of lab-04-work called arc-work to store all spatial files you generate for this lab assignment.
- 15. Save a new map in ArcGIS to lab-04-work\arc-work named assignment_1-2_YourName.mxd.
- 16. Add the following shape files to your map:
 - (a) Midhill.gbd\Bldgs Buildings in the Middle Hill neighborhood of Pittsburgh
 - (b) Midhill.gbd\CADCalls police calls in the Middle Hill neighborhood
 - (c) Midhill.gbd\Curbs Curb lines in the Middle Hill neighborhood
 - (d) Midhill.gbd\Streets Street center lines in the Middle Hill neighborhood
- 17. For each layer, open up the Attributes Table and explore the attributes for the layer.
- 18. Shift the order of the layers so that CADCalls appear as the top layer.
- 19. Display buildings and curbs as medium-light gray (20%).
- 20. Display CAD calls as bright red circles.
- 21. Display streets as *no color* (this removes the streets from the map but allows us to visualize the street names)
- 22. Label the street names using the FNAME field.
- 23. Create a spatial bookmark of the zoomed area of 100 Erin Street. The 100 block of Erin Street is the segment of Erin Street where addresses range from 100 to 199 and is perpendicular to Webster and Wylie streets.
- 24. Set CADCalls as the only selectable layer and select the calls on either side of Erin Street between Webster, Wiley, Davenport, and Trent. There appear to be 6 incident points. However, some addresses have more than one incident.
- 25. Save these selected data as a new layer named Erin Street Crimes and add it to your map.
- 26. Change the symbols for this layer to blue squares.
- 27. Click File > Export Map and save your map zoomed to Erin Street as a PDF file with the name Assignment_1-2_YourName.pdf at 300 dpi resolution.

- 28. Using the Attributes Table of the Erin Street Crimes layer, turn on the fields NATURE_COD, ADDRESS, and CALLDATE only. Click Table Options and Export. Save the selected records as an dBASE Table database file.
- 29. Open these data in Excel to verify the export, and change the column headings to CRIME TYPE, ADDRESS, and DATE. When you go to open the file, there will be a number of files. You want to open the file with the .dbf file extension that is a DBF file. Do not open the XML file.
- 30. Save your Excel file using the Excel file format .xls or .xlsx.
- 31. Save a second copy of your data using the CSV file format (.csv).