



Laboratory Notebook

BEMOSS and Its Enhanced Applications

Brian Lauer

blauer@mail.bradley.edu

Beginning March 13, 2018

Contents

Monday, May 06, 2019	5
Thursday, May 09, 2019	7
Wednesday, May 22, 2019	9
Thursday, May 23, 2019	11
Friday, May 24, 2019	13
Monday, May 27, 2019	15
Tuesday, May 28, 2019	17
Wednesday, May 29, 2019	19
Thursday, May 30, 2019	21
Friday, May 31, 2019	23
Monday, June 3, 2019	25
Tuesday, June 4, 2019	27
Monday, June 10, 2019	29
Tuesday, June 11, 2019	31
Wednesday, June 12, 2019	33

Monday, May 06, 2019

I emailed Mr. Mattus asking him whether he made any progress on finding a laptop that can be used to demonstrate the installation of BEMOSS.

Thursday, May 09, 2019

I picked up a department laptop from Mr. Mattus today. He cleared the partition completely, so no time had to be spent removing a previous operating system from the machine. Then, I installed Ubuntu 16.04.6 LTS on the system with a bootable USB flash from the link provided on the BEMOSS installation guide.

Wednesday, May 22, 2019

As recommended by Dr. Miah, I worked on running BEMOSS on the previous team's laptop. By running `./startBEMOSS_GUI.sh` inside the directory `/home/bemoss/BEMOSS3.5/GUI`, I was able to start up the BEMOSS Launcher Wizard. By selecting Run BEMOSS in the TKinter GUI the server was started, and I was able to connect to the local web server at `localhost:8082..` At this point, the software was able to detect the WeMo Insight Switch and thus control the Philips Hue bulb connected to it. I was not able to control the motor due to time constraints, but I will do so soon.

I did some more research on the features that BEMOSS offers at <https://github.com/bemoss/BEMOSS3.5/wiki/BEMOSS-Features> including the ability to provide local and remote monitoring and security.

Thursday, May 23, 2019

Friday, May 24, 2019

The hierarchy of BEMOSS was researched today with the motivation of understanding the software better in the Developer Resources. The first layer consists of the UI and User Management which reside in the central server. Here admins can manage different nodes on the network and either deny or accept requests from users. Layer 2 is the BEMOSS Application and Data Management Layer which allows developers to create custom applications for target devices that can be added to the UI. It may be interesting to explore this feature once I have gotten a better idea of what sort of original contributions I would like to make to the project. A motivation for this part of BEMOSS is to integrate web services like IFTTT (IF This Then That) which may be interesting to use. The third layer is the operating system and framework layer consisting of the agent platform VOLTTRON developed by the Pacific Northwest National Laboratory. Six different agents perform various different tasks such as detecting new devices (lighting/plug load controllers) on the network and monitoring them to ensure they are running properly. Layer 4 is the BEMOSS connectivity layer that handles the communication between the operating system layer and the physical hardware devices. This is where support is extended to different communication technologies like Wi-Fi, Ethernet, and Serial(RS-485). Each device supported by BEMOSS has an API translator needed to handle the differences in device attributes.

Monday, May 27, 2019

No work was done due to Memorial Day.

Tuesday, May 28, 2019

The outline for the presentation on May 31 follows:

- Introduction
- Applications of BEMOSS
- Hardware/software needed to install BEMOSS
- Immediate future work

The following questions are answered to determine what needs to be added to the presentation:

- What is BEMOSS? BEMOSS or Building Energy Management Open Source Software is an agent-based software platform engineered to allow small- and medium-sized commercial buildings to more seamlessly integrate equipment designed for sensing and control. This software can allow building owners and engineers to manage building energy use better by monitoring different load control devices such as lighting loads, plug loads, and HVAC controllers.
- How can BEMOSS be applied to the real world?
- What hardware and software is needed to install BEMOSS?
- What kind of future work is available to be implemented with this software?

After working on the presentation, I worked in the lab to document the toggling of the WeMo insight switch with BEMOSS. Most of this information was gathered from <https://github.com/bemoss/BEMOSS3.5/wiki/User-Guide-for-BEMOSS-UI>. Once the BEMOSS server has started, type localhost:8082 in the web browser to go to the BEMOSS Web UI. The username is 'admin' and the password is the one set during installation. To discover the switch, click the "Discover New Devices" tab in the left navigation bar. Under the "All Plug Load Controllers" menu, select either "All Plug Load Controllers" or "Belkin International Inc. Insight." Click "Discover Selected Devices" to complete the process. The number of discovered devices will appear on the Discover New Devices tab. If only one device has been discovered, a 1 will appear next to the name Discover/Manage. On the Discover/Manage page, approve the device by setting the approval status to "Approved" then select "Save Changes to Plugload Controllers." Navigate to the tab NODE1. Select "View All" under "Plugload", then select the WeMo smart plug icon to change the status of the plug and view the power consumption.

Wednesday, May 29, 2019

I spent the first few hours of the day reading through [2]. I worked on researching the applications of BEMOSS and the introduction for the May 31st presentation. The future work still needs to be researched and added. Also, I would like to add some pictures to the slides to help the audience members gain a better visual understanding. Ideally, the presentation should be finished tomorrow morning, so I can have more time to practice. I practiced the presentation at the end of the day today without everything completed which isolated my knowledge gaps and gave me a better idea of what I should work on. To provide better flow between slides I must find ways to transition well between them.

Thursday, May 30, 2019

More work was done on the presentation.

Friday, May 31, 2019

Work on presentation and meeting with other members of the Robotics and Mechatronics (RAM) group.

Monday, June 3, 2019

I read through [3] and [1] to obtain more ideas on original contributions I can make to the project. One thing I found in [1] is the use of an induction motor in McNeese State University's microgrid. With a variable frequency drive, this could be integrated with BEMOSS to control different types of industrial loads. One problem is the high price tag on both. In [3], a Particle Photon board was used to control the brightness of fluorescent lighting via step-dim ballasts. The Raspberry Pi is definitely a better option here than the Photon board as the previous senior project group used an RPi in their project.

Tuesday, June 4, 2019

Today, I attempted to install BEMOSS on my Ubuntu laptop. After running `./startBEMOSSGUI.sh` in the GUI directory, I encountered some problems. The following errors were thrown:

Traceback (most recent call last):

```
File "Web_Server/run/defaultDB.py", line 91, in <module>
    admin = User.objects.get(username='admin')
File "/home/ramgroup/BEMOSS3.5/env/local/lib/python2.7/
site-packages/django/db/models/manager.py",
line 85, in manager_method
    return getattr(self.get_queryset(), name)(*args, **kwargs)
File "/home/ramgroup/BEMOSS3.5/env/local/lib/
python2.7/site-packages/django/db/models/query.py",
line 379, in get
    self.model._meta.object._name
```

django.contrib.auth.models.DoesNotExist: User matching query does not exist.
OS settings imported

Traceback (most recent call last):

```
File "bemoss_lib/databases/cassandraAPI/initialize.py", line 186 in
<module>
    init()
File "bemoss_lib/databases/cassandraAPI/initialize.py", line 99, in init
    casYamlFile = open(settings.PROJECT_DIR+"/cassandra/conf/cassandra.yaml",'r')
IOError: [Errno 2] No such file or directory:
'/home/ramgroup/BEMOSS3.5/cassandra/conf/cassandra.yaml'
```

I was able to eliminate the first error by using 'admin' for the Django superuser rather than the default 'ramgroup'. I tried to eliminate the second error by deleting BEMOSS3.5 from my home directory and recloning; however, the same problem persisted. I found a directory named `/BEMOSS3.5/cassandra` on the previous group's laptop which is not being created when I run BEMOSS on my machine. This directory contains the file "cassandra.yaml" which the file "initialize.py" is attempting to access. This leads me to believing that there is some issue with the creation of the directory.

Monday, June 10, 2019

More work was done to install BEMOSS. I emailed one of the members of the previous senior project named Bob about the error.

Tuesday, June 11, 2019

After looking through some of the files in `/BEMOSS3.5/GUI/GUI.py`, I found the line of code preventing the installation of BEMOSS which is 108:

```
bemoss_is_installed = os.path.isdir(ui_path) and os.path.isdir(cassandra_path)
and os.path.isdir(env_path)
```

Since the cassandra directory is non-existent, the expression `os.path.isdir(cassandra_path)` evaluates as `False`.

After some further searching I found that the BEMOSS is failing to download and install the cassandra database due to a dead link in the shell script

```
/BEMOSS3.5/GUI/bemoss_install_v3.5.sh
```

When line 48:

```
wget http://downloads.datastax.com/community/dsc-cassandra-3.0.9-bin.tar.gz
```

is run, a "404 not found" error is generated by the server. The URL was entered into a web browser and it was found that the requested URL was not found on the server.

As a possible solution, I used a different URL to download the cassandra database in

```
/BEMOSS3.5/GUI/bemoss_install_v3.5.sh
```

After adding a comment on line 48, the previously mentioned URL on line 49 is changed to

```
https://archive.apache.org/dist/cassandra/3.0.9/
apache-cassandra-3.0.9-bin.tar.gz
```

Lines 49-53 were changed to

```
wget https://archive.apache.org/dist/cassandra/3.0.9/
apache-cassandra-3.0.9-bin.tar.gz
tar -xzf apache-cassandra-3.0.9-bin.tar.gz
sudo rm apache-cassandra-3.0.9-bin.tar.gz
sudo rm -rf cassandra/
sudo mv apache-cassandra-3.0.9 cassandra
```

After this, BEMOSS was successfully installed. The post-installation instructions were followed on the BEMOSS wiki, but, at the end, errors were still being thrown while attempting to get the web server up and running.

Wednesday, June 12, 2019

After viewing the issue on the BEMOSS repo: <https://github.com/bemoss/BEMOSS3.5/issues/47>, I found that the IP address in `parent_ip.txt` did not match the IP of my system, so I changed this to the correct IP. This corrected the problem and the BEMOSS web server was able to boot successfully. Note this text file is only created after BEMOSS is run.

Bibliography

- [1] Kaisar R. Khan, Atiqur Rahman, Adnan Nadeem, Muhammad Shoaib Siidiqui, and Rafi Ahmad Khan. Remote monitoring and control of microgrid using smart sensor network and internet of thing. In *2018 1st ICCAIS*, 2018. 25
- [2] M. Pippatanasomporn, M. Kuzlu, W. Khampahanchi, A. Saha, K. Rathinavel, and S. Rahman. Bemoss: An agent platform to facilitate grid- interactive building operation with iot devices. In *Innovative Smart Grid Technologies Conference Europe (ISGT-Europe)*. 19
- [3] R. Adhikari X. Zhan and, M. Pipattanasomporn, M. Kuzlu, and S. Rahman. Deploying iot devices to make buildings smart: Performance evaluation and deployment experience. In *Proceedings on IEEE World Forum on Internet of Things*, December 2016. 25