

# Rock Lichen data from Sunset Crater

M.K. Lau

## Data Summary

- This is an analysis of the effect of Pinyon Pine tree traits on the saxicole (lichen and moss) community on rocks under the canopy of the trees.
- Trees were sampled in a pairwise design in which pairs were comprised of one tree that is susceptible to the herbivory of a stem boring moth (*Diorictria abietella*) and an adjacent tree that is resistant to the moth.
- As tree resistance to the moth is genetically based, pairwise sampling was conducted in order to isolate this genetic effect.
- Some trees that were sampled were dead, these trees were removed from the analysis.
- Plant data were observed by R. Michalet
  - Vegetation.xlsx
  - Light penetration.xls
  - light\_&\_litter(1).xls

## Main Results

- Rock epiphyte communities were adequately sampled, based on species accumulation curves, with moth resistant trees accumulating slightly more lichen species.
- Several tree variables, including light availability, leaf litter abundance and rock abundance, were impacted by moth susceptibility, creating strong differences in sub-canopy conditions.
- Saxicole community abundance, richness, diversity, composition were significantly, generally negatively, affected by moth herbivory.
- Correlation analysis supported an indirect link between genetically based moth susceptibility and impacts on lichen communities via decreasing rock (i.e. habitat) availability through increased leaf abscission and accumulation on rocks under trees.

## Analysis and Results

Analyses were conducted in the **R** statistical programming language. The following section loads dependencies and custom functions used in the analysis.

### Dependencies

```
cran.pkgs <- c("reshape2", "vegan", "ecodist", "xtable", "knitr")

## install packages that are not installed
if (any(!(cran.pkgs %in% installed.packages()[, 1]))){
  apply(cran.pkgs[which(!(cran.pkgs %in%
                        installed.packages()[, 1]))],
        install.packages,
        dependencies = TRUE,
```

```

        repos = 'http://cran.us.r-project.org')
}

## Load libraries
sapply(cran.pkgs, library, quietly = TRUE, character.only = TRUE)

## Custom Functions

## se: Calculate the standard error of a variable.
se <- function(x){sd(x) / sqrt(length(x))}

```

## Load Data

The following are variable descriptions (Variable, Type, Range, Definition):

- Moth,categorical,0 or 1,Was the tree susceptible (0) or resistant (1) to moth attack
- Live/Dead,categorical,0 or 1,Was the tree dead (0) or alive (1)
- Litter %,continuous,0 to 100,Percent cover inside quadrat
- Rocks > 3cm %,continuous,0 to 100,Percent cover of rocks > 3cm? inside quadrat
- Rocks < 3cm %,continuous,0 to 100,Percent cover of rocks < 3cm? inside quadrat
- Shrubs %,continuous,0 to 100,Percent cover of shrubs inside quadrat
- Grass %,continuous,0 to 100,Percent cover of grass inside quadrat
- Branches %,continuous,0 to 100,Percent cover of branches on ground inside quadrat
- Distance,continuous,0 to 100,“Distance from main trunk, converted to percent of crown radius at that azimuth”
- Azimuth,continuous,0 to 360,Compass direction from main trunk
- Slope,continuous,0 to 90,Topographical steepness
- Aspect,continuous,0 to 360,Compass direction of slope
- Light,continuous,,Amount of light available to epiliths

```

## Data are in ../data/scrl
l.dat <- read.csv("../data/spp_env_combined.csv")

## Fix species names
colnames(l.dat)[colnames(l.dat) == "Acasup"] <- "Acaame"

## Summary of data
summary(l.dat)

## remove dead trees
l.dat <- l.dat[l.dat[, "Live.Dead"] != 0, ]

## Lichen species list
spp.l <- c("Acacon", "Acaame", "Acaobp", "Sterile.sp", "Brown.cr",
"Loalp", "Canros", "Calare", "Phydub", "Rhichr", "Xanlin", "Xanpli",
"Xanele", "GrBr.cr", "Gray.cr")
spp.moss <- c("Synrur", "Cerpur.Bryarg")

## Create a community matrix
com <- l.dat[, colnames(l.dat) %in% c(spp.l, spp.moss)]
com.moss <- l.dat[, colnames(l.dat) %in% spp.moss]

## Add the tree labels to the rownames
rownames(com) <- paste(l.dat[, "Moth"], l.dat[, "Tree.pairs"], sep = "_")

```

```

rownames(com.moss) <- paste(l.dat[, "Moth"], l.dat[, "Tree.pairs"], sep = "_")
rownames(l.dat) <- paste(l.dat[, "Moth"], l.dat[, "Tree.pairs"], sep = "_")

## Paired environmental differences
total.rocks <- apply(l.dat[, c("Big.rocks..", "Small.rocks..")], 1, sum)
env <- l.dat[, c("Litter..", "Big.rocks..", "Small.rocks..",
                "Shrubs..", "Grass..", "Branches..",
                "Light...N", "Light...S", "Light...average")]
env <- cbind(env, total.rocks)
env.dif <- apply(env, 2, function(x, p) tapply(x, p, diff), p = l.dat[, "Tree.pairs"])

```


## Saxicole communities were sufficiently sampled

```

spa.all <- specaccum(com, method = "exact")
spa.res <- specaccum(com[l.dat[, "Moth"] == 1, ], method = "exact")
spa.sus <- specaccum(com[l.dat[, "Moth"] == 0, ], method = "exact")

plot(spa.all,
     ylim = c(0, 20),
     xlab = "Cumulative Trees Sampled",
     ylab = "Species Observed",
     col = "grey", ci.col = 'lightgrey', ci.type = "poly", ci.lty = 0)
plot(spa.res, ci.col = "black", ci.type = "bar", lty = 1, add = TRUE, ci.lty = 1)
plot(spa.sus, ci.col = "black", ci.type = "bar", lty = 3, add = TRUE, ci.lty = 3)
legend("bottomright",
     legend = c("All", "Resistant", "Susceptible"),
     lty = c(1, 1, 3), lwd = c(5, 2, 2), col = c("lightgrey", "black", "black"))

```



```

pdf("../results/scrl_spp-accum.pdf", width = 5, height = 5)
plot(spa.all,
     ylim = c(0, 20),

```

```

    xlab = "Cumulative Trees Sampled",
    ylab = "Species Observed",
    col = "grey", ci.col = 'lightgrey', ci.type = "poly", ci.lty = 0)
plot(spa.res, ci.col = "black", ci.type = "bar", lty = 1, add = TRUE, ci.lty = 1)
plot(spa.sus, ci.col = "black", ci.type = "bar", lty = 3, add = TRUE, ci.lty = 3)
legend("bottomright",
      legend = c("All", "Resistant", "Susceptible"),
      lty = c(1, 1, 3), lwd = c(5, 2, 2), col = c("lightgrey", "black", "black"))
dev.off()

## pdf
## 2

```

## Moth trees have different microenvironments

```

env.test.l <- apply(env.dif, 2, t.test)
env.test.l <- lapply(env.test.l, unlist)
env.test.tab <- do.call(rbind, env.test.l)
env.test.tab <- env.test.tab[, c(1, 2, 3, 6, 4, 5)]
env.test.tab <- apply(env.test.tab, 2, as.numeric)
rownames(env.test.tab) <- names(env.test.l)
colnames(env.test.tab) <- c("t", "df", "p-value", "Mean Difference", "Lower CI 95%", "Upper CI 95%")
kable(env.test.tab, digits = 4)

```

	t	df	p-value	Mean Difference	Lower CI 95%	Upper CI 95%
Litter..	2.8665	29	0.0077	15.0700	4.3178	25.8222
Big. rocks..	-2.4617	29	0.0200	-9.6837	-17.7289	-1.6384
Small. rocks..	-2.0792	29	0.0466	-4.9750	-9.8688	-0.0812
Shrubs..	-1.7605	29	0.0889	-0.5147	-1.1126	0.0832
Grass..	-1.0000	29	0.3256	-0.0493	-0.1502	0.0516
Branches..	1.0000	29	0.3256	0.1420	-0.1484	0.4324
Light...N	-8.0191	29	0.0000	-15.9767	-20.0514	-11.9019
Light...S	-7.5187	29	0.0000	-14.2900	-18.1772	-10.4028
Light...average	-9.2728	29	0.0000	-15.1333	-18.4712	-11.7955
total. rocks	-2.8178	29	0.0086	-14.6587	-25.2983	-4.0190

## Moth trees have different lichen communities

```

abun <- apply(com, 1, sum)
rich <- apply(com, 1, function(x) sum(sign(x)))
shan <- apply(com, 1, diversity, index = "shannon")
tt.a <- t.test(apply(abun, 1.dat[, "Tree.pairs"], diff))
tt.r <- t.test(apply(rich, 1.dat[, "Tree.pairs"], diff))
tt.h <- t.test(apply(shan, 1.dat[, "Tree.pairs"], diff))
tt.arh <- do.call(rbind,
  list(a = unlist(tt.a),
       r = unlist(tt.r),
       h = unlist(tt.h)))
tt.arh <- apply(tt.arh[, 1:6], 2, as.numeric)
ard.mu <- rbind(apply(abun, 1.dat[, "Moth"], mean),
  apply(rich, 1.dat[, "Moth"], mean),
  apply(shan, 1.dat[, "Moth"], mean))

```

```
ard.se <- rbind(tapply(abun, l.dat[, "Moth"], se),
               tapply(rich, l.dat[, "Moth"], se),
               tapply(shan, l.dat[, "Moth"], se))
ard.mu <- cbind(ard.mu[, "0"], ard.se[, "0"],
               ard.mu[, "1"], ard.se[, "1"])
colnames(ard.tab) <- c("Susceptible Mean", "Susceptible SE",
                     "Resistant Mean", "Resistant SE")
rownames(ard.tab) <- c("Abundance", "Richness", "Diversity (Shannon)")

kable(ard.tab, digits = 3)
```

	Susceptible Mean	Susceptible SE	Resistant Mean	Resistant SE
Abundance	1.210	0.351	2.754	0.567
Richness	3.500	0.542	6.033	0.662
Diversity (Shannon)	0.707	0.119	1.144	0.125

```
kable(tt.arh, digits = 3)
```

statistic.t	parameter.df	p.value	conf.int1	conf.int2	estimate.mean of x
-2.249	29	0.032	-2.948	-0.140	-1.544
-2.955	29	0.006	-4.287	-0.780	-2.533
-2.447	29	0.021	-0.802	-0.072	-0.437

Composition is different (PERMANOVA, in text and supplement)

```
com.ds <- cbind(com, ds = rep(0.0001, nrow(com)))
com.ds.rel <- apply(com, 2, function(x) x/max(x))
com.ds.rel <- cbind(com.ds.rel, ds = rep(0.0001, nrow(com)))
com.ds.rel[is.na(com.ds.rel)] <- 0

set.seed(123)
ptab.moth <- adonis2(com.ds ~ Moth, data = l.dat,
                    strata = l.dat[, "Tree.pairs"],
                    by = "margin", nperm = 100000)

set.seed(123)
ptab.moth.rel <- adonis2(com.ds.rel ~ Moth, data = l.dat,
                        strata = l.dat[, "Tree.pairs"],
                        by = "margin", nperm = 100000)

kable(ptab.moth)
```

	Df	SumOfSqs	R2	F	Pr(>F)
Moth	1	0.8329281	0.0389768	2.352343	0.023
Residual	58	20.5368939	0.9610232	NA	NA
Total	59	21.3698219	1.0000000	NA	NA

```
kable(ptab.moth.rel)
```

	Df	SumOfSqs	R2	F	Pr(>F)
Moth	1	0.8791695	0.0405034	2.448363	0.021
Residual	58	20.8269063	0.9594966	NA	NA
Total	59	21.7060758	1.0000000	NA	NA

three main species were reduced by moths (FDR paired t-tests, in text + supplement)

```
ind.spp <- apply(com, 2, function(x, p) t.test(tapply(x, p, diff)), p = l.dat[, "Tree.pairs"])
isp <- apply(do.call(rbind, lapply(ind.spp, unlist)), 2, as.numeric)
```

```
## Warning in apply(do.call(rbind, lapply(ind.spp, unlist)), 2, as.numeric): NAs
## introduced by coercion
```

```
## Warning in apply(do.call(rbind, lapply(ind.spp, unlist)), 2, as.numeric): NAs
## introduced by coercion
```

```
## Warning in apply(do.call(rbind, lapply(ind.spp, unlist)), 2, as.numeric): NAs
## introduced by coercion
```

```
rownames(isp) <- names(ind.spp)
isp[, "p.value"] <- p.adjust(isp[, "p.value"], method = "fdr")
isp.all <- isp[, !(apply(isp, 2, function(x) all(is.na(x))))]
isp <- isp[order(isp[, "p.value"]), ]
```

```
isp.all <- isp.all[, c(1, 2, 3, 6, 4, 5)]
colnames(isp.all) <- c("t", "df", "p-value", "Mean Difference", "Lower CI 95%", "Upper CI 95%")
kable(isp.all, digits = 4)
```

	t	df	p-value	Mean Difference	Lower CI 95%	Upper CI 95%
Aacon	-3.3776	29	0.0159	-0.0447	-0.0717	-0.0176
Acaame	-3.2421	29	0.0159	-0.1607	-0.2620	-0.0593
Acaobp	-1.0747	29	0.4341	-0.2860	-0.8303	0.2583
Sterile.sp	-1.0000	29	0.4341	-0.0020	-0.0061	0.0021
Brown.cr	NaN	29	NaN	0.0000	NaN	NaN
Lobalp	-2.0414	29	0.2016	-0.0047	-0.0093	0.0000
Canros	-3.5819	29	0.0159	-0.3837	-0.6027	-0.1646
Calare	-1.6076	29	0.2563	-0.0307	-0.0697	0.0083
Phydub	-1.9226	29	0.2061	-0.1053	-0.2174	0.0067
Rhichr	-1.5803	29	0.2563	-0.2310	-0.5300	0.0680
Xanlin	-0.6170	29	0.6672	-0.2267	-0.9781	0.5247
Xanpli	-0.2598	29	0.8500	-0.0277	-0.2455	0.1901
Xanele	-1.5662	29	0.2563	-0.0473	-0.1091	0.0145
GrBr.cr	1.0000	29	0.4341	0.0013	-0.0014	0.0041
Gray.cr	0.1093	29	0.9137	0.0003	-0.0059	0.0066
Synrur	0.3628	29	0.8221	0.0220	-0.1020	0.1460
Cerpur.Bryarg	-1.2357	29	0.4027	-0.0173	-0.0460	0.0114

```
write.csv(round(isp.all, 5), file = "results/scrl_isp_table.csv")
```

Calculate the average abundances of the indicators

```
isp.names <- as.character(na.omit(rownames(isp[isp[, "p.value"] < 0.05, ])))
isp.com <- com[, colnames(com) %in% isp.names]
```

```
isp.dif <- apply(isp.com, 2, function(x,y) tapply(x, y, diff), y = l.dat[, "Tree.pairs"])
```

Create a multi-bar plot figure for the community.

```
isp.dat <- melt(isp.dif)
colnames(isp.dat) <- c("Tree.pairs", "Species", "diff")
isp.mu <- tapply(isp.dat[, "diff"], isp.dat[, "Species"], mean)
isp.se <- tapply(isp.dat[, "diff"], isp.dat[, "Species"], se)
ard.dif <- cbind(tapply(abun, l.dat[, "Tree.pairs"], diff),
                tapply(rich, l.dat[, "Tree.pairs"], diff),
                tapply(shan, l.dat[, "Tree.pairs"], diff))
colnames(ard.dif) <- c("Abundance", "Richness", "Diversity")
ard.dat <- melt(ard.dif)
colnames(ard.dat) <- c("Tree.pairs", "Stat", "diff")
ard.mu <- tapply(ard.dat[, "diff"], ard.dat[, "Stat"], mean)
ard.se <- tapply(ard.dat[, "diff"], ard.dat[, "Stat"], se)

pdf(file = "./results/scrl_isp_ard.pdf", width = 9, height = 5)

par(mfrow = c(1,2))
bp.out <- barplot(ard.mu, col = "darkgrey", ylim = c(-5, 0),
                 ylab = "Difference (S - R)", border = "NA")
segments(bp.out[, 1], ard.mu + ard.se,
         bp.out[, 1], ard.mu - ard.se,
         lwd = 1.5)
bp.out <- barplot(isp.mu, col = "darkgrey", ylim = c(-0.5, 0),
                 ylab = "Difference (S - R)", border = "NA",
                 axisnames = TRUE,
                 names.arg = sapply(names(isp.mu),
                                   function(x)
                                     paste(c(substr(x, 1, 1),
                                               substr(x, 4, 4)), collapse = "")))
segments(bp.out[, 1], isp.mu + isp.se,
         bp.out[, 1], isp.mu - isp.se,
         lwd = 1.5)
dev.off()
```

```
## pdf
## 2
```

Create a plot of the two most indicative species

```
pdf(file = "./results/scrl_complot.pdf", width = 7, height = 7)
plot(com[, c("Acaame", "Canros")], pch = l.dat[, "Moth"] + 1, cex = 3, col = l.dat[, "Moth"] + 1)
legend("topleft", title = "Tree Type", legend = c("Resistant", "Susceptible"), pch = c(2, 1), col = c(2, 1))
dev.off()
```

```
## pdf
## 2
```

Create plot with indicator taxa

```
pdf(file = "./results/scrl_pdif.pdf", width = 7, height = 7)
plot(melt(isp.dif)[-1], xlab = "Species", ylab = "Abundance Reduction")
dev.off()
```

```
## pdf
```


## 2

## Litter covering rocks was the main driver

Although light did significantly explain variation in the lichen community, this was not significant once the variation in litter was controlled for.

There was high correlation among environmental variables.

```
heatmap(abs(round(cor(env.dif), 3)))
```



```
set.seed(123)
ptab.env <- adonis2(com.ds ~ Litter.. + Light...average, data = l.dat,
  strata = l.dat[, "Tree.pairs"],
  by = "margin", nperm = 100000)
kable(ptab.env)
```

	Df	SumOfSqs	R2	F	Pr(>F)
Litter..	1	1.0035484	0.0469610	2.972456	0.007
Light...average	1	0.4114619	0.0192543	1.218728	0.243
Residual	57	19.2441042	0.9005271	NA	NA
Total	59	21.3698219	1.0000000	NA	NA

```
set.seed(123)
ptab.env <- adonis2(com.ds ~ Light...average + Litter.. , data = l.dat,
  strata = l.dat[, "Tree.pairs"],
```



```
by = "margin", nperm = 100000)
kable(ptab.env)
```

	Df	SumOfSqs	R2	F	Pr(>F)
Light...average	1	0.4114619	0.0192543	1.218728	0.243
Litter..	1	1.0035484	0.0469610	2.972456	0.007
Residual	57	19.2441042	0.9005271	NA	NA
Total	59	21.3698219	1.0000000	NA	NA

```
set.seed(123)
ptab.env <- adonis2(com.ds ~ Litter.. + Light...average + Litter.. * Light...average, data = l.dat,
  strata = l.dat[, "Tree.pairs"],
  by = "margin", nperm = 100000)
kable(ptab.env)
```

	Df	SumOfSqs	R2	F	Pr(>F)
Litter...Light...average	1	0.6021127	0.0281758	1.808729	0.077
Residual	56	18.6419916	0.8723513	NA	NA
Total	59	21.3698219	1.0000000	NA	NA

```
set.seed(123)
ptab.env <- adonis2(com.ds ~ total.rocks ,
  strata = l.dat[, "Tree.pairs"],
  by = "term", nperm = 100000)
kable(ptab.env)
```

	Df	SumOfSqs	R2	F	Pr(>F)
total.rocks	1	1.664876	0.0779078	4.900435	0.002
Residual	58	19.704946	0.9220922	NA	NA
Total	59	21.369822	1.0000000	NA	NA

```
set.seed(123)
ptab.env <- adonis2(com.ds ~ Big.rocks.. , data = l.dat,
  strata = l.dat[, "Tree.pairs"],
  by = "term", nperm = 100000)
kable(ptab.env)
```

	Df	SumOfSqs	R2	F	Pr(>F)
Big.rocks..	1	2.428473	0.1136403	7.436188	0.001
Residual	58	18.941349	0.8863597	NA	NA
Total	59	21.369822	1.0000000	NA	NA

```
set.seed(123)
ptab.env <- adonis2(com.ds ~ Small.rocks.. , data = l.dat,
  strata = l.dat[, "Tree.pairs"],
```

```
by = "term", nperm = 100000)
kable(ptab.env)
```

	Df	SumOfSqs	R2	F	Pr(>F)
Small.rocks..	1	0.2204425	0.0103156	0.604541	0.782
Residual	58	21.1493794	0.9896844	NA	NA
Total	59	21.3698219	1.0000000	NA	NA

```
set.seed(123)
ptab.env <- adonis2(com.ds ~ Litter.. , data = l.dat,
  strata = l.dat[, "Tree.pairs"],
  by = "term", nperm = 100000)
kable(ptab.env)
```

	Df	SumOfSqs	R2	F	Pr(>F)
Litter..	1	1.714256	0.0802185	5.058457	0.002
Residual	58	19.655566	0.9197815	NA	NA
Total	59	21.369822	1.0000000	NA	NA

Because light was significantly, negatively correlated with litter and large rocks.

```
cor.test(env.dif[, "Big.rocks.."], env.dif[, "Litter.."])
```


```
##
## Pearson's product-moment correlation
##
## data: env.dif[, "Big.rocks.."] and env.dif[, "Litter.."]
## t = -11.106, df = 28, p-value = 9.054e-12
## alternative hypothesis: true correlation is not equal to 0
## 95 percent confidence interval:
## -0.9530598 -0.8039735
## sample estimates:
## cor
## -0.9027609
```

```
pdf("./results/scrl_litterVbigrocks.pdf", width = 5, height = 5)
dev.off()
```

```
## pdf
## 2
```

```
par(mfrow = c(1,3))
plot(density(tapply(l.dat[, "Litter.."], l.dat[, "Tree.pairs"], diff)),
  main = "", xlab = "Litter Difference (S - R)")
abline(v = mean(tapply(l.dat[, "Litter.."], l.dat[, "Tree.pairs"], diff)),
  lwd = 0.5)
plot(env.dif[, "Big.rocks.."] ~ env.dif[, "Litter.."],
  xlab = "Litter Difference (S - R)", ylab = "Rock Cover (size >3 cm) Difference (S - R)",
  pch = 19, cex = 1.5)
abline(lm(env.dif[, "Big.rocks.."] ~ env.dif[, "Litter.."]))
plot(tapply(l.dat[, "Litter.."], l.dat[, "Tree.pairs"], diff),
  tapply(l.dat[, "Light...average"], l.dat[, "Tree.pairs"], diff),
```

```
xlab = "Litter Difference (S - R)", ylab = "Light Difference (S - R)",
pch = 19, cex = 1.5)
```



```
pdf("./results/scrl_litter_effects.pdf", width = 10, height = 5)
par(mfrow = c(1,3))
plot(density(tapply(l.dat[, "Litter.."], l.dat[, "Tree.pairs"], diff)),
     main = "", xlab = "Litter Difference (S - R)")
abline(v = mean(tapply(l.dat[, "Litter.."], l.dat[, "Tree.pairs"], diff)),
       lwd = 0.5)
plot(env.dif[, "Big.rock.."] ~ env.dif[, "Litter.."],
     xlab = "Litter Difference (S - R)", ylab = "Rock Cover (size >3 cm) Difference (S - R)",
     pch = 19, cex = 1.5)
abline(lm(env.dif[, "Big.rock.."] ~ env.dif[, "Litter.."]))
plot(tapply(l.dat[, "Litter.."], l.dat[, "Tree.pairs"], diff),
     tapply(l.dat[, "Light...average"], l.dat[, "Tree.pairs"], diff),
     xlab = "Litter Difference (S - R)", ylab = "Light Difference (S - R)",
     pch = 19, cex = 1.5)
dev.off()
```

```
## pdf
## 2
```

```
nmds.out <- nmds(vegdist(com.ds), 2, 2)
ord <- nmds.min(nmds.out, dims = 2)
```

```
## Minimum stress for given dimensionality: 0.2169355
## r^2 for minimum stress configuration: 0.6416469
```

```
ord.pch <- c("R", "S")[(l.dat[, "Moth"] + 1)]
plot(X2 ~ X1, data = ord, pch = ord.pch)
```



Litter not light was correlated with large rocks (dist cor, in text). Thus, higher amounts of litter under trees was not related to the penetration of light under the tree canopy.

```
cor.test(tapply(l.dat[, "Big.rock.."], l.dat[, "Tree.pairs"], diff),
         tapply(l.dat[, "Litter.."], l.dat[, "Tree.pairs"], diff))
```

```
##
## Pearson's product-moment correlation
##
## data:  tapply(l.dat[, "Big.rock.."], l.dat[, "Tree.pairs"], diff) and tapply(l.dat[, "Litter.."], l.dat[, "Tree.pairs"], diff)
## t = -11.106, df = 28, p-value = 9.054e-12
## alternative hypothesis: true correlation is not equal to 0
## 95 percent confidence interval:
## -0.9530598 -0.8039735
## sample estimates:
##      cor
## -0.9027609
```

```
cor.test(tapply(l.dat[, "Big.rock.."], l.dat[, "Tree.pairs"], diff),
         tapply(l.dat[, "Light...average"], l.dat[, "Tree.pairs"], diff))
```

```
##
## Pearson's product-moment correlation
##
## data:  tapply(l.dat[, "Big.rock.."], l.dat[, "Tree.pairs"], diff) and tapply(l.dat[, "Light...average"], l.dat[, "Tree.pairs"], diff)
## t = 0.71624, df = 28, p-value = 0.4798
## alternative hypothesis: true correlation is not equal to 0
## 95 percent confidence interval:
## -0.2376184 0.4716125
## sample estimates:
##      cor
## 0.1341335
```

```
cor.test(tapply(l.dat[, "Litter.."], l.dat[, "Tree.pairs"], diff),
         tapply(l.dat[, "Light...average"], l.dat[, "Tree.pairs"], diff))
```

```
##
## Pearson's product-moment correlation
##
## data:  tapply(l.dat[, "Litter.."], l.dat[, "Tree.pairs"], diff) and tapply(l.dat[, "Light...average"],
## t = -0.92053, df = 28, p-value = 0.3652
## alternative hypothesis: true correlation is not equal to 0
## 95 percent confidence interval:
## -0.5007401  0.2013096
## sample estimates:
##          cor
## -0.1713898
```

```
cor.test(tapply(l.dat[, "Small.rocks.."], l.dat[, "Tree.pairs"], diff),
         tapply(l.dat[, "Litter.."], l.dat[, "Tree.pairs"], diff))
```

```
##
## Pearson's product-moment correlation
##
## data:  tapply(l.dat[, "Small.rocks.."], l.dat[, "Tree.pairs"], diff) and tapply(l.dat[, "Litter.."],
## t = -4.994, df = 28, p-value = 2.819e-05
## alternative hypothesis: true correlation is not equal to 0
## 95 percent confidence interval:
## -0.8391386 -0.4332285
## sample estimates:
##          cor
## -0.6863699
```

## Vegetation Analysis

### Results Summary

- Both vegetation and light from the plant dataset respond to moth susceptibility (see t-tests below)
- Plant cover, richness and Shannon's diversity respond to moth susceptibility (see t-tests below)
- Plant community composition using Bray-Curtis dissimilarity and a PERMANOVA model that accounts for tree pairs is significantly affected by moth susceptibility (Tables 11-12)
- Using the light, litter and rock cover from the saxicole dataset, plant community composition is significantly correlated with light and litter but not rock cover. Light has a strong effect but the effect of litter is weak and is non-significant after controlling for the effect of light, suggesting that the effect of litter is due to the covariance between light and litter (Tables 13-16)
- Two main species of plant were indicators of moth susceptibility: Apache plume and *Asteraceae ovals*. Both showed reduced cover under moth susceptible trees (Table 17)
- Saxicole and plant communities were not multivariately correlated based on Mantel Tests on both un-relativized and species max relativized cover (see Mantel Test below)

### From Richard Michalet

First sheet is the vegetation matrix with all relevés.

Second sheet are values of vegetation cover, rock cover and species richness in all replicates of all treatments + mean values of treatments and corresponding graphs.

From what I remember the methods were simple, quadrats of 1square meter in four treatments

with a full factorial design, exposure (north and south of the tree), mortality (alive vs dead shrubs), tree susceptibility (resistant vs susceptible) and tree presence (below the canopy or outside the canopy in open conditions at the close vicinity of the trees).

You can see that without stats results are obvious: strong effect of tree susceptibility only below the tree and in both exposure for both alive and dead trees.

```
library(readxl)

veg <- readxl::read_xlsx("data/Vegetation.xlsx")
veg <- as.data.frame(veg)
l.raw <- read.csv("data/rawdata Sunset Crater for Matt.csv")
l.raw <- l.raw[!(grepl("cover", l.raw[,1])),]
le.raw <- read.csv("data/rawdata Sunset Crater for Matt_env.csv")
le.raw <- le.raw[!(grepl("cover", le.raw[,1])),]
le.raw <- na.omit(le.raw)
```

## Observation checks

Do the saxicole community and environment data match?

```
## [1] TRUE
```

Are all of the trees in the saxicole dataset represented in the veg dataset?

```
## [1] TRUE
```

## Coalesce datasets

```
l.d <- data.frame(le.raw[, -2:-3], l.raw[, -1:-3])
l.d <- split(l.d, l.d[, "Tree.ID"])
l.d <- l.d[names(l.d) %in% le.raw[, "Tree.ID"]]
l.d <- lapply(l.d, function(x) x[, -1])
l.d <- lapply(l.d, apply, 2, mean)
l.df <- do.call(rbind, l.d)
trt <- strsplit(rownames(l.df), "")
moth.alive <- lapply(trt, function(x) x[x %in% c(letters, LETTERS)][1:2])
moth.alive <- do.call(rbind, moth.alive)
tree <- lapply(trt, function(x) x[x %in% 0:9])
tree <- as.numeric(unlist(lapply(tree, paste, collapse = "")))
l.df <- data.frame(Tree.pairs = tree,
                  Moth = moth.alive[, 1],
                  Live.Dead = moth.alive[, 2],
                  l.df)
l.df <- l.df[l.df[, "Live.Dead"] == "A", ]
l.df[, "Moth"] <- as.character(l.df[, "Moth"])
l.df[l.df[, "Moth"] == "R", "Moth"] <- 1
l.df[l.df[, "Moth"] == "S", "Moth"] <- 0
moth.tree <- paste(l.df[, "Moth"], l.df[, "Tree.pairs"], sep = "_")
l.df <- l.df[match(rownames(l.dat), moth.tree), ]
```

Check that l.dat and l.df are correctly coalesced:

```
## [1] TRUE
```

```
## [1] TRUE TRUE TRUE FALSE FALSE FALSE FALSE FALSE FALSE TRUE FALSE TRUE
## [13] TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE
```

```
## [25] TRUE TRUE
```

Check that the values of the variables match, excluding light:

The following vector should work to match-up the saxicoles with the veg data:

Checking the vegetation and rock cover correlations. We find that vegetation cover is significantly, but not strongly correlated with rock cover. Large rock cover measurements in the saxicole dataset is strongly correlated with total rock cover in the plant dataset.

Both vegetation and rock cover are strongly affected by moth susceptibility.

```
cor.test(v.dat[, "Vegetation.cover"], v.dat[, "Rock.cover"], alt = "greater")
```

```
##
## Pearson's product-moment correlation
##
## data: v.dat[, "Vegetation.cover"] and v.dat[, "Rock.cover"]
## t = 1.8835, df = 58, p-value = 0.03233
## alternative hypothesis: true correlation is greater than 0
## 95 percent confidence interval:
## 0.0269872 1.0000000
## sample estimates:
## cor
## 0.2400809
```

```
cor.test(l.dat[, "Big.rock.."], v.dat[, "Rock.cover"], alt = "greater")
```

```
##
## Pearson's product-moment correlation
##
## data: l.dat[, "Big.rock.."] and v.dat[, "Rock.cover"]
## t = 9.5342, df = 58, p-value = 8.816e-14
## alternative hypothesis: true correlation is greater than 0
## 95 percent confidence interval:
## 0.6809688 1.0000000
## sample estimates:
## cor
## 0.7813334
```

```
t.test(tapply(v.dat[, "Rock.cover"], v.dat[, "Tree.Pair"], diff))
```

```
##
## One Sample t-test
##
## data: tapply(v.dat[, "Rock.cover"], v.dat[, "Tree.Pair"], diff)
## t = -3.3582, df = 29, p-value = 0.002208
## alternative hypothesis: true mean is not equal to 0
## 95 percent confidence interval:
## -27.621617 -6.711716
## sample estimates:
## mean of x
## -17.16667
```

```
t.test(tapply(v.dat[, "Vegetation.cover"], v.dat[, "Tree.Pair"], diff))
```

```
##
## One Sample t-test
##
```

```
## data:  tapply(v.dat[, "Vegetation.cover"], v.dat[, "Tree.Pair"], diff)
## t = -7.2026, df = 29, p-value = 6.269e-08
## alternative hypothesis: true mean is not equal to 0
## 95 percent confidence interval:
##  -28.67505 -15.99162
## sample estimates:
## mean of x
## -22.33333
```

Both plant richness and Shannon's Diversity index were significantly affected by moth susceptibility.

```
v.abun <- v.dat[, "Vegetation.cover"]
v.rich <- apply(v.com, 1, function(x) sum(sign(x)))
v.shan <- apply(v.com, 1, diversity)

t.test(tapply(v.rich, l.dat[, "Tree.pairs"], diff))
```

```
##
## One Sample t-test
##
## data:  tapply(v.rich, l.dat[, "Tree.pairs"], diff)
## t = -7.477, df = 29, p-value = 3.062e-08
## alternative hypothesis: true mean is not equal to 0
## 95 percent confidence interval:
##  -1.6555988 -0.9444012
## sample estimates:
## mean of x
##      -1.3
```

```
t.test(tapply(v.shan, l.dat[, "Tree.pairs"], diff))
```

```
##
## One Sample t-test
##
## data:  tapply(v.shan, l.dat[, "Tree.pairs"], diff)
## t = -4.2192, df = 29, p-value = 0.00022
## alternative hypothesis: true mean is not equal to 0
## 95 percent confidence interval:
##  -0.4386895 -0.1522394
## sample estimates:
## mean of x
## -0.2954645
```

```
v.ard.mu <- rbind(tapply(v.dat[, "Vegetation.cover"], l.dat[, "Moth"], mean),
                  tapply(rich, l.dat[, "Moth"], mean),
                  tapply(shan, l.dat[, "Moth"], mean))
v.ard.se <- rbind(tapply(v.dat[, "Vegetation.cover"], l.dat[, "Moth"], se),
                  tapply(rich, l.dat[, "Moth"], se),
                  tapply(shan, l.dat[, "Moth"], se))
v.ard.tab <- cbind(v.ard.mu[, "0"], v.ard.se[, "0"],
                  v.ard.mu[, "1"], v.ard.se[, "1"])
colnames(v.ard.tab) <- c("Susceptible Mean", "Susceptible SE",
                        "Resistant Mean", "Resistant SE")
rownames(v.ard.tab) <- c("Abundance", "Richness", "Diversity (Shannon)")

kable(v.ard.tab, digits = 3)
```



	Susceptible Mean	Susceptible SE	Resistant Mean	Resistant SE
Abundance	3.733	1.511	26.067	2.758
Richness	3.500	0.542	6.033	0.662
Diversity (Shannon)	0.707	0.119	1.144	0.125

This is a multivariate analysis of the plant community response to moth susceptibility (PERMANOVA). This analysis uses a modified Bray-Curtis Dissimilarity metric, which permits the inclusion of quadrats that had no plants in them. The analysis also accounts for the paired structure of the data (i.e. pairs of moth susceptible and resistant trees).

```
set.seed(123)
ptab.v.moth <- adonis2(v.com.ds ~ Moth, data = l.dat,
                      strata = v.dat[, "Tree.pairs"],
                      by = "margin", nperm = 100000)

set.seed(123)
ptab.v.moth.rel <- adonis2(v.com.ds.rel ~ Moth, data = l.dat,
                          strata = v.dat[, "Tree.pairs"],
                          by = "margin", nperm = 100000)
```

Here are the results of the multivariate plant community response.

Table 15: PERMANOVA of plant community response to moth.

	Df	SumOfSqs	R2	F	Pr(>F)
Moth	1	5.174376	0.3081168	25.82917	0.001
Residual	58	11.619181	0.6918832	NA	NA
Total	59	16.793557	1.0000000	NA	NA

Here are the results of the multivariate plant community response after relativizing by species max.

Table 16: PERMANOVA of relativized plant community response to moth.

	Df	SumOfSqs	R2	F	Pr(>F)
Moth	1	5.989174	0.288048	23.46617	0.001
Residual	58	14.803100	0.711952	NA	NA
Total	59	20.792275	1.000000	NA	NA

Do light, litter or rock cover influence plant communities?

```
set.seed(123)
ptab.v.env <- adonis2(v.com.ds ~ Light...average + Litter.. + Big.rock...,
                    data = l.dat,
                    strata = l.dat[, "Tree.pairs"],
                    by = "margin", nperm = 100000)

set.seed(123)
ptab.v.env.total.rock <- adonis2(v.com.ds ~ Light...average + Litter.. + total.rock,
                                data = l.dat,
                                strata = l.dat[, "Tree.pairs"],
                                by = "margin", nperm = 100000)

set.seed(123)
```

```

ptab.v.env.rel <- adonis2(v.com.ds.rel ~ Light...average + Litter.. + total.rocks,
  data = l.dat,
  strata = l.dat[, "Tree.pairs"],
  by = "margin", nperm = 100000)

set.seed(123)
ptab.v.env.int <- adonis2(v.com.ds ~ Light...average + Litter.. + total.rocks +
  Light...average * Litter.. +
  Light...average * total.rocks +
  Litter.. * total.rocks,
  data = l.dat,
  strata = l.dat[, "Tree.pairs"],
  by = "margin", nperm = 100000)

set.seed(123)
ptab.v.env.rel.int <- adonis2(v.com.ds.rel ~ Light...average + Litter.. + total.rocks +
  Light...average * Litter.. +
  Light...average * total.rocks +
  Litter.. * total.rocks,
  data = l.dat,
  strata = l.dat[, "Tree.pairs"],
  by = "margin", nperm = 100000)

```

Light has a strong effect on the plant community. Litter also has an effect but it is small and marginally significant, either un-relativized or relativized, respectively.

Table 17: PERMANOVA of plant community response to several environmental variables.

	Df	SumOfSqs	R2	F	Pr(>F)
Light...average	1	2.8692870	0.1708564	12.696810	0.001
Litter..	1	0.6890028	0.0410278	3.048889	0.049
Big.rocks..	1	0.3621592	0.0215654	1.602582	0.189
Residual	56	12.6551530	0.7535719	NA	NA
Total	59	16.7935571	1.0000000	NA	NA

Table 18: PERMANOVA of relativized plant community response to several environmental variables.

	Df	SumOfSqs	R2	F	Pr(>F)
Light...average	1	3.4724258	0.1670056	12.245941	0.001
Litter..	1	0.3437323	0.0165317	1.212215	0.291
total.rocks	1	0.3501066	0.0168383	1.234694	0.282
Residual	56	15.8792084	0.7637071	NA	NA
Total	59	20.7922745	1.0000000	NA	NA

```

set.seed(123)
ptab.v.env.seq <- adonis2(v.com.ds ~ Light...average + Litter.. + total.rocks,
  data = l.dat,
  strata = l.dat[, "Tree.pairs"],
  by = "term", nperm = 100000)

set.seed(123)
ptab.v.env.rel.seq <- adonis2(v.com.ds.rel ~ Light...average + Litter.. + total.rocks,

```

```
data = l.dat,
strata = l.dat[, "Tree.pairs"],
by = "term", nperm = 100000)
```

After controlling for the effect of light, the effect of litter is no longer significant, un-relativized or relativized, respectively.

Table 19: Sequential PERMANOVA of plant community response to several environmental variables. Variance is explained sequentially by factors entered into the model from top to bottom.

	Df	SumOfSqs	R2	F	Pr(>F)
Light...average	1	3.2765116	0.1951053	14.567808	0.001
Litter..	1	0.4997333	0.0297574	2.221881	0.098
total.rock	1	0.4220991	0.0251346	1.876709	0.128
Residual	56	12.5952131	0.7500027	NA	NA
Total	59	16.7935571	1.0000000	NA	NA

Table 20: Sequential PERMANOVA of relativized plant community response to several environmental variables. Variance is explained sequentially by factors entered into the model from top to bottom.

	Df	SumOfSqs	R2	F	Pr(>F)
Light...average	1	3.8762571	0.1864278	13.670102	0.001
Litter..	1	0.6867025	0.0330268	2.421742	0.060
total.rock	1	0.3501066	0.0168383	1.234694	0.282
Residual	56	15.8792084	0.7637071	NA	NA
Total	59	20.7922745	1.0000000	NA	NA

- Indicator species

```
## Warning in apply(do.call(rbind, lapply(ind.spp.v, unlist))), 2, as.numeric): NAs
## introduced by coercion
```

```
## Warning in apply(do.call(rbind, lapply(ind.spp.v, unlist))), 2, as.numeric): NAs
## introduced by coercion
```

```
## Warning in apply(do.call(rbind, lapply(ind.spp.v, unlist))), 2, as.numeric): NAs
## introduced by coercion
```

There are two species that are responding to moth susceptibility, Apache plume and *Asteraceae ovals*.

Table 21: Indicator Species Analysis using False Discovery Rate (FDR) adjusted p-values from t-tests of paired differences between resistant and susceptible trees (Resistant - Susceptible).

	t	df	p-value	Mean Difference	Lower CI 95%	Upper CI 95%
Apache.plume	-4.6010	29	0.0007	-10.2667	-14.8304	-5.7029
Asteraceae.ovals	-3.9581	29	0.0020	-8.1333	-12.3360	-3.9307
Rhus.trilobata	-1.8410	29	0.1869	-3.1667	-6.6847	0.3514
Rabbit.brush	-1.0000	29	0.3256	-0.6667	-2.0302	0.6968
Avena	-1.7951	29	0.1869	-0.2000	-0.4279	0.0279

	t	df	p-value	Mean Difference	Lower CI 95%	Upper CI 95%
Juniperus.monosperma	-1.0000	29	0.3256	-0.1667	-0.5075	0.1742
Plante.grise.allongée	-1.0000	29	0.3256	-0.1000	-0.3045	0.1045
Scarlet.glia	-1.0000	29	0.3256	-0.0667	-0.2030	0.0697
Bouteloua.gracilis	NaN	29	NaN	0.0000	NaN	NaN
Pinus.edulis.S	NaN	29	NaN	0.0000	NaN	NaN
Stipa.A	NaN	29	NaN	0.0000	NaN	NaN
Stipa.B	NaN	29	NaN	0.0000	NaN	NaN
Stipa.très.grand	NaN	29	NaN	0.0000	NaN	NaN
Ephedra	NaN	29	NaN	0.0000	NaN	NaN
Grande.grass.corymbe	NaN	29	NaN	0.0000	NaN	NaN
Boraginacée.rosette.grise	NaN	29	NaN	0.0000	NaN	NaN
Grass.à.nœud	NaN	29	NaN	0.0000	NaN	NaN
Brachypode	NaN	29	NaN	0.0000	NaN	NaN
Carex	NaN	29	NaN	0.0000	NaN	NaN
Cactus	NaN	29	NaN	0.0000	NaN	NaN
Hordeum	NaN	29	NaN	0.0000	NaN	NaN
Chenopodiaceae	NaN	29	NaN	0.0000	NaN	NaN
Ribes	NaN	29	NaN	0.0000	NaN	NaN
Aster.grise	NaN	29	NaN	0.0000	NaN	NaN
Rosette.frisée	NaN	29	NaN	0.0000	NaN	NaN
Chamaephyte.gris	NaN	29	NaN	0.0000	NaN	NaN
Castilleja	NaN	29	NaN	0.0000	NaN	NaN
Opuntia	NaN	29	NaN	0.0000	NaN	NaN
Rubiaceae	NaN	29	NaN	0.0000	NaN	NaN
Andropogon	NaN	29	NaN	0.0000	NaN	NaN
Pinus.edulis.R	1.0000	29	0.3256	0.3333	-0.3484	1.0151

## Multivariate Correlation of Plants and Saxicoles

There is no significant multivariate correlation between the veg and saxicole communities, regardless of whether the community data are relativized. This is likely a result of the two communities responded to different variables with low correlation (i.e. rocks = saxicoles and light = plants). This was true either without or with relativization by species max.

```
v.d <- vegdist(v.com.ds)
```

```
l.d <- vegdist(com.ds)
```

```
mantel(v.d ~ l.d)
```

```
##      mantelr      pval1      pval2      pval3      llim.2.5%      ulim.97.5%
## -0.002762319  0.513000000  0.488000000  0.914000000 -0.034504235  0.032707393
```

```
v.d <- vegdist(v.com.ds.rel)
```

```
l.d <- vegdist(com.ds.rel)
```

```
mantel(v.d ~ l.d)
```

```
##      mantelr      pval1      pval2      pval3      llim.2.5%      ulim.97.5%
##  0.02328021  0.21200000  0.78900000  0.44300000 -0.01176642  0.05838093
```

## Structural Equation Modeling

```
library(piecewiseSEM)
library(distantia)

com.prepared <- cbind(id = 1.dat[, "Moth"], tree = 1.dat[, "Tree.pairs"], com)
v.com.prepared <- cbind(id = 1.dat[, "Moth"], tree = 1.dat[, "Tree.pairs"], v.com)

l1.dist.euc <- distancePairedSamples(
  sequences = com.prepared,
  grouping.column = "id",
  time.column = "tree",
  exclude.columns = NULL,
  method = "euclidean",
  sum.distances = FALSE,
  parallel.execution = FALSE
)

l1.dist.man <- distancePairedSamples(
  sequences = com.prepared,
  grouping.column = "id",
  time.column = "tree",
  exclude.columns = NULL,
  method = "manhattan",
  sum.distances = FALSE,
  parallel.execution = FALSE
)

v1.dist.euc <- distancePairedSamples(
  sequences = v.com.prepared,
  grouping.column = "id",
  time.column = "tree",
  exclude.columns = NULL,
  method = "euclidean",
  sum.distances = FALSE,
  parallel.execution = FALSE
)

v1.dist.man <- distancePairedSamples(
  sequences = v.com.prepared,
  grouping.column = "id",
  time.column = "tree",
  exclude.columns = NULL,
  method = "manhattan",
  sum.distances = FALSE,
  parallel.execution = FALSE
)

cor(l1.dist.man[[1]], l1.dist.euc[[1]])

## [1] 0.9422796

cor(v1.dist.man[[1]], v1.dist.euc[[1]])

## [1] 0.9612754
```

```

d.litter <- tapply(l.dat[, "Litter.."], l.dat[, "Tree.pairs"], diff)
d.rock <- tapply((l.dat[, "Big.rock.."] + l.dat[, "Small.rock.."]),
                l.dat[, "Tree.pairs"], diff)
d.light <- tapply(l.dat[, "Light...average"], l.dat[, "Tree.pairs"], diff)
d.com <- l.dist.man[[1]]
d.abun <- tapply(abun, l.dat[, "Tree.pairs"], diff)
d.rich <- tapply(rich, l.dat[, "Tree.pairs"], diff)
d.shan <- tapply(shan, l.dat[, "Tree.pairs"], diff)
d.isp <- apply(isp.com, 2, function(x, f) tapply(x, f, diff), f = l.dat[, "Tree.pairs"])
colnames(d.isp) <- paste("d", colnames(isp.com), sep = ".")

round(cor(cbind(d.litter, d.rock, d.light, d.abun, d.rich, d.shan, d.com)), 3)

```

```

##          d.litter d.rock d.light d.abun d.rich d.shan d.com
## d.litter    1.000 -0.998 -0.171 -0.530 -0.695 -0.651  0.154
## d.rock      -0.998  1.000  0.196  0.513  0.694  0.656 -0.140
## d.light     -0.171  0.196  1.000  0.108  0.268  0.290 -0.133
## d.abun      -0.530  0.513  0.108  1.000  0.649  0.353 -0.448
## d.rich      -0.695  0.694  0.268  0.649  1.000  0.888 -0.143
## d.shan      -0.651  0.656  0.290  0.353  0.888  1.000 -0.071
## d.com        0.154 -0.140 -0.133 -0.448 -0.143 -0.071  1.000

```

```

sem.dat <- data.frame(d.litter, d.rock, d.light, d.abun, d.rich, d.shan, d.com, d.isp)
sem.path <- matrix(c(0, 1, 1, 0,
                    1, 0, 0, 1,
                    0, 0, 0, 1,
                    0, 0, 0, 0), 4, 4, byrow = TRUE)
rownames(sem.path) <- colnames(sem.path) <- c("d.litter", "d.light", "d.rock", "d.com")

```

```

model.com <- psem(lm(d.rock ~ d.litter, sem.dat), lm(d.com ~ d.light + d.rock, sem.dat))
model.com1 <- psem(lm(d.rock ~ d.litter, sem.dat), lm(d.com ~ d.litter + d.light + d.rock, sem.dat))
model.abun <- psem(lm(d.rock ~ d.litter, sem.dat), lm(d.abun ~ d.light + d.rock, sem.dat))
model.rich <- psem(lm(d.rock ~ d.litter, sem.dat), lm(d.rich ~ d.light + d.rock, sem.dat))
model.shan <- psem(lm(d.rock ~ d.litter, sem.dat), lm(d.shan ~ d.light + d.rock, sem.dat))
model.Acacon <- psem(lm(d.rock ~ d.litter, sem.dat), lm(d.Acacon ~ d.light + d.rock, sem.dat))
model.Acaame <- psem(lm(d.rock ~ d.litter, sem.dat), lm(d.Acaame ~ d.light + d.rock, sem.dat))
model.Canros <- psem(lm(d.rock ~ d.litter, sem.dat), lm(d.Canros ~ d.light + d.rock, sem.dat))
model.Canros1 <- psem(lm(d.rock ~ d.litter, sem.dat), lm(d.Canros ~ d.light + d.rock, sem.dat))

```

```

d.litter <- tapply(l.dat[, "Litter.."], l.dat[, "Tree.pairs"], diff)
d.rock <- tapply((l.dat[, "Big.rock.."] + l.dat[, "Small.rock.."]),
                l.dat[, "Tree.pairs"], diff)
d.light <- tapply(l.dat[, "Light...average"], l.dat[, "Tree.pairs"], diff)

```

```

d.v.com <- v.dist.man[[1]]
d.v.abun <- tapply(v.abun, l.dat[, "Tree.pairs"], diff)
d.v.rich <- tapply(v.rich, l.dat[, "Tree.pairs"], diff)
d.v.shan <- tapply(v.shan, l.dat[, "Tree.pairs"], diff)
d.v.isp <- apply(v.isp.com, 2, function(x, f) tapply(x, f, diff), f = l.dat[, "Tree.pairs"])
colnames(d.v.isp) <- paste("d", colnames(v.isp.com), sep = ".")
v.sem.dat <- data.frame(d.litter, d.rock, d.light, d.v.abun, d.v.rich, d.v.shan, d.v.com, d.v.isp)

```

```

model.v.com <- psem(lm(d.rock ~ d.litter, v.sem.dat), lm(d.v.com ~ d.light + d.rock, v.sem.dat))
model.v.com1 <- psem(lm(d.rock ~ d.litter, v.sem.dat), lm(d.v.com ~ d.litter + d.light + d.rock, v.s

```

```

model.v.abun <- psem(lm(d.rock ~ d.litter, v.sem.dat), lm(d.v.abun ~ d.light + d.rock, v.sem.dat))
model.v.rich <- psem(lm(d.rock ~ d.litter, v.sem.dat), lm(d.v.rich ~ d.light + d.rock, v.sem.dat))
model.v.shan <- psem(lm(d.rock ~ d.litter, v.sem.dat), lm(d.v.shan ~ d.light + d.rock, v.sem.dat))
model.v.Apache.plume <- psem(lm(d.rock ~ d.litter, v.sem.dat),
                             lm(d.Apache.plume ~ d.light + d.rock, v.sem.dat))
model.v.Asteraceae.ovals <- psem(lm(d.rock ~ d.litter, v.sem.dat),
                                 lm(d.Asteraceae.ovals ~ d.light + d.rock, v.sem.dat))

```

## Independent Test Method

Using indeendent tests for different effects along the hypothesized causal model that moth susceptibility affects tree traits (litter production), which affect the local environment (light, rocks), which in turn affect lichen, bryophyte and plant communities (abundance, richness, diversity, indicator species, composition).

moth-susceptibility -> tree traits -> local environment -> community

We can do this by parsing independent tests for each effect OR by using a structural equation model (SEM).

Testing for the effect of moth susceptibility:

```
t.test(d.litter)
```

```

##
##  One Sample t-test
##
## data:  d.litter
## t = 2.8665, df = 29, p-value = 0.00765
## alternative hypothesis: true mean is not equal to 0
## 95 percent confidence interval:
##   4.317792 25.822208
## sample estimates:
## mean of x
##    15.07

```

```
t.test(d.light)
```

```

##
##  One Sample t-test
##
## data:  d.light
## t = -9.2728, df = 29, p-value = 3.557e-10
## alternative hypothesis: true mean is not equal to 0
## 95 percent confidence interval:
##  -18.47119 -11.79547
## sample estimates:
## mean of x
## -15.13333

```

```
t.test(d.rock)
```

```

##
##  One Sample t-test
##
## data:  d.rock
## t = -2.8178, df = 29, p-value = 0.008617
## alternative hypothesis: true mean is not equal to 0
## 95 percent confidence interval:

```

```
## -25.298305 -4.019028
## sample estimates:
## mean of x
## -14.65867
```

Effects of tree traits on local environment and environment correlations:

```
cor.test(d.light, d.litter)
```

```
##
## Pearson's product-moment correlation
##
## data: d.light and d.litter
## t = -0.92053, df = 28, p-value = 0.3652
## alternative hypothesis: true correlation is not equal to 0
## 95 percent confidence interval:
## -0.5007401 0.2013096
## sample estimates:
## cor
## -0.1713898
```

```
cor.test(d.rock, d.light)
```

```
##
## Pearson's product-moment correlation
##
## data: d.rock and d.light
## t = 1.0584, df = 28, p-value = 0.2989
## alternative hypothesis: true correlation is not equal to 0
## 95 percent confidence interval:
## -0.1766215 0.5196770
## sample estimates:
## cor
## 0.1961275
```

```
summary(lm(d.rock ~ d.litter))
```

```
##
## Call:
## lm(formula = d.rock ~ d.litter)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.4466 -0.7468 -0.3273  0.2442  6.9590
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.22870    0.34616   0.661   0.514
## d.litter     -0.98788    0.01079 -91.529 <2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 1.674 on 28 degrees of freedom
## Multiple R-squared:  0.9967, Adjusted R-squared:  0.9965
## F-statistic: 8378 on 1 and 28 DF, p-value: < 2.2e-16
```

Effects of local environment on lichen, and possible direct effects of tree traits:



```
summary(lm(d.abun ~ d.rocks))
```

```
##
## Call:
## lm(formula = d.abun ~ d.rocks)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -7.8587 -1.3596  0.5429  1.6415  5.8098
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.55053    0.67673  -0.814  0.42279
## d.rocks      0.06777    0.02140   3.166  0.00371 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.284 on 28 degrees of freedom
## Multiple R-squared:  0.2637, Adjusted R-squared:  0.2374
## F-statistic: 10.03 on 1 and 28 DF,  p-value: 0.003706
```

```
summary(lm(d.rich ~ d.rocks))
```

```
##
## Call:
## lm(formula = d.rich ~ d.rocks)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -5.7375 -2.3674 -0.1611  1.6950  7.5293
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.85626    0.70878  -1.208  0.237
## d.rocks      0.11441    0.02242   5.104 2.09e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.44 on 28 degrees of freedom
## Multiple R-squared:  0.4819, Adjusted R-squared:  0.4634
## F-statistic: 26.05 on 1 and 28 DF,  p-value: 2.089e-05
```

```
summary(lm(d.shan ~ d.rocks))
```

```
##
## Call:
## lm(formula = d.shan ~ d.rocks)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.46785 -0.60402  0.04559  0.63369  1.38124
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.106623   0.154747  -0.689   0.496
```

```
## d.rocks      0.022537  0.004894  4.605 8.17e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.751 on 28 degrees of freedom
## Multiple R-squared:  0.4309, Adjusted R-squared:  0.4106
## F-statistic: 21.2 on 1 and 28 DF,  p-value: 8.167e-05
```

```
summary(lm(d.Acacon ~ d.rocks, sem.dat))
```

```
##
## Call:
## lm(formula = d.Acacon ~ d.rocks, data = sem.dat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.17556 -0.01439  0.01337  0.03252  0.09108
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.0238762  0.0126055  -1.894  0.06858 .
## d.rocks      0.0014183  0.0003987   3.557  0.00136 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.06117 on 28 degrees of freedom
## Multiple R-squared:  0.3113, Adjusted R-squared:  0.2867
## F-statistic: 12.66 on 1 and 28 DF,  p-value: 0.001357
```

```
summary(lm(d.Acaame ~ d.rocks, sem.dat))
```

```
##
## Call:
## lm(formula = d.Acaame ~ d.rocks, data = sem.dat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.64206 -0.09675  0.03298  0.07873  0.56715
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.068167  0.042641  -1.599  0.121
## d.rocks      0.006310  0.001349   4.679 6.67e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2069 on 28 degrees of freedom
## Multiple R-squared:  0.4388, Adjusted R-squared:  0.4188
## F-statistic: 21.89 on 1 and 28 DF,  p-value: 6.669e-05
```

```
summary(lm(d.Canros ~ d.rocks, sem.dat))
```

```
##
## Call:
## lm(formula = d.Canros ~ d.rocks, data = sem.dat)
##
```

```
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.04560 -0.22148  0.06461  0.28602  0.81105
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.196087   0.096385  -2.034 0.051479 .
## d.rocks      0.012797   0.003048   4.198 0.000247 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4678 on 28 degrees of freedom
## Multiple R-squared:  0.3863, Adjusted R-squared:  0.3643
## F-statistic: 17.62 on 1 and 28 DF,  p-value: 0.0002467
```

```
summary(lm(d.abun ~ d.light))
```

```
##
## Call:
## lm(formula = d.abun ~ d.light)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -8.3371 -2.7395  0.6687  1.5171  8.1163
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.85872    1.38331  -0.621   0.540
## d.light      0.04528    0.07905   0.573   0.571
##
## Residual standard error: 3.805 on 28 degrees of freedom
## Multiple R-squared:  0.01159, Adjusted R-squared: -0.02372
## F-statistic: 0.3282 on 1 and 28 DF,  p-value: 0.5713
```

```
summary(lm(d.rich ~ d.light))
```

```
##
## Call:
## lm(formula = d.rich ~ d.light)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -6.758 -3.199 -0.836  3.003 12.001
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.40551    1.67397  -0.242   0.810
## d.light      0.14061    0.09565   1.470   0.153
##
## Residual standard error: 4.605 on 28 degrees of freedom
## Multiple R-squared:  0.07164, Adjusted R-squared:  0.03848
## F-statistic: 2.161 on 1 and 28 DF,  p-value: 0.1527
```

```
summary(lm(d.shan ~ d.light))
```

```
##
```

```
## Call:
## lm(formula = d.shan ~ d.light)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.5927 -0.7784  0.1074  0.5385  2.1225
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.04306    0.34638   0.124   0.902
## d.light      0.03172    0.01979   1.603   0.120
##
## Residual standard error: 0.9528 on 28 degrees of freedom
## Multiple R-squared:  0.08402, Adjusted R-squared:  0.05131
## F-statistic: 2.568 on 1 and 28 DF, p-value: 0.1202
summary(lm(d.Acacon ~ d.light, sem.dat))

##
## Call:
## lm(formula = d.Acacon ~ d.light, data = sem.dat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.21083 -0.02561  0.02198  0.04135  0.09381
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.007098    0.024294   0.292   0.7723
## d.light      0.003421    0.001388   2.464   0.0201 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.06682 on 28 degrees of freedom
## Multiple R-squared:  0.1782, Adjusted R-squared:  0.1489
## F-statistic: 6.072 on 1 and 28 DF, p-value: 0.02014
summary(lm(d.Acaame ~ d.light, sem.dat))

##
## Call:
## lm(formula = d.Acaame ~ d.light, data = sem.dat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.85875 -0.06371  0.06088  0.15869  0.27225
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.03200    0.09117   0.351   0.7283
## d.light      0.01273    0.00521   2.444   0.0211 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2508 on 28 degrees of freedom
```

```
## Multiple R-squared:  0.1758, Adjusted R-squared:  0.1463
## F-statistic: 5.972 on 1 and 28 DF,  p-value: 0.0211
summary(lm(d.Canros ~ d.light, sem.dat))

##
## Call:
## lm(formula = d.Canros ~ d.light, data = sem.dat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.9699 -0.3253  0.1547   0.3191  1.2307
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.03300    0.19704   0.168   0.868
## d.light      0.02753    0.01126   2.445   0.021 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.542 on 28 degrees of freedom
## Multiple R-squared:  0.176, Adjusted R-squared:  0.1466
## F-statistic:  5.98 on 1 and 28 DF,  p-value: 0.02101
summary(lm(d.abun ~ d.litter))

##
## Call:
## lm(formula = d.abun ~ d.litter)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -7.380 -1.218  0.494   1.607   5.733
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.50153    0.67144  -0.747   0.46132
## d.litter     -0.06917    0.02094  -3.304   0.00261 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.246 on 28 degrees of freedom
## Multiple R-squared:  0.2805, Adjusted R-squared:  0.2548
## F-statistic: 10.92 on 1 and 28 DF,  p-value: 0.002612
summary(lm(d.rich ~ d.litter))

##
## Call:
## lm(formula = d.rich ~ d.litter)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -5.7618 -2.0890 -0.0954   1.7166   7.5545
##
## Coefficients:
```

```
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.82616    0.71101  -1.162    0.255
## d.litter    -0.11328    0.02217  -5.110 2.05e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.438 on 28 degrees of freedom
## Multiple R-squared:  0.4826, Adjusted R-squared:  0.4641
## F-statistic: 26.11 on 1 and 28 DF,  p-value: 2.053e-05
summary(lm(d.shan ~ d.litter))
```

```
##
## Call:
## lm(formula = d.shan ~ d.litter)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.47085 -0.59769  0.03512  0.59650  1.39944
##
## Coefficients:
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.103513   0.156232  -0.663    0.513
## d.litter    -0.022128   0.004871  -4.543 9.68e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.7554 on 28 degrees of freedom
## Multiple R-squared:  0.4243, Adjusted R-squared:  0.4037
## F-statistic: 20.64 on 1 and 28 DF,  p-value: 9.675e-05
summary(lm(d.Acacon ~ d.litter, sem.dat))
```

```
##
## Call:
## lm(formula = d.Acacon ~ d.litter, data = sem.dat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.17743 -0.01528  0.01435  0.03220  0.09098
##
## Coefficients:
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.0240028   0.0127820  -1.878  0.07085 .
## d.litter    -0.0013712   0.0003985  -3.441  0.00184 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.0618 on 28 degrees of freedom
## Multiple R-squared:  0.2971, Adjusted R-squared:  0.272
## F-statistic: 11.84 on 1 and 28 DF,  p-value: 0.001839
summary(lm(d.Acaame ~ d.litter, sem.dat))
```

```
##
## Call:
```

```
## lm(formula = d.Acaame ~ d.litter, data = sem.dat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.64969 -0.10426  0.03407  0.08146  0.56925
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.067611   0.043169  -1.566   0.129
## d.litter     -0.006175   0.001346  -4.588 8.56e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2087 on 28 degrees of freedom
## Multiple R-squared:  0.4291, Adjusted R-squared:  0.4087
## F-statistic: 21.05 on 1 and 28 DF,  p-value: 8.558e-05
summary(lm(d.Canros ~ d.litter, sem.dat))
```

```
##
## Call:
## lm(formula = d.Canros ~ d.litter, data = sem.dat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.06651 -0.21741  0.05103  0.27634  0.81235
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.193646   0.097001  -1.996 0.055705 .
## d.litter     -0.012609   0.003024  -4.169 0.000267 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.469 on 28 degrees of freedom
## Multiple R-squared:  0.383, Adjusted R-squared:  0.361
## F-statistic: 17.38 on 1 and 28 DF,  p-value: 0.0002666
```

SEM testing for this pathway, note that here community distance is the sum of squared differences for each tree pair (susceptible - resistant) for all species:

```
summary(model.abun, .progressBar = FALSE)
```

```
##
## Structural Equation Model of model.abun
##
## Call:
##      d.rocks ~ d.litter
##      d.abun ~ d.light + d.rocks
##
##      AIC      BIC
## 28.447 38.255
##
## ---
## Tests of directed separation:
##
```

```

##           Independ.Claim Test.Type DF Crit.Value P.Value
## d.abun ~ d.litter + ...      coef 26    -2.1260  0.0432 *
## d.rocks ~ d.light + ...      coef 27     2.5465  0.0169 *
##
## Global goodness-of-fit:
##
## Fisher's C = 14.447 with P-value = 0.006 and on 4 degrees of freedom
##
## ---
## Coefficients:
##
## Response Predictor Estimate Std.Error DF Crit.Value P.Value Std.Estimate
## d.rocks d.litter -0.9879  0.0108 28 -91.5294  0.0000 -0.9983 ***
## d.abun d.light  0.0030  0.0709 27  0.0428  0.9662  0.0072
## d.abun d.rocks  0.0676  0.0222 27  3.0408  0.0052  0.5121 **
##
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
## Response method R.squared
## d.rocks none 1.00
## d.abun none 0.26
summary(model.rich, .progressBar = FALSE)

##
## Structural Equation Model of model.rich
##
## Call:
## d.rocks ~ d.litter
## d.rich ~ d.light + d.rocks
##
## AIC BIC
## 23.564 33.372
##
## ---
## Tests of directed separation:
##
##           Independ.Claim Test.Type DF Crit.Value P.Value
## d.rich ~ d.litter + ...      coef 26    -0.6906  0.4960
## d.rocks ~ d.light + ...      coef 27     2.5465  0.0169 *
##
## Global goodness-of-fit:
##
## Fisher's C = 9.564 with P-value = 0.048 and on 4 degrees of freedom
##
## ---
## Coefficients:
##
## Response Predictor Estimate Std.Error DF Crit.Value P.Value Std.Estimate
## d.rocks d.litter -0.9879  0.0108 28 -91.5294  0.0000 -0.9983 ***
## d.rich d.light  0.0718  0.0729 27  0.9854  0.3332  0.1368
## d.rich d.rocks  0.1100  0.0229 27  4.8086  0.0001  0.6674 ***

```



```
##
##   Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##   Response method R.squared
##   d.rocks    none        1.0
##   d.rich     none        0.5
summary(model.shan, .progressBar = FALSE)

##
## Structural Equation Model of model.shan
##
## Call:
##   d.rocks ~ d.litter
##   d.shan ~ d.light + d.rocks
##
##       AIC       BIC
##  22.182   31.99
##
## ---
## Tests of directed separation:
##
##           Independ.Claim Test.Type DF Crit.Value P.Value
##   d.shan ~ d.litter + ...      coef 26   -0.0130  0.9897
##   d.rocks ~ d.light + ...      coef 27    2.5465  0.0169 *
##
## Global goodness-of-fit:
##
##   Fisher's C = 8.182 with P-value = 0.085 and on 4 degrees of freedom
##
## ---
## Coefficients:
##
##   Response Predictor Estimate Std.Error DF Crit.Value P.Value Std.Estimate
##   d.rocks  d.litter  -0.9879   0.0108  28   -91.5294  0.0000   -0.9983 ***
##   d.shan   d.light    0.0183   0.0158  27    1.1596  0.2563    0.1676
##   d.shan   d.rocks    0.0214   0.0050  27    4.3156  0.0002    0.6236 ***
##
##   Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##   Response method R.squared
##   d.rocks    none        1.00
##   d.shan     none        0.46
summary(model.com, .progressBar = FALSE)

##
## Structural Equation Model of model.com
##
```

```

## Call:
##   d.rocks ~ d.litter
##   d.com ~ d.light + d.rocks
##
##       AIC       BIC
##  27.066   36.874
##
## ---
## Tests of directed separation:
##
##           Independ.Claim Test.Type DF Crit.Value P.Value
##   d.com ~ d.litter + ...      coef 26      1.7840 0.0861
##   d.rocks ~ d.light + ...     coef 27      2.5465 0.0169 *
##
## Global goodness-of-fit:
##
##   Fisher's C = 13.066 with P-value = 0.011 and on 4 degrees of freedom
##
## ---
## Coefficients:
##
##   Response Predictor Estimate Std.Error DF Crit.Value P.Value Std.Estimate
##   d.rocks  d.litter  -0.9879    0.0108 28   -91.5294 0.0000    -0.9983 ***
##   d.com    d.light   -0.0350    0.0617 27    -0.5673 0.5752    -0.1096
##   d.com    d.rocks   -0.0119    0.0193 27    -0.6129 0.5450    -0.1184
##
##   Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##   Response method R.squared
##   d.rocks    none      1.00
##   d.com      none      0.03

```

```
summary(model.Acacon, .progressBar = FALSE)
```

```

##
## Structural Equation Model of model.Acacon
##
## Call:
##   d.rocks ~ d.litter
##   d.Acacon ~ d.light + d.rocks
##
##       AIC       BIC
##  23.133   32.941
##
## ---
## Tests of directed separation:
##
##           Independ.Claim Test.Type DF Crit.Value P.Value
##   d.Acacon ~ d.litter + ...      coef 26      0.5085 0.6154
##   d.rocks ~ d.light + ...      coef 27      2.5465 0.0169 *
##
## Global goodness-of-fit:

```

```
##
## Fisher's C = 9.133 with P-value = 0.058 and on 4 degrees of freedom
##
## ---
## Coefficients:
##
## Response Predictor Estimate Std.Error DF Crit.Value P.Value Std.Estimate
## d.rocks d.litter -0.9879 0.0108 28 -91.5294 0.0000 -0.9983 ***
## d.Acacon d.light 0.0026 0.0012 27 2.1628 0.0396 0.3252 *
## d.Acacon d.rocks 0.0013 0.0004 27 3.2863 0.0028 0.4941 **
##
## Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
## Response method R.squared
## d.rocks none 1.00
## d.Acacon none 0.41
```

```
summary(model.Acaame, .progressBar = FALSE)
```

```
##
## Structural Equation Model of model.Acaame
##
## Call:
## d.rocks ~ d.litter
## d.Acaame ~ d.light + d.rocks
##
## AIC BIC
## 22.423 32.231
##
## ---
## Tests of directed separation:
##
## Independ.Claim Test.Type DF Crit.Value P.Value
## d.Acaame ~ d.litter + ... coef 26 -0.1558 0.8774
## d.rocks ~ d.light + ... coef 27 2.5465 0.0169 *
##
## Global goodness-of-fit:
##
## Fisher's C = 8.423 with P-value = 0.077 and on 4 degrees of freedom
##
## ---
## Coefficients:
##
## Response Predictor Estimate Std.Error DF Crit.Value P.Value Std.Estimate
## d.rocks d.litter -0.9879 0.0108 28 -91.5294 0.0000 -0.9983 ***
## d.Acaame d.light 0.0091 0.0041 27 2.2267 0.0345 0.3009 *
## d.Acaame d.rocks 0.0057 0.0013 27 4.4650 0.0001 0.6034 ***
##
## Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
```

```
##
## Response method R.squared
## d.rocks none 1.00
## d.Acaame none 0.53
summary(model.Canros, .progressBar = FALSE)

##
## Structural Equation Model of model.Canros
##
## Call:
## d.rocks ~ d.litter
## d.Canros ~ d.light + d.rocks
##
## AIC BIC
## 23.898 33.706
##
## ---
## Tests of directed separation:
##
## Independ.Claim Test.Type DF Crit.Value P.Value
## d.Canros ~ d.litter + ... coef 26 -0.8201 0.4196
## d.rocks ~ d.light + ... coef 27 2.5465 0.0169 *
##
## Global goodness-of-fit:
##
## Fisher's C = 9.898 with P-value = 0.042 and on 4 degrees of freedom
##
## ---
## Coefficients:
##
## Response Predictor Estimate Std.Error DF Crit.Value P.Value Std.Estimate
## d.rocks d.litter -0.9879 0.0108 28 -91.5294 0.0000 -0.9983 ***
## d.Canros d.light 0.0203 0.0093 27 2.1836 0.0379 0.3095 *
## d.Canros d.rocks 0.0115 0.0029 27 3.9562 0.0005 0.5608 ***
##
## Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
## Response method R.squared
## d.rocks none 1.00
## d.Canros none 0.48
summary(lm(d.v.abun ~ d.rocks))

##
## Call:
## lm(formula = d.v.abun ~ d.rocks)
##
## Residuals:
## Min 1Q Median 3Q Max
## -46.548 -9.167 -0.371 11.836 29.860
##
```

```
## Coefficients:
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept) -23.61098    3.52322  -6.702 2.83e-07 ***
## d.rocks      -0.08716    0.11143  -0.782  0.441
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 17.1 on 28 degrees of freedom
## Multiple R-squared:  0.02138,    Adjusted R-squared:  -0.01357
## F-statistic: 0.6118 on 1 and 28 DF,  p-value: 0.4407
```

```
summary(lm(d.v.rich ~ d.rocks))
```

```
##
## Call:
## lm(formula = d.v.rich ~ d.rocks)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.6195 -0.7375  0.2342  0.3760  2.3148
##
## Coefficients:
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept) -1.259773    0.199030  -6.330 7.57e-07 ***
## d.rocks       0.002744    0.006295   0.436  0.666
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.9659 on 28 degrees of freedom
## Multiple R-squared:  0.006742,    Adjusted R-squared:  -0.02873
## F-statistic: 0.1901 on 1 and 28 DF,  p-value: 0.6662
```

```
summary(lm(d.v.shan ~ d.rocks))
```

```
##
## Call:
## lm(formula = d.v.shan ~ d.rocks)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.63077 -0.28155  0.02544  0.29568  0.97384
##
## Coefficients:
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.335709    0.078745  -4.263 0.000207 ***
## d.rocks      -0.002745    0.002491  -1.102 0.279691
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3821 on 28 degrees of freedom
## Multiple R-squared:  0.04159,    Adjusted R-squared:  0.007366
## F-statistic: 1.215 on 1 and 28 DF,  p-value: 0.2797
```

```
summary(lm(d.Apache.plume ~ d.rocks, v.sem.dat))
```

```
##
```

```
## Call:
## lm(formula = d.Apache.plume ~ d.rocks, data = v.sem.dat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -28.028  -4.455   4.278   6.677  14.799
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -12.13756    2.44690  -4.960 3.09e-05 ***
## d.rocks      -0.12763    0.07739  -1.649    0.11
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 11.87 on 28 degrees of freedom
## Multiple R-squared:  0.08854,    Adjusted R-squared:  0.05598
## F-statistic:  2.72 on 1 and 28 DF,  p-value: 0.1103
summary(lm(d.Asteraceae.ovales ~ d.rocks, v.sem.dat))
```

```
##
## Call:
## lm(formula = d.Asteraceae.ovales ~ d.rocks, data = v.sem.dat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -31.976  -7.315   5.782   7.526  19.463
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -7.44665    2.34354  -3.178  0.0036 **
## d.rocks      0.04684    0.07412   0.632  0.5325
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 11.37 on 28 degrees of freedom
## Multiple R-squared:  0.01406,    Adjusted R-squared: -0.02115
## F-statistic: 0.3994 on 1 and 28 DF,  p-value: 0.5325
summary(lm(d.v.abun ~ d.litter))
```

```
##
## Call:
## lm(formula = d.v.abun ~ d.litter)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -46.743  -8.907   0.019  11.943  30.269
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -23.44568    3.54674  -6.610 3.6e-07 ***
## d.litter      0.07381    0.11059   0.667    0.51
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
##
## Residual standard error: 17.15 on 28 degrees of freedom
## Multiple R-squared:  0.01566,    Adjusted R-squared:  -0.01949
## F-statistic: 0.4455 on 1 and 28 DF,  p-value: 0.5099
```

```
summary(lm(d.v.rich ~ d.litter))
```

```
##
## Call:
## lm(formula = d.v.rich ~ d.litter)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.6111 -0.7427  0.2214  0.3838  2.3153
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -1.253709   0.199585  -6.282 8.61e-07 ***
## d.litter     -0.003072   0.006223  -0.494   0.625
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.965 on 28 degrees of freedom
## Multiple R-squared:  0.008626,    Adjusted R-squared:  -0.02678
## F-statistic: 0.2436 on 1 and 28 DF,  p-value: 0.6254
```

```
summary(lm(d.v.shan ~ d.litter))
```

```
##
## Call:
## lm(formula = d.v.shan ~ d.litter)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.62023 -0.28853  0.04059  0.29668  0.97632
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.332721   0.079334  -4.194 0.000249 ***
## d.litter      0.002472   0.002474   0.999 0.326145
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3836 on 28 degrees of freedom
## Multiple R-squared:  0.03444,    Adjusted R-squared:  -3.912e-05
## F-statistic: 0.9989 on 1 and 28 DF,  p-value: 0.3261
```

```
summary(lm(d.Apache.plume ~ d.litter, v.sem.dat))
```

```
##
## Call:
## lm(formula = d.Apache.plume ~ d.litter, data = v.sem.dat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -28.098  -4.465   4.364   6.975  14.577
```

```
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept) -12.05623    2.46985  -4.881 3.84e-05 ***
## d.litter      0.11875    0.07701   1.542  0.134
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 11.94 on 28 degrees of freedom
## Multiple R-squared:  0.07828,    Adjusted R-squared:  0.04536
## F-statistic: 2.378 on 1 and 28 DF,  p-value: 0.1343
summary(lm(d.Asteraceae.ovales ~ d.litter, v.sem.dat))
```

```
##
## Call:
## lm(formula = d.Asteraceae.ovales ~ d.litter, data = v.sem.dat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -32.006  -7.296   5.653   7.482  19.553
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept) -7.36833    2.34896  -3.137  0.00399 **
## d.litter     -0.05076    0.07324  -0.693  0.49395
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 11.36 on 28 degrees of freedom
## Multiple R-squared:  0.01687,    Adjusted R-squared: -0.01824
## F-statistic: 0.4804 on 1 and 28 DF,  p-value: 0.494
```

```
summary(lm(d.v.abun ~ d.light))
```

```
##
## Call:
## lm(formula = d.v.abun ~ d.light)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -47.204  -7.755   1.085  11.993  31.908
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept) -23.8611    6.2747  -3.803 0.000711 ***
## d.light      -0.1010    0.3585  -0.282 0.780349
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 17.26 on 28 degrees of freedom
## Multiple R-squared:  0.002823,    Adjusted R-squared: -0.03279
## F-statistic: 0.07928 on 1 and 28 DF,  p-value: 0.7803
```

```
summary(lm(d.v.rich ~ d.light))
```



```
##
## Call:
## lm(formula = d.v.rich ~ d.light)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.7203 -0.7086  0.2372  0.4718  2.3085
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -1.10636    0.34979  -3.163  0.00374 **
## d.light       0.01280    0.01999   0.640  0.52727
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.9622 on 28 degrees of freedom
## Multiple R-squared:  0.01443,    Adjusted R-squared:  -0.02077
## F-statistic: 0.4098 on 1 and 28 DF,  p-value: 0.5273
```

```
summary(lm(d.v.shan ~ d.light))
```

```
##
## Call:
## lm(formula = d.v.shan ~ d.light)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5917 -0.3570  0.1214  0.2817  0.9857
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.362101    0.141162  -2.565   0.016 *
## d.light      -0.004403    0.008066  -0.546   0.589
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3883 on 28 degrees of freedom
## Multiple R-squared:  0.01053,    Adjusted R-squared:  -0.02481
## F-statistic: 0.298 on 1 and 28 DF,  p-value: 0.5895
```

```
summary(lm(d.Apache.plume ~ d.light, v.sem.dat))
```

```
##
## Call:
## lm(formula = d.Apache.plume ~ d.light, data = v.sem.dat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -33.062  -4.319   4.807   9.297  16.737
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -14.6411    4.4197  -3.313  0.00256 **
## d.light      -0.2891    0.2525  -1.145  0.26208
## ---
```

```
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 12.16 on 28 degrees of freedom
## Multiple R-squared:  0.0447, Adjusted R-squared:  0.01058
## F-statistic:  1.31 on 1 and 28 DF,  p-value: 0.2621
summary(lm(d.Asteraceae.ovals ~ d.light, v.sem.dat))

##
## Call:
## lm(formula = d.Asteraceae.ovals ~ d.light, data = v.sem.dat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -31.874  -6.867   6.133   8.134  18.131
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -8.1407349  4.1640687  -1.955   0.0606 .
## d.light      -0.0004891  0.2379432  -0.002   0.9984
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 11.45 on 28 degrees of freedom
## Multiple R-squared:  1.509e-07, Adjusted R-squared:  -0.03571
## F-statistic: 4.225e-06 on 1 and 28 DF,  p-value: 0.9984
summary(model.v.com, .progressBar = FALSE)

##
## Structural Equation Model of model.v.com
##
## Call:
##      d.rocks ~ d.litter
##      d.v.com ~ d.light + d.rocks
##
##      AIC      BIC
## 28.300  38.108
##
## ---
## Tests of directed separation:
##
##              Independ.Claim Test.Type DF Crit.Value P.Value
## d.v.com ~ d.litter + ...      coef 26      2.0909 0.0465 *
## d.rocks ~ d.light + ...      coef 27      2.5465 0.0169 *
##
## Global goodness-of-fit:
##
## Fisher's C = 14.3 with P-value = 0.006 and on 4 degrees of freedom
##
## ---
## Coefficients:
##
##      Response Predictor Estimate Std.Error DF Crit.Value P.Value Std.Estimate
##      d.rocks d.litter  -0.9879    0.0108 28   -91.5294 0.0000    -0.9983 ***
```

```

##      d.v.com   d.light   0.0177   0.3475 27      0.0508 0.9598      0.0099
##      d.v.com   d.rocks   0.0595   0.1090 27      0.5453 0.5900      0.1064
##
##   Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##   Response method R.squared
##   d.rocks      none        1.00
##   d.v.com      none        0.01
summary(model.v.abun, .progressBar = FALSE)

##
## Structural Equation Model of model.v.abun
##
## Call:
##   d.rocks ~ d.litter
##   d.v.abun ~ d.light + d.rocks
##
##      AIC      BIC
## 28.663  38.471
##
## ---
## Tests of directed separation:
##
##           Independ.Claim Test.Type DF Crit.Value P.Value
## d.v.abun ~ d.litter + ...      coef 26    -2.1770 0.0387 *
## d.rocks ~ d.light + ...      coef 27     2.5465 0.0169 *
##
## Global goodness-of-fit:
##
## Fisher's C = 14.663 with P-value = 0.005 and on 4 degrees of freedom
##
## ---
## Coefficients:
##
##   Response Predictor Estimate Std.Error DF Crit.Value P.Value Std.Estimate
##   d.rocks d.litter  -0.9879    0.0108 28   -91.5294 0.0000   -0.9983 ***
##   d.v.abun d.light  -0.0483    0.3688 27    -0.1310 0.8967   -0.0254
##   d.v.abun d.rocks  -0.0842    0.1157 27    -0.7277 0.4731   -0.1412
##
##   Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##   Response method R.squared
##   d.rocks      none        1.00
##   d.v.abun     none        0.02
summary(model.v.rich, .progressBar = FALSE)

##

```

```
## Structural Equation Model of model.v.rich
##
## Call:
##   d.rocks ~ d.litter
##   d.v.rich ~ d.light + d.rocks
##
##      AIC      BIC
## 25.623  35.431
##
## ---
## Tests of directed separation:
##
##           Independ.Claim Test.Type DF Crit.Value P.Value
## d.v.rich ~ d.litter + ...      coef 26    -1.3873  0.1771
## d.rocks ~ d.light + ...      coef 27     2.5465  0.0169 *
##
## Global goodness-of-fit:
##
## Fisher's C = 11.623 with P-value = 0.02 and on 4 degrees of freedom
##
## ---
## Coefficients:
##
##      Response Predictor Estimate Std.Error DF Crit.Value P.Value Std.Estimate
## d.rocks d.litter -0.9879    0.0108 28   -91.5294  0.0000   -0.9983 ***
## d.v.rich d.light  0.0115    0.0207 27     0.5561  0.5827    0.1082
## d.v.rich d.rocks  0.0020    0.0065 27     0.3131  0.7566    0.0609
##
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##      Response method R.squared
## d.rocks none 1.00
## d.v.rich none 0.02
```

```
summary(model.v.shan, .progressBar = FALSE)
```

```
##
## Structural Equation Model of model.v.shan
##
## Call:
##   d.rocks ~ d.litter
##   d.v.shan ~ d.light + d.rocks
##
##      AIC      BIC
## 26.895  36.703
##
## ---
## Tests of directed separation:
##
##           Independ.Claim Test.Type DF Crit.Value P.Value
## d.v.shan ~ d.litter + ...      coef 26    -1.7395  0.0938
## d.rocks ~ d.light + ...      coef 27     2.5465  0.0169 *
```

```

##
## Global goodness-of-fit:
##
## Fisher's C = 12.895 with P-value = 0.012 and on 4 degrees of freedom
##
## ---
## Coefficients:
##
## Response Predictor Estimate Std.Error DF Crit.Value P.Value Std.Estimate
## d.rocks d.litter -0.9879 0.0108 28 -91.5294 0.0000 -0.9983 ***
## d.v.shan d.light -0.0028 0.0082 27 -0.3397 0.7367 -0.0651
## d.v.shan d.rocks -0.0026 0.0026 27 -0.9971 0.3276 -0.1912
##
## Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
## Response method R.squared
## d.rocks none 1.00
## d.v.shan none 0.05
summary(model.v.Apache.plume, .progressBar = FALSE)

##
## Structural Equation Model of model.v.Apache.plume
##
## Call:
## d.rocks ~ d.litter
## d.Apache.plume ~ d.light + d.rocks
##
## AIC BIC
## 25.830 35.638
##
## ---
## Tests of directed separation:
##
## Independ.Claim Test.Type DF Crit.Value P.Value
## d.Apache.plume ~ d.litter + ... coef 26 -1.4474 0.1597
## d.rocks ~ d.light + ... coef 27 2.5465 0.0169 *
##
## Global goodness-of-fit:
##
## Fisher's C = 11.83 with P-value = 0.019 and on 4 degrees of freedom
##
## ---
## Coefficients:
##
## Response Predictor Estimate Std.Error DF Crit.Value P.Value Std.Estimate
## d.rocks d.litter -0.9879 0.0108 28 -91.5294 0.0000 -0.9983
## d.Apache.plume d.light -0.2176 0.2527 27 -0.8611 0.3968 -0.1592
## d.Apache.plume d.rocks -0.1142 0.0793 27 -1.4408 0.1611 -0.2663
##
## ***
##

```

```
##
##
##   Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##           Response method R.squared
##           d.rocks      none      1.00
##   d.Apache.plume      none      0.11
```

```
summary(model.v.Asteraceae.ovales, .progressBar = FALSE)
```

```
##
## Structural Equation Model of model.v.Asteraceae.ovales
##
## Call:
##   d.rocks ~ d.litter
##   d.Asteraceae.ovales ~ d.light + d.rocks
##
##           AIC           BIC
##   24.690      34.498
##
## ---
## Tests of directed separation:
##
##                               Independ.Claim Test.Type DF Crit.Value P.Value
##   d.Asteraceae.ovales ~ d.litter + ...      coef 26      -1.0976  0.2824
##                               d.rocks ~ d.light + ...      coef 27       2.5465  0.0169 *
##
## Global goodness-of-fit:
##
##   Fisher's C = 10.69 with P-value = 0.03 and on 4 degrees of freedom
##
## ---
## Coefficients:
##
##           Response Predictor Estimate Std.Error DF Crit.Value P.Value
##           d.rocks d.litter  -0.9879   0.0108 28   -91.5294  0.0000
##   d.Asteraceae.ovales d.light  -0.0310   0.2453 27    -0.1262  0.9005
##   d.Asteraceae.ovales d.rocks   0.0488   0.0770 27     0.6335  0.5317
## Std.Estimate
##   -0.9983 ***
##   -0.0246
##   0.1234
##
##   Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##           Response method R.squared
##           d.rocks      none      1.00
##   d.Asteraceae.ovales      none      0.01
```

## Analyses for Revisions

Tree -> Moth -> Trait -> Loc env -> Community (A, R, D, Comp)

Pair S/R Crown Litter Lichen Rocks Plants Light

### Both lichen and vegetation respond to moth susceptibility

```
set.seed(12345)
xtable::xtable(adonis2(com.ds ~ Moth,
  strata = l.dat[, "Tree.pairs"],
  data = l.dat,
  perm = 9999)
)
```

% latex table generated in R 4.0.4 by xtable 1.8-4 package % Tue Apr 20 16:04:05 2021

	Df	SumOfSqs	R2	F	Pr(>F)
Moth	1	0.83	0.04	2.35	0.0305
Residual	58	20.54	0.96		
Total	59	21.37	1.00		

```
set.seed(12345)
xtable::xtable(adonis2(v.com.ds ~ Moth,
  strata = l.dat[, "Tree.pairs"],
  data = l.dat,
  perm = 9999)
)
```

% latex table generated in R 4.0.4 by xtable 1.8-4 package % Tue Apr 20 16:04:05 2021

	Df	SumOfSqs	R2	F	Pr(>F)
Moth	1	5.17	0.31	25.83	0.0001
Residual	58	11.62	0.69		
Total	59	16.79	1.00		

```
tab.ttest.ard <- do.call(rbind,
  lapply(
    apply(data.frame(l.ard.dif, v.ard.dif), 2,
      t.test),
    unlist))[, c(1, 2, 6, 3)]
tab.lab <- rownames(tab.ttest.ard)
tab.ttest.ard <- apply(tab.ttest.ard, 2, as.numeric)
rownames(tab.ttest.ard) <- tab.lab
xtable::xtable(tab.ttest.ard, digits = 5)
```

% latex table generated in R 4.0.4 by xtable 1.8-4 package % Tue Apr 20 16:04:06 2021

	statistic.t	parameter.df	estimate.mean of x	p.value
lichen.abundance	-2.24873	29.00000	-1.54400	0.03230
lichen.richness	-2.95490	29.00000	-2.53333	0.00615
lichen.diversity	-2.44677	29.00000	-0.43698	0.02071
plant.abundance	-7.13460	29.00000	-22.43333	0.00000
plant.richness	-7.47696	29.00000	-1.30000	0.00000
plant.diversity	-4.21918	29.00000	-0.29546	0.00022

## Moth impacts tree traits and the local environment

```
tab.ttest.envtra <- do.call(rbind,
  lapply(
    apply(data.frame(tra.dif, env.dif), 2,
      t.test),
    unlist))[, c(1, 2, 6, 3)]
tab.lab <- rownames(tab.ttest.envtra)
tab.ttest.envtra <- apply(tab.ttest.envtra, 2, as.numeric)
rownames(tab.ttest.envtra) <- tab.lab
xtable::xtable(tab.ttest.envtra, digits = 5)
```

% latex table generated in R 4.0.4 by xtable 1.8-4 package % Tue Apr 20 16:04:06 2021

	statistic.t	parameter.df	estimate.mean of x	p.value
trunk.radius	-3.59977	29.00000	-3.13667	0.00117
crown.radius	-4.61833	29.00000	-58.48667	0.00007
litter	2.86654	29.00000	15.07000	0.00765
rocks	-2.81780	29.00000	-14.65867	0.00862
rocks.big	-2.46174	29.00000	-9.68367	0.02001
rocks.small	-2.07917	29.00000	-4.97500	0.04655
light	-9.27275	29.00000	-15.13333	0.00000

## Tree environment correlate with community

```
set.seed(12345)
xtable::xtable(adonis2(com.ds ~ Big.rocks.. + Small.rocks.. + Light...average,
  strata = l.dat[, "Tree.pairs"],
  by = "margin",
  data = data.frame(env, traits),
  perm = 9999, rank = TRUE)
)
```

## % latex table generated in R 4.0.4 by xtable 1.8-4 package

## % Tue Apr 20 16:04:10 2021

## \begin{table}[ht]

## \centering

## \begin{tabular}{lrrrrr}

## \hline

## & Df & SumOfSqs & R2 & F & Pr(>F) \\

## \hline

## Big.rocks.. & 1 & 1.79 & 0.08 & 5.47 & 0.0004 \\

## Small.rocks.. & 1 & 0.27 & 0.01 & 0.81 & 0.5720 \\

## Light...average & 1 & 0.39 & 0.02 & 1.20 & 0.2649 \\

## Residual & 56 & 18.31 & 0.86 & & \\

## Total & 59 & 21.37 & 1.00 & & \\

## \hline

## \end{tabular}

## \end{table}

```
set.seed(12345)
xtable::xtable(adonis2(v.com.ds ~ Light...average + Big.rocks.. + Small.rocks..,
  strata = l.dat[, "Tree.pairs"],
  by = "margin",
```



```

        data = data.frame(env, traits),
        perm = 9999)
    )

## % latex table generated in R 4.0.4 by xtable 1.8-4 package
## % Tue Apr 20 16:04:14 2021
## \begin{table}[ht]
## \centering
## \begin{tabular}{lrrrrr}
## \hline
## & Df & SumOfSqs & R2 & F & Pr(>F) \\
## \hline
## Light...average & 1 & 2.93 & 0.17 & 13.00 & 0.0001 \\
## Big.rocks.. & 1 & 0.10 & 0.01 & 0.44 & 0.7243 \\
## Small.rocks.. & 1 & 0.73 & 0.04 & 3.26 & 0.0290 \\
## Residual & 56 & 12.61 & 0.75 & & \\
## Total & 59 & 16.79 & 1.00 & & \\
## \hline
## \end{tabular}
## \end{table}

summary(lm(lichen.abundance ~ rocks.big * rocks.small * light,
           data = data.frame(l.ard.dif, tra.dif, env.dif)))

##
## Call:
## lm(formula = lichen.abundance ~ rocks.big * rocks.small * light,
##     data = data.frame(l.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -7.5443 -0.9009  0.3873  1.2621  4.7576
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    1.2906171   1.9919281    0.648  0.5237
## rocks.big       0.2672626   0.1144530    2.335  0.0291 *
## rocks.small    -0.2489435   0.2305602   -1.080  0.2920
## light          0.0964938   0.1233636    0.782  0.4424
## rocks.big:rocks.small -0.0098077  0.0131545   -0.746  0.4638
## rocks.big:light    0.0108967  0.0067177    1.622  0.1190
## rocks.small:light -0.0130569  0.0118033   -1.106  0.2806
## rocks.big:rocks.small:light -0.0002544  0.0005513   -0.461  0.6490
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.337 on 22 degrees of freedom
## Multiple R-squared:  0.4027, Adjusted R-squared:  0.2127
## F-statistic: 2.119 on 7 and 22 DF,  p-value: 0.08438

summary(lm(lichen.richness ~ rocks.big * rocks.small * light,
           data = data.frame(l.ard.dif, tra.dif, env.dif)))

##
## Call:

```

```
## lm(formula = lichen.richness ~ rocks.big * rocks.small * light,
##     data = data.frame(l.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -5.4034 -1.7571  0.5585  2.0862  3.9423
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    2.8682448   1.8246866   1.572   0.1302
## rocks.big       0.3576352   0.1048436   3.411   0.0025 **
## rocks.small     0.0782553   0.2112024   0.371   0.7145
## light          0.2596367   0.1130061   2.298   0.0315 *
## rocks.big:rocks.small 0.0060809   0.0120501   0.505   0.6188
## rocks.big:light    0.0114837   0.0061537   1.866   0.0754 .
## rocks.small:light  0.0050780   0.0108123   0.470   0.6432
## rocks.big:rocks.small:light 0.0003271   0.0005050   0.648   0.5238
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.057 on 22 degrees of freedom
## Multiple R-squared:  0.6785, Adjusted R-squared:  0.5762
## F-statistic: 6.634 on 7 and 22 DF,  p-value: 0.0002762
summary(lm(lichen.diversity ~ rocks.big * rocks.small * light,
data = data.frame(l.ard.dif, tra.dif, env.dif)))
```

```
##
## Call:
## lm(formula = lichen.diversity ~ rocks.big * rocks.small * light,
##     data = data.frame(l.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.3539 -0.1798  0.1183  0.3590  0.9120
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    7.064e-01   3.914e-01   1.805   0.0848 .
## rocks.big       5.437e-02   2.249e-02   2.418   0.0243 *
## rocks.small     5.766e-02   4.530e-02   1.273   0.2163
## light          6.085e-02   2.424e-02   2.511   0.0199 *
## rocks.big:rocks.small 2.179e-03   2.585e-03   0.843   0.4082
## rocks.big:light    1.247e-03   1.320e-03   0.945   0.3552
## rocks.small:light  3.242e-03   2.319e-03   1.398   0.1761
## rocks.big:rocks.small:light 8.461e-05   1.083e-04   0.781   0.4431
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.6557 on 22 degrees of freedom
## Multiple R-squared:  0.6592, Adjusted R-squared:  0.5508
## F-statistic: 6.079 on 7 and 22 DF,  p-value: 0.0004929
summary(lm(lichen.abundance ~ light *rocks.big * rocks.small,
data = data.frame(l.ard.dif, tra.dif, env.dif)))
```

```
##
## Call:
## lm(formula = lichen.abundance ~ light * rocks.big * rocks.small,
##     data = data.frame(l.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -7.5443 -0.9009  0.3873  1.2621  4.7576
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    1.2906171   1.9919281   0.648  0.5237
## light           0.0964938   0.1233636   0.782  0.4424
## rocks.big       0.2672626   0.1144530   2.335  0.0291 *
## rocks.small    -0.2489435   0.2305602  -1.080  0.2920
## light:rocks.big  0.0108967   0.0067177   1.622  0.1190
## light:rocks.small -0.0130569   0.0118033  -1.106  0.2806
## rocks.big:rocks.small -0.0098077   0.0131545  -0.746  0.4638
## light:rocks.big:rocks.small -0.0002544   0.0005513  -0.461  0.6490
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.337 on 22 degrees of freedom
## Multiple R-squared:  0.4027, Adjusted R-squared:  0.2127
## F-statistic: 2.119 on 7 and 22 DF,  p-value: 0.08438
summary(lm(lichen.richness ~ light *rocks.big * rocks.small,
           data = data.frame(l.ard.dif, tra.dif, env.dif)))

##
## Call:
## lm(formula = lichen.richness ~ light * rocks.big * rocks.small,
##     data = data.frame(l.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -5.4034 -1.7571  0.5585  2.0862  3.9423
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    2.8682448   1.8246866   1.572  0.1302
## light           0.2596367   0.1130061   2.298  0.0315 *
## rocks.big       0.3576352   0.1048436   3.411  0.0025 **
## rocks.small     0.0782553   0.2112024   0.371  0.7145
## light:rocks.big  0.0114837   0.0061537   1.866  0.0754 .
## light:rocks.small  0.0050780   0.0108123   0.470  0.6432
## rocks.big:rocks.small  0.0060809   0.0120501   0.505  0.6188
## light:rocks.big:rocks.small 0.0003271   0.0005050   0.648  0.5238
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.057 on 22 degrees of freedom
## Multiple R-squared:  0.6785, Adjusted R-squared:  0.5762
## F-statistic: 6.634 on 7 and 22 DF,  p-value: 0.0002762
```

```
summary(lm(lichen.diversity ~ light *rocks.big * rocks.small,
           data = data.frame(l.ard.dif, tra.dif, env.dif)))
```

```
##
## Call:
## lm(formula = lichen.diversity ~ light * rocks.big * rocks.small,
##     data = data.frame(l.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.3539 -0.1798  0.1183  0.3590  0.9120
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   7.064e-01  3.914e-01   1.805  0.0848 .
## light         6.085e-02  2.424e-02   2.511  0.0199 *
## rocks.big     5.437e-02  2.249e-02   2.418  0.0243 *
## rocks.small   5.766e-02  4.530e-02   1.273  0.2163
## light:rocks.big 1.247e-03  1.320e-03   0.945  0.3552
## light:rocks.small 3.242e-03  2.319e-03   1.398  0.1761
## rocks.big:rocks.small 2.179e-03  2.585e-03   0.843  0.4082
## light:rocks.big:rocks.small 8.461e-05  1.083e-04   0.781  0.4431
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.6557 on 22 degrees of freedom
## Multiple R-squared:  0.6592, Adjusted R-squared:  0.5508
## F-statistic: 6.079 on 7 and 22 DF,  p-value: 0.0004929
```

```
summary(lm(lichen.abundance ~ rocks.big + rocks.small + light,
           data = data.frame(l.ard.dif, tra.dif, env.dif)))
```

```
##
## Call:
## lm(formula = lichen.abundance ~ rocks.big + rocks.small + light,
##     data = data.frame(l.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -7.7485 -0.6511  0.6642  1.3935  5.4237
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.427328   1.224495  -0.349  0.72991
## rocks.big    0.088123   0.030432   2.896  0.00757 **
## rocks.small  0.022591   0.050663   0.446  0.65935
## light        0.009973   0.071228   0.140  0.88972
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.346 on 26 degrees of freedom
## Multiple R-squared:  0.2904, Adjusted R-squared:  0.2085
## F-statistic: 3.547 on 3 and 26 DF,  p-value: 0.02821
```

```
summary(lm(lichen.richness ~ rocks.big + rocks.small + light,
           data = data.frame(l.ard.dif, tra.dif, env.dif)))

##
## Call:
## lm(formula = lichen.richness ~ rocks.big + rocks.small + light,
##     data = data.frame(l.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -5.6550 -1.9714  0.6468  2.0461  6.0752
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.371141   1.130676   0.328   0.745
## rocks.big    0.162543   0.028100   5.784 4.3e-06 ***
## rocks.small -0.005166   0.046781  -0.110   0.913
## light        0.089614   0.065770   1.363   0.185
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.089 on 26 degrees of freedom
## Multiple R-squared:  0.6119, Adjusted R-squared:  0.5672
## F-statistic: 13.67 on 3 and 26 DF,  p-value: 1.515e-05
```

```
summary(lm(lichen.diversity ~ rocks.big + rocks.small + light,
           data = data.frame(l.ard.dif, tra.dif, env.dif)))

##
## Call:
## lm(formula = lichen.diversity ~ rocks.big + rocks.small + light,
##     data = data.frame(l.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.20164 -0.37452  0.01855  0.38633  1.20307
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.1937003  0.2527542   0.766   0.450
## rocks.big    0.0315016  0.0062816   5.015 3.23e-05 ***
## rocks.small -0.0007058  0.0104575  -0.067   0.947
## light        0.0217497  0.0147024   1.479   0.151
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.6906 on 26 degrees of freedom
## Multiple R-squared:  0.5531, Adjusted R-squared:  0.5016
## F-statistic: 10.73 on 3 and 26 DF,  p-value: 9.066e-05
```

```
summary(lm(lichen.abundance ~ light + rocks.big + rocks.small,
           data = data.frame(l.ard.dif, tra.dif, env.dif)))
```

```
##
## Call:
```

```
## lm(formula = lichen.abundance ~ light + rocks.big + rocks.small,
##     data = data.frame(l.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -7.7485 -0.6511  0.6642  1.3935  5.4237
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.427328   1.224495  -0.349   0.72991
## light        0.009973   0.071228   0.140   0.88972
## rocks.big    0.088123   0.030432   2.896   0.00757 **
## rocks.small  0.022591   0.050663   0.446   0.65935
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.346 on 26 degrees of freedom
## Multiple R-squared:  0.2904, Adjusted R-squared:  0.2085
## F-statistic: 3.547 on 3 and 26 DF,  p-value: 0.02821
summary(lm(lichen.richness ~ light +rocks.big + rocks.small,
           data = data.frame(l.ard.dif, tra.dif, env.dif)))
```

```
##
## Call:
## lm(formula = lichen.richness ~ light + rocks.big + rocks.small,
##     data = data.frame(l.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -5.6550 -1.9714  0.6468  2.0461  6.0752
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.371141   1.130676   0.328   0.745
## light        0.089614   0.065770   1.363   0.185
## rocks.big    0.162543   0.028100   5.784 4.3e-06 ***
## rocks.small -0.005166   0.046781  -0.110   0.913
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.089 on 26 degrees of freedom
## Multiple R-squared:  0.6119, Adjusted R-squared:  0.5672
## F-statistic: 13.67 on 3 and 26 DF,  p-value: 1.515e-05
summary(lm(lichen.diversity ~ light +rocks.big + rocks.small,
           data = data.frame(l.ard.dif, tra.dif, env.dif)))
```

```
##
## Call:
## lm(formula = lichen.diversity ~ light + rocks.big + rocks.small,
##     data = data.frame(l.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
```

```
## -1.20164 -0.37452 0.01855 0.38633 1.20307
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept) 0.1937003 0.2527542 0.766 0.450
## light       0.0217497 0.0147024 1.479 0.151
## rocks.big   0.0315016 0.0062816 5.015 3.23e-05 ***
## rocks.small -0.0007058 0.0104575 -0.067 0.947
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.6906 on 26 degrees of freedom
## Multiple R-squared: 0.5531, Adjusted R-squared: 0.5016
## F-statistic: 10.73 on 3 and 26 DF, p-value: 9.066e-05
summary(lm(plant.abundance ~ rocks.big * rocks.small * light,
           data = data.frame(v.ard.dif, tra.dif, env.dif)))

##
## Call:
## lm(formula = plant.abundance ~ rocks.big * rocks.small * light,
##     data = data.frame(v.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -45.808  -8.565   2.356  11.435  25.518
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept)   -24.997498  10.598639  -2.359  0.0276 *
## rocks.big      -0.322706  0.608981  -0.530  0.6015
## rocks.small    -0.574845  1.226763  -0.469  0.6440
## light          -0.068351  0.656392  -0.104  0.9180
## rocks.big:rocks.small -0.027964  0.069993  -0.400  0.6934
## rocks.big:light   -0.026183  0.035744  -0.733  0.4716
## rocks.small:light  0.006300  0.062803   0.100  0.9210
## rocks.big:rocks.small:light -0.001141  0.002933  -0.389  0.7011
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 17.76 on 22 degrees of freedom
## Multiple R-squared: 0.1937, Adjusted R-squared: -0.06288
## F-statistic: 0.7549 on 7 and 22 DF, p-value: 0.6297
summary(lm(plant.richness ~ rocks.big * rocks.small * light,
           data = data.frame(v.ard.dif, tra.dif, env.dif)))

##
## Call:
## lm(formula = plant.richness ~ rocks.big * rocks.small * light,
##     data = data.frame(v.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.15006 -0.67011 -0.00113  0.40891  2.13338
```

```
##
## Coefficients:
##               Estimate Std. Error t value Pr(>|t|)
## (Intercept)    -1.121e+00  5.309e-01  -2.111  0.0463 *
## rocks.big       1.329e-02  3.050e-02   0.436  0.6674
## rocks.small    -3.598e-03  6.145e-02  -0.059  0.9538
## light          1.453e-02  3.288e-02   0.442  0.6629
## rocks.big:rocks.small  1.782e-03  3.506e-03   0.508  0.6163
## rocks.big:light  -4.340e-04  1.790e-03  -0.242  0.8107
## rocks.small:light  1.363e-03  3.146e-03   0.433  0.6690
## rocks.big:rocks.small:light  5.302e-05  1.469e-04   0.361  0.7217
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8894 on 22 degrees of freedom
## Multiple R-squared:  0.3383, Adjusted R-squared:  0.1278
## F-statistic: 1.607 on 7 and 22 DF,  p-value: 0.1857
summary(lm(plant.diversity ~ rocks.big * rocks.small * light,
           data = data.frame(v.ard.dif, tra.dif, env.dif)))

##
## Call:
## lm(formula = plant.diversity ~ rocks.big * rocks.small * light,
##     data = data.frame(v.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.61818 -0.27861 -0.01608  0.24591  0.88670
##
## Coefficients:
##               Estimate Std. Error t value Pr(>|t|)
## (Intercept)    -4.975e-01  2.268e-01  -2.194  0.0391 *
## rocks.big      -9.983e-03  1.303e-02  -0.766  0.4518
## rocks.small    -1.668e-02  2.625e-02  -0.635  0.5317
## light         -1.037e-02  1.405e-02  -0.738  0.4680
## rocks.big:rocks.small  -3.217e-04  1.498e-03  -0.215  0.8319
## rocks.big:light    -7.732e-04  7.648e-04  -1.011  0.3230
## rocks.small:light  -2.122e-04  1.344e-03  -0.158  0.8759
## rocks.big:rocks.small:light -2.246e-05  6.277e-05  -0.358  0.7239
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3799 on 22 degrees of freedom
## Multiple R-squared:  0.2557, Adjusted R-squared:  0.01892
## F-statistic: 1.08 on 7 and 22 DF,  p-value: 0.4088
summary(lm(plant.abundance ~ light * rocks.big * rocks.small,
           data = data.frame(v.ard.dif, tra.dif, env.dif)))

##
## Call:
## lm(formula = plant.abundance ~ light * rocks.big * rocks.small,
##     data = data.frame(v.ard.dif, tra.dif, env.dif))
##
```



```
## Residuals:
##      Min       1Q   Median       3Q      Max
## -45.808  -8.565   2.356  11.435  25.518
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    -24.997498   10.598639  -2.359   0.0276 *
## light           -0.068351    0.656392  -0.104   0.9180
## rocks.big       -0.322706    0.608981  -0.530   0.6015
## rocks.small     -0.574845    1.226763  -0.469   0.6440
## light:rocks.big  -0.026183    0.035744  -0.733   0.4716
## light:rocks.small  0.006300    0.062803   0.100   0.9210
## rocks.big:rocks.small -0.027964    0.069993  -0.400   0.6934
## light:rocks.big:rocks.small -0.001141    0.002933  -0.389   0.7011
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 17.76 on 22 degrees of freedom
## Multiple R-squared:  0.1937, Adjusted R-squared:  -0.06288
## F-statistic: 0.7549 on 7 and 22 DF,  p-value: 0.6297
summary(lm(plant.richness ~ light *rocks.big * rocks.small,
           data = data.frame(v.ard.dif, tra.dif, env.dif)))

##
## Call:
## lm(formula = plant.richness ~ light * rocks.big * rocks.small,
##     data = data.frame(v.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.15006 -0.67011 -0.00113  0.40891  2.13338
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    -1.121e+00  5.309e-01  -2.111   0.0463 *
## light           1.453e-02  3.288e-02   0.442   0.6629
## rocks.big       1.329e-02  3.050e-02   0.436   0.6674
## rocks.small     -3.598e-03  6.145e-02  -0.059   0.9538
## light:rocks.big  -4.340e-04  1.790e-03  -0.242   0.8107
## light:rocks.small  1.363e-03  3.146e-03   0.433   0.6690
## rocks.big:rocks.small  1.782e-03  3.506e-03   0.508   0.6163
## light:rocks.big:rocks.small  5.302e-05  1.469e-04   0.361   0.7217
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8894 on 22 degrees of freedom
## Multiple R-squared:  0.3383, Adjusted R-squared:  0.1278
## F-statistic: 1.607 on 7 and 22 DF,  p-value: 0.1857
summary(lm(plant.diversity ~ light *rocks.big * rocks.small,
           data = data.frame(v.ard.dif, tra.dif, env.dif)))

##
## Call:
```

```
## lm(formula = plant.diversity ~ light * rocks.big * rocks.small,
##     data = data.frame(v.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.61818 -0.27861 -0.01608  0.24591  0.88670
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   -4.975e-01  2.268e-01  -2.194  0.0391 *
## light         -1.037e-02  1.405e-02  -0.738  0.4680
## rocks.big      -9.983e-03  1.303e-02  -0.766  0.4518
## rocks.small    -1.668e-02  2.625e-02  -0.635  0.5317
## light:rocks.big -7.732e-04  7.648e-04  -1.011  0.3230
## light:rocks.small -2.122e-04  1.344e-03  -0.158  0.8759
## rocks.big:rocks.small -3.217e-04  1.498e-03  -0.215  0.8319
## light:rocks.big:rocks.small -2.246e-05  6.277e-05  -0.358  0.7239
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3799 on 22 degrees of freedom
## Multiple R-squared:  0.2557, Adjusted R-squared:  0.01892
## F-statistic:  1.08 on 7 and 22 DF,  p-value: 0.4088
summary(lm(plant.abundance ~ rocks.big + rocks.small + light,
           data = data.frame(v.ard.dif, tra.dif, env.dif)))
```

```
##
## Call:
## lm(formula = plant.abundance ~ rocks.big + rocks.small + light,
##     data = data.frame(v.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -45.955  -8.621   2.115  12.151  28.829
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -23.55502     6.14481  -3.833 0.000721 ***
## rocks.big     0.11754     0.15271   0.770 0.448432
## rocks.small  -0.53383     0.25424  -2.100 0.045607 *
## light         0.02616     0.35744   0.073 0.942215
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 16.79 on 26 degrees of freedom
## Multiple R-squared:  0.1479, Adjusted R-squared:  0.04957
## F-statistic:  1.504 on 3 and 26 DF,  p-value: 0.2368
summary(lm(plant.richness ~ rocks.big + rocks.small + light,
           data = data.frame(v.ard.dif, tra.dif, env.dif)))
```

```
##
## Call:
## lm(formula = plant.richness ~ rocks.big + rocks.small + light,
```

```

##      data = data.frame(v.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min        1Q      Median        3Q        Max
## -1.09085 -0.72885  0.07251  0.43267  2.04097
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -1.027067   0.302605  -3.394  0.00222 **
## rocks.big    0.019656   0.007521   2.614  0.01470 *
## rocks.small -0.036574   0.012520  -2.921  0.00712 **
## light        0.017481   0.017602   0.993  0.32981
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8268 on 26 degrees of freedom
## Multiple R-squared:  0.3242, Adjusted R-squared:  0.2462
## F-statistic: 4.157 on 3 and 26 DF,  p-value: 0.01565
summary(lm(plant.diversity ~ rocks.big + rocks.small + light,
           data = data.frame(v.ard.dif, tra.dif, env.dif)))

##
## Call:
## lm(formula = plant.diversity ~ rocks.big + rocks.small + light,
##     data = data.frame(v.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min        1Q      Median        3Q        Max
## -0.48929 -0.33019 -0.02457  0.29568  0.88860
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.3546159  0.1309685  -2.708  0.0118 *
## rocks.big    0.0027760  0.0032549   0.853  0.4015
## rocks.small -0.0142947  0.0054187  -2.638  0.0139 *
## light       -0.0009857  0.0076183  -0.129  0.8980
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3579 on 26 degrees of freedom
## Multiple R-squared:  0.2196, Adjusted R-squared:  0.1296
## F-statistic: 2.439 on 3 and 26 DF,  p-value: 0.08707
summary(lm(plant.abundance ~ light + rocks.big + rocks.small,
           data = data.frame(v.ard.dif, tra.dif, env.dif)))

##
## Call:
## lm(formula = plant.abundance ~ light + rocks.big + rocks.small,
##     data = data.frame(v.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min        1Q      Median        3Q        Max
## -45.955  -8.621   2.115  12.151  28.829

```

```
##
## Coefficients:
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept) -23.55502     6.14481  -3.833 0.000721 ***
## light        0.02616     0.35744   0.073 0.942215
## rocks.big    0.11754     0.15271   0.770 0.448432
## rocks.small -0.53383     0.25424  -2.100 0.045607 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 16.79 on 26 degrees of freedom
## Multiple R-squared:  0.1479, Adjusted R-squared:  0.04957
## F-statistic: 1.504 on 3 and 26 DF,  p-value: 0.2368
summary(lm(plant.richness ~ light +rocks.big + rocks.small,
           data = data.frame(v.ard.dif, tra.dif, env.dif)))
```

```
##
## Call:
## lm(formula = plant.richness ~ light + rocks.big + rocks.small,
##     data = data.frame(v.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.09085 -0.72885  0.07251  0.43267  2.04097
##
## Coefficients:
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept) -1.027067   0.302605  -3.394  0.00222 **
## light        0.017481   0.017602   0.993  0.32981
## rocks.big    0.019656   0.007521   2.614  0.01470 *
## rocks.small -0.036574   0.012520  -2.921  0.00712 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8268 on 26 degrees of freedom
## Multiple R-squared:  0.3242, Adjusted R-squared:  0.2462
## F-statistic: 4.157 on 3 and 26 DF,  p-value: 0.01565
summary(lm(plant.diversity ~ light +rocks.big + rocks.small,
           data = data.frame(v.ard.dif, tra.dif, env.dif)))
```

```
##
## Call:
## lm(formula = plant.diversity ~ light + rocks.big + rocks.small,
##     data = data.frame(v.ard.dif, tra.dif, env.dif))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.48929 -0.33019 -0.02457  0.29568  0.88860
##
## Coefficients:
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.3546159  0.1309685  -2.708  0.0118 *
## light       -0.0009857  0.0076183  -0.129  0.8980
```

```
## rocks.big      0.0027760  0.0032549   0.853   0.4015
## rocks.small -0.0142947  0.0054187  -2.638   0.0139 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3579 on 26 degrees of freedom
## Multiple R-squared:  0.2196, Adjusted R-squared:  0.1296
## F-statistic: 2.439 on 3 and 26 DF,  p-value: 0.08707
```

## Structural Equation Models

```
l.com.dif <- split(com, l.dat[, "Tree.pairs"])
l.com.dif <- lapply(l.com.dif, function(x) x[2, ] - x[1, ])
l.com.dif <- do.call(rbind, l.com.dif)

v.com.dif <- split(v.com, l.dat[, "Tree.pairs"])
v.com.dif <- lapply(v.com.dif, function(x) x[2, ] - x[1, ])
v.com.dif <- do.call(rbind, v.com.dif)

l.com.dif.d <- dist(l.com.dif)
v.com.dif.d <- dist(v.com.dif)

l.com.dif.nms <- nmds(l.com.dif.d, 1, 2)
l.com.dif.ord <- nmds.min(l.com.dif.nms, 2)

## Minimum stress for given dimensionality: 0.07460277
## r^2 for minimum stress configuration: 0.9809944

l.com.dif.vec <- envfit(l.com.dif.ord, data.frame(env.dif, tra.dif))

v.com.dif.nms <- nmds(v.com.dif.d, 2, 3)
v.com.dif.ord <- nmds.min(v.com.dif.nms, 3)

## Minimum stress for given dimensionality: 0.03324742
## r^2 for minimum stress configuration: 0.9927886

v.com.dif.vec <- envfit(v.com.dif.ord, data.frame(env.dif, tra.dif))

colnames(l.com.dif.ord) <- paste0("lichen.", colnames(l.com.dif.ord))
colnames(v.com.dif.ord) <- paste0("plant.", colnames(v.com.dif.ord))

library(piecewiseSEM)

sem.dat <- data.frame(tra.dif, env.dif, l.ard.dif, v.ard.dif, l.com.dif.ord, v.com.dif.ord)
sem.path <- matrix(c(0, 1, 1, 0,
                    1, 0, 0, 1,
                    0, 0, 0, 1,
                    0, 0, 0, 0), 4, 4, byrow = TRUE)
rownames(sem.path) <- colnames(sem.path) <- c("d.litter", "d.light", "d.rocks", "d.com")

mod.l.a <- psem(lm(litter ~ crown.radius, sem.dat),
               lm(rocks.big ~ litter, sem.dat),
               lm(lichen.abundance ~ rocks.big, sem.dat))
mod.l.r <- psem(lm(litter ~ crown.radius, sem.dat),
               lm(rocks.big ~ litter, sem.dat),
```

```

        lm(lichen.richness ~ light + rocks.big, sem.dat))
mod.l.d <- psem(lm(litter ~ crown.radius, sem.dat),
               lm(rocks.big ~ litter, sem.dat),
               lm(lichen.diversity ~ light + rocks.big, sem.dat))
mod.l.com <- psem(lm(litter ~ crown.radius, sem.dat),
                 lm(rocks.big ~ litter, sem.dat),
                 lm(lichen.X1 ~ light + rocks.big, sem.dat),
                 lm(lichen.X2 ~ light + rocks.big, sem.dat))
mod.l.all <- psem(lm(litter ~ crown.radius, sem.dat),
                 lm(rocks.big ~ litter, sem.dat),
                 lm(lichen.abundance ~ light + rocks.big, sem.dat),
                 lm(lichen.richness ~ light + rocks.big, sem.dat),
                 lm(lichen.diversity ~ light + rocks.big, sem.dat),
                 lm(lichen.X1 ~ light + rocks.big, sem.dat),
                 lm(lichen.X2 ~ light + rocks.big, sem.dat),
                 (lichen.abundance %~~% lichen.richness),
                 (lichen.abundance %~~% lichen.diversity),
                 (lichen.richness %~~% lichen.diversity),
                 (lichen.abundance %~~% lichen.X1),
                 (lichen.richness %~~% lichen.X1)
                 )

summary(mod.l.a)

```

```

##      |
##
## Structural Equation Model of mod.l.a
##
## Call:
##   litter ~ crown.radius
##   rocks.big ~ litter
##   lichen.abundance ~ rocks.big
##
##      AIC      BIC
## 21.190  33.801
##
## ---
## Tests of directed separation:
##
##               Independ.Claim Test.Type DF Crit.Value P.Value
##   rocks.big ~ crown.radius + ...      coef 27    0.4518  0.6550
##   lichen.abundance ~ crown.radius + ... coef 27   -0.6836  0.5000
##   lichen.abundance ~ litter + ...     coef 26   -0.5027  0.6194
##
## Global goodness-of-fit:
##
##   Fisher's C = 3.19 with P-value = 0.785 and on 6 degrees of freedom
##
## ---
## Coefficients:
##
##      Response      Predictor Estimate Std.Error DF Crit.Value P.Value

```

```

##          litter crown.radius  0.2162    0.0670 28    3.2273 0.0032
##          rocks.big      litter -0.6755    0.0608 28   -11.1055 0.0000
##    lichen.abundance    rocks.big  0.0930    0.0279 28    3.3295 0.0024
## Std.Estimate
##          0.5207 **
##         -0.9028 ***
##          0.5326 **
##
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##          Response method R.squared
##          litter      none      0.27
##          rocks.big    none      0.81
##    lichen.abundance  none      0.28
summary(mod.l.r)

## |
##
## Structural Equation Model of mod.l.r
##
## Call:
##   litter ~ crown.radius
##   rocks.big ~ litter
##   lichen.richness ~ light + rocks.big
##
##      AIC      BIC
## 23.662  37.674
##
## ---
## Tests of directed separation:
##
##              Independ.Claim Test.Type DF Crit.Value P.Value
##   rocks.big ~ crown.radius + ...    coef 27    0.4518 0.6550
##   lichen.richness ~ crown.radius + ...    coef 26    0.1647 0.8704
##           litter ~ light + ...    coef 27   -0.9411 0.3550
##           rocks.big ~ light + ...    coef 27   -0.2528 0.8024
##   lichen.richness ~ litter + ...    coef 25    0.0169 0.9866
##
## Global goodness-of-fit:
##
## Fisher's C = 3.662 with P-value = 0.961 and on 10 degrees of freedom
##
## ---
## Coefficients:
##
##          Response      Predictor Estimate Std.Error DF Crit.Value P.Value
##          litter crown.radius  0.2162    0.0670 28    3.2273 0.0032
##          rocks.big      litter -0.6755    0.0608 28   -11.1055 0.0000
##   lichen.richness      light  0.0883    0.0636 27    1.3898 0.1759
##   lichen.richness    rocks.big  0.1616    0.0264 27    6.1287 0.0000

```

```
## Std.Estimate
##      0.5207  **
##     -0.9028 ***
##      0.1682
##      0.7416 ***
##
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##      Response method R.squared
##      litter      none      0.27
##      rocks.big   none      0.81
##      lichen.richness none      0.61
```

```
summary(mod.l.d)
```

```
##      |
##
## Structural Equation Model of mod.l.d
##
## Call:
##  litter ~ crown.radius
##  rocks.big ~ litter
##  lichen.diversity ~ light + rocks.big
##
##      AIC      BIC
## 26.276 40.288
##
## ---
## Tests of directed separation:
##
##      Independ.Claim Test.Type DF Crit.Value P.Value
##      rocks.big ~ crown.radius + ...      coef 27      0.4518 0.6550
##      lichen.diversity ~ crown.radius + ...      coef 26      1.0827 0.2889
##      litter ~ light + ...      coef 27      -0.9411 0.3550
##      rocks.big ~ light + ...      coef 27      -0.2528 0.8024
##      lichen.diversity ~ litter + ...      coef 25      -0.2500 0.8046
##
## Global goodness-of-fit:
##
## Fisher's C = 6.276 with P-value = 0.792 and on 10 degrees of freedom
##
## ---
## Coefficients:
##
##      Response      Predictor Estimate Std.Error DF Crit.Value P.Value
##      litter crown.radius  0.2162    0.0670 28      3.2273 0.0032
##      rocks.big      litter -0.6755    0.0608 28     -11.1055 0.0000
##      lichen.diversity      light  0.0216    0.0142 27      1.5186 0.1405
##      lichen.diversity      rocks.big 0.0314    0.0059 27      5.3230 0.0000
## Std.Estimate
##      0.5207  **
```



```

##          -0.9028 ***
##          0.1972
##          0.6911 ***
##
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##          Response method R.squared
##          litter      none      0.27
##          rocks.big   none      0.81
##          lichen.diversity none    0.55
summary(mod.l.com)

## |
##
## Structural Equation Model of mod.l.com
##
## Call:
## litter ~ crown.radius
## rocks.big ~ litter
## lichen.X1 ~ light + rocks.big
## lichen.X2 ~ light + rocks.big
##
##          AIC          BIC
## 41.215    60.832
##
## ---
## Tests of directed separation:
##
##          Independ.Claim Test.Type DF Crit.Value P.Value
## rocks.big ~ crown.radius + ...   coef 27    0.4518 0.6550
## lichen.X1 ~ crown.radius + ...   coef 26    0.2908 0.7735
## lichen.X2 ~ crown.radius + ...   coef 26    1.9375 0.0636
##          litter ~ light + ...   coef 27   -0.9411 0.3550
##          rocks.big ~ light + ... coef 27   -0.2528 0.8024
##          lichen.X1 ~ litter + ... coef 25   -0.9892 0.3320
##          lichen.X2 ~ litter + ... coef 25   -0.3978 0.6941
##          lichen.X2 ~ lichen.X1 + ... coef 26    0.4759 0.6381
##
## Global goodness-of-fit:
##
## Fisher's C = 13.215 with P-value = 0.657 and on 16 degrees of freedom
##
## ---
## Coefficients:
##
##          Response      Predictor Estimate Std.Error DF Crit.Value P.Value Std.Estimate
##          litter crown.radius    0.2162    0.0670 28     3.2273 0.0032     0.5207
##          rocks.big      litter   -0.6755    0.0608 28    -11.1055 0.0000    -0.9028
##          lichen.X1      light     0.0285    0.0428 27     0.6663 0.5109     0.1182
##          lichen.X1      rocks.big  0.0375    0.0178 27     2.1100 0.0443     0.3742

```

```
##   lichen.X2      light  0.0252    0.0365 27    0.6917  0.4951    0.1279
##   lichen.X2    rocks.big -0.0241    0.0151 27    -1.5954  0.1223    -0.2950
##
##   **
##   ***
##
##   *
##
##
##
##   Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##   Response method R.squared
##   litter      none      0.27
##   rocks.big   none      0.81
##   lichen.X1   none      0.17
##   lichen.X2   none      0.09
```

```
summary(mod.l.all)
```

```
##   |
##
## Structural Equation Model of mod.l.all
##
## Call:
##   litter ~ crown.radius
##   rocks.big ~ litter
##   lichen.abundance ~ light + rocks.big
##   lichen.richness ~ light + rocks.big
##   lichen.diversity ~ light + rocks.big
##   lichen.X1 ~ light + rocks.big
##   lichen.X2 ~ light + rocks.big
##   lichen.abundance ~~ lichen.richness
##   lichen.abundance ~~ lichen.diversity
##   lichen.richness ~~ lichen.diversity
##   lichen.abundance ~~ lichen.X1
##   lichen.richness ~~ lichen.X1
##
##   AIC      BIC
##   90.144   126.575
##
## ---
## Tests of directed separation:
##
##               Independ.Claim Test.Type DF Crit.Value P.Value
##   rocks.big ~ crown.radius + ...      coef 27    0.4518  0.6550
##   lichen.abundance ~ crown.radius + ... coef 26   -0.6772  0.5043
##   lichen.richness ~ crown.radius + ...  coef 26    0.1647  0.8704
##   lichen.diversity ~ crown.radius + ... coef 26    1.0827  0.2889
##   lichen.X1 ~ crown.radius + ...       coef 26    0.2908  0.7735
##   lichen.X2 ~ crown.radius + ...       coef 26    1.9375  0.0636
```

```

##          litter ~ light + ...      coef 27    -0.9411  0.3550
##          rocks.big ~ light + ...   coef 27    -0.2528  0.8024
##      lichen.abundance ~ litter + ... coef 25    -0.4662  0.6451
##      lichen.richness ~ litter + ... coef 25     0.0169  0.9866
##      lichen.diversity ~ litter + ... coef 25    -0.2500  0.8046
##      lichen.X1 ~ litter + ...      coef 25    -0.9892  0.3320
##      lichen.X2 ~ litter + ...      coef 25    -0.3978  0.6941
##      lichen.X2 ~ lichen.abundance + ... coef 26    -4.1363  0.0003 ***
##      lichen.X2 ~ lichen.richness + ... coef 26    -0.5024  0.6196
##      lichen.X1 ~ lichen.diversity + ... coef 26     0.1983  0.8443
##      lichen.X2 ~ lichen.diversity + ... coef 26     0.9577  0.3470
##      lichen.X2 ~ lichen.X1 + ...    coef 26     0.4759  0.6381
##
## Global goodness-of-fit:
##
## Fisher's C = 38.144 with P-value = 0.372 and on 36 degrees of freedom
##
## ---
## Coefficients:
##
##      Response      Predictor Estimate Std.Error DF Crit.Value P.Value
##      litter      crown.radius  0.2162    0.067 28    3.2273  0.0032
##      rocks.big      litter    -0.6755    0.0608 28   -11.1055  0.0000
##      lichen.abundance      light  0.0155    0.0691 27    0.2245  0.8241
##      lichen.abundance      rocks.big 0.0921    0.0287 27    3.2129  0.0034
##      lichen.richness      light  0.0883    0.0636 27    1.3898  0.1759
##      lichen.richness      rocks.big 0.1616    0.0264 27    6.1287  0.0000
##      lichen.diversity      light  0.0216    0.0142 27    1.5186  0.1405
##      lichen.diversity      rocks.big 0.0314    0.0059 27    5.3230  0.0000
##      lichen.X1      light  0.0285    0.0428 27    0.6663  0.5109
##      lichen.X1      rocks.big 0.0375    0.0178 27    2.1100  0.0443
##      lichen.X2      light  0.0252    0.0365 27    0.6917  0.4951
##      lichen.X2      rocks.big -0.0241    0.0151 27   -1.5954  0.1223
##      ~~lichen.abundance ~~lichen.richness 0.4473      - 30    2.5986  0.0075
##      ~~lichen.abundance ~~lichen.diversity -0.0633      - 30   -0.3297  0.3721
##      ~~lichen.richness ~~lichen.diversity 0.7371      - 30    5.6677  0.0000
##      ~~lichen.abundance      ~~lichen.X1 0.6971      - 30    5.0527  0.0000
##      ~~lichen.richness      ~~lichen.X1 0.4395      - 30    2.5425  0.0085
## Std.Estimate
##      0.5207 **
##     -0.9028 ***
##      0.0369
##      0.5276 **
##      0.1682
##      0.7416 ***
##      0.1972
##      0.6911 ***
##      0.1182
##      0.3742 *
##      0.1279
##     -0.2950
##      0.4473 **
##     -0.0633
##      0.7371 ***

```

```
##          0.6971 ***
##          0.4395 **
##
##   Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
```

```
## ---
```

```
## Individual R-squared:
```

```
##
##          Response method R.squared
##          litter      none      0.27
##          rocks.big   none      0.81
##          lichen.abundance none    0.28
##          lichen.richness none    0.61
##          lichen.diversity none    0.55
##          lichen.X1    none    0.17
##          lichen.X2    none    0.09
```

```
mod.v.a <- psem(lm(litter ~ crown.radius, sem.dat),
               lm(light ~ crown.radius, sem.dat),
               lm(rocks.big ~ litter, sem.dat),
               lm(rocks.small ~ litter, sem.dat),
               (rocks.big %~~% rocks.small),
               lm(plant.abundance ~ rocks.big + rocks.small + light, sem.dat))
mod.v.r <- psem(lm(litter ~ crown.radius, sem.dat),
               lm(light ~ crown.radius, sem.dat),
               lm(rocks.big ~ litter, sem.dat),
               lm(rocks.small ~ litter, sem.dat),
               (rocks.big %~~% rocks.small),
               lm(plant.richness ~ rocks.big + rocks.small + light, sem.dat))
mod.v.d <- psem(lm(litter ~ crown.radius, sem.dat),
               lm(light ~ crown.radius, sem.dat),
               lm(rocks.big ~ litter, sem.dat),
               lm(rocks.small ~ litter, sem.dat),
               (rocks.big %~~% rocks.small),
               lm(plant.diversity ~ rocks.big + rocks.small + light, sem.dat))
mod.v.com <- psem(lm(litter ~ crown.radius, sem.dat),
                 lm(rocks.big ~ litter, sem.dat),
                 lm(rocks.small ~ litter, sem.dat),
                 (rocks.big %~~% rocks.small),
                 lm(plant.X1 ~ light + rocks.small, sem.dat),
                 lm(plant.X2 ~ light + rocks.small, sem.dat),
                 lm(plant.X3 ~ light + rocks.small, sem.dat))
mod.v.all <- psem(lm(litter ~ crown.radius, sem.dat),
                 lm(rocks.big ~ litter, sem.dat),
                 lm(rocks.small ~ litter, sem.dat),
                 (rocks.big %~~% rocks.small),
                 lm(plant.abundance ~ light + rocks.small, sem.dat),
                 lm(plant.richness ~ light + rocks.small + litter, sem.dat),
                 lm(plant.diversity ~ light + rocks.small, sem.dat),
                 lm(plant.X1 ~ light + rocks.small, sem.dat),
                 lm(plant.X2 ~ light + rocks.small, sem.dat),
                 lm(plant.X3 ~ light + rocks.small, sem.dat),
                 (plant.abundance %~~% plant.X2),
                 (plant.abundance %~~% plant.richness),
```

```

        (plant.abundance %~~% plant.diversity),
        (plant.richness %~~% plant.diversity),
        (plant.abundance %~~% plant.X1),
        (plant.richness %~~% plant.X1)
    )

summary(mod.v.a)

##      |
##
## Structural Equation Model of mod.v.a
##
## Call:
##   litter ~ crown.radius
##   light ~ crown.radius
##   rocks.big ~ litter
##   rocks.small ~ litter
##   rocks.big ~~ rocks.small
##   plant.abundance ~ rocks.big + rocks.small + light
##
##      AIC      BIC
## 45.298   69.118
##
## ---
## Tests of directed separation:
##
##               Independ.Claim Test.Type DF Crit.Value P.Value
##   rocks.big ~ crown.radius + ...      coef 27      0.4518 0.6550
##   rocks.small ~ crown.radius + ...     coef 27     -0.2770 0.7839
##   plant.abundance ~ crown.radius + ... coef 25     -0.7870 0.4387
##               light ~ litter + ...     coef 27     -0.9411 0.3550
##   plant.abundance ~ litter + ...       coef 24     -1.6693 0.1080
##               rocks.big ~ light + ...   coef 26     -0.2771 0.7839
##               rocks.small ~ light + ...  coef 26      0.6523 0.5199
##
## Global goodness-of-fit:
##
##   Fisher's C = 11.298 with P-value = 0.662 and on 14 degrees of freedom
##
## ---
## Coefficients:
##
##      Response      Predictor Estimate Std.Error DF Crit.Value P.Value
##      litter crown.radius   0.2162    0.067 28      3.2273 0.0032
##      light  crown.radius  -0.0048    0.0243 28     -0.1967 0.8454
##      rocks.big      litter  -0.6755    0.0608 28    -11.1055 0.0000
##      rocks.small    litter  -0.3124    0.0626 28     -4.9940 0.0000
##      ~~rocks.big ~~rocks.small -0.9851      - 30    -29.7475 0.0000
##   plant.abundance   rocks.big  0.1175    0.1527 26      0.7697 0.4484
##   plant.abundance   rocks.small -0.5338    0.2542 26     -2.0997 0.0456
##   plant.abundance      light  0.0262    0.3574 26      0.0732 0.9422
##   Std.Estimate
##      0.5207 **

```

```

##      -0.0372
##      -0.9028 ***
##      -0.6864 ***
##      -0.9851 ***
##      0.1470
##      -0.4062  *
##      0.0136
##
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##      Response method R.squared
##      litter      none      0.27
##      light       none      0.00
##      rocks.big   none      0.81
##      rocks.small none      0.47
##      plant.abundance none    0.15
summary(mod.v.r)

##      |
##
## Structural Equation Model of mod.v.r
##
## Call:
##      litter ~ crown.radius
##      light ~ crown.radius
##      rocks.big ~ litter
##      rocks.small ~ litter
##      rocks.big ~~ rocks.small
##      plant.richness ~ rocks.big + rocks.small + light
##
##      AIC      BIC
##      41.904   65.724
##
## ---
## Tests of directed separation:
##
##      Independ.Claim Test.Type DF Crit.Value P.Value
##      rocks.big ~ crown.radius + ...      coef 27      0.4518 0.6550
##      rocks.small ~ crown.radius + ...      coef 27     -0.2770 0.7839
##      plant.richness ~ crown.radius + ...      coef 25      0.1184 0.9067
##      light ~ litter + ...      coef 27     -0.9411 0.3550
##      plant.richness ~ litter + ...      coef 24     -1.0931 0.2852
##      rocks.big ~ light + ...      coef 26     -0.2771 0.7839
##      rocks.small ~ light + ...      coef 26      0.6523 0.5199
##
## Global goodness-of-fit:
##
##      Fisher's C = 7.904 with P-value = 0.894 and on 14 degrees of freedom
##
## ---

```

```

## Coefficients:
##
##      Response      Predictor Estimate Std.Error DF Crit.Value P.Value
##      litter crown.radius  0.2162    0.067 28    3.2273  0.0032
##      light  crown.radius -0.0048    0.0243 28   -0.1967  0.8454
##      rocks.big      litter -0.6755    0.0608 28  -11.1055  0.0000
##      rocks.small     litter -0.3124    0.0626 28   -4.9940  0.0000
##      ~~rocks.big ~~rocks.small -0.9851      - 30  -29.7475  0.0000
##      plant.richness   rocks.big  0.0197    0.0075 26    2.6137  0.0147
##      plant.richness   rocks.small -0.0366    0.0125 26   -2.9212  0.0071
##      plant.richness      light  0.0175    0.0176 26    0.9931  0.3298
##      Std.Estimate
##      0.5207  **
##      -0.0372
##      -0.9028 ***
##      -0.6864 ***
##      -0.9851 ***
##      0.4447  *
##      -0.5033 **
##      0.1641
##
##      Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##      Response method R.squared
##      litter      none      0.27
##      light       none      0.00
##      rocks.big    none      0.81
##      rocks.small  none      0.47
##      plant.richness none      0.32
summary(mod.v.d)

##      |
##
## Structural Equation Model of mod.v.d
##
## Call:
##      litter ~ crown.radius
##      light ~ crown.radius
##      rocks.big ~ litter
##      rocks.small ~ litter
##      rocks.big ~~ rocks.small
##      plant.diversity ~ rocks.big + rocks.small + light
##
##      AIC      BIC
##      44.409   68.229
##
## ---
## Tests of directed separation:
##
##      Independ.Claim Test.Type DF Crit.Value P.Value

```

```

##      rocks.big ~ crown.radius + ...      coef 27      0.4518  0.6550
##      rocks.small ~ crown.radius + ...     coef 27     -0.2770  0.7839
##      plant.diversity ~ crown.radius + ...  coef 25      0.5042  0.6186
##      light ~ litter + ...                 coef 27     -0.9411  0.3550
##      plant.diversity ~ litter + ...        coef 24     -1.6145  0.1195
##      rocks.big ~ light + ...              coef 26     -0.2771  0.7839
##      rocks.small ~ light + ...            coef 26      0.6523  0.5199
##
## Global goodness-of-fit:
##
## Fisher's C = 10.409 with P-value = 0.732 and on 14 degrees of freedom
##
## ---
## Coefficients:
##
##      Response      Predictor Estimate Std.Error DF Crit.Value P.Value
##      litter crown.radius   0.2162    0.067 28      3.2273  0.0032
##      light crown.radius  -0.0048    0.0243 28     -0.1967  0.8454
##      rocks.big litter    -0.6755    0.0608 28    -11.1055  0.0000
##      rocks.small litter   -0.3124    0.0626 28     -4.9940  0.0000
##      ~~rocks.big ~~rocks.small -0.9851      - 30    -29.7475  0.0000
##      plant.diversity rocks.big  0.0028    0.0033 26      0.8529  0.4015
##      plant.diversity rocks.small -0.0143    0.0054 26     -2.6380  0.0139
##      plant.diversity light   -0.0010    0.0076 26     -0.1294  0.8980
##      Std.Estimate
##      0.5207 **
##      -0.0372
##      -0.9028 ***
##      -0.6864 ***
##      -0.9851 ***
##      0.1559
##      -0.4884 *
##      -0.0230
##
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##      Response method R.squared
##      litter none      0.27
##      light none      0.00
##      rocks.big none    0.81
##      rocks.small none  0.47
##      plant.diversity none 0.22

```

```
summary(mod.v.com)
```

```

##      |
##
## Structural Equation Model of mod.v.com
##
## Call:
##      litter ~ crown.radius

```



```

## rocks.big ~ litter
## rocks.small ~ litter
## rocks.big ~~ rocks.small
## plant.X1 ~ light + rocks.small
## plant.X2 ~ light + rocks.small
## plant.X3 ~ light + rocks.small
##
##      AIC      BIC
## 68.137  97.562
##
## ---
## Tests of directed separation:
##
##               Independ.Claim Test.Type DF Crit.Value P.Value
## rocks.big ~ crown.radius + ...      coef 27      0.4518 0.6550
## rocks.small ~ crown.radius + ...     coef 27     -0.2770 0.7839
## plant.X1 ~ crown.radius + ...      coef 26      0.7977 0.4323
## plant.X2 ~ crown.radius + ...      coef 26     -0.9407 0.3555
## plant.X3 ~ crown.radius + ...      coef 26      0.7456 0.4626
## litter ~ light + ...               coef 27     -0.9411 0.3550
## rocks.big ~ light + ...             coef 27     -0.2528 0.8024
## rocks.small ~ light + ...           coef 27      0.6449 0.5244
## plant.X1 ~ litter + ...             coef 25      0.3800 0.7072
## plant.X2 ~ litter + ...             coef 25      1.2965 0.2067
## plant.X3 ~ litter + ...             coef 25     -0.6694 0.5094
## plant.X1 ~ rocks.big + ...          coef 25      1.6838 0.1047
## plant.X2 ~ rocks.big + ...          coef 25     -0.0103 0.9919
## plant.X3 ~ rocks.big + ...          coef 25      0.5493 0.5877
## plant.X2 ~ plant.X1 + ...           coef 26      0.4423 0.6619
## plant.X3 ~ plant.X1 + ...           coef 26     -0.5703 0.5733
## plant.X3 ~ plant.X2 + ...           coef 26     -1.2441 0.2245
##
## Global goodness-of-fit:
##
## Fisher's C = 26.137 with P-value = 0.831 and on 34 degrees of freedom
##
## ---
## Coefficients:
##
##      Response      Predictor Estimate Std.Error DF Crit.Value P.Value
## litter crown.radius  0.2162    0.067 28      3.2273 0.0032
## rocks.big litter -0.6755    0.0608 28     -11.1055 0.0000
## rocks.small litter -0.3124    0.0626 28      -4.9940 0.0000
## ~~rocks.big ~~rocks.small -0.9851      - 30     -29.7475 0.0000
## plant.X1 light  0.1176    0.2149 27      0.5471 0.5888
## plant.X1 rocks.small 0.0931    0.1466 27      0.6348 0.5309
## plant.X2 light -0.0180    0.225 27     -0.0800 0.9368
## plant.X2 rocks.small 0.1640    0.1535 27      1.0686 0.2947
## plant.X3 light  0.1908    0.2666 27      0.7156 0.4804
## plant.X3 rocks.small 0.3560    0.1819 27      1.9575 0.0607
## Std.Estimate
##      0.5207 **
##     -0.9028 ***
##     -0.6864 ***

```

```
##      -0.9851 ***
##      0.1059
##      0.1229
##      -0.0154
##      0.2058
##      0.1290
##      0.3529
##
```

```
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
```

```
##
```

```
## ---
```

```
## Individual R-squared:
```

```
##
```

```
##      Response method R.squared
##      litter      none      0.27
##      rocks.big   none      0.81
##      rocks.small none      0.47
##      plant.X1    none      0.03
##      plant.X2    none      0.04
##      plant.X3    none      0.16
```

```
summary(mod.l.all)
```

```
##      |
```

```
##
```

```
## Structural Equation Model of mod.l.all
```

```
##
```

```
## Call:
```

```
##      litter ~ crown.radius
##      rocks.big ~ litter
##      lichen.abundance ~ light + rocks.big
##      lichen.richness ~ light + rocks.big
##      lichen.diversity ~ light + rocks.big
##      lichen.X1 ~ light + rocks.big
##      lichen.X2 ~ light + rocks.big
##      lichen.abundance ~~ lichen.richness
##      lichen.abundance ~~ lichen.diversity
##      lichen.richness ~~ lichen.diversity
##      lichen.abundance ~~ lichen.X1
##      lichen.richness ~~ lichen.X1
```

```
##
```

```
##      AIC      BIC
```

```
##      90.144   126.575
```

```
##
```

```
## ---
```

```
## Tests of directed separation:
```

```
##
```

	Independ.Claim	Test.Type	DF	Crit.Value	P.Value
rocks.big ~ crown.radius + ...	coef	27	0.4518	0.6550	
lichen.abundance ~ crown.radius + ...	coef	26	-0.6772	0.5043	
lichen.richness ~ crown.radius + ...	coef	26	0.1647	0.8704	
lichen.diversity ~ crown.radius + ...	coef	26	1.0827	0.2889	
lichen.X1 ~ crown.radius + ...	coef	26	0.2908	0.7735	
lichen.X2 ~ crown.radius + ...	coef	26	1.9375	0.0636	

```

##          litter ~ light + ...      coef 27    -0.9411  0.3550
##          rocks.big ~ light + ...   coef 27    -0.2528  0.8024
##      lichen.abundance ~ litter + ... coef 25    -0.4662  0.6451
##      lichen.richness ~ litter + ... coef 25     0.0169  0.9866
##      lichen.diversity ~ litter + ... coef 25    -0.2500  0.8046
##      lichen.X1 ~ litter + ...      coef 25    -0.9892  0.3320
##      lichen.X2 ~ litter + ...      coef 25    -0.3978  0.6941
##      lichen.X2 ~ lichen.abundance + ... coef 26    -4.1363  0.0003 ***
##      lichen.X2 ~ lichen.richness + ... coef 26    -0.5024  0.6196
##      lichen.X1 ~ lichen.diversity + ... coef 26     0.1983  0.8443
##      lichen.X2 ~ lichen.diversity + ... coef 26     0.9577  0.3470
##      lichen.X2 ~ lichen.X1 + ...    coef 26     0.4759  0.6381
##
## Global goodness-of-fit:
##
## Fisher's C = 38.144 with P-value = 0.372 and on 36 degrees of freedom
##
## ---
## Coefficients:
##
##      Response      Predictor Estimate Std.Error DF Crit.Value P.Value
##      litter      crown.radius  0.2162    0.067 28    3.2273  0.0032
##      rocks.big      litter    -0.6755    0.0608 28   -11.1055  0.0000
##      lichen.abundance      light  0.0155    0.0691 27    0.2245  0.8241
##      lichen.abundance      rocks.big 0.0921    0.0287 27    3.2129  0.0034
##      lichen.richness      light  0.0883    0.0636 27    1.3898  0.1759
##      lichen.richness      rocks.big 0.1616    0.0264 27    6.1287  0.0000
##      lichen.diversity      light  0.0216    0.0142 27    1.5186  0.1405
##      lichen.diversity      rocks.big 0.0314    0.0059 27    5.3230  0.0000
##      lichen.X1      light  0.0285    0.0428 27    0.6663  0.5109
##      lichen.X1      rocks.big 0.0375    0.0178 27    2.1100  0.0443
##      lichen.X2      light  0.0252    0.0365 27    0.6917  0.4951
##      lichen.X2      rocks.big -0.0241    0.0151 27   -1.5954  0.1223
##      ~~lichen.abundance ~~lichen.richness 0.4473      - 30    2.5986  0.0075
##      ~~lichen.abundance ~~lichen.diversity -0.0633      - 30   -0.3297  0.3721
##      ~~lichen.richness ~~lichen.diversity 0.7371      - 30    5.6677  0.0000
##      ~~lichen.abundance ~~lichen.X1 0.6971      - 30    5.0527  0.0000
##      ~~lichen.richness ~~lichen.X1 0.4395      - 30    2.5425  0.0085
## Std.Estimate
##      0.5207 **
##     -0.9028 ***
##      0.0369
##      0.5276 **
##      0.1682
##      0.7416 ***
##      0.1972
##      0.6911 ***
##      0.1182
##      0.3742 *
##      0.1279
##     -0.2950
##      0.4473 **
##     -0.0633
##      0.7371 ***

```

```
##          0.6971 ***
##          0.4395 **
##
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
##
## ---
## Individual R-squared:
##
##          Response method R.squared
##          litter      none      0.27
##          rocks.big    none      0.81
##          lichen.abundance none    0.28
##          lichen.richness none    0.61
##          lichen.diversity none    0.55
##          lichen.X1     none    0.17
##          lichen.X2     none    0.09
```

```
summary(mod.v.all)
```

```
## |
##
## Structural Equation Model of mod.v.all
##
## Call:
## litter ~ crown.radius
## rocks.big ~ litter
## rocks.small ~ litter
## rocks.big ~~ rocks.small
## plant.abundance ~ light + rocks.small
## plant.richness ~ light + rocks.small + litter
## plant.diversity ~ light + rocks.small
## plant.X1 ~ light + rocks.small
## plant.X2 ~ light + rocks.small
## plant.X3 ~ light + rocks.small
## plant.abundance ~~ plant.X2
## plant.abundance ~~ plant.richness
## plant.abundance ~~ plant.diversity
## plant.richness ~~ plant.diversity
## plant.abundance ~~ plant.X1
## plant.richness ~~ plant.X1
##
##          AIC          BIC
## 128.663    176.304
##
## ---
## Tests of directed separation:
##
##          Independ.Claim Test.Type DF Crit.Value P.Value
##          rocks.big ~ crown.radius + ...      coef 27      0.4518 0.6550
##          rocks.small ~ crown.radius + ...      coef 27     -0.2770 0.7839
##          plant.richness ~ crown.radius + ...      coef 25      0.1846 0.8550
##          plant.abundance ~ crown.radius + ...      coef 26     -1.0289 0.3130
##          plant.diversity ~ crown.radius + ...      coef 26      0.1607 0.8736
##          plant.X1 ~ crown.radius + ...      coef 26      0.7977 0.4323
```

```

##      plant.X2 ~ crown.radius + ...      coef 26      -0.9407  0.3555
##      plant.X3 ~ crown.radius + ...      coef 26       0.7456  0.4626
##      litter ~ light + ...               coef 27      -0.9411  0.3550
##      rocks.big ~ light + ...            coef 27      -0.2528  0.8024
##      rocks.small ~ light + ...          coef 27       0.6449  0.5244
##      plant.abundance ~ litter + ...     coef 25      -0.5422  0.5925
##      plant.diversity ~ litter + ...     coef 25      -1.0861  0.2878
##      plant.X1 ~ litter + ...            coef 25       0.3800  0.7072
##      plant.X2 ~ litter + ...            coef 25       1.2965  0.2067
##      plant.X3 ~ litter + ...            coef 25      -0.6694  0.5094
##      plant.richness ~ rocks.big + ...   coef 25      -0.8728  0.3911
##      plant.abundance ~ rocks.big + ...  coef 25      -1.7741  0.0882
##      plant.diversity ~ rocks.big + ...  coef 25      -1.4074  0.1716
##      plant.X1 ~ rocks.big + ...         coef 25       1.6838  0.1047
##      plant.X2 ~ rocks.big + ...         coef 25      -0.0103  0.9919
##      plant.X3 ~ rocks.big + ...         coef 25       0.5493  0.5877
##      plant.X2 ~ plant.richness + ...    coef 25      -2.0442  0.0516
##      plant.X3 ~ plant.richness + ...    coef 25       0.0654  0.9484
##      plant.X3 ~ plant.abundance + ...   coef 26      -1.6575  0.1094
##      plant.X1 ~ plant.diversity + ...   coef 26      -0.1713  0.8653
##      plant.X2 ~ plant.diversity + ...   coef 26      -2.1839  0.0382 *
##      plant.X3 ~ plant.diversity + ...   coef 26       0.3061  0.7620
##      plant.X2 ~ plant.X1 + ...          coef 26       0.4423  0.6619
##      plant.X3 ~ plant.X1 + ...          coef 26      -0.5703  0.5733
##      plant.X3 ~ plant.X2 + ...          coef 26      -1.2441  0.2245
##
## Global goodness-of-fit:
##
## Fisher's C = 60.663 with P-value = 0.524 and on 62 degrees of freedom
##
## ---
## Coefficients:
##
##      Response      Predictor Estimate Std.Error DF Crit.Value P.Value
##      litter      crown.radius  0.2162    0.067 28    3.2273  0.0032
##      rocks.big      litter -0.6755    0.0608 28   -11.1055  0.0000
##      rocks.small      litter -0.3124    0.0626 28    -4.9940  0.0000
##      ~~rocks.big    ~~rocks.small -0.9851      - 30   -29.7475  0.0000
##      plant.abundance light  0.0469    0.3537 27     0.1325  0.8956
##      plant.abundance rocks.small -0.4766    0.2413 27    -1.9753  0.0585
##      plant.richness  light  0.0190    0.0174 26     1.0864  0.2873
##      plant.richness  rocks.small -0.0564    0.0161 26    -3.4986  0.0017
##      plant.richness  litter -0.0197    0.0073 26    -2.7007  0.0120
##      plant.diversity light -0.0005    0.0076 27    -0.0657  0.9481
##      plant.diversity rocks.small -0.0129    0.0052 27    -2.5105  0.0184
##      plant.X1        light  0.1176    0.2149 27     0.5471  0.5888
##      plant.X1        rocks.small 0.0931    0.1466 27     0.6348  0.5309
##      plant.X2        light -0.0180    0.225 27    -0.0800  0.9368
##      plant.X2        rocks.small 0.1640    0.1535 27     1.0686  0.2947
##      plant.X3        light  0.1908    0.2666 27     0.7156  0.4804
##      plant.X3        rocks.small 0.3560    0.1819 27     1.9575  0.0607
##      ~~plant.abundance ~~plant.X2 -0.5607      - 30   -3.5184  0.0008
##      ~~plant.abundance ~~plant.richness 0.4011      - 30     2.2755  0.0155
##      ~~plant.abundance ~~plant.diversity 0.3244      - 30     1.7819  0.0430

```

```
##    ~~plant.richness  ~~plant.diversity    0.8536      - 30      8.5131  0.0000
##    ~~plant.abundance      ~~plant.X1  -0.5601      - 30     -3.5132  0.0008
##    ~~plant.richness      ~~plant.X1  -0.1481      - 30     -0.7780  0.2217
## Std.Estimate
##      0.5207  **
##     -0.9028 ***
##     -0.6864 ***
##     -0.9851 ***
##      0.0243
##     -0.3627
##      0.1779
##     -0.7761  **
##     -0.5951  *
##     -0.0116
##     -0.4422  *
##      0.1059
##      0.1229
##     -0.0154
##      0.2058
##      0.1290
##      0.3529
##     -0.5607 ***
##      0.4011  *
##      0.3244  *
##      0.8536 ***
##     -0.5601 ***
##     -0.1481
```

```
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05
```

```
##
```

```
## ---
```

```
## Individual R-squared:
```

```
##
```

```
##      Response method R.squared
##      litter      none      0.27
##      rocks.big   none      0.81
##      rocks.small none      0.47
##      plant.abundance none    0.13
##      plant.richness none    0.33
##      plant.diversity none    0.20
##      plant.X1    none    0.03
##      plant.X2    none    0.04
##      plant.X3    none    0.16
```

```
library("lavaan")
```

```
lav.l.all <- 'litter ~ crown.radius
              rocks.big ~ litter
              lichen.abundance ~ light + rocks.big
              lichen.richness ~ light + rocks.big
              lichen.diversity ~ light + rocks.big
              lichen.X1 ~ light + rocks.big
              lichen.X2 ~ light + rocks.big
              lichen.abundance ~~ lichen.richness'
```

```

    lichen.abundance ~~ lichen.diversity
    lichen.richness ~~ lichen.diversity
    lichen.abundance ~~ lichen.X1
    lichen.richness ~~ lichen.X1
  ,

lav.v.all <- 'litter ~ crown.radius
             rocks.big ~ litter
             rocks.small ~ litter
             rocks.big ~~ rocks.small
             plant.abundance ~ light + rocks.small
             plant.richness ~ light + rocks.small + litter
             plant.diversity ~ light + rocks.small
             plant.X1 ~ light + rocks.small
             plant.X2 ~ light + rocks.small
             plant.X3 ~ light + rocks.small
             plant.abundance ~~ plant.X2
             plant.abundance ~~ plant.richness
             plant.abundance ~~ plant.diversity
             plant.richness ~~ plant.diversity
             plant.abundance ~~ plant.X1
             plant.richness ~~ plant.X1
  ,

std <- function(x){(x - mean(x)) / sd(x)}

fit.l.all <- sem(lav.l.all, data = apply(sem.dat, 2, std))
fit.v.all <- sem(lav.v.all, data = apply(sem.dat, 2, std))

varTable(fit.l.all)

##           name idx nobs   type exo user mean var nlev lnam
## 1      litter   3   30 numeric   0   0   0   1   0
## 2    rocks.big   5   30 numeric   0   0   0   1   0
## 3 lichen.abundance 8   30 numeric   0   0   0   1   0
## 4 lichen.richness  9   30 numeric   0   0   0   1   0
## 5 lichen.diversity 10  30 numeric   0   0   0   1   0
## 6     lichen.X1  14  30 numeric   0   0   0   1   0
## 7     lichen.X2  15  30 numeric   0   0   0   1   0
## 8   crown.radius   2   30 numeric   1   0   0   1   0
## 9        light   7   30 numeric   1   0   0   1   0

varTable(fit.v.all)

##           name idx nobs   type exo user mean var nlev lnam
## 1      litter   3   30 numeric   0   0   0   1   0
## 2    rocks.big   5   30 numeric   0   0   0   1   0
## 3    rocks.small  6   30 numeric   0   0   0   1   0
## 4 plant.abundance 11  30 numeric   0   0   0   1   0
## 5  plant.richness 12  30 numeric   0   0   0   1   0
## 6 plant.diversity 13  30 numeric   0   0   0   1   0
## 7     plant.X1  16  30 numeric   0   0   0   1   0
## 8     plant.X2  17  30 numeric   0   0   0   1   0
## 9     plant.X3  18  30 numeric   0   0   0   1   0

```

```
## 10    crown.radius    2    30 numeric    1    0    0    1    0
## 11          light     7    30 numeric    1    0    0    1    0
```

```
summary(fit.l.all)
```

```
## lavaan 0.6-8 ended normally after 54 iterations
```

```
##
```

```
## Estimator ML
## Optimization method NLMINB
## Number of model parameters 29
##
## Number of observations 30
##
```

```
## Model Test User Model:
```

```
##
```

```
## Test statistic 18.541
## Degrees of freedom 13
## P-value (Chi-square) 0.138
##
```

```
## Parameter Estimates:
```

```
##
```

```
## Standard errors Standard
## Information Expected
## Information saturated (h1) model Structured
##
```

```
## Regressions:
```

	Estimate	Std.Err	z-value	P(> z )
litter ~				
crown.radius	0.521	0.156	3.341	0.001
rocks.big ~				
litter	-0.903	0.079	-11.495	0.000
lichen.abundance ~				
light	0.037	0.154	0.239	0.811
rocks.big	0.528	0.154	3.417	0.001
lichen.richness ~				
light	0.168	0.114	1.478	0.139
rocks.big	0.742	0.114	6.518	0.000
lichen.diversity ~				
light	0.197	0.122	1.615	0.106
rocks.big	0.691	0.122	5.661	0.000
lichen.X1 ~				
light	0.118	0.167	0.709	0.479
rocks.big	0.374	0.167	2.244	0.025
lichen.X2 ~				
light	0.128	0.174	0.736	0.462
rocks.big	-0.295	0.174	-1.697	0.090

```
##
```

```
## Covariances:
```

	Estimate	Std.Err	z-value	P(> z )
.lichen.abundance ~~				
.lichen.richness	0.228	0.102	2.236	0.025
.lichen.divrsty	-0.035	0.100	-0.346	0.729
.lichen.richness ~~				
.lichen.divrsty	0.297	0.091	3.250	0.001
.lichen.abundance ~~				



```
##      .lichen.X1          0.520    0.166    3.132    0.002
##      .lichen.richness ~~
##      .lichen.X1          0.242    0.110    2.204    0.028
##      .lichen.abundance ~~
##      .lichen.X2         -0.490    0.168   -2.919    0.004
##      .lichen.richness ~~
##      .lichen.X2         -0.056    0.105   -0.534    0.593
##      .lichen.diversity ~~
##      .lichen.X1          0.023    0.108    0.213    0.832
##      .lichen.X2          0.114    0.114    0.994    0.320
##      .lichen.X1 ~~
##      .lichen.X2          0.078    0.154    0.507    0.612
##
```

```
## Variances:
```

	Estimate	Std.Err	z-value	P(> z )
##      .litter	0.705	0.182	3.873	0.000
##      .rocks.big	0.179	0.046	3.873	0.000
##      .lichen.abundnc	0.691	0.178	3.873	0.000
##      .lichen.richnss	0.375	0.097	3.873	0.000
##      .lichen.divrsty	0.432	0.112	3.873	0.000
##      .lichen.X1	0.806	0.208	3.873	0.000
##      .lichen.X2	0.876	0.226	3.873	0.000

```
summary(fit.v.all)
```

```
## lavaan 0.6-8 ended normally after 118 iterations
```

```
##
```

##      Estimator	ML
##      Optimization method	NLMINB
##      Number of model parameters	47
##	
##      Number of observations	30

```
##
```

```
## Model Test User Model:
```

```
##
```

##      Test statistic	18.376
##      Degrees of freedom	16
##      P-value (Chi-square)	0.302

```
##
```

```
## Parameter Estimates:
```

```
##
```

##      Standard errors	Standard
##      Information	Expected
##      Information saturated (h1) model	Structured

```
##
```

```
## Regressions:
```

	Estimate	Std.Err	z-value	P(> z )
##      litter ~				
##      crown.radius	0.521	0.156	3.341	0.001
##      rocks.big ~				
##      litter	-0.907	0.079	-11.464	0.000
##      rocks.small ~				
##      litter	-0.686	0.133	-5.169	0.000
##      plant.abundance ~				
##      light	0.178	0.160	1.112	0.266

```

##      rocks.small      -0.394    0.173   -2.283    0.022
## plant.richness ~
##      light           0.258    0.149    1.737    0.082
##      rocks.small     -0.653    0.166   -3.935    0.000
##      litter          -0.391    0.096   -4.054    0.000
## plant.diversity ~
##      light           0.110    0.157    0.699    0.484
##      rocks.small     -0.467    0.165   -2.832    0.005
## plant.X1 ~
##      light          -0.047    0.170   -0.280    0.780
##      rocks.small      0.154    0.182    0.850    0.396
## plant.X2 ~
##      light          -0.023    0.179   -0.128    0.898
##      rocks.small      0.207    0.179    1.160    0.246
## plant.X3 ~
##      light           0.085    0.167    0.512    0.608
##      rocks.small      0.362    0.168    2.160    0.031
##
## Covariances:
##              Estimate Std.Err z-value P(>|z|)
## .rocks.big ~~
## .rocks.small      -0.301    0.078   -3.848    0.000
## .plant.abundance ~~
## .plant.X2         -0.496    0.187   -2.657    0.008
## .plant.richness     0.329    0.151    2.174    0.030
## .plant.diversty     0.279    0.159    1.755    0.079
## .plant.richness ~~
## .plant.diversty     0.635    0.176    3.603    0.000
## .plant.abundance ~~
## .plant.X1         -0.519    0.191   -2.715    0.007
## .plant.richness ~~
## .plant.X1         -0.144    0.149   -0.966    0.334
## .rocks.big ~~
## .plant.abundanc    -0.026    0.013   -1.935    0.053
## .plant.richness    -0.012    0.011   -1.110    0.267
## .plant.diversty    -0.020    0.012   -1.632    0.103
## .plant.X1          0.026    0.014    1.849    0.064
## .plant.X2          0.001    0.013    0.098    0.922
## .plant.X3          0.007    0.012    0.603    0.546
## .plant.abundance ~~
## .plant.X3         -0.262    0.160   -1.633    0.103
## .plant.richness ~~
## .plant.X2         -0.312    0.155   -2.013    0.044
## .plant.X3          0.015    0.135    0.112    0.910
## .plant.diversity ~~
## .plant.X1         -0.046    0.159   -0.288    0.773
## .plant.X2         -0.335    0.168   -1.996    0.046
## .plant.X3          0.043    0.147    0.291    0.771
## .plant.X1 ~~
## .plant.X2          0.082    0.173    0.472    0.637
## .plant.X3         -0.091    0.162   -0.560    0.576
## .plant.X2 ~~
## .plant.X3         -0.205    0.163   -1.260    0.208
##

```

```
## Variances:
##           Estimate Std.Err z-value P(>|z|)
## .litter      0.705   0.182   3.873   0.000
## .rocks.big    0.183   0.047   3.888   0.000
## .rocks.small  0.511   0.132   3.873   0.000
## .plant.abundanc 0.864   0.223   3.873   0.000
## .plant.richness 0.671   0.173   3.873   0.000
## .plant.diversty 0.789   0.204   3.873   0.000
## .plant.X1      0.958   0.247   3.873   0.000
## .plant.X2      0.927   0.239   3.873   0.000
## .plant.X3      0.814   0.210   3.873   0.000
```

```
library(semPlot)
```

```
semPaths(fit.l.all)
```

