GNU Emacs

Chris Sims chris@jcsi.ms

GNU Emacs

The extensible, customizable editor

Chris Sims chris@jcsi.ms

8 Oct 2013

Outline

GNU Emacs

Chris Sims chris@jcsi.ms

Why Emacs?

GNU Emacs

Chris Sims

GNU Emacs was originally written in 1984 by Richard Stallman, with origins dating back to 1976 in MIT's Al Lab.

- decades of work and refinement
- extensive help system and information online
- first-class plugin support

Ok, So Why Not Vim or Sublime Text?

GNU Emacs

Chris Sims chris@jcsi.m

These are both great choices, but Emacs has:

- an integrated package manager
- proper subprocess support
- vast amount of packages available for almost any application

Basics

GNU Emacs

Chris Sims chris@jcsi.m

Terms:

- C-h t Hold down Control, hit h then release, and then hit t.
- buffer representation of a file or other resource
- window view on a particular buffer
 - mode 1 major, n minor modes define methods, redefine keybindings, and provide syntax highlighting (among other things)

Some things to remember:

- everything is a function (M-x)
- there are numerous help facilities to remind the user of functions, modes, variables, etc

Immediate Help

GNU Emacs

Chris Sims

- C-h t Emacs tutorial
- C-h k help on a specific keybinding
- C-h m docs on current modes
- C-h f function docstring
- C-h v help on a variable (including its current value)
- C-h ? help (on the help system)

Longer-Term Help

GNU Emacs

Chris Sims

- The Emacs Manual: C-h r
- http://emacswiki.org: Chaotic, be cautious of outdated/wrong information
- .emacs: Looking through other configurations can be quite fruitful
- Emacs reference cards: http://www.gnu.org/ software/emacs/refcards/index.html
- Ask me!

Plugins

GNU Emacs

Chris Sims chris@jcsi.m

package.el was included in Emacs, starting with Emacs 24. It allows for installing packages (plugins) from a repository archive.

package-install install a specified package

Adding Repositories

Marmalade and MELPA are two of the most diverse package repositories. MELPA builds from github source on a regular basis, and is your best source for new packages.



GNU Emacs

Chris Sims chris@jcsi.n

- AucT_EX is the definitive Emacs package for writing LAT_EX
- it's available in most package managers and from Emacs 24+
- Demo!

Alternative Buffers

GNU Emacs

Chris Sims hris@jcsi.m

Buffers can be something other than just a view into a file

- terminal (eshell, shell)
- functional buffers (magit, dired)
- IRC (erc)
- REPL (R, nrepl)

Demo!

Org Mode

GNU Emacs

Chris Sims chris@jcsi.m

Org Mode is, at its simplest, an outlining tool.

"Org-mode does outlining, note-taking, hyperlinks, spreadsheets, TODO lists, project planning, GTD, HTML and LaTeX authoring, all with plain text files in Emacs." — Carsten Dominik, author Org Mode

I use it for outlining, and keeping track of what I need to get done with the agenda.

Demo!

My .emacs.d

GNU Emacs

Chris Sims

- In newer versions of Emacs, the .emacs.d directory (normally located at ~/emacs.d) contains the configuration (and package files) for Emacs.
- I use a fair number of packages, and have split some of the configuration out from init.el into separate topical init files.
- Demo!

Questions?

GNU Emacs

Chris Sims chris@jcsi.m

Questions?

Thanks!