

1. A developer successfully published a package from Studio 2021.10 to an Orchestrator 2021.10 shared folder. The developer did not make any changes to the project and published the package again successfully.

What automatically happens in Orchestrator?

SOL: A new version of the project is sent to Orchestrator but is not set as the active version

2. What describes the file access level needed when using the Workbook Read Range activity?

Sol: Works with .xlsx files and Excel does not need to be installed

3. A developer generated a static selector by selecting "**Indicate on screen**" inside a Click activity. In addition, the developer needs to view the full list of attributes of the target UI element.

What should be used to display the full list

Sol: UI Explorer tool

4. Which data type is used to store data extracted from a Microsoft Excel file using a Read Range activity?

Sol: Data Table

5. In UiPath Studio, which feature is provided by GIT version control?

Sol: Return a studio workflow back to a previous state

6. What describes the relationship between UiPath Robots and UiPath Orchestrator?

Sol: uipath robot can be deleted if they have pending or Active jobs in uipath Orchestrator.


7. Which function does the Anchor Base activity provide?

Sol: Searches for a UI element by using another UI element as an anchor and searches the specified area around the anchored element

8. A developer wants to retrieve all UI elements from a form that is based on a filter criterion. Which activity should the developer use?

Sol: Find Children

9. Review the following graphic:



Based on the graphic, what is the output of the workflow

Sol: IndexOutOfRangeException

10. A customer calls into a Call Center to get an update on their current outstanding payment. Consider the following use case:

1. The customer provides the Customer ID to the call center representative.
2. The call center representative inputs the Customer ID into a web application.
3. The robot scrapes the data from the web application.
4. The robot performs calculations.
5. The outstanding amount is provided to the customer over the telephone by the representative.

What is the number of steps that require manual intervention?

Sol: Three

11. A developer is reviewing the file contents of a UiPath Studio project. In which location are the UiPath dependencies specified?

Sol: Project.Json

12. A developer wants to retrieve all rows in a datatable variable with a "Price" value greater than 1000. Which activity can the developer use?

Sol: Filter Data Table

13. What is a feature of the native screen scraping method?

Sol: Extracts the text position

14. A developer is creating an automation that needs to log into a desktop application. The automation will enter the password in the application user interface. The password contains only numbers.


What is the recommended variable type to store the password value?

Sol: secure string.

15. A developer needs to create a variable to store the value of a username. Which variable field is optional?

Sol: Default

16. A developer has created a process for a local university that wants to report on student grade levels for different courses. The developer has created the following workflow:



Based on the exhibit, which output is produced in the Output panel?

Sol: Level D

17. During development, a breakpoint is enabled at a particular activity. Later, the developer published the package and created a process in UiPath Orchestrator.

When the process runs from a UiPath Robot in an unattended mode, what is the expected behavior?

Sol: Breakpoint will have no impact on process execution.

18. Which component of the UiPath platform is used to create workflows?

Sol: uipath Studio

19. Which data type does the Selector property of an activity accept?

Sol: system.string

20. Which feature is unique to the UI Explorer tool when compared to the Selector Editor?

Sol: Allows the developer to view the full UI hierarchy tree

21. A developer needs to ensure a string has a valid email format. How can this be verified?

Sol: Using Regular Expressions

22. What describes a function of UiPath version control?

Sol: Provides a way to manage larger projects that require collaboration between multiple users

23. In UiPath Studio, which argument direction(s) exist?

Sol: In, Out, and In/Out arguments

24. A developer wants to build a project which iterates through multiple digital PDF invoice files to retrieve the **Total Value**. Assuming all the files have the same structure, which action should be performed based on best practices?

Sol: Ensure the Selectors are valid for all invoices.

25. A developer is using a DateTime variable called **EventDate**. The developer wants to display the date value stored in the EventDate variable in the Output panel.

If the developer is using a Log Message activity and a "**dd-MM-yyyy**" format, which expression should be used to display the date value?

Sol: EventDate.ToString("dd-MM-yyyy")

26. In UiPath Studio, what is the primary feature of a flowchart?

Sol: Ability to connect activities in multiple ways by branching multiple logical operators

27. What is a benefit of using UiPath Orchestrator queues?

Sol: Ability to monitor the status of the Queue

28. What is a characteristic of an Orchestrator Asset?

Sol: Asset values can be defined for each user.

29. A developer is tasked with designing a process to interact with a Financial Accounting application. The process will be designed in the following way:

1. The process needs to validate the **Payment Status** field in the application.
2. There are three possible values in the Payment Status field named: Pending, Paid, or Awaiting Approval.
3. For **Pending**, the process should check the "Due Date" field. If the Due Date has lapsed, raise an alert. Otherwise, do nothing.
4. For **Paid**, change the "Overall Status" to "Completed".
5. For **Awaiting Approval**, send an alert email to the email address in the **Account Owner** field.

Based on best practices, which activity is recommended for designing the process flow for Step 2?

Sol : Switch

30. A developer wants to remove the company name from the "**UiPath Certification**" string. Which string method will return "Certification"?

Sol: "UiPath Certification".Substring(6).Trim


31. Which dependencies are automatically installed when a developer starts a blank process in UiPath Studio 2021.10?

Sol: UiPath.Mail.Activities and UiPath.Excel.Activities

32. Which elements must exist for each Dictionary object?

Sol: Key and Value

33.Review the following graphic:



Based on the graphic, what is the output at runtime?

Sol: < blank >

0

0

34.A developer has created a variable of type String called Levels. The developer has assigned the value, "1, 2, 3, 4, 5, 6", to the variable. What is the resulting data type for the expression **Levels.Split(", "c)(1)**?

Sol: String

35. A user needs to download a report for each month of the year and decides to loop over the months using a For Each activity. Which data type is best-suited to hold the values of the names of the months?

Sol: string[]

36. A developer is reading a CSV file with the Read CSV activity. In order to access data in the output datatable by the column names, which property needs to be enabled in UiPath Studio 2021.10?

Sol :Has Headers

37. When using the For Each activity to loop through the output of a Get IMAP Mail Messages activity, how should the TypeArgument property be set?

Sol: System.Net.Mail.MailMessage

38. What happens if a process is started from an on-premise UiPath Orchestrator?

Sol: Process starts running on all machines that are provisioned in Orchestrator and were selected for the job

39. In order to ensure a robust and stable automation, which selector should be modified based on best practices?

```
<html app='chrome.exe' title='Release History - UiPath Platform' />  
<webctrl parentid='confluence-ui' tag='SPAN' idx='94' />
```

Sol:

40. A developer wants to create a process that executes three sequences asynchronously. Which activity should be used?

Sol: Parallel

41. Which business process is best-suited for automation?

Sol: Scheduling and sending out a high volume of reminders for patients at a healthcare center


42. Which activity is used to trigger a sequence, named **InitAllSettings.xaml**, from within Main.xaml?

Sol: Invoke workflow file



43.A developer has created an automation process that includes:

Main.xaml file:




| Name            | Variable type | Scope    | Default |
|-----------------|---------------|----------|---------|
| Fruits          | String        | Sequence | "Apple" |
| Create Variable |               |          |         |

Main.xaml file invokes the SuperMarket.xaml workflow using the following argument:

| Invoked workflow's arguments |           |        |        |
|------------------------------|-----------|--------|--------|
| Name                         | Direction | Type   | Value  |
| in_ShoppingBasket            | In        | String | Fruits |
| Create Argument              |           |        |        |
|                              |           |        |        |
| OK Cancel                    |           |        |        |

Detailed SuperMarket.xaml sequence and right-hand side of the Assign expression is shown below:



Based on the information shown in the graphics, what is the output of the Write Line activity in the Main.xaml file?

Sol: apple

44.What are the differences between variables and arguments?

Sol: Variables pass data between activities inside the same workflow  
Arguments pass data between workflow files

45.Which function is available with an attended robot?

Sol: Processes can be started from UiPath Assistant or the command prompt

46. A developer has a workflow in which the value of a counter needs to be evaluated before the body of the loop is executed. Which Control Flow activity should be used?

Sol: While

47.What is a consideration when working with either a partial selector or a full selector?

Sol: Partial selectors are recommended to perform multiple actions in the same window.

Full selectors include information about the top-level window.

48.A developer used the Data Scraping wizard to extract a datatable from a website. The developer noticed that in the workflow file, the variable name was not recognized in an activity that contained an error indicating that it was not declared.

Which UiPath Studio panel can the developer use to update the scope of the datatable variable?

Sol: Variables

49.Which characters can be used as wildcards while editing a selector?

Sol: \* and ?

50.Based on best practice, how many Global Exception Handlers can be set per automation project?

Sol: One for the Entire Project.

51.A user wants to write a datatable to an .xlsx file; however, the file does not exist. What happens if the Workbook Write Range activity is used to write the datatable?

Sol: File will be created and the data will be located in the file

52.Which activity can be used to retrieve the value from a specific column, from a DataRow object?

Sol :Get Row Item

53.What is the correct sequence of Queue Item statuses if all statuses are involved in the transaction execution of a Queue Item?

**Instructions:** From the drop-down list, select the correct sequence number in which each status occurs.

Sol: 1.new  
2.inprogress  
3. Failed  
4. retried