

UiPath Certified RPA Associate (UiRPA) – Free Questions & Answers

Domain : Robotic Process Automation (RPA) Fundamentals

Q1 : How many types of licensing plans UiPath provide?

A. Community

B. Enterprise

Trial

C. Enterprise

D. Professional License

Correct Answers: A, B and C

Explanation

Options A, B and C are correct because UiPath provides three licensing plans to match your automation needs and budget. Option D is incorrect as such type of license is not provided by UiPath

LICENSING

- About Licensing
- User License Management >
- Legacy License Management >
- Allocating Robot/Service Licenses to Tenants
- License Overallocation
- Purchasing Licenses

ACCOUNTS AND ACCESS

- About Accounts
- Managing accounts and groups >

Licensing Plans

UiPath provides three licensing plans to match your automation needs and budget.

- ▶ Community
- ▶ Enterprise Trial
 - ▶ Requesting an Enterprise Trial
- ▶ Enterprise

Reference: <https://docs.uipath.com/automation-cloud/docs/about-licensing>

Q2 : How many types of UiPath user licenses?

- A. Single**
- B. Named**
- C. Multi**
- D. Multiuser**

**user
User
group**

Correct Answers: B and D

Explanation

Options B and D are correct because two types of UiPath user licenses are Named User and Multiuser
Options A and C are incorrect as Single user and Multigroup type of licenses is not provided by UiPath

TENANTS

About Tenants

Managing Tenants

Managing Services >

Migrating Orchestrator from On-premises to Cloud >

LICENSING

About Licensing

User License Management >

Legacy License Management >

Allocating Robot/Service Licenses to Tenants

License Overallocation

Purchasing Licenses

ACCOUNTS AND ACCESS

About Accounts

Managing accounts and groups >

Managing access

Setting Up the Azure AD Integration

²Each tenant comes with one Orchestrator service instance

User Licenses

Provide rights for individuals to use the licensed software. There are two types of UiPath user licenses:

Named User

Ties the usage of UiPath software to an individual user. You must obtain a separate license for each uniquely identified user accessing the product or service.

For example, an RPA Developer - Named User license provides a unique user with full operational rights to Studio, StudioX, Attended Robot, Data Service, Action Center, and Task Capture. These operational rights are further controlled using permissions.

Multiuser

Allows more than one individual to use UiPath software and helps control entitlements for multiple users on one license. Recommended for users that work in shifts.

Each Multiuser license adds up to 3 distinct authenticated users to the maximum number of users that can be granted access. You must obtain a number of Multiuser licenses equal to the number of authenticated users accessing the product or service simultaneously.

It can be displayed as Concurrent User in the previously released versions of UiPath products. (e.g., v2020.10 Orchestrator)

Reference: <https://docs.uipath.com/automation-cloud/docs/about-licensing>

Q3 : How many types of update channels are provided by UiPath studio?

- A. Update**
- B. Install**
- C. Stable**
- D. Preview**

Correct Answers: C and D

Explanation

Options C and D are correct because there are two types of update channels provided by UiPath studio that is Stable and Preview. Options A and B are incorrect as Update and Install are not update channel types provided by UiPath.

The screenshot shows the 'Update Studio' window in the UiPath Studio installer. The left sidebar contains a list of installation steps: 'Update Studio' (selected), 'Command Line Parameters', 'Supported Applications and Technologies', 'Protecting Sensitive Information', 'Enabling Gmail for Email Activities', 'Opting Out of Telemetry', 'Extensions', 'ROBOT', 'Hardware and Software Requirements', 'Installing the Robot', 'Updating the Robot', 'Setting Up Windows Server for High-Density Robots', 'Services the Robot Connects to', and 'UiPath.Settings File Description'. The main content area is titled 'Selecting the Update Channel' and contains the following text: 'You can choose an update channel by going to Home (Studio Backstage View) > Help and selecting either Stable or Preview. Please note that once you change your selection, you have to restart the application for the change to take effect.' Below this text is the UiPath logo. Further down, it displays '© UiPath', 'Studio 2019.10.1', 'Community Edition', 'EXE Installer', 'License Provider: Internal', and 'Activation ID: [redacted]'. At the bottom, there is an 'Update Channel' section with two radio buttons: 'Stable' (which is selected) and 'Preview'.

Reference: <https://docs.uipath.com/installation-and-upgrade/docs/studio-update-studio>

Q4 : What is the minimum RAM size is required by UiPath studio?

- A. 4GB**
- B. 8Gb**
- C. 16GB**
- D. 32GB**

Correct Answer: A

Explanation

Option A is correct because a minimum of 4GB RAM is required
Options B, C and D are incorrect as a minimum of 4GB RAM is required

Hardware Requirements	
ROBOT	Minimum
Hardware and Software Requirements	
Installing the Robot >	
Updating the Robot	CPU 2 x 1.8GHz 32-bit (x86)
Setting Up Windows Server for High-Density Robots	RAM 4 GB
Services the Robot Connects to	
UiPath.Settings File Description	Disk 3.5 GB for new installations, 5 GB for upgrades (including temporary files required during installation)

Reference: <https://docs.uipath.com/installation-and-upgrade/docs/robot-hardware-and-software-requirements>

Q5 : Are arguments used to pass the data between the activities of the same project?

A. True

B. False

Correct Answer: B

Explanation

Option B is correct because arguments are used to pass data from a project to another

Option A is incorrect as arguments are used to pass data from a project to another

The screenshot shows the 'Managing Arguments' page in the UiPath documentation. The sidebar on the left contains a blue header 'Managing Arguments' and several links: 'The Arguments Panel', 'Using Arguments', 'IMPORTED NAMESPACES', 'About Imported Namespaces', 'Managing Namespaces', 'RECORDING', 'About Recording', 'Recording Types', and 'Automatic Recording'. The main content area has a large heading 'Managing Arguments'. Below the heading, a paragraph is circled in red: 'Arguments are used to pass data from a project to another. In a global sense, they resemble variables, as they store data dynamically and pass it on. Variables pass data between activities, while arguments pass data between automations. As a result, they enable you to reuse certain projects time and again.' Below this paragraph, there are two more sections: 'IMPORTED NAMESPACES' and 'RECORDING'. The 'IMPORTED NAMESPACES' section has links to 'About Imported Namespaces' and 'Managing Namespaces'. The 'RECORDING' section has links to 'About Recording', 'Recording Types', and 'Automatic Recording'. The 'RECORDING' section text states: 'Studio supports a large number of argument types, which coincide with the types of variables. Therefore, you can create Generic Value, String, Boolean, Object, Array, or DataTable arguments and you can also browse for .Net types, just as you do in the case of variables.'

Reference: <https://docs.uipath.com/studio/docs/managing-arguments>

Domain : UiPath Studio – Variables and Arguments

Q6 : How to remove all the unused arguments that are not used anywhere in the current file?


- A. Remove Unused> Arguments
- B. Delete Unused> Arguments
- C. Clear Unused> Arguments
- D. Erase Unused> Arguments

Correct Answer: A

Explanation

Option A is correct because to remove all the arguments that are not used anywhere in the current file, select **Remove Unused > Arguments** in the **Studio** ribbon.

Options B, C and D are incorrect as to remove all the arguments that are not used anywhere in the current file, select **Remove Unused > Arguments** in the **Studio**



Reference: <https://docs.uipath.com/studio/docs/managing-arguments>

Domain : UiPath Studio – Control Flow

Q7 : Does sequence use connectors in Uipath?

A. True

B. False

Correct Answer: B

Explanation

Option B is correct because Sequences do not use connectors

Option A is incorrect as Sequences do not use connectors

Sequences

Flowcharts

State Machines

Global Exception Handler

 **Note:**

Sequences do not use connectors.

Reference: <https://docs.uipath.com/studio/docs/sequences>

Domain : UiPath Studio – Control Flow

Q8 : Which is not the valid section of State activity?

- A. Entry
- B. Exit
- C. Transition
- D. End

Correct Answer: D

Explanation

Option D is correct because valid sections are, Entry, Exit, and Transition(s)

Options A, B and C are incorrect as valid sections are, Entry, Exit, and Transition(s)

Workflow > State Machine.

TYPES OF WORKFLOWS

- Sequences
- Flowcharts
- State Machines**
- Global Exception Handler

Note:

You can only create one initial state, yet it is possible to have more than one Final State.

The State activity contains three sections, Entry, Exit and Transition(s), while the Final State only contains one section, Entry. Both of these activities can be expanded by double-clicking them, to view more information and edit them.

Reference: <https://docs.uipath.com/studio/docs/state-machines>

Domain : UiPath Studio – Data Manipulation

Q9 : Which activity will be used to run the VB script?


- A. Run
- B. Invoke
- C. Invoke VBScript
- D. Execute VB

VBScript
VB
VBScript

Correct Answer: C

Explanation

Option C is correct because VBScript executes a specified VBscript, optionally passing it a list of input parameters. Options A, B and D are incorrect as VBscript executes a specified VBscript, optionally passing it a list of input parameters.



Reference: <https://docs.uipath.com/activities/docs/invoke-vb-script>

Domain : UiPath Automation Concepts and Techniques

Q10 : What is the default OCR engine used with the “Get OCR Text” activity?

- | | | |
|---------------------|--------------|------------|
| A. Microsoft | Cloud | OCR |
| B. Google | | OCR |
| C. Microsoft | | OCR |
| D. Abby | | |

Correct Answer: B

Explanation

Option B is correct because by default, the Google OCR engine is used, but you can easily change it with Abbyy or Microsoft. Options A, C and D are incorrect as by default, the Google OCR engine is used, but you can easily change it with Abbyy or Microsoft.



Example of using Text Automation

OCR Activities

Installing OCR Languages

Image Activities

Example of using OCR and Image Automation

AUTOMATING CITRIX TECHNOLOGIES

About Automating Citrix

[Get OCR Text](#) extracts a string and its information from an indicated UI element using the OCR screen scraping method. This activity can also be automatically generated when performing screen scraping, along with a container. By default, the Google OCR engine is used, but you can easily change it with Abbyy or Microsoft. There are some differences between these OCR engines, as explained [here](#), making them fit for different situations. As input, this activity receives a Target, which can be either a Region variable, a UIElement variable or a selector, that helps you identify what you want to automate and where the actions must be performed. The target can also be automatically generated by using the Indicate on Screen functionality, which tries to identify UI elements in the indicated region, and generates selectors for them. If this does not work for you, then manual intervention might be required. This activity returns a string variable containing the text found in the UI element, and a TextInfo variable that contains the screen coordinates of all the found words.

Reference: <https://docs.uipath.com/studio/docs/ocr-activities>

Domain : UiPath Automation Concepts and Techniques

Q11 : By default, how many rows and columns are displayed in the Build Data Table activity?


- A. two columns and three rows
- B. Three columns and two rows
- C. one column and one row
- D. two columns and two rows

Correct Answer: D

Explanation

Option D is correct because, by default, two columns and two rows are displayed

Options A, B and C are incorrect as, by default, two columns and two rows are displayed



Reference: <https://docs.uipath.com/activities/docs/build-data-table>

Domain : UiPath Automation Concepts and Techniques

Q12 : Is Save workbook activity valid only inside ExcelApplicationScope or ExcelApplicationCard?

A. True


B. False

Correct Answer: A

Explanation

Option A is correct because valid only inside ExcelApplicationScope or ExcelApplicationCard

Option B is incorrect as valid only inside ExcelApplicationScope or ExcelApplicationCard



Reference: <https://docs.uipath.com/activities/docs/excel-save-workbook>

Domain : UiPath Orchestrator Overview


Q13 : If Add Queue Item activity is included in Try Catch and the value of the Continue On Error property is True, no error is caught when the project is executed?

- A. True
- B. False

Correct Answer: A

Explanation

Option A is correct because If Add Queue Item activity is included in Try Catch and the value of the Continue On Error property is True, no error is caught when the project is executed. Option B is incorrect as If Add Queue Item activity is included in Try Catch and the value of the Continue On Error property is True, no error is caught when the project is executed.



Reference: <https://docs.uipath.com/activities/docs/add-queue-item>

Domain : UiPath Orchestrator Overview


Q14 : What are the two activities that can be used to retrieve the information from assets stored in the Orchestrator database?

- A. Get
- B. Get Credential
- C. Get Asset Value
- D. Get Text

Correct Answers: A and B

Explanation

Options A and B are correct because get asset and get credential activities can be used to retrieve the information from assets in the UiPath studio. Options C and D are incorrect as get asset and get credential activities can be used to retrieve the information from assets in the UiPath studio.



Reference: <https://docs.uipath.com/orchestrator/docs/managing-assets-in-studio>

Domain : UiPath Orchestrator Overview

Q15 : _____ activity checks if stop was triggered in UiPath Orchestrator?


- A. Stop
- B. Close
- C. Should
- D. Stopped

stop

Correct Answer: C

Explanation

Option C is correct because should stop activity checks if the stop was triggered in UiPath Orchestrator. Options A, B and D are incorrect as should stop activity checks if the stop was triggered in UiPath Orchestrator.



Reference: <https://docs.uipath.com/activities/docs/should-stop>

Domain : UiPath Studio – UiPath Studio Overview

Q16 : What are the main components of Uipath?

- A. Uipath
- B. Uipath
- C. UiPath
- D. Uipath Robot

Studio
Database
Orchestrator

Correct Answers: A, C and D

Explanation


Option A, C and D are correct as three main components of UiPath are



UiPath Studio – Is the development environment

UiPath Robot – Used for robot execution

UiPath Orchestrator – UiPath Orchestrator is a web application that is used for creation, monitoring, and deployment of resources

Option B is incorrect as UiPath database is not a valid component





Domain : UiPath Studio Overview


Q17 : What are the default languages available in UiPath?

- A. C#
- B. JAVA
- C. VB
- D. All

Correct Answers: A and C

Explanation

Option A and C are the correct answer as VB and C# are the two languages available in UiPath. Option B and D are incorrect as VB and C# are the two languages available in UiPath only. JAVA is not available for use.



The screenshot shows the 'New Blank Process' dialog box in UiPath Studio. The dialog has a blue header with the UiPath logo and the title 'New Blank Process'. Below the header, there is a subtitle 'New Blank Process' and a description 'Start with a blank project to design a new automation process.' The dialog contains several input fields: 'Name' with the value 'Demo', 'Location' with the value 'C:\Users\panka\OneDrive\Documents\UiPath', and 'Description' with the value 'Blank Process'. At the bottom, there is a 'Language' section with two radio buttons: 'VB' (selected) and 'C#'. A red box highlights the 'Language' section. A 'Create' button is located at the bottom right of the dialog.

Reference: <https://docs.uipath.com/studio/docs/configuring-studio-settings>

Domain : UiPath Studio – UiPath Orchestrator

Q18 : Which are the 2 invalid logging levels in UiPath?

- A. Trake
- B. Off
- C. Record
- D. Information

Level

Correct Answers: A and C

Explanation

Option A and option C are correct as default logging levels are Off, Critical, Error, Warning, Information, Trace and Verbose. “Trake” and “Record level” is not available in UiPath. Option B and D are incorrect because “Off” and “Information” are valid logging options and available in UiPath.

Logging Levels		
Managing Logs in Orchestrator		
Orchestrator Logs		
Protecting Sensitive Information in Studio		
MONITORING		
About Monitoring		
Machines		
Processes		
Queues		
Queues SLA		
QUEUES		
About Queues and Transactions >		
Managing Queues in Orchestrator		
Managing Queues in Studio		
Managing Transactions >		
Review Requests		
ASSETS		
About Assets		
Logging Levels in UiPath		
Logging Level	Default Logs	User-Defined Logs
Off	None	None
Critical	All messages logged with Critical level or higher.	All messages logged with Critical level or higher.
Error	All messages logged with Error level or higher.	All messages logged with Error level or higher.
Warning	All messages logged with Warning or higher.	All messages logged with Warning or higher.
Information	All messages logged with Information or higher.	All messages logged with Information or higher.
Trace	All messages logged with Trace level or higher.	All messages logged with Trace level or higher.
Verbose	All messages logged with Trace level and Workflow Tracking logs.	All messages logged with Trace level.

Reference: <https://docs.uipath.com/orchestrator/docs/logging-levels>

Domain : UiPath Studio – UiPath – Orchestrator

Q19 : What are the two types of Queue Item statuses?

- | | |
|--------------------|---------------|
| A. Item | Status |
| B. Revision | Status |
| C. Retried | |
| D. Deleted | |

Correct Answers: A and B

Explanation

Option A and B are correct as valid two types are 1) Item Status 2) Revision Status

Option C is incorrect because “Retried” status is type of Item status

Option D is incorrect because “Deleted” status is type of Item status

The screenshot shows the UiPath Orchestrator documentation page for Queue Item Statuses. The top navigation bar is blue with the UiPath logo, version v2021.4, and Product Lifecycle. Below this is a breadcrumb trail: UiPath Orchestrator > English > v2021.4 > UiPath Orchestrator Guide > Queue Item Statuses. The left sidebar contains a 'QUEUES' section with a dropdown menu. The main content area has the title 'Queue Item Statuses' and a sub-header 'Queue items can have two types of statuses:'. Below this, there are two numbered links: 1. [Item Statuses](#) and 2. [Revision Statuses](#).

Reference: <https://docs.uipath.com/orchestrator/docs/queue-item-statuses>

Domain : UiPath Studio – Control Flow

Q20 : What is the correct option for commenting on the activity in the workflow?


- A. Comment
- B. //
- C. Ctrl+D
- D. —

Correct Answer: C

Explanation

Option C is correct as user can use Ctrl+D for comment or disable the activity

Option A, B and D are incorrect options because while working with UiPath Studio, Comment, // and — are not valid commands/symbols or shortcuts for commenting / disabled the activity



Reference: <https://docs.uipath.com/studio/docs/keyboard-shortcuts>

Domain : UiPath Studio Overview

Q21 : How many types of Output or Screen Scraping Methods in UiPath?

- A. CompleteText**
- B. FullText**
- C. Native**
- D. OCR**

Correct Answers: B, C and D

Explanation

Options B, C, and D are correct because FullText, Native, and OCR are valid Output or Screen Scraping Methods. Option A is incorrect because CompleteText is not valid and available type

Output or Screen Scraping Methods

 SUGGEST EDITS

Output or screen scraping methods refer to those activities that enable you to extract data from a specified UI element or document, such as a .pdf file.

To understand which one is better for automating your business process, let's see the differences between them.

Capability Method	Speed	Accuracy	Background Execution	Extract Text Position	Extract Hidden Text	Support for Citrix
FullText	10/10	100%	yes	no	yes	no
Native	8/10	100%	no	yes	no	no
OCR	3/10	98%	no	yes	no	yes

Reference: <https://docs.uipath.com/studio/docs/output-or-screen-scraping-methods>

Domain : UiPath Studio – Selectors

Q22 : Can we use variables and arguments in dynamics selectors?

A. Yes

B. No

Correct Answer: A

Explanation

Option A is correct as we can use variables and arguments in dynamics selectors with UiPath Studio

Option B is incorrect because we can use variables and arguments both with dynamics selectors

Dynamic Selector

```
<wnd app='notepad.exe' cls='Notepad' title='Untitled - Notepad' />  
<ctrl automationid='MenuBar' idx='1' name='Application' role='menu bar' />  
<ctrl name='{{MenuOption}}' role='menu item' />
```

Reference: <https://docs.uipath.com/studio/docs/dynamic-selectors#example-of-using-a-dynamic-selector>

Domain : UiPath Studio – Variables and Arguments

Q23 : Output Data Table writes a DataTable to a string using CSV format?

A. Yes


B. No

Correct Answer: A

Explanation

Option A is correct as Output Data Table writes a DataTable to a string using CSV format

Option B is incorrect because Output Data Table writes a DataTable to a string using CSV Format



Reference: <https://docs.uipath.com/activities/docs/output-data-table>

Domain : UiPath Studio – UiPath Automation Concepts and Techniques

Q24 : Can we use read range activity without installing excel on the machine?

A. Yes


B. No

Correct Answer: A

Explanation

Option A is correct as we can use basic functionality of excel without installing excel on the machine

Option B is incorrect because we can use basic functionality of excel without installing excel on the machine



Reference: <https://docs.uipath.com/activities/docs/read-range>

Domain : UiPath Studio – Variables and Arguments

Q25 : Can we create variables using keyboard shortcuts Ctrl+K?

A. True


B. False

Correct Answer: A

Explanation

Option A is correct as we can create variable using keyboard shortcuts **Ctrl+K**

Option B is incorrect because we can create variable using keyboard shortcuts **Ctrl+K**



Reference: <https://docs.uipath.com/studio/docs/keyboard-shortcuts>

(UiPath Certification Dumps) Uipath Certification Question Set 6

UiPath Certification Question Set 6

1. In the UiPath Robotic Enterprise Framework template, where can the GetAppCredentials workflow retrieve credentials from?

Options are :

- **Windows Credential Manager**
- **Orchestrator Asset**
- **User Dialog**

Answer :Windows Credential Manager

UiPath Advance Certification UIARD Certification Latest Set 12

2. How can you identify a column in a DataTable?

Options are :

- **By using the Column Name**
- **By using the Row Index.**
- **By using the Column Index**
- **By using the Column Default Value**

Answer :By using the Column Name By using the Column Index

3. Which of the following are considered best practice? Select all the options that apply.

Options are :

- **Keeping environment setting hard coded inside workflows**
- **Breaking the process into smaller workflow**
- **Reusing workflows across different projects**

Answer :Keeping environment setting hard coded inside workflows
Reusing workflows across different projects

4. What is the best way of scraping a large, selectable text in a Citrix environment?

Options are :

- **Use a Get Full Text Activity**
- **Use the Microsoft OCR Engine**
- **User the GOOGLE OCR Engine**
- **Select the entire text and copy it with Copy Selected Text Activity**

Answer :Select the entire text and copy it with Copy Selected Text Activity

UiPath Recorders

5. In which workflow in the UiPath Robotic Enterprise Framework template is the retry mechanism implemented?

Options are :

- **The SetTransactionStatus workflow**
- **The Main workflow**
- **The GetTransactionData workflow**

Answer :The SetTransactionStatus workflow

6. While automating an installation wizard, a pop-up window may or may not appear. What can you use to close the window without stopping the workflow?

Options are :

- **Use a Click Activity inside a Tray Catch Activity**
- **Use a Click Activity with the ContinueOnError property set to True**
- **Use a Click Activity and set its TimeoutMS Property to 30**

Answer :Use a Click Activity inside a Tray Catch Activity Use a Click Activity with the ContinueOnError property set to True

7. What can be used to debug a workflow?

Options are :

- **Breakpoints**
- **Highlighting Activities**
- **The Slow Step Option**

Answer :The Slow Step Option

<u>UiPath RPA Associate Certification Exam Practice Questions Set 3</u>
--

8. Which of the statuses below can a transaction have? Select all the options that apply

Options are :

- **New**
- **Pending**
- **In Progress**
- **Successful**
- **Abandoned**
- **Fail**
- **Retried**
- **Deleted**

Answer :New In Progress Successful Abandoned Fail Retried Deleted

9. One of the actions below is not required when starting processes with UiPath Orchestrator;

Options are :

- **Registering robots to Orchestrator**
- **Publishing projects from UiPath Studio**
- **Creating an Environment containing the robot**
- **Creating a Queue in Orchestrator**
- **Creating a Process with the published package and environment**
- **Starting a job, which is the execution of the Process**

Answer :Starting a job, which is the execution of the Process

10.Add Assets in Orchestrator has the following option:

Options are :

- **Value Per Robot**
- **Value Per Environment**
- **Value Per Process**
- **Single Value**

Answer :Value Per Robot Single Value

Robotic Enterprise Framework in UiPath

11.Is it possible to reprocess a transaction in a Queue after its failure due to any application exception?

Options are :

- **No, transaction cannot be processed again if they fail**
- **Yes, if the Auto-Retry Property of the Queue is enabled**
- **Yes, it can be retried manually on the Transaction page**
- **Only transaction that failed due to a business exception can be reprocessed**

Answer :Yes, if the Auto-Retry Property of the Queue is enabled Yes, it can be retried manually on the Transaction page

12.Which of the following statements are true? Select all the options that apply.

Options are :

- **You can't use a Recorder in a Citrix Environment**
- **The Recorder is used to create a skeleton for the UI Automation**
- **The Desktop Recorder generates partial selectors**

**Answer :The Recorder is used to create a skeleton for the UI Automation
The Desktop Recorder generates partial selectors**

13. When requesting a work item from Orchestrator Queue using the Get Transaction Item activity, you need to specify the following:

Options are :

- **The name of the Queue which contains that specific work item**
- **The name of the Queue and the number of items to be retrieved**
- **The name of the Queue, the number of items, and a filtering expression**

Answer : The name of the Queue which contains that specific work item

<u>UiPath Certification Question Set 5</u>

14. In the UiPath Robotic Enterprise Framework template, in the Get Transaction Data state of the Main workflow, what happens before the next transaction item is retrieved?

Options are :

- **We check if the previous transaction has been completed**
- **We check if a kill signal was sent from Orchestrator**
- **We check if a stop signal was sent from Orchestrator**

Answer : We check if a stop signal was sent from Orchestrator

15. Where should Credentials be stored?

Options are :

- **In Windows Credential Store**
- **In Orchestrator as assets**
- **Directly inside the workflows as variables**

Answer : In Windows Credential Store In Orchestrator as assets

16.Is it possible to write to a text file without using the Write Text File activity?

Options are :

- **No**
- **Yes, using the Invoke Method Activity**
- **Yes, with the Invoke Power Shell Activity**

Answer :Yes, using the Invoke Method Activity Yes, with the Invoke Power Shell Activity

Creating UiPath Library

17.What is the slowest Method of reading Text?

Options are :

- **Native**
- **OCR**
- **Full Text**

Answer :OCR

18.What direction can the arguments of a workflow have?

Options are :

- **In arguments**
- **Out arguments**
- **In/Out arguments**

Answer :In arguments Out arguments In/Out arguments

19.In the UiPath Robotic Enterprise Framework template, what happens if the processing of a transaction item falls with an Application Exception of a System Error?

Options are :

- **All use application are closed and then re-initialized**
- **The execution of the transaction item is retried if the MaxRetryNumber config value is greater than 0**
- **The process executes the End Process state**

Answer :All use application are closed and then re-initialized The execution of the transaction item is retried if the MaxRetryNumber config value is greater than 0

<u>UiPath Advance Certification UIARD Certification Latest Set 7</u>

20.In the UiPath Robotic Enterprise Framework template, what should be the outcome of the Process Transaction state of the Main workflow when the application loops back to the Get Transaction Item state?

Options are :

- **Success**
- **Business rule exception**
- **Application exception**

Answer :Success Business rule exception

21.What do the Items in the Orchestrator queues consist of?

Options are :

- **Input data for the processes executed by the robots**
- **Jobs to be executed by the robots**
- **Processes to be executed by the robots**

Answer :Processes to be executed by the robots

22.In UiPath Robotic Enterprise Framework, the value of MaxRetryNumber in the Cofig.xlsx file should be set to a number greater than 0 to enable the retry mechanism in the following cases;

Options are :

- **Get data from spreadsheets, databases, email, web API.**
- **Do not work with UiPath Orchestrator queues.**
- **Get data from UiPath Orchestrator queues with Auto Retry disabled.**

Answer :Get data from spreadsheets, databases, email, web API. Do not work with UiPath Orchestrator queues.

UiPath Associate Certification UiRPA Question Latest Set 6

23. When should an Attended Robot be used?

Options are :

- **When the processing of some input data relies on human decision**
- **When a workflow needs to be modified and corrected**
- **When the process might be interrupted by exceptions and errors**

Answer : When the processing of some input data relies on human decision

24. You need to collect employee data and send it by email as an Excel file. What type of workflow is the most suitable for the final part, which adds the file attachment, formats the email and sends it?

Options are :

- **Flowchart**
- **Directed Acyclic Graph(DAG)**
- **State Machine**
- **Sequence**

Answer : Sequence

25. Which statement about the UiPath Robotic Enterprise Framework template is false?

Options are :

- **The framework is meant to be a template that helps the user design processes**
- **The framework can be used only if you get the input data from the UiPath server queues**
- **The framework has robust exception handling scheme and event logging**

Answer : The framework can be used only if you get the input data from the UiPath server queues

UiPath Associate Certification UiRPA Question Latest Set 1

26.Is there any way to hide the execution of one activity in the logs?

Options are :

- **Yes, by changing the min Level property of the "Execution" logger from NLog.config file**
- **Yes, by checking the Private Property of the activity that is to be hidden**
- **No but the logs can be manually edited**

Answer :Yes, by checking the Private Property of the activity that is to be hidden

27.Is it possible to retrieve the color of a specific Excel cell?

Options are :

- **No, The color cannot be retrieved from a workbook**
- **Only with an OCR Engine**
- **Yes, by using Get Cell Color**

Answer :Yes, by using Get Cell Color

28.Which statements are true regarding the Write Line and the Log Message activities?

Options are :

- **By using a Log Message activity, you can set different levels of tracing**
- **Write Line is just a Log Message set to Trace**
- **By using any of them, you generate traces in the Output panel and also in the log files**

Answer :By using a Log Message activity, you can set different levels of tracing Write Line is just a Log Message set to Trace By using any of them, you generate traces in the Output panel and also in the log files

<u>UiPath Certification Question Set 4</u>

29.Which of the following statements related to Orchestrator are true?

Options are :

- **Robots can be assigned to multiple Environments**
- **A robot can execute many different jobs one after the other**
- **A robot can execute many different jobs at same time**

Answer :Robots can be assigned to multiple Environments A robot can execute many different jobs at same time

30.Which of the following technologies can be used for background automation?

Options are :

- **The Click activity with the Simulate Click flag checked**
- **The Full Text method of Screen Scraping**
- **Data Scraping**
- **Type into activity with SendWindowMessage flag checked**

Answer :The Click activity with the Simulate Click flag checked The Full Text method of Screen Scraping Data Scraping Type into activity with SendWindowMessage flag checked

31.Which activity is used to call another piece of automation?

Options are :

- **Open Application**
- **Invoke Workflow File**
- **Flowchart**

Answer :Invoke Workflow File

UiPath Advance Certification UIARD Certification Latest Set 1

32.What is the safest way to close an application?

Options are :

- **By sending the Alt+F4 hotkeys**
- **By using the Close Application activity**
- **By using the Process Name property of the Kill Process Activity**

Answer :By using the Close Application activity

33.What type of argument can you define to pass data and retrieve the modified value from an invoked workflow?

Options are :

- **In**
- **In/Out**
- **Out**

Answer :In/Out

34.You want to build a Dispatcher process to populate an Orchestrator Queue for parallel processing on multiple robots. Which activity should you use to add a queue item for each work item?

Options are :

- **Add Transaction Item**
- **Get Transaction Item**
- **Add Queue Item**
- **None of them**

Answer :Add Queue Item

35.Which of the following are considered best practices?

Options are :

- **Removing unreferenced variables**
- **Deleting disabled code**
- **Leaving target applications opened**

Answer :Removing unreferenced variables Deleting disabled code

36.What is the best way to select a row with a certain value from a column in Excel?

Options are :

- **Use a Read Range Activity to retrieve the contents of the Excel file, and then use a For Each activity loop to iterate through the data and identify**
- **Use a Read Range Activity to retrieve the contents of the Excel file, and then use a Select Method to identify the desired row**
- **Use the Find functionality from Excel**

Answer :Use a Read Range Activity to retrieve the contents of the Excel file, and then use a Select Method to identify the desired row

37. After adding an Invoke Workflow File activity and selecting the workflow to invoke, you need to:

Options are :

- **Click Import Arguments, and then bind the arguments to the local variables or to some default values**
- **Click Edit Arguments, and bind the arguments to the local variables or to some default values**

Answer : Click Import Arguments, and then bind the arguments to the local variables or to some default values

UiPath Advance Certification UIARD Certification Latest Set 6

38. At the end of the execution of Workflow1, which retrieves some items from a database, is the database connection closed automatically?

Options are :

- **Yes, the connection is closed after 30 seconds**
- **The connection has to be closed using a Disconnect activity**
- **Only the database admin can decide this aspect**

Answer : Only the database admin can decide this aspect

UiPath RPA Associate Certification Exam

Practice Questions Set 3

39.What project type should you use for a simple and linear workflow?

Options are :

- **State Machine**
- **Flowchart**
- **Global Exception Handler**
- **Sequence (Correct)**

Answer :Sequence

Uipath Associate Certification UiRPA Question Latest Set 2

40.It's not possible to make a bulk upload to the Queue in Orchestrator.

Options are :

- **True**
- **False (Correct)**

Answer :False

41.Which activity should you use to loop through all the rows in an Excel file?

Options are :

- **While**
- **For Each Row (Correct)**
- **Do While**
- **For Each**

Answer :For Each Row

42.If the "ContinueOnError" property is set to True on the activity "Attach Browser", then all the errors that occur in other activities inside that scope are also ignored.

Options are :

- **False**
- **True (Correct)**

Answer :True

<u>UiPath Advance Certification UIARD Certification Latest Set 2</u>

43.Where can you create, modify, or delete environments in Orchestrator?

Options are :

- **In the dedicated tab in the Robots menu (Correct)**
- **In the Triggers menu (old Schedule menu) on the left-hand side**
- **In the Robots menu on the left-hand side**
- **In the Environments menu on the left-hand side**

Answer :In the dedicated tab in the Robots menu

44.What type of robot should you use if the process needs to run at night, outside of business hours for testing purposes?

Options are :

- **Floating robot**
- **Unattended robot**
- **Non-production robot (Correct)**
- **Development robot**

Answer :Non-production robot

45.Looking at the business scenarios below, in which scenario will you use an array?

Options are :

- **To process all invoices from the previous month, the bank accounts are stored in a fixed collection. (Correct)**
- **To store an overview of the invoices that will be received by the company next month.**
- **None of the above**
- **To save the names of the employees of a certain unit.**

Answer :To process all invoices from the previous month, the bank accounts are stored in a fixed collection.

UiPath Advance Certification UIARD Certification Latest Set 12

46."In-memory representation of a single database which has a collection of rows and columns" is the definition of?

Options are :

- **Worksheet**
- **Workbook**
- **DataTable (Correct)**
- **Excel worksheet**

Answer :DataTable

47. When should you use the "Active Accessibility" UI Framework?

Options are :

- None of the above
- Always, this is the Default UI framework
- While working with the newer applications
- While working with the legacy software (Correct)

Answer : While working with the legacy software

48. In case you want to use an Asset from Orchestrator with data type "credential", what activity should you use in UiPath Studio?

Options are :

- Get Password
- Get Source
- Get Credential (Correct)
- Get Asset

Answer : Get Credential

UiPath Advance Certification UIARD Certification Latest Set 11

49. If you use keyboard shortcut Ctrl+K it will:

Options are :

- Create a variable of the same type as the required type of activity. (Correct)
- Create a variable of the latest used type.
- Create a variable with the default type GenericValue.
- Create a variable with the default type String.

Answer : Create a variable of the same type as the required type of activity.

50.If an exception has been thrown during the debugging, it will be shown in:

Options are :

- **Locals panel, Watch panel, and Call Stack panel**
- **Watch panel, Immediate panel, and Breakpoints panel**
- **Immediate panel, Output panel, and Watch panel**
- **Locals panel, Output panel, and Call Stack panel (Correct)**

Answer :Locals panel, Output panel, and Call Stack panel

51.The same workflow is using information from 2 ".xls" files and 2 ".xlsx" files, not running in the background. How many Excel Application Scope activities will you use?

Options are :

- **4 (Correct)**
- **3**
- **1**
- **None**

Answer :4

<u>Uipath Certification Question Set 4</u>

52.If one of the transactions in the queue cannot be executed for certain reasons, it won't stop/delay the overall execution.

Options are :

- **False**
- **True (Correct)**

Answer :True

53.What is the correct definition for the RegEx method "Matches"?

Options are :

- **Checks whether a specified String occurs within a replacement String.**
- **Indicates if the specified RegEx finds a match in the specified input String.**
- **Replaces Strings that match a RegEx pattern with a specified replacement String.**
- **Searches an input String for all occurrences and returns all the successful matches. (Correct)**

Answer :Searches an input String for all occurrences and returns all the successful matches.

54.Which app integration should you use to delete a mail message?

Options are :

- **IMAP Mail**
- **SMTP Mail**
- **Exchange Mail (Correct)**
- **Outlook Mail**

Answer :Exchange Mail

55.Which steps should you follow in UiPath Studio to install a "PDF" package?

Options are :

- **Open "Manage Packages" from the Design ribbon menu, click on "All Packages", type in "PDF", select the right package from the list, click on "Install" and "Close"**
- **Open "Manage Packages" from the Design ribbon menu, click on "All Packages", type in "PDF", select the right package from the list, click on "Install" and "Save" (Correct)**
- **Open "Manage Packages" from the Design ribbon menu, type in "PDF", select the right package from the list, click on "Install" and "Save"**
- **Open "Manage Packages" from the Design ribbon menu, click on "All Packages", type in "PDF", select the right package from the list and click on "Save"**

Answer :Open "Manage Packages" from the Design ribbon menu, click on "All Packages", type in "PDF", select the right package from the list, click on "Install" and "Save"

56.What is a process?

Options are :

- **A project developed in UiPath Studio and published to Orchestrator.**
- **A workflow that has been allocated to an organization unit.**
- **A package developed in UiPath Studio and published to Orchestrator.**
- **A package that has been allocated to an environment. (Correct)**

Answer :A package that has been allocated to an environment.

57.Which of the following factors makes a potential automation complex?

Options are :

- **Legacy application (Correct)**
- **Clear rules for each step**
- **Standard inputs**
- **Working with one application**

Answer :Legacy application

<u>UiPath Advance Certification UIARD Certification Latest Set 11</u>
--

58.What can you do in the Watch panel?

Options are :

- **Monitor values of variables and the values of user-defined expressions that are in scope**
- **Monitor values of variables or arguments and the values of user-defined expressions that are in scope (Correct)**
- **Monitor values of variables or arguments and the values of user-defined expressions that are in/out of scope**
- **Monitor values of arguments and the values of user-defined expressions that are in scope**

Answer :Monitor values of variables or arguments and the values of user-defined expressions that are in scope

59.By using Data Scraping of a table on a webpage, the extracted data should be stored in the following data type.

Options are :

- **DataTable (Correct)**
- **GenericValue**
- **List**
- **Dictionary**

Answer :DataTable

60.If you use "Step over" during the debugging of the workflow:

Options are :

- **It will stop the execution**
- **It will jump to the next activity without executing the code in the background**
- **It will jump to the next activity with the breakpoint enabled**
- **It will jump to the next activity but the code will be executed in the background (Correct)**

Answer :It will jump to the next activity but the code will be executed in the background

<u>UiPath Associate Certification UiRPA Question Latest Set 2</u>
--

61.The Highlight Elements option in the Debug mode is enabled by default.

Options are :

- **False (Correct)**
- **True**

Answer :False

62.You can always modify the maximum number of retries for a Queue in Orchestrator once it's been created.

Options are :

- **True**
- **False (Correct)**

Answer :False

63.With the Community Edition plan you can't create multiple organization units in Orchestrator.

Options are :

- **False**
- **True (Correct)**

Answer :True

UiPath Advance Certification UIARD Certification Latest Set 2

64.How many initial states can be created in a State Machine?

Options are :

- **At least two**
- **Zero**
- **One (Correct)**
- **As much as you want**

Answer :One

65.What are the different data types of assets that can be stored in Orchestrator?

Options are :

- **Integer, Text, Credential, and GenericValue**
- **String, Integer, Bool, and Credential**
- **Text, Integer, Bool, and Credential (Correct)**
- **Integer, Bool, Credential, and GenericValue**

Answer :Text, Integer, Bool, and Credential

66.What is a description of an argument?

Options are :

- **Arguments store variables and pass it between activities in the same workflow.**
- **Arguments store information and pass it between activities.**
- **Arguments store information and pass it between workflows. (Correct)**
- **Arguments store information and pass it between activities in the same workflow.**

Answer :Arguments store information and pass it between workflows.

UiPath Advance Certification UIARD Certification Latest Set 14

67. When creating a State Machine, is it possible to have more than 1 "Final State"?

Options are :

- **No**
- **Yes (Correct)**

Answer :Yes

68. The UiPath Community Edition Studio can only be connected to the UiPath Orchestrator Community Edition.

Options are :

- **False**
- **True (Correct)**

Answer :True

Uipath Associate Certification UiRPA

Question Latest Set 7

69. For small processes automated or parts of a larger automation project, there are various layout options. Which are they? (Select three)

Options are :

- **Flowchart (Correct)**
- **Control Flow**
- **State Machine (Correct)**
- **Sequence (Correct)**

Answer

***Flowchart**

***State**

***Sequence (Correct)**

Machine

(Correct)

(Correct)

70. How should the Dispatcher & Performer model be applied?

Options are :

- **The jobs should run independently on separate machines. (Correct)**
- **The jobs can run on the same machine or different machines at the same time.**
- **The jobs should run on the same machine, but not at the same time.**
- **The jobs should run on the same machine, at the same time.**

Answer

***The jobs should run independently on separate machines. (Correct)**

**71. Where will changing a variable in the Immediate panel be reflected?
(Select three)**

Options are :

- **The Output panel**
- **The Watch panel (Correct)**
- **The further execution of the workflow in debug mode (Correct)**
- **The Locals panel (Correct)**

Answer :
*The **Watch panel (Correct)**
*The further execution of the workflow in debug mode (Correct)
*The Locals panel (Correct)

UiPath Certification RPA Developer dumps for Phase 1 Set 5

72. Identify the missing word(s) in the following sentence within the context of UiPath Academy. [?] ... are used to pass data from one workflow file to another in UiPath Studio.

Options are :

- **Only Components**
- **Components, Variables and Arguments**
- **Both Components and Variables**
- **Only Arguments (Correct)**

Answer :
*Only Arguments (Correct)

73.Scenario: You are using the For Each activity to loop through a list of MailMessage variables in your project. You need to set the TypeArgument property. Which of the below should you utilize?

Options are :

- **System.Core.Mail.MailMessage**
- **System.Mail.MailMessage**
- **System.Web.Mail.MailMessage**
- **System.Net.Mail.MailMessage (Correct)**

Answer :
***System.Net.Mail.MailMessage (Correct)**

74.Scenario: You are creating arguments within UiPath Studio. Which of the below can these arguments be used for?

Options are :

- **Input, Output, and Input/Output arguments (Correct)**
- **Input arguments only**
- **Input/Output arguments only**
- **Output arguments only**

Answer :
***Input, Output, and Input/Output arguments (Correct)**

75.Which is the best workflow type for the following problem statement? “We want to create a robot that searches for weather information daily and then creates a report based on it.”

Options are :

- **Flowchart**
- **Control Flow**
- **State Machine**
- **Sequence (Correct)**

Answer :
***Sequence (Correct)**

76.Which Join Type should you use if you want to keep all rows from both data tables that meet the Join rule?

Options are :

- **Outer**
- **Inner**
- **Full**
- **Left (Correct)**

Answer :
***Left (Correct)**

77.What are the different methods in UiPath that use the RegEx builder?

Options are :

- **Matches, IsMatch, and Replace (Correct)**
- **Match, IsMatched, and Replaced**
- **GetText, Compare, and Replace**
- **Match, IsMatch, and Replace**

Answer :
***Matches, IsMatch, and Replace (Correct)**

78.If you want to use the “Get Cell Color” activity in an Excel file, Microsoft Excel needs to be installed.

Options are :

- **FALSE**
- **TRUE (Correct)**

Answer :
***TRUE (Correct)**

79.If you click on an activity in the Call Stack panel it will execute the activity.

Options are :

- **TRUE**
- **FALSE (Correct)**

Answer :
***FALSE (Correct)**

80.You want to create a variable to store the age from the “Input Dialog” activity. What is the best suiting name for this variable based on the UiPath Best Practice?

Options are :

- **v**
- **variableageinput**
- **Var1**
- **InputAge (Correct)**

Answer :
***InputAge (Correct)**

UiPath Associate Certification UiRPA Question Latest Set 1

81.Which method should you use if you want to delete an item from a Dictionary?

Options are :

- **dictionaryName.Delete(Key)**
- **dictionaryName.Remove**
- **dictionaryName.Remove(Key) (Correct)**
- **dictionaryName.Delete**

Answer :
***dictionaryName.Remove(Key) (Correct)**

82.What activity should you use to sort a DataTable ascending?

Options are :

- **Sort**
- **Sort Data Table (Correct)**
- **Sort Ascending**
- **Sort Table**

Answer :
***Sort Data Table (Correct)**

83.What does the “webctrl” tag stands for?

Options are :

- **Web page control (Correct)**
- **Web control**
- **Website application control**
- **Website control**

Answer :
***Web page control (Correct)**

84. Your customer wants that his employees would make their small automation solutions but they don't have any coding knowledge. Which UiPath Studio version should they install?

Options are :

- **Studio**
- **StudioY**
- **None, they can't make any solutions without coding knowledge.**
- **StudioX (Correct)**

Answer :
***StudioX (Correct)**

85. Consider the following array carModels = {"BMW", "Mercedes", "Opel", "Mini"}.

Options are :

- **What value will be returned with the expression carModels(0)?**
- **None**
- **BMW (Correct)**
- **Mercedes**

Answer :
***BMW (Correct)**

86. "Execute Macro" activity can be used only on .xls and .xlsx files.

Options are :

- **TRUE**
- **FALSE (Correct)**

Answer :
***FALSE (Correct)**

87.What kind of data can be stored in data type “GenericValue”?

Options are :

- **Only String**
- **String, Integer and Boolean**
- **Any kind of data (Correct)**
- **String, Integer, Boolean and DateTime**

Answer :
***Any kind of data (Correct)**

88.What are the different Mail App integrations that you have by Default in UiPath Studio?

Options are :

- **Exchange, IBM Notes, IMAP, Outlook, POP3, and SMTP (Correct)**
- **Exchange, IMAP, Outlook, POP3, and SMTP**
- **Exchange, IBM Notes, IMAP, Outlook, Yandex Mail, and SMTP**
- **Exchange, IMAP, Hotmail, POP3, SMTP, and Outlook**

Answer :
***Exchange, IBM Notes, IMAP, Outlook, POP3, and SMTP (Correct)**

89.What is not a best practice of project organization from the list below?

Options are :

- **Using Libraries for reusable components**
- **Adding annotations**
- **Using Try/Catch blocks to predict and handle different exceptions**
- **Keeping the process in one big workflow (Correct)**

Answer :
***Keeping the process in one big workflow (Correct)**

90.Which control flow statement should you use if an invoice has 5 different statuses and 2 sets of actions for each one?

Options are :

- **Switch (Correct)**
- **While**
- **Do While**
- **For each row**

Answer :
***Switch (Correct)**

91.What happens to the variables if you use the “Extract as Workflow” option?

Options are :

- **Nothing, you need to replace the variables with arguments manually**
- **Nothing**
- **They will be deleted**
- **They will be turned into arguments automatically (Correct)**

Answer :
***They will be turned into arguments automatically (Correct)**

92.What are the different ways to create a variable in UiPath Studio?

Options are :

- Type in the Variables panel and press Ctrl+K in the Properties panel
- Type in the Variables panel
- Type in the Variables panel and press Ctrl+K in the activity in the Designer panel
- Type in the Variables panel, press Ctrl+K in the activity in the Designer panel, and press Ctrl+K in the Properties panel (Correct)

Answer :
***Type in the Variables panel, press Ctrl+K in the activity in the Designer panel, and press Ctrl+K in the Properties panel (Correct)**

UiPath Advance Certification UIARD Certification Latest Set 13

93.Which of the following is not a capability of Orchestrator?

Options are :

- Allocate robots
- None of the above
- Monitor process execution
- Publish packages (Correct)

Answer :
***Publish packages (Correct)**

94.You can use the “Element Exists” activity on a UI element that is not visible.

Options are :

- FALSE
- TRUE (Correct)

Answer :
***TRUE (Correct)**

95.What happens if the “Find Element” activity does not find the element within the timeout of 5 seconds?

Options are :

- **Throws an exception and stops the execution (Correct)**
- **Returns False**
- **Stops the execution**
- **Will execute the next activity**

Answer

:

***Throws an exception and stops the execution (Correct)**

UiPath Advance Certification UIARD Certification Latest Set 12

96.How many GlobalExceptionHandler can be set per project?

Options are :

- **One per activity**
- **One (Correct)**
- **One to Five**
- **As much as you want**

Answer

:

***One (Correct)**

97.How many catches can you have in a Try/Catch block?

Options are :

- **Only one**
- **Zero**
- **As much as you want (Correct)**
- **Two**

Answer

:

***As much as you want (Correct)**

98.By using Data Scraping of a table on a webpage, the extracted data should be stored in the following data type.

Options are :

- **List**
- **DataTable (Correct)**
- **GenericValue (Correct)**
- **Dictionary**

Answer :
***DataTable (Correct)**
***GenericValue (Correct)**

Uipath Certification Question Set 1

99.Which activities allow you to iterate through an array of strings?

Options are :

- **For Each Row**
- **For Each**
- **While**
- **Do While**

Answer :For Each While Do While

100. Which of these are workflow types available in UiPath Studio;

Options are :

- **REFramework.**
- **Flowchart.**
- **Sequence.**
- **Activity.**

Answer :Flowchart. Sequence.

101. In which types of variable can you store text?

Options are :

- **Integer**
- **String**
- **Double**
- **Generic**

Answer :String Generic

<u>Word Document Automation Using UiPath</u>

102. Which activity can you use if you want to loop through a collection of items?

Options are :

- **If activity**
- **Assign activity**
- **For Each activity**
- **Flow Decision activity**

Answer :For Each activity

103. What is the slowest method of reading text?

Options are :

- **OCR**
- **Native**
- **Full Text**

Answer :OCR

104. Which of the following SQL statements can be executed by using the activity called Execute Non Query?

Options are :

- **Insert**
- **Update**
- **Select**
- **Delete**

Answer :Insert Update Delete

UiPath Recorders

105. Can you store a Selector in a variable?

Options are :

- **Yes, in a UiElement variable.**
- **Yes, in a String variable**
- **No**

Answer :Yes, in a String variable

106. Can you run multiple instances of the same process, in parallel?

Options are :

- **Yes, on the same robot.**
- **No**
- **Yes, on different robots.**

Answer :Yes, on different robots.

107. How can a robot start an application in Citrix?

Options are :

- **By using a command line.**
- **By double clicking on a Desktop icon.**
- **By using an Open Application activity.**
- **By defining a shortcut key for the application and then triggering the app with a Send Hotkey activity.**

Answer :By double clicking on a Desktop icon. By defining a shortcut key for the application and then triggering the app with a Send Hotkey activity.

108. What status does a job have when a schedule is triggered in Orchestrator, but there are no available robots to execute it?

Options are :

- **In progress**
- **Pending**
- **New**

Answer :Pending

109. Is it possible to reprocess a transaction in a Queue after its failure due to
110. an application exception?

Options are :

- **No, transactions cannot be processed again if they fail.**
- **Yes, if the Auto-Retry property of the Queue is enabled.**
- **Only transactions that failed due to a business exception can be reprocessed.**
- **Yes, it can be retried manually on the Transactions page.**

Answer :Yes, if the Auto-Retry property of the Queue is enabled. Yes, it can be retried manually on the Transactions page.

111. What is the difference between a Click activity whose SimulateClick property is checked and another one with the same property unchecked?

Options are :

- **The activity with an enabled SimulateClick flag does not click the target element, it just simulates the action.**
- **The activity with the SimulateClick flag unchecked moves the mouse cursor over the target element, while the one with the flag set does not move the mouse cursor.**
- **There is no difference - both can be used in same scenarios.**

Answer :The activity with the SimulateClick flag unchecked moves the mouse cursor over the target element, while the one with the flag set does not move the mouse cursor.

Excel Automation Using UiPath

112. If a large item collection is processed using For Each, which activity enables you to efficiently exit the loop after a specific moment?

Options are :

- **No activity can be used. Instead, you have to create a Boolean variable based on which the For Each loop is broken**
- **The "Break" activity is the most suitable in For Each**
- **A While loop should be used instead of For Each**

Answer :The "Break" activity is the most suitable in For Each

113. In the UiPath Robotic Enterprise Framework template, in the Get Transaction Data state of the Main workflow, what happens before the next transaction item is retrieved?

Options are :

- **We check if the previous transaction has been completed**
- **We check if a kill signal was sent from Orchestrator**
- **We check if a stop signal was sent from Orchestrator**

Answer :We check if a stop signal was sent from Orchestrator

114. One of the steps in your process is to authenticate on a web application. How can you check if the login succeeded or not?

Options are :

- **Place the login activities inside a Try-Catch block. An exception is thrown in case a login problem occurs.**
- **Use an Element Exist activity to check whether the login succeeded by searching for an element that is only displayed in that case.**
- **Check the return value of the Login activity.**

Answer :Use an Element Exist activity to check whether the login succeeded by searching for an element that is only displayed in that case.

115. Which of the following statements are true? Select all the options that apply.

Options are :

- **You cannot use a recorder in a Citrix environment**
- **The recorder is used to create a skeleton for the UI automation**
- **The Desktop recorder generates partial selectors**

**Answer :The recorder is used to create a skeleton for the UI automation
The Desktop recorder generates partial selectors**

116. What is the slowest method of reading text?

Options are :

- **Native**
- **FullText.**
- **OCR**

Answer :OCR

117. Which of the following SQL statements can be executed by using the activity called Execute Non Query?

Options are :

- **Insert**
- **Update**
- **Select**
- **Delete**

Answer :Insert Update Delete

118. Why is renaming activities considered to be one of the best practices?

Options are :

- **In case of an exception, to be able to find its source activity**
- **To be able to understand the process logic without expanding each sequence or invoked workflow.**
- **To easily understand the high-level business logic from a workflow.**

Answer :In case of an exception, to be able to find its source activity To be able to understand the process logic without expanding each sequence or invoked workflow. To easily understand the high-level business logic from a workflow.

119. Consider three GenericValue variables, var1 with the default value of "3 apples", var2 with the default value of "5 mangos", and the result, which is the output of an Assign Activity with the var1 + var2 expression. What is the value of the resulting variable

Options are :

- **Null**
- **"8 fruits"**
- **8**
- **Error: "Input string was not in a correct format"**
- **"3 apples5 mangos"**

Answer :"3 apples5 mangos"

120. Which of the following technologies can be used for background automation?

Options are :

- **The Click activity with the Simulate Click flag checked.**
- **Data Scraping.**
- **The Full Text method of Screen Scraping.**
- **Type into activity with SendWindowMessages flag checked.**

Answer :The Click activity with the Simulate Click flag checked. Data Scraping. The Full Text method of Screen Scraping. Type into activity with SendWindowMessages flag checked.

UiPath Associate Certification UiRPA Question Latest Set 4

121. Where can we see the logs generated by running robots?

Options are :

- **In the Output panel.**
- **In the local Logs folder.**
- **In the Orchestrator logs.**

Answer :In the Output panel. In the local Logs folder. In the Orchestrator logs.

122. Is it possible to write to a text file without using the Write Text File activity?

Options are :

- **No**
- **Yes, using the Invoke Method activity**
- **Yes, with the Invoke Power Shell activity**

Answer :Yes, using the Invoke Method activity Yes, with the Invoke Power Shell activity

123. What robots can be selected when you start a job from Orchestrator?

Options are :

- **Any robot provisioned in Orchestrator.**
- **Any robot you have access to according to your role permissions.**
- **Any robot in the same environment as the process to be executed.**

Answer :Any robot in the same environment as the process to be executed.

<u>File Operations Using UiPath</u>
--

124. What types of assets can be stored in Orchestrator?

Options are :

- **Array, Datatable, Bool, String**
- **Bool, String, Integer, Credential**
- **Integer, Password, GenericValue, String**

Answer :Bool, String, Integer, Credential

125. What is the relation between environments and provisioned robots?

Options are :

- **One robot can be assigned to multiple environments.**
- **One robot can be assigned to a single environment only.**
- **An environment can contain multiple robots.**
- **An environment can contain a single robot only.**

Answer :One robot can be assigned to multiple environments. An environment can contain multiple robots.

126. Which of the statuses below can a transaction have? Select all the options that apply.

Options are :

- **New**
- **Pending**
- **In progress**
- **Successful**
- **Abandoned**
- **Failed**
- **Retried**
- **Deleted**

Answer :New In progress Successful Abandoned Failed Retried Deleted

127. Which of the following are considered best practices? Select all the options that apply.

Options are :

- **Keeping environment settings hard coded inside workflows.**
- **Breaking the process into smaller workflows.**
- **Reusing workflows across different projects.**

Answer :Breaking the process into smaller workflows. Reusing workflows across different projects.

128. While automating an installation wizard, a pop-up window may or may not appear. What can you use to close the window without stopping the workflow?

Options are :

- **Use a Click activity inside a Try Catch activity.**
- **Use a Click activity with the ContinueOnError property set to True.**
- **Use a Click activity and set its TimeoutMS property to 30.**

Answer :Use a Click activity inside a Try Catch activity. Use a Click activity with the ContinueOnError property set to True.

129. How should exceptions be handled? Select all the options that apply.

Options are :

- **By using Try Catch activities inside the workflow for unexpected application exceptions.**
- **By validating data using conditional blocks for business exceptions.**
- **UiPath handles exceptions by default.**

Answer :By using Try Catch activities inside the workflow for unexpected application exceptions. By validating data using conditional blocks for business exceptions.

<u>Introduction to Robotic Process Automation</u>
--

130. Which Queue Item properties can be used to control the order in which the items are processed?

Options are :

- **ItemInformation**
- **Priority**
- **Deadline**
- **Postpone**

Answer :Priority Deadline Postpone

131. In the UiPath Robotic Enterprise Framework template, in the Main workflow, what is the default type of the TransactionItem variable?

Options are :

- **String**
- **QueueItem**
- **Object**

Answer :QueueItem

132. Practical exam questions is different for different people, so solution cant be shared but as i have promised that i will help in practical exam, You can mail me at learnautomationr@gmail.com and i will help you to clear practical exam also.

Options are :

- **Understood**

Answer :Understood

133. Which of the scraping methods can get you the hidden text in the element?

Options are :

- **All of the above**
- **Native**
- **OCR**
- **FullText**

Answer :FullText

134. What is Orchestrator used for?

Options are :

- **Remotely controlling any number of robots and performing workflow management.**
- **Designing workflows to be run by robots in a supervised mode.**
- **Designing workflows to be run by robots in an unsupervised mode.**
- **Running Windows processes on the local machine.**

Answer :Remotely controlling any number of robots and performing workflow management.

135. How should exceptions be handled? Select all the options that apply.

Options are :

- **By using Try Catch activities inside the workflow for unexpected application exceptions.**
- **UiPath handles exceptions by default.**
- **By validating data using conditional blocks for business exceptions.**

Answer :By using Try Catch activities inside the workflow for unexpected application exceptions. By validating data using conditional blocks for business exceptions.

136. How can you delay the Automatic Recording?

Options are :

- **By hitting the Escape key**
- **By right clicking**
- **Not possible**
- **By hitting the F2 key**

Answer :By hitting the F2 key

137. What are the uses of web scraping in UiPath?

Options are :

- **Extracting lists or other structured data from a web page**
- **Extracting all the information from a web page**
- **Extracting the content of a table from a web page**
- **Extracting the images from a webpage**

Answer :Extracting lists or other structured data from a web page

138. What robots can be selected when you start a job from Orchestrator?

Options are :

- Any robot in the same environment as the process to be executed.
- Any robot you have access to according to your role permissions.
- Any robot provisioned in Orchestrator.

Answer :Any robot in the same environment as the process to be executed.

139. Is it possible to write to a text file without using the Write Text File activity?

Options are :

- No
- Yes, with the Invoke Power Shell activity
- Yes, using the Invoke Method activity

Answer :Yes, with the Invoke Power Shell activity Yes, using the Invoke Method activity

140. What is an argument?

Options are :

- **A variable**
- **An input/output parameter of the workflow**
- **A variable type**

Answer :An input/output parameter of the workflow

141. One of the actions below is not required when starting processes with UiPath Orchestrator.

Options are :

- **Starting a job, which is the execution of the process**
- **Registering robots to Orchestrator**
- **Creating an environment containing the robot**
- **Creating a queue in Orchestrator**
- **Creating a process with the published package and environment**
- **Publishing projects from UiPath Studio**

Answer :Creating a queue in Orchestrator

142. Which of the following are considered best practices? Select all the options that apply.

Options are :

- **Keeping environment settings hard coded inside workflows.**
- **Breaking the process into smaller workflows.**
- **Reusing workflows across different projects.**

Answer :Breaking the process into smaller workflows. Reusing workflows across different projects.

UiPath Associate Certification UiRPA Question Latest Set 1

143. Which of the following technologies can be used for background automation?

Options are :

- **The Full Text method of Screen Scraping.**
- **Type into activity with SendWindowMessages flag checked.**
- **Data Scraping.**
- **The Click activity with the Simulate Click flag checked.**

Answer :The Full Text method of Screen Scraping. Type into activity with SendWindowMessages flag checked. Data Scraping. The Click activity with the Simulate Click flag checked.

Uipath Certification Question Set 2

144. Downloading a report from a web application takes a variable amount of time, but a pop-up window is shown when the download is finished. What should you do to check whether the file has been fully downloaded before continuing the process?

Options are :

- **Use the On Element Appear activity and indicate the download pop-up window**
- **Set the WaitForReady property to Complete**
- **Use the Element Exist activity and indicate the download pop-up window**

Answer :Use the On Element Appear activity and indicate the download pop-up window

145. What types of assets can be stored in Orchestrator?

Options are :

- **Bool, String, Integer, Credential**
- **Array, Datatable, Bool, String**
- **Integer, Password, GenericValue, String**

Answer :Bool, String, Integer, Credential

[Uipath Certification Question Set 7](#)

146. Which is the best way to delete unreferenced variables?

Options are :

- **Delete them one by one from the Variables panel. UiPath Studio performs the workflow validation in real time, therefore you can see which variable is being used.**
- **The unreferenced variables do not utilise memory, therefore you do not have to delete them.**
- **You can manage your variables from the Design panel > Manage Variables > Remove Unreferenced.**

Answer :You can manage your variables from the Design panel > Manage Variables > Remove Unreferenced.

147. What recording wizard would you use to automate UI interactions in an application that does not offer support for selectors?

Options are :

- **Basic Recording**
- **Citrix Recording**
- **Web Recording**
- **Desktop Recording**

Answer :Citrix Recording

148. What happens if the result of a transaction is not set?

Options are :

- **The status is "In Progress" for 24 hours, and then it switches to Abandoned**
- **It is automatically set to Failed after 24 hours**
- **It is automatically set to Successful after 24 hours**

Answer :The status is "In Progress" for 24 hours, and then it switches to Abandoned

Debugging in UiPath Studio

149. Where can we see the logs generated by running robots?

Options are :

- **In the Orchestrator logs.**
- **In the Output panel.**
- **In the local Logs folder.**

Answer :In the Orchestrator logs. In the Output panel. In the local Logs folder

150. Where can you find the value written by the Write Line activity?

Options are :

- **At console**
- **In a variable**
- **In the Output pane**

Answer :In the Output pane

151. How can you find all anchor elements in a web page?

Options are :

- **Using the Find Relative Element Activity**
- **Using the Get Ancestor Activity**
- **Using the Find Element Activity**
- **Using the Find Children Activity**

Answer :Using the Find Children Activity

152. What are the recording profiles available in UiPath Studio?

Options are :

- **Basic, Desktop, Web, and Citrix**
- **Basic and Desktop**
- **Automatic recording and Step-by-Step recording**
- **Click, Check, Type Into, and Select Item**

Answer :Basic, Desktop, Web, and Citrix

153. What is the relation between environments and provisioned robots?

Options are :

- **One robot can be assigned to a single environment only.**
- **One robot can be assigned to multiple environments.**
- **An environment can contain a single robot only.**
- **An environment can contain multiple robots.**

Answer :One robot can be assigned to multiple environments. An environment can contain multiple robots.

154. Which Queue Item properties can be used to control the order in which the items are processed?

Options are :

- **Postpone**
- **ItemInformation**
- **Priority**
- **Deadline**

Answer :Postpone Priority Deadline

<u>Data Table Automation in UiPath</u>

155. How can a process be executed on three different robots?

Options are :

- **By scheduling the process and adjusting the settings in the Execution Target tab accordingly**
- **By creating a job and selecting all three robots**
- **By deploying the process in the environment of the robots, which run it automatically**
- **It is not possible to allocate a process to three different robots**

Answer :By scheduling the process and adjusting the settings in the Execution Target tab accordingly By creating a job and selecting all three robots

156. What happens if the result of a transaction is not set?

Options are :

- **The status is "In Progress" for 24 hours, and then it switches to Abandoned**
- **It is automatically set to Successful after 24 hours**
- **It is automatically set to Failed after 24 hours**

Answer :The status is "In Progress" for 24 hours, and then it switches to Abandoned

**157. What do the Items in the Orchestrator queues consist of?
Select all the options that apply.**

Options are :

- **Input data for the processes executed by the robots**
- **Processes to be executed by the robots**
- **Jobs to be executed by the robots**

Answer :Input data for the processes executed by the robots

UiPath Associate Certification UiRPA Question Latest Set 7

158. The best way of managing variable values within a workflow, so that they can be shared on different robots and environments is:

Options are :

- **Using excel config files**
- **Using Json config files.**
- **Using assets defined in Orchestrator.**

Answer :Using assets defined in Orchestrator.

159. In which workflow in the UiPath Robotic Enterprise Framework template is the TransactionNumber global variable incremented by default?

Options are :

- **Process workflow**
- **GetTransactionData workflow**
- **SetTransactionStatus workflow**

Answer :SetTransactionStatus workflow

160. How can you improve a selector?

Options are :

- **By using intermediate containers for a better matching of the UI element.**
- **By adding the absolute position of the elements to the selector.**
- **By replacing the dynamic parts of an attribute with wildcards.**

Answer :By using intermediate containers for a better matching of the UI element. By replacing the dynamic parts of an attribute with wildcards.

161. Which of the following are required to have efficient execution of automation projects?

Options are :

- **Recovery abilities**
- **Effective logging mechanisms**
- **Proper exception handling**

Answer :Recovery abilities Effective logging mechanisms Proper exception handling

162. Is there any way to hide the execution of one activity in the logs?

Options are :

- **Yes, by changing the minLevel property of the "Execution" logger from NLog.config file.**
- **No, but the logs can be manually edited.**
- **Yes, by checking the Private property of the activity that is to be hidden.**

Answer :Yes, by checking the Private property of the activity that is to be hidden.

<u>UiPath RPA Associate Certification Exam Practice Questions Set 2</u>
--

163. Which activity can be used if you want to test whether a condition evaluates to true or false?

Options are :

- **Flow Decision activity**
- **If activity**
- **For Each activity**

Answer :Flow Decision activity If activity

164. Where can the logging level of a robot be changed from?

Options are :

- **Orchestrator, in the Edit Robot section, the Settings tab.**
- **The robot settings, which are accessed via the UiPath Robot icon in the System tray.**
- **You can not change the logging level.**

Answer :Orchestrator, in the Edit Robot section, the Settings tab. The robot settings, which are accessed via the UiPath Robot icon in the System tray.

165. In a Try Catch activity, how many times is the Finally section executed if no error occurs in the Try section?

Options are :

- **Once**
- **Zero**
- **The Finally section is executed only when the Catch section is executed.**

Answer :Once

Email Automation in UiPath

166. What is the Attach Window activity used for?

Options are :

- **To specify the browser container you will be working with**
- **Specifies that you are working with a java window**
- **To specify the top-level window container you will be working with**

Answer :To specify the top-level window container you will be working with

167. Which statement about the UiPath Robotic Enterprise Framework template is false?

Options are :

- **The framework can be used only if you get the input data from the UiPath server queues.**
- **The framework has a robust exception handling scheme and event logging.**
- **The framework is meant to be a template that helps the user design processes.**

Answer :The framework can be used only if you get the input data from the UiPath server queues.

**168. What type of Output variable do all Get Mail activities return?
(POP3, IMAP, Outlook, Exchange)**

Options are :

- **List**
- **List**
- **MailMessage**

Answer :List

<u>UiPath Advance Certification UIARD Certification Latest Set 12</u>
--

169. In the UiPath Robotic Enterprise Framework template, in the Main workflow, what is the default type of the TransactionItem variable?

Options are :

- **String**
- **QueueItem**
- **Object**

Answer :QueueItem

170. In the UiPath Robotic Enterprise Framework template, if a System Error is encountered in the Init state of the Main workflow, which state is executed next?

Options are :

- **End Process**
- **Get Transaction Data**
- **Init**

Answer :End Process

171. When requesting a work item from Orchestrator Queues using the Get Transaction Item activity, you need to specify the following:

Options are :

- **The name of the Queue and the number of items to be retrieved**
- **The name of the Queue, the number of items, and a filtering expression**
- **The name of the Queue which contains that specific work item**

Answer :The name of the Queue which contains that specific work item

Project Structure, Annotations, and Logs

172. In UiPath Robotic Enterprise Framework, the value of MaxRetryNumber in the Config.xlsx file should be set to a number greater than 0 to enable the retry mechanism in the following cases:

Options are :

- **Get data from UiPath Orchestrator queues with Auto Retry disabled.**
- **Get data from spreadsheets, databases, email, web API.**
- **Do not work with UiPath Orchestrator queues.**

Answer :Get data from spreadsheets, databases, email, web API. Do not work with UiPath Orchestrator queues.

173. What activity can you use to get a column value from a specific row of a DataTable?

Options are :

- **Row Read Cell**
- **Get Row Item**
- **Remove Data**

Answer :Get Row Item

174. What is the safest way to close an application?

Options are :

- **By using the Process Name property of the Kill Process Activity**
- **By sending the Alt + F4 hotkeys**
- **By using the Close Application activity**

Answer :By using the Close Application activity

<u>UiPath Certification RPA Developer dumps for Phase 1 Set 1</u>
--

175. In the UiPath Robotic Enterprise Framework template, in the Main workflow, the State Machine includes the following states:

Options are :

- **Init state**
- **Set Transaction State**
- **Get transaction data state**
- **End Process State**
- **Process Transaction State**

Answer :Init state Get transaction data state End Process State Process Transaction State

176. After adding an Invoke Workflow File activity and selecting the workflow to invoke, you need to:

Options are :

- **Click Import Arguments, and then bind the arguments to the local variables or to some default values**
- **Click Edit Arguments, and then bind the arguments to the local variables or to some default values**

Answer :Click Import Arguments, and then bind the arguments to the local variables or to some default values

177. Which one of the statements below regarding the GetAppCredentials workflow included in UiPath Robotic Enterprise Framework is true?

Options are :

- **It first requests the credential from user.**
- **It first tries to fetch a credential from Orchestrator.**
- **It first tries to fetch a credential from the Windows Credential Manager.**

Answer :It first tries to fetch a credential from Orchestrator.

UiPath Advance Certification UIARD Certification Latest Set 6

178. In which workflow in the UiPath Robotic Enterprise Framework template is the TransactionNumber global variable incremented by default?

Options are :

- **SetTransactionStatus workflow**
- **Process workflow**
- **GetTransactionData workflow**

Answer :SetTransactionStatus workflow

179. How can you dynamically change parts of a selector?

Options are :

- **By using variables to replace the dynamic parts**
- **You cannot have dynamic components in a selector.**
- **By adding parameters from the Properties tab.**

Answer :By using variables to replace the dynamic parts

180. What layout should be used for UI navigation and data processing?

Options are :

- **State Machine**
- **Sequence**
- **Flowchart**

Answer :Sequence

<u>UiPath Certification RPA Developer dumps for Phase 1 Set 5</u>
--

181. When should the Simulate Type/Click property be used?
Options are :

- **Only when background automation is required**
- **Whenever supported by the target application**
- **Only for testing purposes**

Answer :Whenever supported by the target application

182. How can you fine tune a selector?

Options are :

- **Replacing variable attribute parts with ***
- **Adding all parents**
- **Making sure you have an idx attribute**

Answer :Replacing variable attribute parts with * Adding all parents

183. What status does a job have when a schedule is triggered in Orchestrator, but there are no available robots to execute it?

Options are :

- **In progress**
- **Pending**
- **New**

Answer :Pending

<u>UiPath Certification Question Set 1</u>

184. Which emails are deleted if you use Get IMAP Mail Messages with the DeleteMessages property set to true?

Options are :

- **Only the emails that were marked as previously read.**
- **There is no DeleteMessages property for the Get IMAP Mail Message activity. This option is available only for Get Exchange Mail Message.**
- **The ones in the list that is retrieved by the Get IMAP Mail Messages activity.**

Answer :The ones in the list that is retrieved by the Get IMAP Mail Messages activity.

**185. This is a reliable selector for a dynamic web page: webctrl
idx='144' tag='IMG'/**

Options are :

- **True**
- **False**

Answer :False

186. In the UiPath Robotic Enterprise Framework template, to enable the retry mechanism without using Queues, what should the value of MaxRetryNumber be set to?

Options are :

- **0**
- **Any value greater than 0**
- **Any value greater than 2**

Answer :Any value greater than 0

187. Is it possible to reprocess a transaction in a Queue after its failure due to an application exception?

Options are :

- **Yes, it can be retried manually on the Transactions page.**
- **Only transactions that failed due to a business exception can be reprocessed.**
- **No, transactions cannot be processed again if they fail.**
- **Yes, if the Auto-Retry property of the Queue is enabled.**

Answer :Yes, it can be retried manually on the Transactions page. Yes, if the Auto-Retry property of the Queue is enabled.

188. In the UiPath Robotic Enterprise Framework template, in the Main workflow, what is the default type of the TransactionItem variable?

Options are :

- **QueueItem**
- **String**
- **Object**

Answer :QueueItem

Uipath Certification Question Set 4

189. The String.Format("Input = {0} and Output = {0}", "1","2") expression returns the following:

Options are :

- **An error.**
- **Input = 1 and Output = 1.**
- **Input = {1} and Output = {2}.**
- **Input = {0} and Output = {0}.**
- **Input = 1 and Output = 2.**

Answer :Input = 1 and Output = 1.

190. Which of the following types of variables can be defined in UiPath Studio?

Options are :

- **DataTable**
- **GenericValue.**
- **Number.**

Answer :DataTable GenericValue.

191. What is the purpose of the WaitForReady property in any UiAutomation activity?

Options are :

- **Specifies to continue executing the remaining activities even if the current activity failed.**
- **Specifies the amount of time (in milliseconds) to wait for the activity to run before an error is thrown.**
- **Before performing the actions, waits for the target to become ready.**

Answer :Before performing the actions, waits for the target to become ready.

UiPath Advance Certification UIARD Certification Latest Set 11

192. How can you retrieve the value stored in a Queue Item variable?

Options are :

- **Use the Deserialize Xml activity**
- **Use the Deserialize Json activity**
- **Use the SpecificContent property**

Answer :Use the SpecificContent property

193. What are the functions of the Outline panel?

Options are :

- **It shows the execution result of the workflow**
- **If the Activities are properly named, it can be used to search and select specific Activities used inside the workflow**
- **It shows the structure of the workflow**

Answer :If the Activities are properly named, it can be used to search and select specific Activities used inside the workflow It shows the structure of the workflow

Word Document Automation Using UiPath

194. Which statement about the UiPath Robotic Enterprise Framework template is false?

Options are :

- **The framework is meant to be a template that helps the user design processes.**
- **The framework can be used only if you get the input data from the UiPath server queues.**
- **The framework has a robust exception handling scheme and event logging.**

Answer :The framework can be used only if you get the input data from the UiPath server queues.

195. Which of the following are required to have efficient execution of automation projects?

Options are :

- **Proper exception handling**
- **Effective logging mechanisms**
- **Recovery abilities**

**Answer :Proper exception handling Effective logging mechanisms
Recovery abilities**

196. How can a string variable called myString be converted to an all-capitals representation for future use?

Options are :

- **By using a Write Line with the Text property set to myString.ToUpper.**
- **By using an Assign activity with myString on the left side and myString.ToUpper on the right side**

Answer :By using an Assign activity with myString on the left side and myString.ToUpper on the right side

197. Why is renaming activities considered to be one of the best practices?

Options are :

- **In case of an exception, to be able to find its source activity**
- **To easily understand the high-level business logic from a workflow.**
- **To be able to understand the process logic without expanding each sequence or invoked workflow.**

Answer :In case of an exception, to be able to find its source activity To easily understand the high-level business logic from a workflow. To be able to understand the process logic without expanding each sequence or invoked workflow.

198. In the UiPath Robotic Enterprise Framework template, in the Get Transaction Data state of the Main workflow, what happens before the next transaction item is retrieved?

Options are :

- **We check if a stop signal was sent from Orchestrator**
- **We check if a kill signal was sent from Orchestrator**
- **We check if the previous transaction has been completed**

Answer :We check if a stop signal was sent from Orchestrator

199. Where can we see the logs generated by running robots?

Options are :

- **In the Orchestrator logs.**
- **In the Output panel.**
- **In the local Logs folder.**

Answer :In the Orchestrator logs. In the Output panel. In the local Logs folder.

<u>Robotic Enterprise Framework in UiPath</u>
--

200. When is it recommended to use Desktop recording?

Options are :

- **When you automate Citrix Applications**
- **When you automate more steps in the same window**
- **When you automate one step**
- **When you automate Web pages**

Answer :When you automate more steps in the same window

201. In the UiPath Robotic Enterprise Framework template, in the Main workflow, the State Machine includes the following states:

Options are :

- **Get transaction data state**
- **Set Transaction State**
- **Process Transaction State**
- **Init state**
- **End Process State**

**Answer :Get transaction data state Process Transaction State Init state
End Process State**

202. Which is the best way to delete unreferenced variables?

Options are :

- **You can manage your variables from the Design panel > Manage Variables > Remove Unreferenced.**
- **The unreferenced variables do not utilise memory, therefore you do not have to delete them.**
- **Delete them one by one from the Variables panel. UiPath Studio performs the workflow validation in real time, therefore you can see which variable is being used.**

Answer :You can manage your variables from the Design panel > Manage Variables > Remove Unreferenced.

UiPath Certification RPA Developer dumps for Phase 1 Set 3

203. Scheduling a process is done from:

Options are :

- **Orchestrator Server**
- **Not Possible**
- **UiPath Studio**
- **UiPath Robot**

Answer :Orchestrator Server

204. Where should credentials be stored? Select all the options that apply.

Options are :

- **In Orchestrator, as assets.**
- **Directly inside the workflows, as variables.**
- **In Windows Credential Store.**

Answer :In Orchestrator, as assets. Directly inside the workflows, as variables. In Windows Credential Store.

**205. This is a reliable selector for a dynamic web page: webctrl
idx='144' tag='IMG'/**

Options are :

- **True**
- **False**

Answer :False

Creating UiPath Library

206. Can you store a Selector in a variable?

Options are :

- **No**
- **Yes, in a String variable.**
- **Yes, in a UiElement variable.**

Answer :Yes, in a String variable.

207. In the UiPath Robotic Enterprise Framework template, to enable the retry mechanism without using Queues, what should the value of MaxRetryNumber be set to?

Options are :

- **0**
- **Any value greater than 0**
- **Any value greater than 2**

Answer :Any value greater than 0

208. After adding an Invoke Workflow File activity and selecting the workflow to invoke, you need to:

Options are :

- **Click Edit Arguments, and then bind the arguments to the local variables or to some default values**
- **Click Import Arguments, and then bind the arguments to the local variables or to some default values**

Answer :Click Import Arguments, and then bind the arguments to the local variables or to some default values

<u>Uipath Associate Certification UiRPA Question Latest Set 5</u>
--

209. If a large item collection is processed using For Each, which activity enables you to efficiently exit the loop after a specific moment?

Options are :

- **The "Break" activity is the most suitable in For Each**
- **A While loop should be used instead of For Each**
- **No activity can be used. Instead, you have to create a Boolean variable based on which the For Each loop is broken**

Answer :The "Break" activity is the most suitable in For Each

210. What is the best way of scraping a large, selectable text in a Citrix environment?

Options are :

- **Use the Google OCR engine.**
- **Use the Microsoft OCR engine.**
- **Use a Get Full Text activity.**
- **Select the entire text and copy it with the Copy Selected Text activity.**

Answer :Select the entire text and copy it with the Copy Selected Text activity.

211. Is it possible to write to a text file without using the Write Text File activity?

Options are :

- **Yes, using the Invoke Method activity**
- **Yes, with the Invoke Power Shell activity**
- **No**

Answer :Yes, using the Invoke Method activity Yes, with the Invoke Power Shell activity

212. Which of the following statements is true regarding Lists and Arrays?

Options are :

- **You can add any number of elements to an array.**
- **You can iterate through a List using a For Each loop activity.**
- **List items can be added using an Add to Collection activity.**
- **Array and List elements can be accessed by index.**

**Answer :You can iterate through a List using a For Each loop activity.
Array and List elements can be accessed by index.**

213. What type of container will Web Recording generate?

Options are :

- **No container**
- **Attach Browser**
- **Attach Window**
- **Excel Application Scope**

Answer :Attach Browser

214. When should the Simulate Type/Click property be used?

Options are :

- **Only when background automation is required**
- **Only for testing purposes**
- **Whenever supported by the target application**

Answer :Whenever supported by the target application

UiPath Certification Question Set 6

215. When requesting a work item from Orchestrator Queues using the Get Transaction Item activity, you need to specify the following:

Options are :

- **The name of the Queue, the number of items, and a filtering expression**
- **The name of the Queue which contains that specific work item**
- **The name of the Queue and the number of items to be retrieved**

Answer :The name of the Queue which contains that specific work item

216. The String.Format("Input = {0} and Output = {1}", "1","2") expression returns the following text:

Options are :

- **Input = 0 and Output = 0**
- **Input = 1 and Output = 2**
- **Input = 1 and Output = 1**
- **Input = {0} and Output = {1}**

Answer :Input = 1 and Output = 2

UiPath Certification Question Set 5

217. How can you pass DATA between workflows?

Options are :

- **By using arguments**
- **By using variables**
- **By using a pipe**

Answer :By using arguments

<u>UiPath Certification RPA Developer dumps for Phase 1 Set 3</u>
--

218. Which is the best way to navigate to a specific page in a Web Browser?

Options are :

- **Use the Navigate To activity inside an Attache Browser container**
- **Use the Type into activity inside an Attach Browser container**
- **Use a Type into activity with a full selector**

Answer :Use the Navigate To activity inside an Attache Browser container

219. The return value of the Get Transaction Item Activity is of the following type:

Options are :

- **Object**
- **String**
- **QueueItem**
- **List**
- **List**

Answer :QueueItem

220. In the UiPath Robotic Enterprise Framework template, to enable the retry mechanism w/o using Queue, what should the value of MaxRetryNumber be set to?

Options are :

- **0**
- **Any value greater than 0**
- **Any value greater than 2**
- **1**

Answer :Any value greater than 0

Project Structure, Annotations, and Logs

221. What happens if the result of a transaction is not set?

Options are :

- **It is automatically set to Successful after 24 hours**
- **It is automatically set to Failed after 24 hours**
- **The status is In Progress for 24 hours, and then it switches to Abandoned**

Answer :The status is In Progress for 24 hours, and then it switches to Abandoned

222. Where can we see the logs generated by running robots?

Options are :

- **In the Output panel**
- **In the Orchestrator logs**
- **In the local Logs folder**

Answer :In the Output panel In the Orchestrator logs In the local Logs folder

223. Which of the following are considered best practices? Select all the options that apply.

Options are :

- **Keeping environment settings hard coded inside workflows**
- **Breaking the process into smaller workflows**
- **Reusing workflows across different projects**

Answer :Breaking the process into smaller workflows Reusing workflows across different projects

UiPath Advance Certification UIARD Certification Latest Set 10

224. When should the Simulate Type/Click property be used?

Options are :

- **Whenever supported by the target application**
- **Only when background automation is required**
- **Only for testing purposes**

Answer :Whenever supported by the target application

**225. What type of Output variable do all Get Mail activities return?
(POP3, IMAP, Outlook, Exchange)**

Options are :

- **MailMessage**
- **List**
- **List**

Answer :List

226. How can you dynamically change parts of a selector?

Options are :

- **You cannot have dynamic components in a selector**
- **By using variables to replace the dynamic parts**
- **By adding parameters from the Properties tab**

Answer :By using variables to replace the dynamic parts

API Testing Automation using UiPath

227. How does the Anchor Base activity work?

Options are :

- **It searches for an UiElement at a fixed anchor position**
- **It searches for an UiElement using a relative coordinate position**
- **It searches for an UiElement by using another UiElement as anchor**

Answer :It searches for an UiElement by using another UiElement as anchor

228. Where can the logging level of a robot be changed from?

Options are :

- **The robot settings, which are accessed via the UiPath Robot icon in the System tray.**
- **Orchestrator, in the Edit Robot section, the Settings tab**
- **You can't change the logging level**

Answer :The robot settings, which are accessed via the UiPath Robot icon in the System tray. Orchestrator, in the Edit Robot section, the Settings tab

229. What robot state is display on the Robots page while a job is being executed?

Options are :

- **Busy**
- **Running**
- **Pending**

Answer :Pending

UiPath Advance Certification UIARD Certification Latest Set 3

230. What types of assets can be stored in Orchestrator?

Options are :

- **Array, Datatable, Bool, String**
- **Bool, String, Integer, Credential**
- **Integer, Password, GenericValue, String**

Answer :Bool, String, Integer, Credential

231. What is the best practice to stop an ongoing job in Orchestrator?

Options are :

- **The process can only stop on its own.**
- **By cancelling it and using a Should Stop activity inside the workflow.**
- **By terminating it.**

Answer :By cancelling it and using a Should Stop activity inside the workflow.

232. In UiPath Robotic Enterprise Framework, what are the transitions of the Init state?

Options are :

- **In the case of Success, the transition is to the Get Transaction Data state.**
- **In the case of System Error, the transition is to the Init state.**
- **In the case of Success, the transition is to the Process Transaction state.**
- **In the case of System Error, the transition is to the End Process state.**

Answer :In the case of Success, the transition is to the Get Transaction Data state. In the case of System Error, the transition is to the End Process state.

233. Which of the following types of variables can be defined in UiPath Studio?

Options are :

- **GenericValue**
- **DataTable**
- **Number.**

Answer :GenericValue DataTable

234. What is the best way of restricting the access of a person to a limited number of pages in Orchestrator?

Options are :

- **That option does not exist. Everyone is able to see everything**
- **By changing the rights of the Administrator to the desired state**
- **By creating a different account and role for that person. When creating a new role, restrictions can be applied**

Answer :By creating a different account and role for that person. When creating a new role, restrictions can be applied

235. How can you retrieve the value stored in a Queue Item variable?

Options are :

- **Use the Deserialize Json activity**
- **Use the Deserialize Xml activity**
- **Use the SpecificContent property**

Answer :Use the SpecificContent property

<u>UiPath Associate Certification UiRPA Question Latest Set 8</u>
--

236. Which is the best way to delete unreferenced variables?

Options are :

- **Delete them one by one from the Variables panel. UiPath Studio performs the workflow validation in real time, therefore you can see which variable is being used.**
- **You can manage your variables from the Design panel > Manage Variables > Remove Unreferenced.**
- **The unreferenced variables do not utilise memory, therefore you do not have to delete them.**

Answer :You can manage your variables from the Design panel > Manage Variables > Remove Unreferenced.

237. "Add Assets" in Orchestrator has the following option:

Options are :

- **Value per Robot**
- **Value per Environment**
- **Value per Process**
- **Single Value**

Answer :Value per Robot Single Value

238. Consider three GenericValue variables, var1 with default value of "3 apples", var2 with the default value of "5 mangos", and the result, which is the output of an Assign Activity with the var1+var2 expression. What is the value of resulting variable?

Options are :

- **Null**
- **8 fruits**
- **8**
- **Error: "Input string was not in a correct format"**
- **3 apples5 mangos**

Answer :3 apples5 mangos

Excel Automation Using UiPath

239. Which of the following SQL statements can be executed by using the activity called Execute Non Query?

Options are :

- **Insert**
- **Update**
- **Delete**
- **Select**

Answer :Insert Update Delete

240. In the UiPath Robotic Enterprise Framework template, if System Error is encountered in the Process Tansaction state of the Main workflow, which state is Executed next?

Options are :

- **Get Transaction Data**
- **Init**
- **End Process**

Answer :Init

241. What happens if you try to end the execution of a job by clicking the Stop/Cancel button in UiPath Orchestrator?

Options are :

- **The Execution Process is killed**
- **The Execution is not impacted if no Should Stop activity has been included in the workflow in Studio**
- **The job state is changed to Canceled/Stopped, even if no Should Stop activity was used**

Answer :The Execution is not impacted if no Should Stop activity has been included in the workflow in Studio

UiPath RPA Associate Certification Exam Practice Questions Set 2

242. The String.Format("Input ={0} and Output = {0}", "1","2") expression returns the following:

Options are :

- **Input ={0} and Output = {0}**
- **Input = 1 and Output = 2**
- **Input = 1 and Output = 1**
- **Input ={1} and Output = {2}**

Answer :Input = 1 and Output = 1

243. In the UiPath Robotic Enterprise Framework template, if a System Error is encountered in the Init State of the Main Workflow, Which state is executed next?

Options are :

- **Get Transaction Data**
- **Init**
- **End Process**

Answer :End Process

244. It is possible to write to a text file without using the Write Text File activity?

Options are :

- **No**
- **Yes, by using the Invoke Method Activity**
- **Yes, with the Invoke Power Shell Activity**

Answer :Yes, by using the Invoke Method Activity Yes, with the Invoke Power Shell Activity

<u>File Operations Using UiPath</u>
--

245. Which emails are deleted if you use Get IMAP Mail Messages with the DeleteMessage property set to true?

Options are :

- **The ones in the list that is retrieved by the Get IMAP Mail Messages activity**
- **Only the emails that were marked as previously read**
- **There is no DeleteMessages property for the Get IMAP Mail Message activity. This option is available only for Get Exchange Mail Message**

Answer :The ones in the list that is retrieved by the Get IMAP Mail Messages activity

246. How can you improve a selector?

Options are :

- **By replacing the dynamic parts of the attribute with wildcards**
- **By adding the absolute position of the elements to the selector**
- **By using intermediate containers for a better matching of the UI Element**

Answer :By replacing the dynamic parts of the attribute with wildcards By using intermediate containers for a better matching of the UI Element

247. What is the robot able to do when the Full Text scraping method is used?

Options are :

- **Get font information (Size, Color)**
- **Get hidden information**
- **Get editable text**
- **Get the entire visible text**

Answer :Get hidden information Get editable text Get the entire visible text

UiPath Associate Certification UiRPA Question Latest Set 11

248. If a large item collection is processed using For Each, which activity enables you to efficiently exit the loop after a specific moment?

Options are :

- **No activity can be used. Instead, you have to create a Boolean Variable based on which the For Each loop is broken**
- **The "Break" Activity is the most suitable in For Each**
- **A While Loop should be used instead of For Each**

Answer :The "Break" Activity is the most suitable in For Each

249. How should exceptions be handled? Select all the options that apply.

Options are :

- **By using Try Catch Activities inside the workflow for unexpected application exceptions**
- **By validating data using conditional block for business exception**
- **UiPath handles exception by default**

Answer :By using Try Catch Activities inside the workflow for unexpected application exceptions By validating data using conditional block for business exception

250. Which of the following are considered best practices?

Options are :

- **Start you new sequence with a short annotation meant to explain the purpose of the workflow**
- **Include a Should Stop activity at the end of the workflow**
- **Think about the exception that might occur during the execution of the process**

Answer :Start you new sequence with a short annotation meant to explain the purpose of the workflow Think about the exception that might occur during the execution of the process

251. What happens if you try to end the execution of a job by clicking the Kill/Terminate button in UiPath Orchestrator?

Options are :

- **The execution process is killed**
- **The execution is not impacted if no Should Stop activity has been included in the workflow in Studio**
- **The Job state is changed to Canceled/Stopped, even if no Should Stop activity was used**

Answer :The execution process is killed The Job state is changed to Canceled/Stopped, even if no Should Stop activity was used

252. What is the difference between a Click activity whose SimulateClick property is checked and another one with the same property unchecked?

Options are :

- **The activity with an enabled SimulateClick flag does not click the target element, it just simulates the action**
- **The activity with the SimulateClick flag unchecked moves the mouse cursor over the target element, while the one with flag set does not move the mouse cursor**
- **The activity with an enabled SimulateClick flag does not click the target element, it just simulates the action**

Answer :The activity with the SimulateClick flag unchecked moves the mouse cursor over the target element, while the one with flag set does not move the mouse cursor

253. What is the relation between environments and provisioned robots?

Options are :

- **One robot can be assigned to multiple environments**
- **One robot can be assigned to a single environments only**
- **An environment can contain multiple robots**

Answer :One robot can be assigned to multiple environments An environment can contain multiple robots

<u>UiPath RPA Associate Certification Exam Practice Questions Set 3</u>
--

254. In the UiPath Robotic Enterprise Framework template, in the Main workflow, what is the default type of the TransactionItem variable?

Options are :

- **String**
- **QueueItem**
- **Objec**

Answer :QueueItem

255. Downloading a report from a web application takes a variable amount of time, but a pop-up window is shown when the download is finished. What should you do to check whether the file has been fully downloaded before continuing the process?

Options are :

- **Use the On Element Appear activity and indicate the download pop-up window**
- **Use the Element Exist activity and indicate the download pop-up window**
- **Set the WaitForReady property to Complete**

Answer :Use the On Element Appear activity and indicate the download pop-up window

256. What happens in the Init state of the Main workflow, in the UiPath Robotic Enterprise Framework template?

Options are :

- **The robot reads the configuration file and initializes all the required applications**
- **The transaction items are extracted from the Queue**
- **The robot checks if the previous transaction is complete and then starts the next one**

Answer :The robot reads the configuration file and initializes all the required applications

UiPath Certification Question Set 7

257. What type of assets can be stored in Orchestrator?

Options are :

- **Array, Datatable, Bool, String**
- **Bool, String, Integer, Credential**
- **Integer, Passowrd, GenericValue, String**

Answer :Bool, String, Integer, Credential

258. In a Try Catch activity, how many times is the Finally section executed if no error occurs in the Try section?

Options are :

- **Once**
- **Zero**
- **the Finally section is executed only when the Catch section is executed**

Answer :Once

259. One of the steps in your process is to authenticate on a web application. How can you check if the login succeeded or not?

Options are :

- **Place the login activities inside a Try_Catch block. An exception is thrown in case a login problem occurs**
- **Use an Element Exist activity to check whether the login succeeded by searching for an element that is only displayed in that case**
- **Check the return value of the Login activity**

Answer :Use an Element Exist activity to check whether the login succeeded by searching for an element that is only displayed in that case

UiPath Certification RPA Developer dumps for Phase 1 Set 3

260. In the UiPath Robotic Enterprise Framework template, in the Main workflow, the State Machine includes the following states:

Options are :

- **Init State**
- **Get transaction data State**
- **Process Transaction State**
- **Set Transaction State**
- **End Process State**

Answer :Init State Get transaction data State Process Transaction State End Process State

261. How can you retrieve the value stored in a Queue Item variable?

Options are :

- **Use the Deserialize Json Activity**
- **Use the Deserialize Xml Activity**
- **Use the SpecificContent Property**

Answer :Use the SpecificContent Property

UiPath Certification Question Set 7

262. What happens if the ClickBeforeTyping property in a Type into activity is selected?

Options are :

- **Before typing, a click is performed at the center of the UiElement**
- **Before typing, a click is performed on the top left corner of the UiElement**
- **Before typing, a click is performed at the current mouse position**

Answer :Before typing, a click is performed on the top left corner of the UiElement

**263. This is a reliable selector for a dynamic web page: webctrl
idx='144' tag='IMG'/**

Options are :

- **TRUE**
- **FALSE**

Answer :FALSE

<u>API Testing Automation using UiPath</u>

**264. Which of the following are required to have efficient execution
of automation projects?**

Options are :

- **Effective logging mechanisms**
- **Proper exception handling**
- **Recovery abilities**

**Answer :Effective logging mechanisms Proper exception handling
Recovery abilities**

265. Which Queue Item properties can be used to control the order in which the items are processed?

Options are :

- **Priority**
- **Deadline**
- **Postpone**
- **ItemInformation**

Answer :Priority Deadline Postpone

266. What robots can be selected when you start a job from Orchestrator?

Options are :

- **Any robot provisioned in Orchestrator**
- **Any robot you have access to according to your role permissions**
- **Any robot in the same environment as the process to be executed**

Answer :Any robot in the same environment as the process to be executed

267. Which one of the statements below regarding the GetAppCredentials workflow included in UiPath Robotic Enterprise Framework is true?

Options are :

- **It first request the credential from user**
- **It first tries to fetch a credential from the Windows Credential Manager**
- **It first tried to fetch a credential from Orchestrator**

Answer :It first tried to fetch a credential from Orchestrator

268. How should a UiPath developer handle frequent changes in the project files?

Options are :

- **By creating daily backups of the files**
- **By using a source control solution such as SVN, TFS etc.**
- **Old versions of the project files are not relevant**

Answer :By using a source control solution such as SVN, TFS etc.

269. What happens when a new version of a package is published?

Options are :

- The processes using the package are automatically updated to the latest version
- The processes have to be updated in order for the robots to run the latest version of the package
- The old version of the package is overwritten

Answer : The processes have to be updated in order for the robots to run the latest version of the package

UiPath Certification RPA Developer dumps for Phase 1 Set 1

270. What are the functions of the Outline panel?

Options are :

- It shows the structure of the workflow
- It shows the execution result of the workflow
- If the Activities are properly named, it can be used to search and select specific Activities used inside the workflow

Answer : It shows the structure of the workflow If the Activities are properly named, it can be used to search and select specific Activities used inside the workflow

271. When should the "Add Log Fields" activity be used?

Options are :

- **When the standard log message has to be customized by adding new fields to it**
- **When logs need to be enabled**
- **When log message with a maximum number of five visible fields need to be generated**

Answer :When the standard log message has to be customized by adding new fields to it

272. What layout should be used for UI navigation and data processing?

Options are :

- **Flowchart**
- **Sequence**
- **State Machine**

Answer :Sequence

273. How can you provide more details to explain the purpose of the activities in workflow?

Options are :

- **By adding activity annotations**
- **By using a Comment Out activity**
- **By using the Comment activity**

Answer :By adding activity annotations By using the Comment activity

274. Can you store a Selector in a variable?

Options are :

- **No**
- **Yes, in a UiElement variable**
- **Yes, in a String variable**

Answer :Yes, in a String variable

275. Which is considered to be one of the best practices regarding the process finalization?

Options are :

- **Leave the used application open, so that a person can inspect the result**
- **Leave the application in its initial state, so that we can execute the process again**
- **Restart the machine, so that any potential problem can be fixed**

Answer :Leave the application in its initial state, so that we can execute the process again

Conditional Statements in UiPath Studio

276. The best way of managing variable values within a workflow, so that they can be shared on different robots and environments is:

Options are :

- **Using Json config files**
- **Using Excel config files**
- **Using Assets defined in Orchestrator**

Answer :Using Assets defined in Orchestrator

277. What happened if the result of a transaction is not set?

Options are :

- **It is automatically set to Successful after 24 Hrs.**
- **It is automatically set to Failed after 24 Hrs**
- **The status is "In Progress" for 24 Hrs., and then it switches to Abandoned**

Answer :The status is "In Progress" for 24 Hrs., and then it switches to Abandoned

278. The status is "In Progress" for 24 Hrs., and then it switches to Abandoned

Options are :

- **By scheduling the process and adjusting the settings in the Execution Target tab accordingly**
- **It is not possible to allocate a process to there different Robots**
- **By creating a Job and selecting all three Robots**
- **By deploying the process in the Environment of the Robots, which run it Automatically**

Answer :By scheduling the process and adjusting the settings in the Execution Target tab accordingly By creating a Job and selecting all three Robots

Email Automation in UiPath

279. Where should you store the environment settings that are prone to changes?

Options are :

- **In Orchestrator as Assets**
- **Inside config files (.xml, .json. .xlsx etc.)**
- **Directly inside the workflows, as hard coded values**

Answer :In Orchestrator as Assets Inside config files (.xml, .json. .xlsx etc.)

280. What status does a job have when a schedule is triggered in Orchestrator, but there are no available robots to execute it?

Options are :

- **In Progress**
- **Pending**
- **New**

Answer :Pending

281. What can the UiPath Robotic Enterprise Framework template be used as?

Options are :

- **The starting point for every automation project**
- **A complete library for front office robots**
- **A consumer of queue in Orchestrator**

Answer :The starting point for every automation project

282. Why is renaming activities considered to be one of the best practices?

Options are :

- **In case of an exception, to be able to find its source activity**
- **To be able to understand the process logic without expanding each sequence of invoked workflow**
- **To easily understand the high-level business logic from a workflow**

Answer :In case of an exception, to be able to find its source activity To be able to understand the process logic without expanding each sequence of invoked workflow To easily understand the high-level business logic from a workflow

283. In which workflow in the UiPath Robotic Enterprise Framework template is the TransactionNumber global variable incremented by default?

Options are :

- **Process workflow**
- **SetTransactionStatus workflow**
- **GetTransactionData workflow**

Answer :SetTransactionStatus workflow

284. Which activity provides the easiest way to loop through all the rows in a DataTable?

Options are :

- **While**
- **For Each**
- **Do While**
- **For Each Row**
- **Repeat Until**

Answer :For Each Row

<u>Debugging in UiPath Studio</u>
--

285. What is the purpose of the WaitForReady property in any UiAutomation activity?

Options are :

- **Specifies the amount for time (in Milliseconds) to wait for the activity to run before an error is thrown**
- **Specifies to continue executing the remaining activities even if the current activity failed**
- **Before performing the actions, waits for the target to become ready**

Answer :Before performing the actions, waits for the target to become ready

286. How can a robot start an application in Citrix?

Options are :

- **By using a command line**
- **By double clicking on a Desktop icon**
- **By using an Open Application activity**
- **By defining a shortcut key for the application and then triggering the app with s Send Hotkey activity**

Answer :By using a command line By defining a shortcut key for the application and then triggering the app with s Send Hotkey activity

287. Where can you trigger an unattended robot from? Select all the options that apply.

Options are :

- **The UiPath Robot icon in the system tray**
- **UiPath Studio**
- **Remotely, from Orchestrator**

Answer :The UiPath Robot icon in the system tray Remotely, from Orchestrator

Browser Automation Using UiPath

288. What is the best way of restriction the access of a person to a limited number of pages in Orchestrator?

Options are :

- **That option does not exist. Everyone is able to see everything**
- **By Changing the right of the Admin to the desired state**
- **By creating a different account and role for that person. When creating a new role. restrictions can be applied.**

Answer :By creating a different account and role for that person. When creating a new role. restrictions can be applied.

289. What is Orchestrator used for?

Options are :

- **Running Windows processes on the local machine**
- **Remotely controlling any number of robots and performing workflow management**
- **Designing workflows to be run by robots in a supervised mode**
- **Designing workflows to be run by robots in an unsupervised mode**

Answer :Remotely controlling any number of robots and performing workflow management

UiPath RPA Associate Certification Exam Practice Questions Set 1

290. What is a short key to pause the UiExplorer for 3 seconds?

Options are :

- **Ctrl + F2**
- **Shift + Alt**
- **F2 (Correct)**
- **Ctrl + P**

Answer :F2

<u>UiPath Advance Certification UIARD Certification Latest Set 5</u>

291. What are the different Mail App integrations that you have by Default in UiPath Studio?

Options are :

- **Exchange, IBM Notes, IMAP, Outlook, POP3, and SMTP (Correct)**
- **Exchange, IMAP, Outlook, POP3, and SMTP**
- **Exchange, IMAP, Hotmail, POP3, SMTP, and Outlook**
- **Exchange, IBM Notes, IMAP, Outlook, Yandex Mail, and SMTP**

Answer :Exchange, IBM Notes, IMAP, Outlook, POP3, and SMTP

292. What is not a best practice of project organization from the list below?

Options are :

- **Keeping the process in one big workflow (Correct)**
- **Adding annotations**
- **Using Try/Catch blocks to predict and handle different exceptions**
- **Using Libraries for reusable components**

Answer :Keeping the process in one big workflow

293. Which extension is used for a Library file?

Options are :

- **.nupkg (Correct)**
- **.xaml**
- **.ui**
- **.json**

Answer :.nupkg

<u>UiPath Associate Certification UiRPA Question Latest Set 9</u>
--

294. If you want to process every item in a collection individually, which control flow should you use?

Options are :

- **For Each Element**
- **For Each Row**
- **For Each Item**
- **For Each (Correct)**

Answer :For Each

295. What does the "webctrl" tag stands for?

Options are :

- **Web page control (Correct)**
- **Web control**
- **Website application control**
- **Website control**

Answer :Web page control

296. What are the components of a process?

Options are :

- **Inputs, Process Flows, Source Applications, and Outputs (Correct)**
- **Inputs and Outputs**
- **Inputs, Source Applications, and Outputs**
- **Inputs, Process Flows, and Outputs**

Answer :Inputs, Process Flows, Source Applications, and Outputs

UiPath Associate Certification UiRPA Question Latest Set 4

297. What happens to the variables if you use the "Extract as Workflow" option?

Options are :

- **Nothing, you need to replace the variables with arguments manually**
- **They will be deleted**
- **Nothing**
- **They will be turned into arguments automatically (Correct)**

Answer :They will be turned into arguments automatically

298. You can use the "Element Exists" activity on a UI element that is not visible.

Options are :

- **False**
- **True (Correct)**

Answer :True

299. If you want to use the "Get Cell Color" activity in an Excel file, Microsoft Excel needs to be installed.

Options are :

- **True (Correct)**
- **False**

Answer :True

<u>UiPath Advance Certification UIARD Certification Latest Set 5</u>

300. What are the different methods in UiPath that use the RegEx builder?

Options are :

- **GetText, Compare, and Replace**
- **Match, IsMatched, and Replaced**
- **Matches, IsMatch, and Replace (Correct)**
- **Match, IsMatch, and Replace**

Answer :Matches, IsMatch, and Replace

301. Consider the following array carModels = {"BMW","Mercedes","Opel","Mini"}.

What value will be returned with the expression carModels(0)?

Options are :

- Mercedes
- None
- BMW (Correct)
- Opel

Answer :BMW

302. Which of the following is not a capability of Orchestrator?

Options are :

- Allocate robots
- Monitor process execution
- None of the above
- Publish packages (Correct)

Answer :Publish packages

UiPath Advance Certification UIARD Certification Latest Set 11

303. Your customer has a large enterprise and would like to work on-premise. What license plan would you recommend?

Options are :

- Enterprise Server Edition (Correct)
- Enterprise Cloud Edition
- Community Edition

Answer :Enterprise Server Edition

304. What kind of data can be stored in data type "GenericValue"?

Options are :

- Any kind of data (Correct)
- String, Integer, Boolean and DateTime
- String, Integer and Boolean
- Only String

Answer :Any kind of data

305. What happens if the "Find Element" activity does not find the element within the timeout of 5 seconds?

Options are :

- Will execute the next activity
- Stops the execution
- Returns False
- Throws an exception and stops the execution (Correct)

Answer :Throws an exception and stops the execution

UiPath Associate Certification UiRPA Question Latest Set 7

306. Which activity should you use if you want to type in password in a browser?

Options are :

- Type secure text (Correct)
- Type password
- Type credential
- Type into

Answer :Type secure text

307. When is fine-tuning of a selector not required?

Options are :

- Too specific selector
- Selector with wildcards (Correct)
- System using IDX

Answer :Selector with wildcards

308. What is the right fine-tuning for the selector below to make it work for all the invoices in 2020?

**309. <wnd app='acrord32.exe' cls='AcrobatSDIWindow'
title='Invoice 01 04 2020' />**

Options are :

-
- (Correct)
-
-

Answer :

UiPath Certification Question Set 4

310. Select an attribute:

Options are :

- 125
- "In_Name"
- class='btnSubmit' (Correct)

Answer :class='btnSubmit'

311. Which control flow statement should you use if an invoice has 5 different statuses and 2 sets of actions for each one?

Options are :

- **Do While**
- **Switch (Correct)**
- **For each row**
- **While**

Answer :Switch

312. Your customer wants that his employees would make their small automation solutions but they don't have any coding knowledge. Which UiPath Studio version should they install?

Options are :

- **None, they can't make any solutions without coding knowledge.**
- **StudioY**
- **Studio**
- **StudioX (Correct)**

Answer :StudioX

<u>UiPath Advance Certification UIARD Certification Latest Set 4</u>

313. Which Join Type should you use if you want to keep all rows from both data tables that meet the Join rule?

Options are :

- **Inner (Correct)**
- **Outer**
- **Full**
- **Left**

Answer :Inner

314. You want to create a variable to store the age from the "Input Dialog" activity. What is the best suiting name for this variable based on the UiPath Best Practice?

Options are :

- **variableageinput**
- **InputAge (Correct)**
- **Var1**
- **v**

Answer :InputAge

315. "... are used in UiPath to extract data from a UI element" is the definition of?

Options are :

- **None of the above**
- **Output actions (Correct)**
- **Input actions**

Answer :Output actions

UiPath RPA Associate Certification Exam Practice Questions Set 4

316. What are the different ways to create a variable in UiPath Studio?

Options are :

- **Type in the Variables panel**
- **Type in the Variables panel and press Ctrl+K in the Properties panel**
- **Type in the Variables panel, press Ctrl+K in the activity in the Designer panel, and press Ctrl+K in the Properties panel (Correct)**
- **Type in the Variables panel and press Ctrl+K in the activity in the Designer panel**

Answer :Type in the Variables panel, press Ctrl+K in the activity in the Designer panel, and press Ctrl+K in the Properties panel

317. What activity should you use to sort a DataTable ascending?

Options are :

- **Sort Data Table (Correct)**
- **Sort Table**
- **Sort**
- **Sort Ascending**

Answer :Sort Data Table

318. If you click on an activity in the Call Stack panel it will execute the activity.

Options are :

- **True**
- **False (Correct)**

Answer :False

UiPath RPA Associate Certification Exam Practice Questions Set 2

319. Which method should you use if you want to delete an item from a Dictionary?

Options are :

- **dictionaryName.Remove(Key) (Correct)**
- **dictionaryName.Delete(Key)**
- **dictionaryName.Remove**
- **dictionaryName.Delete**

Answer :dictionaryName.Remove(Key)

320. "Execute Macro" activity can be used only on .xls and .xlsx files.

Options are :

- **False (Correct)**
- **True**

UiPath RPA Associate Certification Exam Practice Questions Set 2

321. Global Exception Handler can't be used in a Library.

Options are :

- **False**
- **True (Correct)**

Answer :True

UiPath Advance Certification UIARD Certification Latest Set 11

322. What are the three categories in which we can divide business processes?

Options are :

- **Linear, Iterative, and Transactional (Correct)**
- **Process, Library, Workflow, and Global Exception Handler**
- **Workflow, Sequence, and Linear**
- **Sequence, Flowchart, and State Machine**

Answer :Linear, Iterative, and Transactional

323. In which case the robot can be part of more than one environment?

Options are :

- **None of the above.**
- **Provided they are in the same service. (Correct)**
- **The robot can't be part of more than one environment.**
- **If they have a similar naming convention.**

Answer :Provided they are in the same service.

324. What output would the expression UiPath.Substring(1,4) return? UiPath = "HappyAutomation"

Options are :

- "appyA"
- "Happ"
- "Happy"
- "appy" (Correct)

Answer : "appy"

<u>UiPath Certification RPA Developer dumps for Phase 1 Set 3</u>
--

325. Can you remove the 2 predefined arguments of the Global Exception Handler?

Options are :

- Yes (Correct)
- No

Answer : Yes

326. What are the different ways to create a Try/Catch block?

Options are :

- **Drag/Drop the Try/Catch block from the activities panel, right-click on the activity in the workflow and select "Surround with Try/Catch" and use short key "Ctrl+T" (Correct)**
- **Drag/Drop the Try/Catch block from the activities panel and right-click on the activity in the workflow and select "Surround with Try/Catch"**
- **Drag/Drop the Try/Catch block from the activities panel**
- **Drag/Drop the Try/Catch block from the activities panel, right-click on the activity in the workflow and select "Surround with Try/Catch" and use short key "Shift+ Ctrl+ T"**

Answer :Drag/Drop the Try/Catch block from the activities panel, right-click on the activity in the workflow and select "Surround with Try/Catch" and use short key "Ctrl+T"

327. What is the correct definition for SMTP Mail activity?

Options are :

- **With SMTP Mail you can only send mail messages. (Correct)**
- **With SMTP Mail you can read and send mail messages.**
- **With SMTP Mail you can read, move and send mail messages.**
- **With SMTP Mail you can read, move, delete and send mail messages.**

Answer :With SMTP Mail you can only send mail messages.

328. How many catches can you have in a Try/Catch block?

Options are :

- **Zero**
- **Two**
- **As much as you want (Correct)**
- **Only one**

Answer :As much as you want

329. What are the different ways to execute a process in Orchestrator?

Options are :

- **By starting a Job and by creating a Schedule**
- **Immediately from the Robot Tray and by starting a Job**
- **By running a project from UiPath Studio and by starting a Job**
- **Immediately from the Robot Tray, by starting a Job and by creating a Schedule (Correct)**

Answer :Immediately from the Robot Tray, by starting a Job and by creating a Schedule

330. How many GlobalExceptionHandler can be set per project?

Options are :

- **One per activity**
- **As much as you want**
- **One (Correct)**
- **One to Five**

Answer :One

331. How many characters do "*" replace in a selector?

Options are :

- **Zero or more (Correct)**
- **One or more**
- **Zero**
- **One**

Answer :Zero or more

332. What types of recordings are available in UiPath Studio?

Options are :

- **Default, Desktop, App, Web, and Native Citrix**
- **Basic, Desktop, Web and Native Citrix**
- **Default, Desktop, App, Image, Documents, and Native Citrix**
- **Basic, Desktop, Web, Image and Native Citrix (Correct)**

Answer :Basic, Desktop, Web, Image and Native Citrix

333. What is the correct definition for Full Selector and Partial Selector?

Options are :

- **Full Selector is best suited for performing multiple actions in the same window. Partial Selector is generated by the Desktop Recorder.**
- **Partial Selector is best suited for performing multiple actions in the same window. Full Selector is generated by the Desktop Recorder.**
- **Full Selector is best suited for working with multiple windows. Partial Selector is generated by the Desktop Recorder. (Correct)**
- **Partial Selector is best suited for working with multiple windows. Full Selector is generated by the Basic Recorder.**

Answer :Full Selector is best suited for working with multiple windows. Partial Selector is generated by the Desktop Recorder.

<u>UiPath Advance Certification UIARD Certification Latest Set 2</u>

334. Any user that has access to Orchestrator can create and provision robots and machines.

Options are :

- **True**
- **False (Correct)**

Answer :False

335. In which panel will you see the results of the Write Line activity?

Options are :

- **Activities panel**
- **Outline panel**
- **Properties panel**
- **Output panel (Correct)**

Answer :Output panel

336. Which types of direction can have an Argument?

Options are :

- **Left, Right, Top and Bottom**
- **In and Out**
- **In, Out and In/Out (Correct)**
- **Left and Right**

Answer :In, Out and In/Out

UiPath Advance Certification UIARD Certification Latest Set 3

337. What are the components of the UiPath Platform?

Options are :

- **UiPath Studio and UiPath Orchestrator**
- **UiPath Studio, UiPath Orchestrator, and UiPath Robot (Correct)**
- **UiPath Studio and UiPath Robot**
- **UiPath Studio, UiPath Orchestrator, and UiPath Academy**

Answer :UiPath Studio, UiPath Orchestrator, and UiPath Robot

338. What are the different types of Breakpoint available in UiPath Studio?

Options are :

- **Simple Breakpoint, Advanced Breakpoint, Simple Trace Point and Advanced Trace Point**
- **Simple Breakpoint, Conditional Breakpoint, Simple Trace Point and Conditional Trace Point (Correct)**
- **Breakpoint, Advanced Breakpoint, Trace Point and Advanced Trace Point**
- **Breakpoint, Conditional Breakpoint, Trace Point and Conditional Trace Point**

Answer :Simple Breakpoint, Conditional Breakpoint, Simple Trace Point and Conditional Trace Point

339. Which of the following characteristics are not suitable for RPA automation?

Options are :

- **Rule-based**
- **High number of screens (Correct)**
- **Stable**
- **Repetitive**

Answer :High number of screens

340. What is the correct definition for a "Solution Architect"?

Options are :

- **In charge of setting up and maintaining Hardware and Software resources.**
- **Responsible for defining the architecture of the RPA solution.
(Correct)**
- **In charge of mapping the "AS IS" and proposed "TO BE" processes.**
- **Responsible for managing the robot(s) after the process has been moved to production.**

Answer :Responsible for defining the architecture of the RPA solution.

341. What are the different ways to create a Global Exception Handler?

Options are :

- **Starting a new project with this type and by setting an existing project as GlobalExceptionHandler from the Project panel (Correct)**
- **Starting a new project with this type, by setting an existing project as GlobalExceptionHandler from the Project panel and by using the short key "Shift + Ctrl+ G"**
- **Drag/Drop the GlobalExceptionHandler block from the activities panel and by using the short key "Shift + Ctrl+ G"**
- **Starting a new project with this type and Drag/Drop the GlobalExceptionHandler block from the activities panel**

Answer :Starting a new project with this type and by setting an existing project as GlobalExceptionHandler from the Project panel

342. What is the right way to create a Test Bench?

Options are :

- **By setting an existing project as Test Bench from the Project panel**
- **Drag/Drop the Test Bench activity block from the activities panel**
- **Right-clicking on the activity from the activities panel and selecting Test Bench (Correct)**
- **Starting a new project with the type Test Bench**

Answer :Right-clicking on the activity from the activities panel and selecting Test Bench

UiPath Certification RPA Developer dumps for Phase 1 Set 4

343. Which Screen Scraping method should you use to extract hidden text?

Options are :

- **Native**
- **Tesseract**
- **OCR**
- **FullText (Correct)**

Answer :FullText

344. What are the main input actions in UiPath?

Options are :

- **Click, Type into, Send Hotkey, and Hover (Correct)**
- **Read, Write, Click and Hover**
- **Read, Write, Assign and Input Dialog**
- **Type into, Hover and Click**

Answer :Click, Type into, Send Hotkey, and Hover

345. What generic type should you use in a Try/Catch block to catch all types of errors?

Options are :

- **System.Exception (Correct)**
- **System.ErrorMessage**
- **GenericValue**
- **IEnumerable**

Answer :System.Exception

UiPath Advance Certification UIARD Certification Latest Set 1

346. Which are the correct steps of RPA Implementations?

Options are :

- **Prepare RPA, Solution Design, Build RPA, and Test RPA**
- **Prepare RPA, Solution Design, Build RPA, Test RPA, and Deploy RPA**
- **Prepare RPA, Solution Design, Build RPA, Test RPA, Stabilize RPA, and Constant improvement (Correct)**
- **Prepare RPA, Build RPA, Test RPA, Stabilize RPA, and Constant improvement**

Answer :Prepare RPA, Solution Design, Build RPA, Test RPA, Stabilize RPA, and Constant improvement

347. What is an Environment in UiPath Orchestrator?

Options are :

- **A group of Machines**
- **A group of Robots (Correct)**
- **A group of Jobs**
- **An organization unit**

Answer :A group of Robots

348. The activation of the UiPath Community Edition license can be done both online or offline.

Options are :

- **True**
- **False (Correct)**

Answer :False

UiPath Advance Certification UIARD Certification Latest Set 5

349. What does the "Get Ancestor" activity do?

Options are :

- **Retrieves the hidden text**
- **Retrieves the parent of a UI element (Correct)**
- **Retrieves the position of a UI element**
- **Retrieves the properties (color, name,...) of a UI element**

Answer :Retrieves the parent of a UI element

350. Which OCR engine is used by default, by using the "Get OCR Text Activity"?

Options are :

- **Tesseract OCR (Correct)**
- **Microsoft Azure Computer Vision OCR**
- **Google Cloud Vision**
- **Microsoft OCR**

Answer :Tesseract OCR