
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Error Bad value {{ url_for('static', filename='css/style.css') }}

for attribute | href | on element | link |: | lllegal character in path segment: |{ | is not allowed.}

From line 15, column 5; to line 15, column 100

| css">\(\varphi\) | < link | rel="stylesheet" | href="{{ url_for('static', filename='css/style.css') }}" | type="text/css">\(\varphi\) | {
```

```
2. Error Element head is missing a required instance of child element title.

From line 16, column 1; to line 16, column 22

[ext/css">← {% block styles %}← {}

Content model for element head:

If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a title element and no more than one is a base element.
```

Otherwise: One or more elements of <u>metadata content</u>, of which exactly one is a <u>title</u> element and no more than one is a <u>base</u> element.

```
Error Element title not allowed as child of element body in this context.
   (Suppressing further errors from this subtree.)
   From line 18, column 5; to line 18, column 11
    ck %}←
               <title>Docume
   Contexts in which element title may be used:
       In a <u>head</u> element containing no other <u>title</u> elements.
   Content model for element body:
       Flow content.
    Error Stray end tag head.
   From line 19, column 1; to line 19, column 7
    t</title></ri>t</title>
            Start tag | body | seen but an element of the same type was already
5.
    Error
   open.
   From line 21, column 1; to line 21, column 6
    ←</head>←<body>←
    Error Bad value {{ url_for('get_recipes') }} for attribute href on
   element | a |: Illegal character in path segment: | { | is not allowed.
   From line 26, column 17; to line 26, column 74
               <a href="{{ url_for('get_recipes') }}" class="brand-logo"><img c</pre>
    Error | Bad value | {{ url_for('get_recipes') }} | for attribute | href | on
7.
   element | a |: Illegal character in path segment: | { | is not allowed.
   From line 30, column 25; to line 30, column 63
           <a href="{{ url_for('get_recipes') }}">Home
    [ Error | Bad value | {{ url_for('about_us') }} | for attribute | href | on
   element | a |: Illegal character in path segment: | { | is not allowed.
   From line 31, column 25; to line 31, column 60
           <a href="{{ url_for('about_us') }}">About
   Error Text not allowed in element <u>ul</u> in this context.
   From line 32, column 1; to line 32, column 41
                                      {% if session.user %}↔
    </a>↩
   Content model for element ul:
       Zero or more 1i and script-supporting elements.
```

```
Error | Bad value | {{ url_for('account', username=session['user']) }}
10.
     for attribute | href | on element | a |: Illegal character in path segment: | { | is not
     allowed.
     From line 33, column 25; to line 33, column 85
            <a href="{{ url_for('account', username=session['user']) }}">My Acc
     Error Bad value {{ url_for('add_recipe') }} for attribute href on
11.
     element | a |: Illegal character in path segment: | { | is not allowed.
     From line 34, column 25; to line 34, column 62
            <a href="{{ url_for('add_recipe') }}">Add Re
      Error | Bad value | {{ url_for('my_recipes') }} | for attribute | href| on
12.
     element a: Illegal character in path segment: { is not allowed.
     From line 35, column 25; to line 35, column 62
            <a href="{{ url_for('my_recipes') }}">My Rec
      Error | Bad value | {{ url_for('logout') }} | for attribute | href| on element
13.
     <u>a</u>: Illegal character in path segment: | { | is not allowed.
     From line 36, column 25; to line 36, column 58
            <a href="{{ url_for('logout') }}">Log ou
     Error Text not allowed in element <u>ul</u> in this context.
14.
     From line 37, column 1; to line 37, column 30
     </a>↩
                                      {% else %}↔
     Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
      Error Bad value {{ url_for('login') }} for attribute href on element
15.
     a: Illegal character in path segment: { is not allowed.
     From line 38, column 25; to line 38, column 57
            <a href="{{ url_for('login') }}">Log in</a>
     Error Bad value {{ url_for('register') }} for attribute href on
16.
     element | a |: Illegal character in path segment: | { | is not allowed.
     From line 39, column 25; to line 39, column 60
            <a href="{{ url_for('register') }}">Regist</a>
17.
     Error Text not allowed in element ulin this context.
     From line 40, column 1; to line 40, column 31
     </a>↩
                                      {% endif %}←
     Content model for element ul:
```

Zero or more <u>li</u> and <u>script-supporting</u> elements.

```
Error Bad value {{ url_for('get_recipes') }} for attribute href on
18.
    element a: Illegal character in path segment: { is not allowed.
     From line 49, column 17; to line 49, column 55
            <a href="{{ url_for('get_recipes') }}">Home</|
     Error Bad value {{ url_for('about_us') }} for attribute href on
19.
    element a: Illegal character in path segment: { is not allowed.
    From line 50, column 17; to line 50, column 52
           <a href="{{ url_for('about_us') }}">About
     Error Text not allowed in element ul in this context.
20.
    From line 51, column 1; to line 51, column 33
                             {% if session.user %}↔
     </a>↩
    Content model for element <u>ul</u>:
       Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Bad value {{ url_for('account', username=session['user']) }}
21.
    for attribute | href | on element | a |: Illegal character in path segment: | { | is not
    allowed.
    From line 52, column 17; to line 52, column 77
            <a href="{{ url_for('account', username=session['user']) }}">My Acc
     Error Bad value {{ url_for('add_recipe') }} for attribute href on
22.
    element a: Illegal character in path segment: { is not allowed.
    From line 53, column 17; to line 53, column 54
            <a href="{{ url_for('add_recipe') }}">Add Re</a>
     Error Bad value {{ url_for('my_recipes') }} for attribute href on
23.
    element a: Illegal character in path segment: { is not allowed.
     From line 54, column 17; to line 54, column 54
           <a href="{{ url_for('my_recipes') }}">My Rec
     Error Bad value {{ url_for('logout') }} for attribute href on element
24.
     a: Illegal character in path segment: | { | is not allowed.
     From line 55, column 17; to line 55, column 50
           <a href="{{ url_for('logout') }}">Log ou
     Error Text not allowed in element <u>ul</u> in this context.
25.
    From line 56, column 1; to line 56, column 22
```

```
      ⟨/a>
      {% else %} ←

      Content model for element ul:

      Zero or more li and script-supporting elements.
```

```
26. Error Bad value [{{ url_for('login') }} for attribute href on element

[a]: Illegal character in path segment: [{ is not allowed.

From line 57, column 17; to line 57, column 49

<a href="{{ url_for('login') }}">Log in</a>
```

```
28. Error Text not allowed in element u1 in this context.

From line 59, column 1; to line 59, column 23

⟨⟨a>⟨/li>↩ {% endif %}↩

Content model for element u1:

Zero or more 1i and script-supporting elements.
```

```
29. Error Bad value [{{ url_for('get_recipes') }} for attribute href on element a: Illegal character in path segment: {{ is not allowed.}

From line 88, column 17; to line 88, column 74

<a href="for('get_recipes') }}" class="brand-logo"><img c
```

Document checking completed.

Source

```
<link rel="icon" type="image/png" sizes="32x32"</pre>
   href="../static/images/favicon-32x32.png">↔
       <link rel="icon" type="image/png" sizes="96x96"</pre>
   href="../static/images/favicon-96x96.png">↔
10.
       <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
   awesome/5.15.3/css/all.min.css"↔
           integrity="sha512-
11.
   iBBXm8fW90+nuLcSKlbmrPcLa00T92xO1BIsZ+ywDWZCvqsWgccV3gFoRBv0z+8dLJgyAHIhR35VZc2
   oM/gI1w=="↔
12.
           crossorigin="anonymous" referrerpolicy="no-referrer" type="text/css"
   />←
13.
       <link rel="stylesheet"</pre>
   href="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/css/materialize.
   min.css"↩
14.
           type="text/css">←
       <link rel="stylesheet" href="{{ url for('static', filename='css/style.css')</pre>
15.
   }" type="text/css">{}{}{}{}{}{}{}{}{}
16.
       {% block styles %}↔
17.
       {% endblock %}↔
18.
       <title>Document</title>↔
19. </head>←
20. ←
21. <body>←
22.
       <!-- navbar -->↔
23.
       <header>←
24.
           <nav>←
25.
               <div class="nav-wrapper navbar teal darken-3">↔
26.
                   <a href="{{ url_for('get_recipes') }}" class="brand-logo"><img</pre>
   class="logo"↔
                   src="../static/images/logo_large.png" alt="logo"></a> $\leftrightarrow $$ {a href="#" data-target="mobile-demo" class="sidenav-trigger"} 
27.
28.
   right"><i class="fas fa-bars"></i></a>↔
29.
                   ↔
30.
                       <a href="{{ url for('get recipes') }}">Home</a>↔
                       <a href="{{ url for('about_us') }}">About us</a>↔
31.
32.
                       {% if session.user %}←
                       <a href="{{ url_for('account',
33.
   username=session['user']) }}">My Account</a>↔
                       <a href="{{ url_for('add_recipe') }}">Add Recipe</a>
34.
   ↩
35.
                       <a href="{{ url_for('my_recipes') }}">My Recipes</a>
   ↔
36.
                       <a href="{{ url_for('logout') }}">Log out</a>↔
                       {% else %}←
37.
                       <a href="{{ url for('login') }}">Log in</a></
38.
                       <a href="{{ url_for('register') }}">Register</a></
39.
40.
                       {% endif %}←
41.
                   ←
42.
               </div>←
43.
           </nav>←
           <!-- mobile nav bar -->↔
44.
           ←
45.
               ←
46.
47.
                   <h4 class="center-align sidebar teal darken-3"><strong>GF
   Kids</strong></h4>↔
48.
               ←
49.
               <a href="{{ url for('about_us') }}">About us</a>\leftarrow
50.
51.
               {% if session.user %}←
52.
               <a href="{{ url_for('account', username=session['user']) }}">My
   Account</a>←
53.
               <a href="{{ url for('add recipe') }}">Add Recipe</a>↔
               <a href="{{ url for('my recipes') }}">My Recipes</a>
54.
55.
               <a href="{{ url_for('logout') }}">Log out</a>
56.
               {% else %}←
               <a href="{{ url_for('login') }}">Log in</a></
57.
               <a href="{{ url_for('register') }}">Register</a>
58.
59.
               {% endif %}←
60.
           ←
61.
       </header>↩
62.
       <section>↩
```

```
63.
             <!-- flash messages -->↔
 64.
             {% with messages = get_flashed_messages() %}↔
             {% if messages %}↔
 65.
 66.
             {% for message in messages %}↔
 67.
             <div class="row flashes">↔
 68.
                 <h4 class="message center-align amber-text accent-4"><b>{{ message
     }}</b></h4>↔
 69.
             </div>←
 70.
             {% endfor %}↔
             {% endif %}←
 71.
 72.
             {% endwith %}↔
 73.
         </section>↩
 74.
         <!-- main section -->↔
 75.
         <main class="container">↔
 76.
             {% block content %}↔
 77.
             {% endblock %}↔
 78.
         </main>↩
 79.
         <!-- footer -->↔
 80.
         <footer class="page-footer teal darken-4">↔
             <div class="footer-row">↔
 81.
 82.
                 <!-- back to top button -->↔
                 <button class="btn-large teal darken-4" onclick="topFunction()"</pre>
 83.
     id="to top" title="Go to top"><i↔
 84.
                          class="fas fa-hand-point-up left yellow-text"></i> Back to
     the start..↩
 85.
                 </button>←
 86.
                 <!-- logo -->↔
                 <div class="col s12 center-align">←
 87.
                      <a href="{{ url_for('get_recipes') }}" class="brand-logo"><img</pre>
 88.
     class="logo"↔
 89.
                              src="../static/images/logo_small.png" alt="logo"></a>←
 90.
                 </div>←
 91.
                 <!-- social media links -->↔
 92.
                 <div class="col 14 offset-12 s12 links">←
 93.
                     <h5 class="white-text">Follow us:</h5>↔
 94.
 95.
                          <a class="grey-text text-lighten-3" href="https://en-
     gb.facebook.com/"><i↩
 96.
                                      class="fab fa-facebook fa-2x"></i></a>↔
 97.
                          <a class="grey-text text-lighten-3"</li>
     href="https://www.instagram.com/"><i↔
 98.
                                      class="fab fa-instagram fa-2x"></i></a>↔
 99.
                          <a class="grey-text text-lighten-3"</li>
     href="https://twitter.com/?lang=en-gb"><i↔
                                      class="fab fa-twitter fa-2x"></i></a>↔
100.
                          <a class="grey-text text-lighten-3"</li>
101.
     href="https://www.linkedin.com/home"><i↔
102.
                                      class="fab fa-linkedin fa-2x"></i></a>↔
103.
                     ←
104.
                 </div>←
105.
             </div>←
106.
             <!-- copyright -->↔
107.
             <div class="footer-copyright teal darken-4">←
108.
                 © EDavies Copyright↔
109.
             </div>←
110.
         </footer>←
111.
         <script src="https://code.jquery.com/jquery-3.6.0.min.js"↔</pre>
112.
             integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="
     crossorigin="anonymous"></script>↔
113.
         <script
     src="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/js/materialize.mi
     n.js"></script>↔
114.
         <script src="{{ url_for('static', filename='js/script.js') }}"></script>↔
115.
         {% block scripts %}↔
         {% endblock %}↔
116.
117. </body>←
118. </html>
```

Used the HTML parser.

Total execution time 27 milliseconds.

About this checker • Report an issue • Version: 21.9.2