Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

[Options…]

Check by [text input ⌄]   ☐ css

```
{% extends "base.html" %}
{% block content %}
<!-- add recipe header -->
<div class="row center-align">
    <div class="col s12 add-recipe-title">
        <h3><b>Add recipe details</b></h3>
    </div>
</div>
<!-- add recipe form -->
<div class="row card-panel">
    <form class="col s12" method="POST" action="{{ url_for('add_recipe') }}">
        <div class="row">
            <div class="input-field col s12">
                <i class="fas fa-pencil-alt prefix red-text text-darken-4"></i>
                <input id="recipe_name" name="recipe_name" minlength="5"
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

---

1. **Warning**   Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

    From line 1, column 1; to line 1, column 25

    `{% extends "base.html" %}↵{% bl`

    For further guidance, consult Declaring the overall language of a page and Choosing language tags.

    If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.

2. **Error**   Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.

    From line 1, column 1; to line 1, column 25

    `{% extends "base.html" %}↵{% bl`

3. **Error**   Element `head` is missing a required instance of child element `title`.

```
{% extends "base.html" %}↵{% bl
```

Content model for element <u>head</u>:

> If the document is <u>an iframe srcdoc document</u> or if title information is available from a higher-level protocol: Zero or more elements of <u>metadata content</u>, of which no more than one is a <u>title</u> element and no more than one is a <u>base</u> element.

> Otherwise: One or more elements of <u>metadata content</u>, of which exactly one is a <u>title</u> element and no more than one is a <u>base</u> element.

4.　**Error**　**Bad value** `{{ url_for('add_recipe') }}` **for attribute** `action` **on element** <u>form</u>**: Illegal character in path segment:** `{` **is not allowed.**

```
nel">↵      <form class="col s12" method="POST" action="{{
url_for('add_recipe') }}">↵
```

5.　**Error**　**Text not allowed in element** <u>select</u> **in this context.**

```
</option>↵                    {% for category in categories %}↵
```

Content model for element <u>select</u>:

> Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.

6.　**Error**　**Text not allowed in element** <u>select</u> **in this context.**

```
</option>↵                    {% endfor %}↵
```

Content model for element <u>select</u>:

> Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.

7.　**Error**　**Text not allowed in element** <u>select</u> **in this context.**

```
</option>↵                    {% for difficulty in levels %}↵
```

Content model for element <u>select</u>:

> Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.

8.　**Error**　**Text not allowed in element** <u>select</u> **in this context.**

```
</option>↵                    {% endfor %}↵
```

Content model for element <u>select</u>:

> Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.

Document checking completed.

Source

```
 1.  {% extends "base.html" %}↵
 2.  {% block content %}↵
 3.  <!-- add recipe header -->↵
 4.  <div class="row center-align">↵
 5.      <div class="col s12 add-recipe-title">↵
 6.          <h3><b>Add recipe details</b></h3>↵
 7.      </div>↵
 8.  </div>↵
 9.  <!-- add recipe form -->↵
10.  <div class="row card-panel">↵
11.      <form class="col s12" method="POST" action="{{ url_for('add_recipe') }}">↵
12.          <div class="row">↵
13.              <div class="input-field col s12">↵
14.                  <i class="fas fa-pencil-alt prefix red-text text-darken-4">
     </i>↵
15.                  <input id="recipe_name" name="recipe_name" minlength="5"
     maxlength="50" type="text" class="validate"↵
16.                      required>↵
17.                  <label for="recipe_name">Recipe Name</label>↵
18.              </div>↵
19.          </div>↵
20.          <!-- add category -->↵
21.          <div class="row">↵
22.              <div class="input-field col s12">↵
23.                  <i class="fas fa-question prefix red-text text-darken-4"></i>↵
24.                  <select id="category_name" name="category_name"
     class="validate" required>↵
25.                      <option value="" disabled selected>Select Category..
     </option>↵
26.                      {% for category in categories %}↵
27.                      <option value="{{ category.category_name }}">{{
     category.category_name }}</option>↵
28.                      {% endfor %}↵
29.                  </select>↵
30.                  <label for="category_name">Category</label>↵
31.              </div>↵
32.          </div>↵
33.          <!-- add difficulty -->↵
34.          <div class="row">↵
35.              <div class="input-field col s12">↵
36.                  <i class="far fa-chart-bar prefix red-text text-darken-4">
     </i>↵
37.                  <select id="recipe_difficulty" name="recipe_difficulty"
     class="validate" required>↵
38.                      <option value="" disabled selected>Select Difficulty..
     </option>↵
39.                      {% for difficulty in levels %}↵
40.                      <option value="{{ difficulty.recipe_difficulty }}">{{
     difficulty.recipe_difficulty }}</option>↵
41.                      {% endfor %}↵
42.                  </select>↵
43.                  <label for="recipe_difficulty">Difficulty</label>↵
44.              </div>↵
45.          </div>↵
46.          <!-- add how many recipes makes -->↵
47.          <div class="row">↵
48.              <div class="input-field col s12">↵
49.                  <i class="fas fa-sort-numeric-up-alt prefix red-text text-
     darken-4"></i>↵
50.                  <input id="makes" name="makes" minlength="1" maxlength="2"
     type="text" class="validate" required>↵
51.                  <label for="makes">How many does the recipe make?</label>↵
52.              </div>↵
53.          </div>↵
54.          <!-- add author -->↵
55.          <div class="row">↵
56.              <div class="input-field col s12">↵
57.                  <i class="fas fa-user prefix red-text text-darken-4"></i>↵
```

```
58.              <input id="by" name="by" minlength="5" maxlength="50"
     type="text" class="validate" required>↵
59.                  <label for="by">Author (5-50 characters)</label>↵
60.              </div>↵
61.          </div>↵
62.          <!-- add prep time -->↵
63.          <div class="row">↵
64.              <div class="input-field col s12">↵
65.                  <i class="far fa-clock prefix red-text text-darken-4"></i>↵
66.                  <input value=" hrs mins" id="prep_time" name="prep_time"
     minlength="3" maxlength="50" type="text" class="validate"↵
67.                      required>↵
68.                  <label for="prep_time">How long to prep?</label>↵
69.              </div>↵
70.          </div>↵
71.          <!-- add cooking time -->↵
72.          <div class="row">↵
73.              <div class="input-field col s12">↵
74.                  <i class="fas fa-temperature-high prefix red-text text-darken-
     4"></i>↵
75.                  <input value=" hrs mins" id="cooking_time" name="cooking_time"
     minlength="3" maxlength="50" type="text" class="validate"↵
76.                      required>↵
77.                  <label for="cooking_time">How long to cook?</label>↵
78.              </div>↵
79.          </div>↵
80.          <!-- add ingredients -->↵
81.          <div class="row">↵
82.              <div class="input-field col s12">↵
83.                  <i class="fas fa-seedling prefix red-text text-darken-4"></i>↵
84.                  <textarea id="ingredients" name="ingredients" minlength="20"
     maxlength="600"↵
85.                      class="materialize-textarea validate" required>
     </textarea>↵
86.                  <label for="ingredients">Ingredients (20-2000 characters,
     seperate with /)</label>↵
87.              </div>↵
88.          </div>↵
89.          <!-- add method -->↵
90.          <div class="row">↵
91.              <div class="input-field col s12">↵
92.                  <i class="fas fa-list-ol prefix red-text text-darken-4"></i>↵
93.                  <textarea id="method" name="method" minlength="20"
     maxlength="2000" ↵
94.                      class="materialize-textarea validate"↵
95.                      required></textarea>↵
96.                  <label for="method">Method (20-2000 characters)</label>↵
97.              </div>↵
98.          </div>↵
99.          <!-- add image -->↵
100.         <div class="row">↵
101.             <div class="input-field col s12">↵
102.                 <i class="fas fa-link prefix red-text text-darken-4"></i>↵
103.                 <input value="https://" id="image" name="image"
     class="validate" ↵
104.                     pattern="http(s?)(:\/\/)((www.)?)(([^.]+)\.)?([a-zA-z0-9\-
     _]+)(.com|.co.uk|.net|.gov|.org|.in)(\/[^\s]*)?"↵
105.                     required>↵
106.                 <label class="active" for="image">Provide image url</label>↵
107.             </div>↵
108.         </div>↵
109.         <!-- submit button -->↵
110.         <div class="col s12 center-align">↵
111.             <button type="submit" class="btn-large pulse green"><i class="fas
     fa-scroll left"></i>↵
112.                 <strong>Add Recipe</strong></button>↵
113.         </div>↵
114.     </form>↵
115. </div>↵
116. {% endblock %}
```

Used the HTML parser.

Total execution time 11 milliseconds.