Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

[Options…]

Check by [text input ˅]   ☐ css

```
{% extends "base.html" %}
{% block content %}
<!-- edit recipe header -->
<div class="row center-align">
    <div class="col s12 edit-recipe-title">
        <h3><b>Edit your recipe</b></h3>
    </div>
</div>
<!-- edit recipe form -->
<div class="row card-panel">
    <form class="col s12" method="POST" action="{{ url_for('edit_recipe',
recipe_id=recipe._id) }}">
        <div class="row">
            <div class="input-field col s12">
                <i class="fas fa-pencil-alt prefix red-text text-darken-4"></i>
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Warning** **Consider adding a** `lang` **attribute to the** `html` **start tag to declare the language of this document.**

    From line 1, column 1; to line 1, column 25

    `{% extends "base.html" %}↵{% bl`

    For further guidance, consult Declaring the overall language of a page and Choosing language tags.

    If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.

2. **Error** **Non-space characters found without seeing a doctype first. Expected** `<!DOCTYPE html>` **.**

    From line 1, column 1; to line 1, column 25

    `{% extends "base.html" %}↵{% bl`

3. **Error** **Element** `head` **is missing a required instance of child element** `title` **.**

From line 1, column 1; to line 1, column 25

```
{% extends "base.html" %}↵{% bl
```

Content model for element head:

If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a title element and no more than one is a base element.

Otherwise: One or more elements of metadata content, of which exactly one is a title element and no more than one is a base element.

4. **Error** **Bad value** `{{ url_for('edit_recipe', recipe_id=recipe._id) }}` **for attribute** `action` **on element** `form` **: Illegal character in path segment:** `{` **is not allowed.**

From line 11, column 5; to line 11, column 100

```
nel">↵    <form class="col s12" method="POST" action="{{
url_for('edit_recipe', recipe_id=recipe._id) }}">↵
```

5. **Error** **Text not allowed in element** `select` **in this context.**

From line 26, column 1; to line 26, column 52

```
</option>↵                    {% for category in categories %}↵
```

Content model for element select:

Zero or more option, optgroup, and script-supporting elements.

6. **Error** **Text not allowed in element** `select` **in this context.**

From line 27, column 1; to line 27, column 79

```
gories %}↵                    {% if category.category_name ==
recipe.category_name %}↵
```

Content model for element select:

Zero or more option, optgroup, and script-supporting elements.

7. **Error** **The** `select` **element cannot have more than one selected** `option` **descendant unless the** `multiple` **attribute is specified.**

From line 28, column 29; to line 28, column 83

```
        <option value="{{ category.category_name }}" selected >{{ cat
```

8. **Error** **Text not allowed in element** `select` **in this context.**

From line 29, column 1; to line 29, column 34

```
</option>↵                    {% else %}↵
```

Content model for element select:

Zero or more option, optgroup, and script-supporting elements.

9. **Error** **Text not allowed in element** `select` **in this context.**

From line 31, column 1; to line 31, column 35

```
</option>↵                              {% endif %}↵
```

Content model for element select:

     Zero or more option, optgroup, and script-supporting elements.

---

10. **Error**   **Text not allowed in element** select **in this context.**

From line 32, column 1; to line 32, column 32

```
 endif %}↵                       {% endfor %}↵
```

Content model for element select:

     Zero or more option, optgroup, and script-supporting elements.

---

11. **Error**   **Text not allowed in element** select **in this context.**

From line 43, column 1; to line 43, column 45

```
</option>↵                    {% for level in levels %}↵
```

Content model for element select:

     Zero or more option, optgroup, and script-supporting elements.

---

12. **Error**   **Text not allowed in element** select **in this context.**

From line 44, column 1; to line 44, column 83

```
levels %}↵                          {% if level.recipe_difficulty ==
level.recipe_difficulty %}↵
```

Content model for element select:

     Zero or more option, optgroup, and script-supporting elements.

---

13. **Error**   **The** select **element cannot have more than one selected** option **descendant unless the** multiple **attribute is specified.**

From line 45, column 29; to line 45, column 84

```
            <option value="{{ level.recipe_difficulty }}" selected >{{ lev
```

---

14. **Error**   **Text not allowed in element** select **in this context.**

From line 46, column 1; to line 46, column 34

```
</option>↵                      {% else %}↵
```

Content model for element select:

     Zero or more option, optgroup, and script-supporting elements.

---

15. **Error**   **Text not allowed in element** select **in this context.**

From line 48, column 1; to line 48, column 35

```
</option>↵                      {% endif %}↵
```

Content model for element select:

     Zero or more option, optgroup, and script-supporting elements.

---

16. **Error**   **Text not allowed in element** select **in this context.**

From line 49, column 1; to line 49, column 32

```
    endif %}↵                          {% endfor %}↵
```

Content model for element <u>select</u>:

Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.

17. **Error** **Bad value** `{{ url_for('my_recipes') }}` **for attribute** `href` **on element** `a` **: Illegal character in path segment:** `{` **is not allowed.**

From line 121, column 17; to line 121, column 85

```
            <a href="{{ url_for('my_recipes') }}" class="btn-large red darken-
4">↵
```

Document checking completed.

Source

1. **{% extends "base.html" %}**↵
2. {% block content %}↵
3. <!-- edit recipe header -->↵
4. <div class="row center-align">↵
5.   <div class="col s12 edit-recipe-title">↵
6.   <h3>Edit your recipe</h3>↵
7.   </div>↵
8. </div>↵
9. <!-- edit recipe form -->↵
10. <div class="row card-panel">↵
11.   **<form class="col s12" method="POST" action="{{ url_for('edit_recipe', recipe_id=recipe._id) }}">**↵
12.   <div class="row">↵
13.   <div class="input-field col s12">↵
14.   <i class="fas fa-pencil-alt prefix red-text text-darken-4"> </i>↵
15.   <input id="recipe_name" name="recipe_name" value="{{ recipe.recipe_name }}" type="text" class="validate"↵
16.   required>↵
17.   <label for="recipe_name">Recipe Name</label>↵
18.   </div>↵
19.   </div>↵
20.   <!-- edit category -->↵
21.   <div class="row">↵
22.   <div class="input-field col s12">↵
23.   <i class="fas fa-question prefix red-text text-darken-4"></i>↵
24.   <select id="category_name" name="category_name" class="validate" required>↵
25.   <option value="" disabled selected>Select Category.. </option>↵
26.   **{% for category in categories %}**↵
27.   **{% if category.category_name == recipe.category_name %}**↵
28.   **<option value="{{ category.category_name }}" selected >**{{ category.category_name }}</option>↵
29.   **{% else %}**↵
30.   <option value="{{ category.category_name }}">{{ category.category_name }}</option>↵
31.   **{% endif %}**↵
32.   **{% endfor %}**↵
33.   </select>↵
34.   <label for="category_name">Category</label>↵
35.   </div>↵
36.   </div>↵
37.   <!-- edit difficulty -->↵
38.   <div class="row">↵
39.   <div class="input-field col s12">↵
```

```
40.                      <i class="far fa-chart-bar prefix red-text text-darken-4">
     </i>↵
41.                      <select id="recipe_difficulty" name="recipe_difficulty"
     class="validate" required>↵
42.                          <option value="" disabled selected>Select Difficulty..
     </option>↵
43.                          {% for level in levels %}↵
44.                              {% if level.recipe_difficulty ==
     level.recipe_difficulty %}↵
45.                                  <option value="{{ level.recipe_difficulty }}"
     selected >{{ level.recipe difficulty }}</option>↵
46.                              {% else %}↵
47.                                  <option value="{{ level.recipe_difficulty }}">{{
     level.recipe_difficulty }}</option>↵
48.                              {% endif %}↵
49.                          {% endfor %}↵
50.                      </select>↵
51.                      <label for="recipe_difficulty">Difficulty</label>↵
52.                  </div>↵
53.              </div>↵
54.              <!-- edit how many recipes makes -->↵
55.              <div class="row">↵
56.                  <div class="input-field col s12">↵
57.                      <i class="fas fa-sort-numeric-up-alt prefix red-text text-
     darken-4"></i>↵
58.                      <input id="makes" name="makes" value="{{ recipe.makes }}"
     type="text" class="validate" required>↵
59.                      <label for="makes">Makes</label>↵
60.                  </div>↵
61.              </div>↵
62.              <!-- edit author -->↵
63.              <div class="row">↵
64.                  <div class="input-field col s12">↵
65.                      <i class="fas fa-user prefix red-text text-darken-4"></i>↵
66.                      <input id="by" name="by" value="{{ recipe.by }}" type="text"
     class="validate" required>↵
67.                      <label for="by">Author</label>↵
68.                  </div>↵
69.              </div>↵
70.              <!-- edit prep time -->↵
71.              <div class="row">↵
72.                  <div class="input-field col s12">↵
73.                      <i class="far fa-clock prefix red-text text-darken-4"></i>↵
74.                      <input value="{{ recipe.prep_time }}" id="prep_time"
     name="prep_time" type="text" class="validate"↵
75.                          required>↵
76.                      <label for="prep_time">Prep Time</label>↵
77.                  </div>↵
78.              </div>↵
79.              <!-- edit cooking time -->↵
80.              <div class="row">↵
81.                  <div class="input-field col s12">↵
82.                      <i class="fas fa-temperature-high prefix red-text text-darken-
     4"></i>↵
83.                      <input value="{{ recipe.cooking_time }}" id="cooking_time"
     name="cooking_time" type="text" class="validate"↵
84.                          required>↵
85.                      <label for="cooking_time">Cooking Time</label>↵
86.                  </div>↵
87.              </div>↵
88.              <!-- edit ingredients -->↵
89.              <div class="row">↵
90.                  <div class="input-field col s12">↵
91.                      <i class="fas fa-seedling prefix red-text text-darken-4"></i>↵
92.                      <textarea id="ingredients" name="ingredients" minlength="20"
     maxlength="2000"↵
93.                          class="materialize-textarea validate" required> {{
     recipe.ingredients }} </textarea>↵
94.                      <label for="ingredients">Ingredients</label>↵
95.                  </div>↵
96.              </div>↵
```

```
 97.        <!-- edit method -->↵
 98.        <div class="row">↵
 99.            <div class="input-field col s12">↵
100.                <i class="fas fa-list-ol prefix red-text text-darken-4"></i>↵
101.                <textarea id="method" name="method" minlength="20"
      maxlength="2000"↵
102.                    class="materialize-textarea validate" required>{{
      recipe.method }}</textarea>↵
103.                <label for="method">Method</label>↵
104.            </div>↵
105.        </div>↵
106.        <!-- edit image -->↵
107.        <div class="row">↵
108.            <div class="input-field col s12">↵
109.                <i class="fas fa-link prefix red-text text-darken-4"></i>↵
110.                <input value="{{ recipe.image }}" id="image" name="image"
      class="validate" ↵
111.                    pattern="http(s?)(:\/\/)((www.)?)(([^.]+)\.)?([a-zA-z0-9\-
      _]+)(.com|.co.uk|.net|.gov|.org|.in)(\/[^\s]*)?"↵
112.                    required>↵
113.                <label class="active" for="image">Image url</label>↵
114.            </div>↵
115.        </div>↵
116.        <!-- submit button -->↵
117.        <div class="row">↵
118.            <div class="col s12 center-align">↵
119.                <button class="btn-large yellow darken-2" type="submit">↵
120.                    <i class="fas fa-share-square left"></i>Submit
      Change/s</button>↵
121.                <a href="{{ url_for('my_recipes') }}" class="btn-large red
      darken-4">↵
122.                    <i class="far fa-times-circle left"></i>Cancel</a>↵
123.            </div>↵
124.        </div>↵
125.    </form>↵
126. </div>↵
127. {% endblock %}
```

Used the HTML parser.

Total execution time 78 milliseconds.

About this checker • Report an issue • Version: 21.9.6