Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 25

{% extends "base.html" %} ← {% bl

For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

```
2. Error Non-space characters found without seeing a doctype first. Expected <!DOCTYPE html>.

From line 1, column 1; to line 1, column 25

[% extends "base.html" %} \( \cdot \) \( \text{ bl} \)
```

3. Error Element head is missing a required instance of child element title.

```
Showing results for contents of text-input area - Nu Html Checker
    From line 1, column 1; to line 1, column 25
    {% extends "base.html" %}↔{% bl
    Content model for element head:
       If the document is an iframe srcdoc document or if title information is available from a
       higher-level protocol: Zero or more elements of metadata content, of which no more than one
       is a title element and no more than one is a base element.
       Otherwise: One or more elements of metadata content, of which exactly one is a title
       element and no more than one is a base element.
    Error Bad value {{ url_for('edit_recipe', recipe_id=recipe._id) }};
    for attribute | action | on element | form |: | Illegal character in path segment: | { | is
    not allowed.
    From line 11, column 5; to line 11, column 100
                 <form class="col s12" method="POST" action="{{</pre>
    nel">↩
    url_for('edit_recipe', recipe_id=recipe._id) }}">↔
     Error Text not allowed in element select in this context.
5.
    From line 26, column 1; to line 26, column 52
    </option>←
                                         {% for category in categories %}↔
    Content model for element <u>select</u>:
       Zero or more option, optgroup, and script-supporting elements.
    Error Text not allowed in element select in this context.
6.
    From line 27, column 1; to line 27, column 75
    gories %}←
                                         {% if category.category_name ==
    recipe.category_name %}←
    Content model for element select:
       Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.
    Error Text not allowed in element select in this context.
7.
    From line 29, column 1; to line 29, column 30
    </option>←
                                         {% else %}←
    Content model for element select:
       Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.
    Error Text not allowed in element select in this context.
8.
    From line 31, column 1; to line 31, column 31
     </option>←
                                         {% endif %}↔
    Content model for element select:
       Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.
```

9. Error Text not allowed in element select in this context.

```
From line 32, column 1; to line 32, column 32
       endif %}↩
                                          {% endfor %}↩
     Content model for element select:
        Zero or more option, optgroup, and script-supporting elements.
      Error | Element | option | without attribute | label | must not be empty.
10.
     From line 42, column 47; to line 42, column 55
       disabled></option>↩
      Error Text not allowed in element select in this context.
11.
     From line 43, column 1; to line 43, column 50
      </option>←
                                         {% for difficulty in levels %}↔
     Content model for element select:
        Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.
      Error Text not allowed in element select in this context.
12.
     From line 44, column 1; to line 44, column 85
      levels %}↔
                                          {% if difficulty.recipe_difficulty ==
     recipe.recipe_difficulty %}←
     Content model for element <u>select</u>:
        Zero or more option, optgroup, and script-supporting elements.
13.
      Error Text not allowed in element select in this context.
     From line 46, column 1; to line 46, column 29
                                          {% else%}↔
      </option>←
     Content model for element select:
        Zero or more option, optgroup, and script-supporting elements.
      Error Text not allowed in element select in this context.
14.
     From line 48, column 1; to line 48, column 31
      </option>←
                                          {% endif %}←
     Content model for element <u>select</u>:
        Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.
      Error Text not allowed in element select in this context.
15.
     From line 49, column 1; to line 49, column 32
       endif %}←
                                         {% endfor %}↔
     Content model for element <u>select</u>:
        Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.
      Error Bad value {{ url_for('my_recipes') }} for attribute href on
16.
     element a: Illegal character in path segment: { is not allowed.
```

Document checking completed.

Source

```
1. {% extends "base.html" %}↔
 2. {% block content %}↔
 3. <!-- edit recipe header -->↔
 4. <div class="row center-align">↔
        <div class="col s12 edit-recipe-title">←
 6.
            <h3><b>Edit your recipe</b></h3>↔
 7.
        </div>←
 8. </div>←
 9. <!-- add recipe form -->↔
10. <div class="row card-panel">←
        <form class="col s12" method="POST" action="{{ url_for('edit_recipe',</pre>
11.
    recipe_id=recipe._id) }}">↩
12.
            <div class="row">↔
13.
                 <div class="input-field col s12">←
14.
                     <i class="fas fa-pencil-alt prefix red-text text-darken-4">
    </i>←
                     <input id="recipe name" name="recipe name" minlength="5"</pre>
15.
    maxlength="50" value="{{ recipe.recipe_name }}"↔
                         type="text" class="validate" required>↔
16.
17.
                     <label for="recipe_name">Recipe Name</label>←
18.
                 </div>←
19.
            </div>←
20.
            <!-- add category -->↔
21.
            <div class="row">↔
22.
                 <div class="input-field col s12">←
23.
                     <i class="fas fa-question prefix red-text text-darken-4"></i>←
<select id="category_name" name="category_name"</pre>
24.
    class="validate" required>↔
25.
                         <option value="" disabled>Sweet or Savoury?</option>←
26.
                         {% for category in categories %}↔
27.
                         {% if category.category_name == recipe.category_name %}↔
28.
                         <option value="{{ category.category_name }}" selected>{{
    category_name }}</option>←
29.
                         {% else %}←
30.
                         <option value="{{ category.category_name }}">{{
    category.category name }}</option>←
31.
                         {% endif %}←
32.
                         {% endfor %}←
33.
                     </select>←
34.
                     <label for="category name">Category</label>←
35.
                 </div>←
36.
            </div>←
37.
            <!-- add difficulty -->↔
38.
            <div class="row">↔
39.
                 <div class="input-field col s12">←
40.
                     <i class="far fa-chart-bar prefix red-text text-darken-4">
    </i>←
41.
                     <select id="recipe_difficulty" name="recipe_difficulty"</pre>
    class="validate" required>↔
42.
                         <option value="" disabled></option>←
43.
                         {% for difficulty in levels %}↩
44.
                         {% if difficulty.recipe_difficulty ==
    recipe.recipe_difficulty %}↔
45.
                         <option value="{{ difficulty.recipe_difficulty }}"</pre>
    selected>{{ difficulty.recipe difficulty }}</option>←
46.
                         {% else%}←
```

```
47.
                           <option value="{{ difficulty.recipe_difficulty }}">{{
     {\tt difficulty.recipe\ difficulty\ }} {\tt </option>} {\hookleftarrow}
 48.
                           {% endif %}←
 49.
                           {% endfor %}←
 50.
                      </select>↔
 51.
                      <label for="recipe difficulty">Level</label>←
 52.
                  </div>←
 53.
              </div>←
 54.
              <!-- add how many recipes makes -->↔
 55.
              <div class="row">↔
 56.
                  <div class="input-field col s12">←
 57.
                      <i class="fas fa-sort-numeric-up-alt prefix red-text text-</pre>
     darken-4"></i>↔
 58.
                      <input id="makes" name="makes" minlength="1" maxlength="2"</pre>
     value="{{ recipe.makes }}" type="text"↔
 59.
                           class="validate" required>←
 60.
                      <label for="makes">How many does the recipe make?</label>↔
 61.
                  </div>←
 62.
              </div>←
 63.
              <!-- add author -->↔
 64.
              <div class="row">↔
                  <div class="input-field col s12">←
 65.
 66.
                      <i class="fas fa-user prefix red-text text-darken-4"></i></i>
                      <input id="by" name="by" minlength="5" maxlength="50" value="{{</pre>
 67.
     recipe.by }}" type="text"↔
                           class="validate" required>↔
 68.
 69.
                      <label for="by">Author</label>↔
 70.
                  </div>↩
 71.
              </div>←
 72.
              <!-- add prep time -->↔
 73.
              <div class="row">↔
                  <div class="input-field col s12">←
 74.
 75.
                      <i class="far fa-clock prefix red-text text-darken-4"></i>↔
 76.
                      <input id="prep_time" name="prep_time" minlength="5"</pre>
     maxlength="50" value="{{ recipe.prep_time }}"↔
 77.
                           type="text" class="validate" required>↔
 78.
                      <label for="prep_time">How long to prep? (in hrs and mins)
     </label>←
 79.
                  </div>←
              </div>↔
 80.
              <!-- add cooking time -->↔
 81
 82.
              <div class="row">↔
 83.
                  <div class="input-field col s12">←
 84.
                      <i class="fas fa-temperature-high prefix red-text text-darken-</pre>
     4"></i>↔
 85.
                      <input id="cooking_time" name="cooking_time" minlength="5"</pre>
     maxlength="50"↔
                           value="{{ recipe.cooking_time }}" type="text"
 86.
     class="validate" required>↔
                      <label for="cooking_time">How long to cook? (in hrs and mins)
 87.
     </label>↩
                  </div>←
 88.
 89.
              </div>←
 90.
              <!-- add ingredients -->↔
 91.
              <div class="row">↔
 92.
                  <div class="input-field col s12">←
 93.
                      <i class="fas fa-seedling prefix red-text text-darken-4"></i>↔
 94.
                      <textarea id="ingredients" name="ingredients" minlength="5"</pre>
     maxlength="600"↔
 95.
                           class="materialize-textarea validate" required>{{
     recipe.ingredients }}</textarea>↔
 96.
                      <label for="ingredients">Ingredients (seperate ingredients with
     / ie. 500g GF flour/ 2 eggs.. )</label>↔
 97.
                  </div>←
 98.
              </div>←
 99.
              <!-- add method -->↔
100.
              <div class="row">↔
                  <div class="input-field col s12">←
101.
102.
                      <i class="fas fa-list-ol prefix red-text text-darken-4"></i></i>
                      <textarea id="method" name="method" minlength="5"</pre>
103.
     \verb|maxlength="2000"| class="materialize-textarea validate"| \leftarrow
```

```
104.
                          required>{{ recipe.method }}</textarea>↔
105.
                      <label for="method">Method</label>←
106.
                 </div>↔
107.
             </div>←
108.
             <!-- add image -->↔
109.
             <div class="row">↔
                  <div class="input-field col s12">←
110.
                      <i class="fas fa-link prefix red-text text-darken-4"></i></i>
111.
                      <input id="image" name="image" minlength="20" value="{{</pre>
112.
     recipe.image }}" type="text" class="validate"↔
113.
                          required>↔
114.
                      <label class="active" for="image">Recipe image link</label>←
115.
                 </div>↩
116.
             </div>←
117.
             <!-- submit button -->←
118.
             <div class="row">↔
119.
                  <div class="col s12 center-align">←
                      <button class="btn-large yellow darken-2" type="submit">←
120.
121.
                          <i class="fas fa-share-square left"></i>Submit
     Change/s</button>↔
122.
                      <a href="{{ url_for('my_recipes') }}" class="btn-large red</pre>
     darken-4">↩
123.
                          <i class="far fa-times-circle left"></i>Cancel</a>↔
124.
                 </div>←
125.
             </div>←
126.
         </form>←
127. </div>←
128. {% endblock %}
```

Used the HTML parser.

Total execution time 19 milliseconds.

About this checker • Report an issue • Version: 21.9.2