

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ CSS

```
{% extends "base.html" %}
{% block content %}
<!-- page header -->
<div class="row center-align">
  <div class="col s12 my-recipes-title">
    <h3><b>My Recipes</b></h3>
  </div>
</div>
<!-- page introduction -->
<div class="row center-align">
  <div class="col s12">
    <div class="account-page-intro">
      <h5 class="center-align blue-text darken-4"><b>On this page you can
manage your very own Gluten Free Kids
      recipes!</b></h5>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.
[From line 1, column 1; to line 1, column 25](#)
`{% extends "base.html" %}↔{% b1`
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).
- Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.
[From line 1, column 1; to line 1, column 25](#)
`{% extends "base.html" %}↔{% b1`
- Error** Element `head` is missing a required instance of child element `title`.

[From line 1, column 1; to line 1, column 25](#)

```
{% extends "base.html" %}↵{% bl
```

Content model for element [head](#):

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

4. **Error** Bad value `{{ recipe.image }}` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

[From line 32, column 17; to line 32, column 83](#)

```
↵
```

5. **Error** Bad value `{{ url_for('edit_recipe', recipe_id=recipe._id) }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 44, column 17; to line 45, column 76](#)

```
<a href="{{ url_for('edit_recipe', recipe_id=recipe._id) }}"↵
class="btn-edit btn-floating btn-small yellow darken-2"><i cla
```

6. **Error** Bad value `{{ recipe._id }}` for attribute `id` on element `div`: An ID must not contain whitespace.

[From line 49, column 17; to line 49, column 57](#)

```
<div id="{{ recipe._id }}" class="modal">↵
```

7. **Error** Bad value `{{ url_for('my_recipes') }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 54, column 25; to line 54, column 108](#)

```
<a href="{{ url_for('my_recipes') }}" class="modal-close btn-small
yellow darken-2"><i↵
```

8. **Error** Bad value `{{ url_for('delete_recipe', recipe_id=recipe._id) }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 56, column 25; to line 57, column 71](#)

```
<a href="{{ url_for('delete_recipe', recipe_id=recipe._id) }}"↵
class="modal-close btn-small red darken-2"><i cla
```

9. **Error** **Bad value** `{{ url_for('add_recipe') }}` **for attribute** `href` **on element** `a`: **Illegal character in path segment:** `{` **is not allowed.**

[From line 81, column 13; to line 81, column 50](#)

```
<a href="{{ url_for('add_recipe') }}"><i cla
```

Document checking completed.

Source

```

1. {% extends "base.html" %}↵
2. {% block content %}↵
3. <!-- page header -->↵
4. <div class="row center-align">↵
5.     <div class="col s12 my-recipes-title">↵
6.         <h3><b>My Recipes</b></h3>↵
7.     </div>↵
8. </div>↵
9. <!-- page introduction -->↵
10. <div class="row center-align">↵
11.     <div class="col s12">↵
12.         <div class="account-page-intro">↵
13.             <h5 class="center-align blue-text darken-4"><b>On this page you can
manage your very own Gluten Free Kids
14.                 recipes!</b></h5>↵
15.             <h6 class="center-align">You can add, edit and delete your
recipes</h6>↵
16.             <h6 class="center-align"><i class="fas fa-exclamation-circle red-
text"></i> But be careful, once deleted no
17.                 one will get to see your tasty treats <i class="fas fa-
exclamation-circle red-text"></i></h6>↵
18.             <h6 class="center-align">Time to get sharing... have fun and make
sure to add a photo so others know what
19.                 their version of your creation should look like!<br>↵
20.                 <b>Have FUN!!!</b>↵
21.             </h6>↵
22.         </div>↵
23.     </div>↵
24. </div>↵
25. <!-- my recipes once added -->↵
26. <div class="row">↵
27.     {% for recipe in recipes %}↵
28.         {% if session.user|lower == recipe.created_by|lower %}↵
29.         <div class="col s12 m6 l4">↵
30.             <div class="card">↵
31.                 <div class="card-image waves-effect waves-block waves-light">↵
32.                     ↵
33.                 </div>↵
34.                 <div class="card-content">↵
35.                     <span class="card-title activator blue-text text-light-blue
darken-4"><i↵
36.                         class="fas fa-chevron-circle-down fa-lg right
tooltipped" data-position="right">↵
37.                         data-tooltip="click for recipe"></i></span>↵
38.                     <h5 class="name red-text text-darken-4">{{ recipe.recipe_name
}}</h5>↵
39.                     <p class="category">{{ recipe.category_name }}</p>↵
40.                     <p class="level">Difficulty: {{ recipe.recipe_difficulty }}
</p>↵
41.                     <p class="makes">Makes: {{ recipe.makes }}</p>↵
42.                     <p class="by">By: {{ recipe.by }}</p>↵
43.                     {% if session.user|lower == recipe.created_by|lower %}↵
44.                     <a href="{{ url_for('edit_recipe', recipe_id=recipe._id) }}">↵

```

```

45.         class="btn-edit btn-floating btn-small yellow darken-2"><i
class="fas fa-edit tooltiped"<
46.             data-position="bottom" data-tooltip="Edit Recipe"></i>
</a><
47.         <a data-target="{ { recipe._id } }" class="btn modal-trigger btn-
floating btn-small red darken-4"><i<
48.             class="far fa-trash-alt tooltiped" data-
position="bottom" data-tooltip="Delete Recipe"></i></a><
49.         <div id="{ { recipe._id } }" class="modal"><
50.             <div class="modal-content"><
51.                 <h5>Are you sure you want to delete this recipe?</h5><
52.             </div><
53.             <div class="modal-footer"><
54.                 <a href="{ { url_for('my_recipes') } }" class="modal-
close btn-small yellow darken-2"><i<
55.                     class="far fa-times-circle left">
</i>Cancel</a><
56.                 <a href="{ { url_for('delete_recipe',
recipe id=recipe. id) } }"
57.                     class="modal-close btn-small red darken-2"><i
class="far fa-trash-alt left"></i>Yes - delete<
58.                     permanently</a><
59.                 </div><
60.             </div><
61.             { % endif % }<
62.         </div><
63.         <div class="card-reveal"><
64.             <span class="card-title blue-text text-light-blue darken-4"><i
class="fas fa-times right"></i></span><
65.             <h5 class="name red-text text-darken-4">{ { recipe.recipe_name
}}</h5><
66.             <p class="prep"><i class="far fa-clock fa-lg"></i> Prep Time:
{ { recipe.prep_time } } </p><
67.             <p class="cooking"><i class="fas fa-temperature-high fa-lg"><
68.                 </i> Cooking Time: { { recipe.cooking_time } }</p><
69.             <h5 class="ingredients"><i class="fas fa-seedling"></i>
Ingredients:</h5><
70.             <p class="ingredients-text">{ { recipe.ingredients } }</p><
71.             <h5 class="method"><i class="fas fa-list-ol"></i> Method:
</h5><
72.             <p class="method-text">{ { recipe.method } }</p><
73.         </div><
74.     </div><
75. </div><
76. { % endif % }<
77. { % endfor % }<
78. <!-- submit button --><
79. <div class="col s12 center-align"><
80.     <div class="add-button btn-large green darken-2"><
81.         <a href="{ { url_for('add_recipe') } }"><i class="fas fa-scroll left
green darken-2"><
82.             </i>Add another Recipe</a><
83.     </div><
84. </div><
85. </div><
86. <
87. { % endblock % }

```

Used the HTML parser.

Total execution time 11 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.9.6

