## 1

## GATE Questions 6

EE24BTECH11012 - Bhavanisankar G S

		$c^1$	
1)	$\lim_{n\to\infty}$	$\int_0^1 s_n(x) dx = 1$	l

- a) by dominated convergence theorem
- b) by Fatou's theorem
- c) by the fact that  $\{s_n\}$  converges uniformly on [0,1]
- d) by the fact that  $\{s_n\}$  converges pointwise on [0,1]

The matrix  $A = \begin{pmatrix} 1 & 1 & 1 \\ 2 & 1 & 2 \\ 1 & 3 & 2 \end{pmatrix}$  can be decomposed into the product of a lower triangular matrix L

and an upper triangular matrix U as A=LU where

$$L = \begin{pmatrix} 1 & 0 & 0 \\ l_{21} & 1 & 0 \\ l_{31} & l_{32} & 1 \end{pmatrix}; U = \begin{pmatrix} u_{11} & u_{12} & u_{13} \\ 0 & u_{22} & u_{23} \\ 0 & 0 & u_{33} \end{pmatrix}$$

Let  $x, z \in \mathbb{R}^3$  and  $b = \begin{pmatrix} 1 & 1 & 1 \end{pmatrix}$ 2) The solution  $z = \begin{pmatrix} z_1 & z_2 & z_3 \end{pmatrix}$  of the system Lz = b is

a) 
$$\begin{pmatrix} -1 & -1 & -2 \end{pmatrix}$$
  
b)  $\begin{pmatrix} 1 & -1 & 2 \end{pmatrix}$   
c)  $\begin{pmatrix} 1 & -1 & -2 \end{pmatrix}$   
d)  $\begin{pmatrix} -1 & 1 & 2 \end{pmatrix}$ 

3) The solution  $x = (x_1 x_2 x_3)$  of the system Ux = z is

a) 
$$\begin{pmatrix} 2 & 1 & -2 \end{pmatrix}$$
  
b)  $\begin{pmatrix} 2 & 1 & 2 \end{pmatrix}$   
c)  $\begin{pmatrix} -2 & -1 & -2 \end{pmatrix}$   
d)  $\begin{pmatrix} -2 & 1 & -2 \end{pmatrix}$ 

4) Choose the most appropriate word from the options given below to complete the following sentence. It was her view that the country's problems had been (blank) by foreign technocrats, so that to invite them to come back would be counter productive

- a) identified b) ascertained c) exacerbated d) analysed
- 5) There are two candidates P and Q in an election. During the campaign, 40 % of the voters promised to vote for P and rest for Q. However, on the day of election, 15 % of the voters went back on their promise to vote for P and instead voted for Q. 25 % of the voters went back on their promise tovote for Q instead of P. Suppose, P lost by 2 votes, then what was the total numbers of voters.
  - b) 110 c) 90 d) 95 a) 100
- 6) The question beow consists of a pair of related words followed by four pairs of words. Select the pair that best expresses the relation in the original pair.

Gladiator: Arena

a) dancer:stage c) teacher:classroom b) commuter:train d) lawyer:courtroom

7) Choose the most appropriate word from the options to complete the sentence. Under ethical guidelines recently adopted by the Indian Medical Association, human genes are to be manipulated only to correct diseases for which (blank) treatments are unsatisfactory

- a) similar
- b) most

- c) uncommon
- d) available
- 8) Choose the word that is nearly the opposite to the given word. **Frequency** 
  - a) periodicity
- b) rarity
- c) gradualness
- d) persistency
- 9) Three friends R, S and T shared from a bowl took  $\frac{1}{3}^{rd}$  of the toffees, but returned four to the bowl. S took  $\frac{1}{4}^{th}$  of what was left but returned three toffees to the bowl. T took half of the remainder but returned 2 back. If the had 17 toffees left, how many toffees were originally there in the bowl?
  - a) 38

b) 31

c) 48

- d) 41
- 10) The fuel consumed by a motorcycle during a journey while travelling at various speeds is indicated in the graph below.




Fig. 10.

The distances covered during four laps o the journey are listed in the table below.

LAP	Distance (kilometres) (	Average Speed kilometres per hour)	
P	15	15	
Q	75	45	
R	40	75	
S	10	10	

Fig. 10.

From the given data, we can conclude that the fuel consumed per kilometre was least during the lap

a) P	b) Q	c) R	d) S	
injected with their blood. Se	oxins of diseases until the	ut very important role in heir blood built p immun heria and tetanus were de	ities. Then a serum was	made from
c) given medic	nity to diseases ite immune to diseases ines to fight toxins eria and tetanus serums			
12) The sum of n	terms of the series 4 + 4	$44 + 444 + \dots is$		

c) 1

d) 2

a)  $\frac{4}{81} \left( 10^{n+1} - 9n - 1 \right)$ b)  $\frac{4}{81} \left( 10^{n-1} - 9n - 1 \right)$ c)  $\frac{4}{81} \left( 10^{n+1} - 9n - 10 \right)$ d)  $\frac{4}{81} \left( 10^n - 9n - 10 \right)$ 

b) -1

a) 0

13) Given that  $f(y) = \frac{|y|}{y}$  and q is any non-zero real number, the value of |f(q) - f(-q)| is