EECS484 Project4 Report

Insert (sql/test insert.sql)

A. Without indices

- 1. Insert with attributes in order
- 2. Insert with attributes out of order
- 3. Insert with duplicate attributes
- 4. Insert with missing attributes
- 5. Insert with too many attributes
- 6. Insert with attributes with invalid type

B With indices

- 1. Insert with attributes in order
- 2. Insert with attributes out of order
- 3. Test inserted indices by selecting on indexed attributes

Select (sql/test_select.sql)

A. Simple Select

- 1. Select with predicate operator =
- 2. Select with predicate operator <>
- 3. Select with predicate operator >
- 4. Select with predicate operator >=
- 5. Select with predicate operator <
- 6. Select with predicate operator <=
- 7. Select without predicate
- 8. Select a subset of attributes

B. Index Select

1. Select with indexed predicate attribute

Join (sql/test join.sql)

- A. Simple Nested Loop (SNL)
 - 1. Join with predicate operator <>
 - 2. Join with predicate operator >
 - 3. Join with predicate operator >=
 - 4. Join with predicate operator <
 - 5. Join with predicate operator <=
- B. Indexed Nested Loop (INL)
 - 1. Join with indexed left attribute in the predicate
 - 2. Join with indexed left attribute and right attribute in the predicate
 - 3. Join with indexed right attribute in the predicate
- C. Sort Merge Join (SMJ)
 - 1. Join with duplicates
 - 2. Join with unordered tuples