

GETTING STARTED WITH PYTHON FOR RESEARCH

Course



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

Instructors

Joy Lan · Somya Iqbal

Materials

Adapted from materials developed by **Chris Oldnall**



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute


Arrangements for the COURSE

Time	Session 1 25th September (Fri) 10:00-12:00	Session 2 2nd October (Fri) 10:00-12:00	Session 3 9th October (Fri) 10:00-12:00
Topic A	Introduction to Noteable and Python	Functions	Collections
Topic B	Conditions and Logic		List Comprehensions

Sessions Throughout the course





THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute



Paired Programming



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute



During demonstration



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

Feel free to ask any questions!

Code chunk Text

```
variable_name = sensible  
print(variable_name)
```

“sensible”

In the slides we may see text which is ‘pink’ in colour and a different font. This is to indicate it is a chunk of text, written in Python. The colour/font don’t matter just noticing it is code is important!



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

Introduction to Noteable and Python

Programming = Telling the
computer what to do

You need to speak a language
the computer will understand,
e.g. Python

How do we 'speak' Python?



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

In order to 'speak' Python we will need two things...

1. The syntax (equivalent to the grammar of a language)
2. An interpreter (an interface to take in our Python syntax).

Syntax



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

Count from 1 to 10.


```
for number in range(1,11):  
    print(number)
```

The Interpreter



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

Count from 1 to 10.



```
for number in range(1,11):  
    print(number)
```

```
for number in range(1,11):  
    print(number)
```

```
1  
2  
3  
4  
5  
6  
7  
8  
9  
10
```

Jupyter Notebooks



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

Our choice of interpreter throughout the week will be Jupyter Notebooks. These have many benefits:

1. Easy to use and share with others,
2. can be run on the Noteable service,
3. very hard to break anything (properly).

Jupyter Notebooks



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

jupyter Session 2 - From running to writing Last Checkpoint: Last Thursday at 22:06 (autosaved)

File Edit View Insert Cell Kernel Widgets Help Trusted Python 3 (ipykernel)

Memory CPU Disk

```
In [ ]: # Run this code, and you should see the word 'Edinburgh' and 'Meadows' appear below.

city = "Edinburgh"
place = "Meadows"

print("city")
print(city)
print(place)
print(place, "is in", city)
```

The way to understand above example `city = "Edinburgh"` ...

is to see it as `variable_name = variable_value`

- City is the variable's **NAME**
- "Edinburgh" is the variable's **VALUE**
- String is the variable's **TYPE** (String stands for a "String of characters" and is another way to say "text")

NAMES: You can call variables whatever you want, but you cannot use spaces, so use underscore instead, like `student_name`, `annual_total`.

You **ABSOLUTELY** want to avoid names that are meaningless like `x`, `thing`, `foo` or even `result`.

"When you write Good Code – computers can understand what you mean. When the code is Even Better – other humans can understand what you mean. But Great Code is one that you yourself will understand in a few months".

So use good variable names and #comments for your colleagues but also for yourself :)

PRINTING variable values: At any point to have a look at what is stored in a variable you can print (show, display) it to the screen.


} Code (Python)

} Text
(Markdown)

How does Noteable come into this?



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute



Noteable is a university of Edinburgh service which provides online web-based access to a Jupyter Notebook 'server'. As it is not local this makes it great and easy for research and teaching!

Top to Bottom



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

Code is written in lines.
Each line does something, and they are executed from top to bottom.

```
count = 43  
print(count)
```

```
count = 44  
print(count)
```

```
count = 44  
print(counter)
```

```
count = 44  
print(counter)
```

```
count = count + 1  
print(count)
```

Top to Bottom



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

Code is written in lines.

Each line does something, and they are executed from top to bottom.

```
count = 43  
print(count)
```

43

```
count = 44  
print(counter)
```

ERROR

```
count = 44  
print(count)
```

44

```
count = 44  
print(count)
```

44

```
count = count + 1  
print(count)
```

45

Variables




THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

Variables are places to store values for later.
There are different types of variables:

- **string** for text, e.g. *“penguin”* or *“I like Python”*
- **int** (integer) for whole numbers, e.g. *1, 5, 2014*
- **float** for decimal numbers, e.g. *2.25, 6.1246, 16.2*
- **bool** (Boolean) for logic values: *True, False*

`my_favourite_animal = “penguin”`

`my_favourite_animal`



Lets get programming



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

Session 1a: From Running to Writing





THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

Conditions and Logic

Comparing Variables



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

`2 == 2`

`2 == 3`

`"penguin" == "penguin"`

`"penguin" == "whale"`

`"penguin" == "Penguin"`

`"2024" == 2024`

Comparing Variables



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

2 == 2

True

2 == 3

False

"penguin" == "penguin"

True

"penguin" == "whale"

False

"penguin" == "Penguin"

False

"2024" == 2024

False

Comparing Variables



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

$2 < 2$

$2 < 3$

$3 > 2$

$2 \leq 2$

$3 \neq 2$

$3 \neq 3$

Comparing Variables



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

$2 < 2$	False
$2 < 3$	True
$3 > 2$	True
$2 \leq 2$	True
$3 \neq 2$	True
$3 \neq 3$	False

Conditionals



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

Controlling what part of your code gets executed based on some conditions can be very useful in capturing real life conditionals.

E.g. “If the traffic light is green, go, otherwise, wait.”

```
traffic_light = "green"

if traffic_light == "green":
    print('go')
else:
    print('wait')
```

go

```
traffic_light = "red"

if traffic_light == "green":
    print('go')
else:
    print('wait')
```

wait

Lets get programming



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

Session 1b: If (This AND That)





THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

Functions

Part 1

Questions to ask...




THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

1. What is a function?
2. Why do we use functions?
3. How do I make a function in Python?

What is a Function?



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute



What is a Function?



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

A way to generalise a
process that will need to be
done over and over again.

Why do we use functions?



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

- Reduce lines of code,
- Enhance computing performance,
- Make life easier!

Why do we use functions?



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute



What is the recipe For A function in Python?



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

1. 'def'
2. Name
3. What goes into it (arguments)
4. What it does (the steps)
5. What it gives back (return value)



```
1 def bake_a_cake(cake_type, cake_size, cake_flavor, cake_filling, cake_frosting):
2     """This function bakes a cake of the specified type, size, flavor, filling, and frosting.
3
4     Args:
5         cake_type: The type of cake to bake, e.g. "chocolate", "vanilla", "red velvet".
6         cake_size: The size of the cake to bake, e.g. "small", "medium", "large".
7         cake_flavor: The flavor of the cake to bake, e.g. "chocolate", "vanilla", "strawberry".
8         cake_filling: The filling for the cake, e.g. "chocolate ganache", "vanilla buttercream", "strawberry jam".
9         cake_frosting: The frosting for the cake, e.g. "chocolate ganache", "vanilla buttercream".
10
11     Returns:
12         A cake of the specified type, size, flavor, filling, and frosting.
13     """
14
15     print(f"Baking a {cake_type} {cake_size} {cake_flavor} cake...")
16
17     # Prepare the cake batter
18     # ...
19
20     # Pour the batter into a cake pan
21     # ...
22
23     # Bake the cake
24     # ...
25
26     # Let the cake cool
27     # ...
28
29     # Fill the cake if specified
30     if cake_filling:
31         # Fill the cake
32         # ...
33
34     # Frost the cake if specified
35     if cake_frosting:
36         # Frost the cake
37         # ...
38
39     print("Cake is ready!")
40     return f"{cake_type} {cake_size} {cake_flavor} cake with {cake_filling} and {cake_frosting}"
```

Lets get programming



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

Session 2a: Write the Recipe





THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

Functions

Part 2

Local and Global



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute



Local:

Only those close to him
(*within the same
function*) who know about
what he can do.



Global:

Can be accessed by anyone,
anywhere – everyone knows
what he can do!

The Scope Rules



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

Rule 1: Anything inside a function is mysterious to the outside...

You are not able to peek inside of a function elsewhere in code.
Only things returned will become available to the 'global' environment.

Rule 2: Functions can look outside, but shouldn't...

Things can get complicated when a function looks outside.
We tackle this by carefully specifying arguments with relevant names.

Lets get programming



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

Session 2b: SCOPE





THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

Collections

Lists



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

```
planet0 = "Mercury"  
planet1 = "Venus"  
planet2 = "Earth"  
planet3 = "Mars"  
planet4 = "Jupyter"  
planet5 = "Saturn"  
planet6 = "Uranus"
```

Lists



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

```
planet0 = "Mercury"  
planet1 = "Venus"  
planet2 = "Earth"  
planet3 = "Mars"  
planet4 = "Jupyter"  
planet5 = "Saturn"  
planet6 = "Uranus"
```

```
planets = ["Mercury", "Venus", "Earth", "Mars", "Jupyter",  
"Saturn", "Uranus"]
```


Why Use Lists?



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

```
planets = ["Mercury", "Venus", "Earth", "Mars", "Jupyter", "Saturn",  
"Uranus"]
```

- ✓ Count how many items are in the list
- ✓ Check if a specific item is in the list
- ✓ Find the location of a specific item
- ✓ Add and remove items
- ✓ Sort (alphabetically or otherwise)



Pluto (not a planet)

Alternatives to Lists



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

Tuple

```
planets = ("Mercury", "Venus", "Earth", "Mars",  
"Jupyter", "Saturn", "Uranus")
```

- Uses () instead of []
- Same as a list, except it cannot be changed after creating it

Alternatives to Lists



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

Set

```
planets = {"Mercury", "Venus", "Earth", "Mars", "Jupyter",  
"Saturn", "Uranus"}
```

- Uses {} instead of [] (list) or () (tuple)
- Same as a list, except:
 - Every item is unique (items cannot be listed twice)
 - Order does not matter and will change (no indexing)

Alternatives to Lists



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

Dictionaries

- Used to store multiple pieces of information about one thing
- Uses key-value pairs: each piece of data (value) has a label (key)

```
mercury = {"name": "Mercury", "day_length": 59, "hottest_temp": 430}
```

Alternatives to Lists



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

Dictionaries and Lists Together

- Combining lists and dictionaries is useful for real-world data: We often have multiple pieces of information about lots of different things and want to work with all of it at the same time!

```
planets = [  
    {"name": "Mercury", "day_length": 59, "hottest_temp": 430},  
    {"name": "Venus", "day_length": 243.025, "hottest_temp": 462},  
    {"name": "Earth", "day_length": 1, "hottest_temp": 56.7},  
    ...  
]
```

Lets get programming



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

Session 3a: [({collections})]





List Comprehensions

What Are List Comprehensions



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute





How do I get someone to pick the shirts from the wardrobe?

1. Say that it is the shirts you want,
2. For each item of clothing, check if it is a shirt,
3. If it's a shirt, then take it out the wardrobe.



```
shirts = [  
    item_of_clothing  
    for item in wardrobe  
    if item == shirt  
]
```



```
initial_list = [thing1, thing2, ...]  
variable_name = [  
    <thing to get new list of>  
    for item in initial_list  
    if item == /> /< <some condition>  
    ]
```



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

**Some math
functions that may
come in handy...**



`max( ) / min()`

Get the largest/smallest element in a group. For letters it will mean 'highest/lowest in the alphabet'.

`len( )`

Size of the collection, can be used on lists, dicts, but also on strings.

`sum( )`

Combine all elements. Just used for numbers.

Lets get programming



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

Session 3b: Lists of Lists





THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

Finishing Up

How to import data



THE UNIVERSITY *of* EDINBURGH
Edinburgh Futures Institute

To import data there is a range of methods, the easiest is using the package 'pandas'

Eg.

```
import pandas as pd  
data_frame = pd.read_csv("<Your File Pathway>")
```

Additional Resources



THE UNIVERSITY of EDINBURGH
Edinburgh Futures Institute

- This course used (slightly modified) notebooks from Code Storytelling (<http://www.codestorytelling.com>).
- We covered badges 1,2,4,5,7, and 8. Consider working through some more of the notebooks and watching some of the videos.
- Think Python is an introductory Python book with many exercises, free to read online:
<https://greenteapress.com/wp/think-python-2e/>



Feedback for us

Feedback for us...

- We hope you've enjoyed the course as much as we did.
- It is really useful for us to hear your feedback

<https://edin.ac/45BpZFm>

Should be really quick and only take 5 mins (maximum!)