```
$servername = "localhost";
$username = "root";
$dbname = "logins";
$conn = new mysqli($servername, $username, $password, $dbname);
$result = $conn->query($sql);
       echo "$email";
```

```
$conn->close();
?>
```

```
<!DOCTYPE html>
<html>
<head>
   <title>Edit Record</title>
</head>
<body>
   <h2>Edit Record</h2>
    <form action="Edit.php" method="POST">
        <label for="Username">Username:</label>
        <input type="text" name="Username" required><br><br>
        <label for="Email">Email:</label>
        <input type="Email" name="Email" required><br><br>
        <label for="Role">Role:</label>
        <input type="text" name="Role" required><br><br>
        <input type="submit" value="Submit">
    </form>
</body>
</html>
```

```
<?php
Sservername = "localhost";
Susername = "root";
Spassword = "";
$dbname = "logins";
$conn = mysqli_connect($servername, $username, $password, $dbname);

if (!$conn) {
    die("Connection failed: " . mysqli_connect_error());
}

Ssql = "SELECT * FROM users";
$result = mysqli_query($conn, $sql);

if (mysqli_num_rows($result) > 0) {
    while ($row = mysqli_fetch_assoc($result)) {
    }
} else {
    echo "No records found.";
}

SUsername = $_POST['Username'];
$Email = $_POST['Email'];
$Role = $_POST['Role'];
$$sql = "UPDATE users SET Username='$Username', Email='$Email', Role='$Role'
```

```
WHERE Username='$Username'";
$result = mysqli_query($conn, $sql);

if ($result) {
    echo "Record updated successfully";
} else {
    echo "Error updating record: " . mysqli_error($conn);
}

mysqli_close($conn);
?>
```

```
<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "logins";
if ($_SERVER["REQUEST_METHOD"] == "POST") {
$conn = new mysqli($servername, $username, $password, $dbname);
if ($conn->connect_error) {
die("Connection failed: " . $conn->connect_error);
}
$username = $_POST["signup-username"];
$email = $_POST["signup-email"];
$password = $_POST["signup-password"];
$role = $_POST["signup-role"];
$hashedPassword = password hash($password, PASSWORD_DEFAULT);
$sql = "DELETE FROM User WHERE username='$username';
if ($conn->query($sql) === TRUE) {
echo "User deleted successfully!";
} else {
echo "Error: " . $sql . "<br/>br>" . $conn->error;
}
$conn->close();
```

```
>>
}
```

```
<!DOCTYPE html>
<html>
<head>
   <title>Pagination Example</title>
   <style>
       .pagination {
          display: inline-block;
       }
          .pagination button {
              background-color: #4CAF50;
              color: white;
              padding: 8px 16px;
              margin: 4px;
              border: none;
              cursor: pointer;
          }
              .pagination button.active {
                 background-color: #007bff;
   </style>
</head>
<body>
   <thead>
          Column 1
              Column 2
              Column 3
          </thead>
       Data 1
              Data 2
              Data 3
          <!-- Add more rows as needed -->
       <div class="pagination">
       <button onclick="previousPage()">Previous</button>
       <button onclick="nextPage()">Next</button>
   </div>
   <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
   <script>
       var currentPage = 0;
       var rowsPerPage = 5;
       var table = document.getElementById("myTable");
       var rows = table.tBodies[0].rows;
       var totalPages = Math.ceil(rows.length / rowsPerPage);
```

```
function showPage(page) {
            currentPage = page;
            for (var i = 0; i < rows.length; i++) {</pre>
                rows[i].style.display = "none";
            }
            var startIndex = currentPage * rowsPerPage;
            var endIndex = startIndex + rowsPerPage;
            for (var j = startIndex; j < endIndex && j < rows.length; j++) {</pre>
                rows[j].style.display = "table-row";
            updatePaginationButtons();
        }
        function previousPage() {
            if (currentPage > 0) {
                showPage(currentPage - 1);
            }
        }
        function nextPage() {
            if (currentPage < totalPages - 1) {</pre>
                showPage(currentPage + 1);
        }
        function updatePaginationButtons() {
            var previousButton = $(".pagination button:first-child");
            var nextButton = $(".pagination button:last-child");
            if (currentPage === 0) {
                previousButton.prop("disabled", true);
            } else {
                previousButton.prop("disabled", false);
            if (currentPage === totalPages - 1) {
                nextButton.prop("disabled", true);
            } else {
                nextButton.prop("disabled", false);
            }
        }
        showPage(0);
    </script>
</body>
</html>
```