




Kilauea Iki olivine oxidized heating step || a
50.0 μm , index 0




Kilauea Iki olivine oxidized heating step || a
150.0 μm , index 1




Kilauea Iki olivine oxidized heating step || a
350.0 μm , index 2




Kilauea Iki olivine oxidized heating step || a
550.0 μm , index 3




Kilauea Iki olivine oxidized heating step || a
750.0 μm , index 4




Kilauea Iki olivine oxidized heating step || a
950.0 μm , index 5




Kilauea Iki olivine oxidized heating step || a
1100.0 μm , index 6




Kilauea Iki olivine oxidized heating step || a
1350.0 μm , index 7




Kilauea Iki olivine oxidized heating step || a
1550.0 μm , index 8




Kilauea Iki olivine oxidized heating step || a
1750.0 μm , index 9




Kilauea Iki olivine oxidized heating step || a
1850.0 μm , index 10




Kilauea Iki olivine oxidized heating step || a
1950.0 μm , index 11




Kilauea Iki olivine oxidized heating step || a
2013.2 μm , index 12




Kilauea Iki olivine oxidized heating step || c
50.0 μm , index 0




Kilauea Iki olivine oxidized heating step || c
150.0 μm , index 1




Kilauea Iki olivine oxidized heating step || c
250.0 μm , index 2




Kilauea Iki olivine oxidized heating step || c
350.0 μm , index 3




Kilauea Iki olivine oxidized heating step || c
450.0 μm , index 4




Kilauea Iki olivine oxidized heating step || c
550.0 μm , index 5




Kilauea Iki olivine oxidized heating step || c
650.0 μm , index 6




Kilauea Iki olivine oxidized heating step || c
750.0 μm , index 7




Kilauea Iki olivine oxidized heating step || c
850.0 μm , index 8




Kilauea Iki olivine oxidized heating step || c
950.0 μm , index 9




Kilauea Iki olivine oxidized heating step || c
1050.0 μm , index 10




Kilauea Iki olivine oxidized heating step || c
1150.0 μm , index 11




Kilauea Iki olivine oxidized heating step || b
50.0 μm , index 0




Kilauea Iki olivine oxidized heating step || b
150.0 μm , index 1




Kilauea Iki olivine oxidized heating step || b
250.0 μm , index 2




Kilauea Iki olivine oxidized heating step || b
350.0 μm , index 3




Kilauea Iki olivine oxidized heating step || b
450.0 μm , index 4




Kilauea Iki olivine oxidized heating step || b
550.0 μm , index 5




Kilauea Iki olivine oxidized heating step || b
650.0 μm , index 6




Kilauea Iki olivine oxidized heating step || b
750.0 μm , index 7




Kilauea Iki olivine oxidized heating step || b
850.0 μm , index 8



Kilauea Iki olivine oxidized heating step || b
950.0 μm , index 9



Kilauea Iki olivine oxidized heating step || b
1050.0 μm , index 10



Kilauea Iki olivine oxidized heating step || b
1150.0 μm , index 11

