PROJECT 1

My BBS

Madre & Sourdough

2020.10.15-2020.10.23 NodeJS + Express + Bootstrap4

1. BBS기본

◆파일구조

BBS -+- app.js

+- bbsRouter.js

+- userRouter.js

+- util.js

+- db/ -+- db-module.js

+- -+- db-init.js

+- view/ +- public/ -+- fontawesome/

- ima/

-+- img/

+- node_modules/

+- mysql.json

+- sessions/

+- package.json

역할	view파일		
공통	template.js		
	alertMsg.js		
로그인	login.html		
BBS	bbsList.js		
	bbsSearchList.js		
	bbsView.js		
	bbsWrite.js		
	bbsUpdate.js		
	bbsDelete.js		
User	userList.js		
	userView.js		
	userRegister.js		
	userUpdate.js		
	5		

userDelete.js

1. BBS기본

◆라우팅

•app.js

path	method	parameter	다음행선지	설명
1				● /bbs/list/1 으로 redirect
/login	GET		login.html	
/login	POST	uid, pwd	1	● dm.getUserInfo(uid) ● 성공하면 session에 uid, uname 값을 설정 (req.session.save)
/logout	GET		/login	

RRS기본 ◆라우팅

◈bbsRouter.js (/user로 시작하는 path처리)


ו עכטט די				, , , , , , , , , , , , , , , , , , , ,
path	method	parameter	다음행선지	설명
/bbs/list	GET	page	bbsList.js	dm.getBbsTotalCount()dm.getBbsList(offset)
/bbs/search	POST	keyword	bbsSearchList.js	dm.getSearchList(keyword)
/bbs/bid	GET	bid	bbsView.js	 dm.getBbsData(bid) dm.getReplyData(bid) dm.increaseViewCount(bid) 본인글이면0, 본인글아니면 조회수1추가
/bbs/reply	POST	bid, uid, content	/bbs/bid/\${bid}	dm.insertReply(params) dm.increaseReplyCount(bid)
/bbs/write	GET		bbsWrite.js	
/bbs/write	POST	title, content	/bbs/list/1	dm.insertBbs(params)
/bbs/update	GET	bid, uid	bbsUpdate.js	
/bbs/update	POST	bid, title, content	/bbs/bid/\${bid}	dm.updateBbs(params)
/bbs/delete	GET	bid, uid	bbsDelete.js	
/bbs/deleteConfirm	GET	bid	/bbs/list/\${page}	• dm.deleteBbs(bid)

1. BBS기본


◆라우팅 ◈userRouter.js (/user로 시작하는 path처리)

path	method	parameter	다음행선지	설명
/user/dispatch	GET		/user/list/1 /user/update/\$uid}	● admin인 경우: 사용자 리스트 ● 일반사용자인경우: 내 정보 수정
/user/list	GET	page	userList.js	dm.getUserTotalCount()dm.getUserList(offset)
/user/uid	GET	uid	userView.js	• dm.getUserInfo(uid)
/user/register	GET		userRegister.js	
/user/register	POST	uid, pwd, pwd2, uname, tel, email	/login	dm.registerUser(params)
/user/update	GET	uid	userUpdate.js	dm.getUserInfo(uid)
/user/update	POST	uid, pwdHash, pwd, pwd2, uname, tel, email	/user/uid/\${uid}	dm.updateUser(params)
/user/delete	GET	uid, uname	userDelete.js	
/user/deleteConfirm	GET	uid, uname	/user/list/1	● dm.deleteUser(uid) ● 삭제권한은 admin만 있음


2. BBS기본화면 ◆로그인




2. BBS기본화면 ◆ 회원 가입




2. BBS기본 화면 ◆ 회원 가입시, 공백이거나 자릿수 미만일 경우




2. BBS기본화면 ◆회원가입시,경고창알림




2. BBS기본화면 ◆ 게시글목록




2. BBS기본 화면 ◆ 게시글 목록 - 페이지이동




2. BBS기본화면 ◆ 게시글 조회




2. BBS기본화면 ◆ 댓글작성




2. BBS기본화면 ◆ 댓글작성 결과




2. BBS기본화면 ◆ 게시글 수정




2. BBS기본화면 ◆ 게시글 삭제




2. BBS기본화면 ◆ 게시글 제목 검색




2. BBS기본 화면 ◆ 사용자 목록 - 관리자




2. BBS기본화면 ◆ 사용자 정보 삭제 - 관리자



2. BBS기본 화면 ◆ 사용자 정보 수정 - 일반 사용자



2. BBS기본 화면 ◆ 사용자 정보 조회 - 일반 사용자



3. BBS기본 DB Table

♦users

Field	Typel	Null	Key	Default	ИЗ
uid	varchar(20)	No	PRI		
pwd	char(44)	No			SHA256, base64
uname	varchar(20)	No			
tel	varchar(20)				
email	varchar(40)				
regDate	datetime			current_timestamp	
isDeleted	int			0	삭제되면 1
photo	varchar(80)				

3. BBS기본 DB Table

♦bbs

Field	Typel	Null	Key	Default	มอ
bid	int	No	PRI	auto_increment	1001부터 시작
uid	varchar(20)	No	MUL		users.uid
title	varchar(100)	No			
content	varchar(1000)				
modTime	datetime			current_timestamp	최종수정시간
viewCount	int			0	
isDeleted	int			0	
replyCount	int			0	삭제되면 1

3. BBS기본 DB Table

♦reply

Field	Typel	Null	Key	Default	มอ
rid	int	No	PRI	auto_increment	
bid	int	No	MUL		bbs.bid
uid	varchar(20)	No	MUL		users.uid
content	varchar(100)				
regTime	datetime			current_timestamp	등록시간
isMine	int			0	본인이 작성한 댓글은 1

-END-

