

## 7. Annex: Full documentation of the EHRI\_EAD schema (version 1, March 2017)

### Guidelines

In the context of the [EHRI project](#), we created an ODD base on the EAD ODD maintained by the Parthenos project, to document the specific rules and constraints of the EHRI data model for archival descriptions. In this new ODD file, called EHRI\_EAD.odd, the generic EAD specification is imported and serves the baseline of specification. The additional constraints are added only to the elements that they refer to.

The constraints added to EAD ensures a smooth ingestion of external data in the EHRI's database.

First, some EAD elements are required for the good functioning of the database, for instance unique identifiers for all the descriptions (contained in <eadid>).

Second, some elements are made mandatory for more qualitative reasons: for instance to ease the discoverability of its resources, EHRI wants that a minimal description in English is provided with each description unit. We encourage the use of ISO standards for the representation of languages, scripts, dates, etc, as well as the interlinkage of entities, via the use of authority lists.

Schematron rules were already used in EHRI, so we integrated them directly in this EHRI-EAD ODD.

### Specification

#### Elements

##### <abbr>

**<abbr>** (Abbreviation) A generic element for a shortened form of a word, including an acronym.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

expan The *expan* attribute can be used to supply the full form of an abbreviated word for indexing or searching purposes.

**Status** Optional

**Datatype**

**Member of** model.phrase.basic.norefs

**Contained by** EAD: abstract archref bibref creation descrules dimensions emph entry event extrefloc item label langmaterial language materialspec origination p physdesc physfacet physloc ref refloc repository subtitle titleproper unitdate unitid unittitle

**May contain** Character data only

**Note** See also related element Expansion <expan>.

**Example** <note xmlns="urn:isbn:1-931666-22-9">

<p>

<abbr expan="Autograph Letter Signed">ALS</abbr>

</p>

</note>

**Content model**

<content>

</content>

## Schema

**Declaration** element abbr { att.EADGlobal.attributes, attribute expand { text }?, text }

## <abstract>

**<abstract>** (Abstract) A very brief summary of the materials being described, used primarily to encode bits of biographical or historical information about the creator and abridged statements about the scope, content, arrangement, or other descriptive details about the archival unit or one of its components.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type) att.langcode (@langcode) att.labeled (@label)

**Member of** model.did

**Contained by** EAD: archref did

**May contain** EAD: abbr archref bibref emph expan extptr extref lb linkgrp ptr ref subtitle title  
**Note** Within the <archdesc><did>, the <abstract> is often extracted from the longer descriptions found in <bioghist> and <scopecontent>. Its purpose is to help readers identify quickly those materials they need to explore at greater length. Within the <c><did>, the <abstract> may describe unique characteristics of an individual Component. This information may have aspects of <arrangement>, <bioghist>, <physdesc>, and <scopecontent>, which are not substantive enough to tag individually under those elements. Use of the TYPE and ENCODINGANALOG attributes on <abstract> may assist in extracting information for such MARC equivalents as summary note (520\$a) and biographical or historical data (545\$a). The LANGCODE attribute can be used when abstracts are provided in more than one language.

**Example** <archdesc xmlns="urn:isbn:1-931666-22-9" level="fonds">  
 <did>  
 <head>Descriptive Summary</head>  
 <unittitle label="Title">Richard Egan manuscript maps of  
 Orange County</unittitle>  
 <unitdate type="inclusive"  
 normal="1878/1879">Circa  
 1878-1879</unitdate>  
 <unitid countrycode="us"  
 repositorycode="cu-i" label="Collection number">MS-R72</unitid>  
 <origination label="Creator">  
 <persname rules="aacr2">Egan, Richard,  
 1842-1923</persname>  
 </origination>  
 <physdesc label="Extent">  
 <extent>1 linear foot (1 box)</extent>  
 </physdesc>  
 <repository label="Repository">  
 <corpname rules="aacr2">University of California,  
 Irvine. Library. Special Collections and  
 Archives.</corpname>  
 </repository>  
 <abstract label="Abstract">Four manuscript survey maps and  
 one plat map depicting areas of Orange County and  
 attributed to the noted surveyor and judge Richard Egan.

One map is dated 1878 and 1879 by Egan. The other maps are undated and unsigned but it is likely that he drew them during these years. These maps primarily depict subdivisions of non-rancho tracts of land occupying what is now Orange County, with the addition of some topographical details.</abstract>

</did>  
</archdesc>

## Content model

<content>  
</content>

## Schema

**Declaration**

```

element abstract
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  att.langcode.attributes,
  att.labeled.attributes,
  ( text | model.phrase.basic ) *
}

```

## <accessrestrict>

**<accessrestrict>** (Conditions Governing Access) Information about conditions that affect the availability of the materials being described. May indicate the need for an appointment or the nature of restrictions imposed by the donor, legal statute, repository, or other agency. May also indicate the lack of restrictions.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type)

**Member of** model.desc.base

**Contained by** EAD: accessrestrict archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp

**May contain** EAD: accessrestrict address blockquote chronlist head legalstatus list note p table

**Note** Do not confuse with Conditions Governing Use <userrestrict>, which designates information about limitations on the use of the described materials after access has been granted. In EAD Version 1.0 <accessrestrict> was a subelement of Administrative Information <admininfo>, which has been deprecated in EAD 2002 (see Appendix B). The new Description Group <descgrp> element, which can group any of the <did>-level elements (except the Description of Subordinate Components <dsc>), may be used to wrap elements where a group heading is desirable. The <descgrp> element can be used to replace <admininfo> where it has been used as a wrapper when converting finding aids encoded in EAD V1.0 to EAD 2002.

The <accessrestrict> element is comparable to ISAD(G) data element 3.4.1 and MARC field 506.

## Example

```

<accessrestrict xmlns="urn:isbn:1-931666-22-9">
  <p>There are no access restrictions on this collection.</p>
</accessrestrict>

```

## Example

```

<accessrestrict xmlns="urn:isbn:1-931666-22-9">
  <p>University records are public records and once fully

```

processed are generally open to research use. Records that contain personally identifiable information will be closed to protect individual privacy. The closure of university records is subject to compliance with applicable laws.</p>

&lt;/accessrestrict&gt;

### Example

```
<p xmlns="urn:isbn:1-931666-22-9">
  <c02 level="file">
    <did>
      <container type="box" label="Box">104 </container>
      <container type="folder"
        label="Folder(s)">6578-6579 </container>
      <unittitle>
        <title render="italic">Technics and
          Civilization</title> (<title render="italic">Form
            and Personality</title> or <title render="italic">Form and Civilization</title>) <
      /unittitle>
      <unitdate type="inclusive"
        normal="1931/1933">1931-1933</unitdate>
    </did>
    <scopecontent>
      <p>Draft fragments.</p>
    </scopecontent>
    <accessrestrict>
      <p>Only the photocopies (housed in Box 105) of these
        fragile materials may be used.</p>
    </accessrestrict>
  </c02>
</p>
```

### Content model

```
<content>
</content>
```

### Schema

#### Declaration

```
element accessrestrict
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  head?,
  ( model.blocks | legalstatus | accessrestrict )+
}
```

### <accruals>

**<accruals>** (Accruals) Information about anticipated additions to the materials being described. Can indicate quantity and frequency. Can also be used to indicate that no additions are expected.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Member of** model.desc.base

**Contained by** EAD: accruals archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp

**May contain** EAD: accruals address blockquote chronlist head list note p table

**Note** In EAD Version 1.0 <accruals> was a subelement of Administrative Information

<admininfo>, which has been deprecated in EAD 2002 (see Appendix B). The new Description Group <descgrp> element, which can group any of the <did>-level elements (except the Description of Subordinate Components <dsc>), may be used to wrap elements where a group heading is desirable. The <descgrp> element can be used to replace <admininfo> where it has been used as a wrapper when converting finding aids encoded in EAD V1.0 to EAD 2002. The <accruals> element is comparable to ISAD(G) data element 3.3.3 and MARC field 584.

**Example**

```
<accruals xmlns="urn:isbn:1-931666-22-9">
  <p>No further materials are expected for this collection.</p>
</accruals>
```

**Example**

```
<accruals xmlns="urn:isbn:1-931666-22-9">
  <p>Noncurrent additions to this Record Group are transferred
    from the Development Department annually at the end of the
    fiscal year in June.</p>
</accruals>
```

**Content model**

```
<content>
</content>
```

**Schema**
**Declaration**

```
element accruals
{
  att.EADGlobal.attributes,
  head?,
  ( model.blocks | accruals )+
}
```

## <acqinfo>

**<acqinfo>** (Acquisition Information) The immediate source of the materials being described and the circumstances under which they were received. Includes donations, transfers, purchases, and deposits.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Member of** model.desc.base

**Contained by** EAD: acqinfo archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 custodhist descgrp

**May contain** EAD: acqinfo address blockquote chronlist head list note p table

**Note** After opening a Paragraph <p> within <acqinfo>, optional subelements may be used to tag separately such common acquisition information as the name of the source, e.g., <persname> or <corpname>; the <date> the materials were received; or the accession number <num> assigned to them. The <address> element could be used to document the address of the source, and the *audience* attribute could be set to "internal," if the address information should only be available to authorized staff. Note that the accession number may also serve as the <unitid> and be encoded as such within a <did>. For detailed information about items acquired and then subsequently alienated from the materials being described, the Separated Material <separatedmaterial> element can be used. It designates items related by provenance that have been physically removed from the materials being described.

The Custodial History <custodhist> element can be used for information about the chain of ownership before the materials reached the immediate source of

acquisition.

In EAD Version 1.0 <acqinfo> was a subelement of Administrative Information <admininfo>, which has been deprecated in EAD 2002 (see Appendix B). The new Description Group <descgrp> element, which can group any of the <did>-level elements (except the Description of Subordinate Components <dsc>), may be used to wrap elements where a group heading is desirable. The <descgrp> element can be used to replace <admininfo> where it has been used as a wrapper when converting finding aids encoded in EAD V1.0 to EAD 2002.

The <acqinfo> element is comparable to ISAD(G) data element 3.2.4 and MARC field 541.

#### Example

```
<acqinfo xmlns="urn:isbn:1-931666-22-9">
  <p>Transfer from <corpname>National Park Service, </corpname>
    <date type="accession">1945</date>. Accession number <num type="accession"
    >45.22</num>.</p>
</acqinfo>
```

#### Example

```
<acqinfo xmlns="urn:isbn:1-931666-22-9">
  <p>Source unknown. Originally deposited in University Library,
    transferred to Department of Palaeography, <date normal="19580424">24 April 1
    958</date>.</p>
</acqinfo>
```

#### Content model

```
<content>
</content>
```

#### Schema

##### Declaration

```
element acqinfo
{
  att.EADGlobal.attributes,
  head?,
  ( model.blocks | acqinfo )+
}
```

## <address>

**<address>** (Address) A generic element for information about the place where someone or something is located and may be reached. Examples include a postal address for a repository, or the electronic mail address and phone number of the party granting publication permission.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Member of** model.inter.noquote

**Contained by** EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist blockquote controlaccess custodhist daodesc descgrp div dsc dscgroup entry event extrefloc index item note odd originalsloc otherfindaid p physitech prefercite processinfo publicationstmt ref refloc relatedmaterial repository scopecontent separatedmaterial userrestrict

**May contain** EAD: addressline

**Note** Consider using an entity reference to store address information that occurs in many finding aids, as it is easier to update the information when located in a single, shared file. The entity reference can contain both the EAD elements and their content. A style sheet can also be used to supply this kind of information.

#### Example

```
<publicationstmt xmlns="urn:isbn:1-931666-22-9">
  <publisher>The Bancroft Library.</publisher>
```

```
<address>
  <addressline>University of California,
    Berkeley.</addressline>
  <addressline>Berkeley, California 94720-6000</addressline>
  <addressline>Phone: 510/642-6481</addressline>
  <addressline>Fax: 510/642-7589</addressline>
  <addressline>Email:
    bancref@library.berkeley.edu</addressline>
</address>
</publicationstmt>
```

**Content  
model**

```
<content>
</content>
```

**Schema**

**Declaration** element address { att.EADGlobal.attributes, addressline+ }

**<addressline>**

**<addressline>** (Address Line) A generic element for one line of a postal or other address. May be repeated as many times as necessary to enter all available lines of an address.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: address

**May contain** EAD: emph extptr lb ptr

**Example**

```
<publicationstmt xmlns="urn:isbn:1-931666-22-9">
  <publisher>Special Collections and Archives</publisher>
  <address>
    <addressline>The UCI Libraries</addressline>
    <addressline>P.O. Box 19557</addressline>
    <addressline>University of California</addressline>
    <addressline>Irvine, California 92623-9557</addressline>
    <addressline>Phone: (949) 824-7227</addressline>
    <addressline>Fax: (949) 824-2472</addressline>
    <addressline>Email: spcoll@uci.edu</addressline>
    <addressline>URL: http://www.lib.uci.edu/rrsc/speccoll.html</addressline>
  </address>
  <date>© 2000</date>
  <p>The Regents of the University of California. All rights
    reserved.</p>
</publicationstmt>
```

**Content  
model**

```
<content>
</content>
```

**Schema**

**Declaration** element addressline { att.EADGlobal.attributes, ( text | model.phrase.bare )\* }

**<altformavail>**

**<altformavail>** (Alternative Form Available) Information about copies of the materials being described, including the type of alternative form, significant control numbers, location, and source



for ordering if applicable. The additional formats are typically microforms, photocopies, or digital reproductions.

<b>Module</b>	EAD
<b>Attributes</b>	att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type)
<b>Member of</b>	model.desc.base
<b>Contained by</b>	EAD: altformavail archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp
<b>May contain</b>	EAD: address altformavail blockquote chronlist head list note p table
<b>Note</b>	Do not confuse with Location of Originals <originalsloc>, which is used to encode information about the existence, location, and availability of originals where the unit described consists of copies. In EAD Version 1.0 <altformavail> was a subelement of Administrative Information <admininfo>, which has been deprecated in EAD 2002 (see Appendix B). The new Description Group <descgrp> element, which can group any of the <did>-level elements (except the Description of Subordinate Components <dsc>), may be used to wrap elements where a group heading is desirable. The <descgrp> element can be used to replace <admininfo> where it has been used as a wrapper when converting finding aids encoded in EAD V1.0 to EAD 2002. The <altformavail> element is comparable to ISAD(G) data element 3.5.2 and MARC field 530.
<b>Example</b>	<pre>&lt;altformavail xmlns="urn:isbn:1-931666-22-9"&gt;   &lt;p&gt;This collection has been microfilmed and is available on     three reels MF1993-034:1 to MF1993-034:3.&lt;/p&gt;   &lt;p&gt;Researchers interested in purchasing microfilm copies should     contact the repository.&lt;/p&gt; &lt;/altformavail&gt;</pre>
<b>Example</b>	<pre>&lt;altformavail xmlns="urn:isbn:1-931666-22-9"&gt;   &lt;head&gt;Alternate Form of Material&lt;/head&gt;   &lt;p&gt;Microfilm copy available (&lt;num type="microfilm reel"&gt; M-5030/1&lt;/num&gt;).&lt;/p&gt; &lt;/altformavail&gt;</pre>
<b>Example</b>	<pre>&lt;c02 xmlns="urn:isbn:1-931666-22-9" level="file"&gt;   &lt;did&gt;     &lt;container type="reel"       label="Film Storage"&gt;1&lt;/container&gt;     &lt;unittitle&gt;       &lt;title render="italic"&gt;The Man Who Hated         Children&lt;/title&gt;     &lt;/unittitle&gt;     &lt;unitdate normal="1972"&gt;1972&lt;/unitdate&gt;     &lt;physdesc&gt;16 mm. film&lt;/physdesc&gt;   &lt;/did&gt;   &lt;altformavail&gt;     &lt;p&gt;A VHS Videocassette version is available for viewing.       Video tape is located in Video Storage.&lt;/p&gt;   &lt;/altformavail&gt; &lt;/c02&gt;</pre>
<b>Schematron</b>	<p>If the element &lt;altformavail&gt; is not empty, you COULD try to identify if the originals are present in the EHRI portal and make a link between the two descriptions.</p> <pre>&lt;s:rule context="ead:altformavail/ead:p"&gt; &lt;s:assert role="COULD"   test="not(normalize-space(.))"&gt; If the element altformavail is not empty, you   COULD try to identify if the originals are present in the EHRI portal and make a link   between the two descriptions&lt;/s:assert&gt; &lt;/s:rule&gt;</pre>



## Content model

&lt;content/&gt;

## Schema Declaration

```

element altformavail
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  head?,
  ( model.blocks | altformavail )+
}

```

## <appraisal>

**<appraisal>** (Appraisal Information) Information about the process of determining the archival value and thus the disposition of records based upon their current administrative, legal, and fiscal use; their evidential, intrinsic, and informational value; their arrangement and condition; and their relationship to other records.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Member of** model.desc.base

**Contained by** EAD: appraisal archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp

**May contain** EAD: address appraisal blockquote chronlist head list note p table

**Note** In EAD Version 1.0 <appraisal> was a subelement of Administrative Information <admininfo>, which has been deprecated in EAD 2002 (see Appendix B). The new Description Group <descgrp> element, which can group any of the <did>-level elements (except the Description of Subordinate Components <dsc>), may be used to wrap elements where a group heading is desirable. The <descgrp> element can be used to replace <admininfo> where it has been used as a wrapper when converting finding aids encoded in EAD V1.0 to EAD 2002. The <appraisal> element is comparable to ISAD(G) data element 3.3.2 and MARC field 583.

## Example

```

<appraisal xmlns="urn:isbn:1-931666-22-9">
  <p>The records of the Mid-Ocean Dynamics Experiment came to the
  Institute Archives in two accessions in 1980 and 1982.
  During processing the collection was reduced from fifteen
  cubic feet to four by discarding duplicate materials,
  financial records, and publications not authored by MODE
  participants. Forty charts and six inches of raw data
  presented the primary appraisal issues. The raw data
  consisted of bulletins and reports referring to float
  positions, moorings, isotherms, geostrophic velocity
  calculations, ships' summaries, and work proposed and work
  carried out during the MODE-I experiment. As this raw data
  was recapitulated in weekly <title render="underline">MODE
  Hot Line Bulletins</title>, only a sampling was retained
  in the collection. Also discarded were ten charts for which
  there were no descriptions of indicated data points, nor
  were dates or test site locations provided.</p>
  <p>Six inches of materials pertaining to the POLYMODE project,
  1973-1980, were added to the Institute Archives POLYMODE
  collection.</p>

```

```
<p>The appraisal of this collection was carried out in
  consultation with Robert Heinmiller, a research associate at
  Woods Hole Oceanographic Institution during MODE.</p>
</appraisal>
```

## Content model

```
<content>
</content>
```

## Schema

### Declaration

```
element appraisal
{
  att.EADGlobal.attributes,
  head?,
  ( model.blocks | appraisal )+
}
```

## <arc/>

**<arc/>** (Arc) Specifies the rules for traversal among the participating resources in an extended link. Arc uses the attributes to and from to define the traversal between named pairs of resources.

**Module** EAD

**Attributes** att.xlink (@label, @href, @type, @title, @from, @to, @role, @actuate, @show, @arcrole, @xpointer, @entityref, @target, @parent)

**Member of** model.extended.els

**Contained by** EAD: daogrp linkgrp

**May contain** Empty element

**Note** While XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use XLink are encouraged to consult the specification available online at <http://www.w3.org/TR/xlink/>.

### Example

```
<c02 xmlns="urn:isbn:1-931666-22-9" level="file">
  <did>
    <unittitle>Photographs of John Smith and family
      members</unittitle>
    <unitdate type="inclusive"
      normal="1895/1928">1895-1928</unitdate>
    <daogrp linktype="extended">
      <daodesc>
        <p>Sample digitized image from this file: John Smith
          graduation portrait, <date normal="18950528">28
            May 1895</date>.</p>
      </daodesc>
      <resource linktype="resource"
        label="start"/>
      <daoloc entityref="f0042_1tmb"
        linktype="locator" label="thumb"/>
      <daoloc entityref="f0042_1ref"
        linktype="locator" label="reference"/>
      <arc linktype="arc" show="embed"
        actuate="onload" from="start" to="thumb"/>
      <arc linktype="arc" show="new"
```

```

    actuate="onrequest" from="thumb" to="reference"/>
  </daogrp>
</did>
</c02>

```

## Content model

```

<content>
</content>

```

## Schema

**Declaration** element arc { att.xlink.attributes, empty }

## <archdesc>

**<archdesc>** (Archival Description) A wrapper element for the bulk of an EAD document instance, which describes the content, context, and extent of a body of archival materials, including administrative and supplemental information that facilitates use of the materials. Information is organized in unfolding, hierarchical levels that allow for a descriptive overview of the whole to be followed by more detailed views of the parts, designated by the element Description of Subordinate Components <dsc> . Data elements available at the <archdesc> level are repeated at the various component levels within <dsc>, and information is inherited from one hierarchical level to the next.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

att.relatedencoding (@relatedencoding) att.desc.c (level, @otherlevel)

level The hierarchical level of the materials being described by the element.

**Derived from** att.desc.c

**Status** Required

**Schematron** If the attribute *level* has the value 'otherlevel', an attribute *otherlevel* MUST be added  
<s:rule context="ead:ead"> <s:assert role="MUST" test="not(@level = 'otherlevel') or (@otherlevel and not(@otherlevel = ''))">If the attribute level has the value 'otherlevel', an attribute otherlevel MUST be added</s:assert> </s:rule>

**Schematron** The <archdesc> element can have for *level* the value 'fonds', not the subcomponents, <c01> to <c06>  
<s:rule context="ead:ead"> <s:assert role="SHOULD" test="not(@level = 'fonds') or name(.) = 'archdesc'">The archdesc can have for level the value 'fonds', not the subcomponents.</s:assert> </s:rule>

**Schematron** A component with *level*="recordgrp" SHOULD be a child of another component with *level*="recordgrp"  
<s:rule context="ead:ead"> <s:assert role="SHOULD" test="not(@level = 'recordgrp') or (parent::\*[@level = 'recordgrp'] or (name(.) = 'archdesc') or (name(.) = 'c01') and ancestor::\*[@level = 'recordgrp'])">recordgrp SHOULD be a child of another recordgrp</s:assert> </s:rule>

**Schematron** A component with *level*="subgrp" SHOULD be a child of another component with *level*="subgrp" or "recordgrp"  
<s:rule context="ead:ead"> <s:assert role="SHOULD" test="not(@level = 'subgrp') or ((parent::\*[@level = 'recordgrp'] or @level = 'subgrp']) or (name(.) = 'c01') and

	<p>ancestor::*[@level = 'recordgrp']"&gt;subgrp SHOULD be a child of another subgrp or a recordgrp&lt;/s:assert&gt; &lt;/s:rule&gt;</p>
<b>Schematron</b>	<p>A component with <i>level</i>="subseries" SHOULD be a child of another component with <i>level</i>="subseries" or "series" &lt;s:rule context="ead:ead"&gt; &lt;s:assert role="SHOULD" test="not(@level = 'subseries') or parent::*[@level = 'subseries' or @level = 'series']"&gt;subseries SHOULD be a child of another subseries or a series&lt;/s:assert&gt; &lt;/s:rule&gt;</p>
<b>Datatype</b>	
<b>Legal values are:</b>	<p><b>class</b></p> <p><b>collection</b></p> <p><b>fonds</b></p> <p><b>item</b></p> <p><b>otherlevel</b></p> <p><b>recordgrp</b></p> <p><b>series</b></p> <p><b>subfonds</b></p> <p><b>subgrp</b></p> <p><b>subseries</b></p> <p><b>file</b></p>

<b>type</b>	can be used to categorize the finding aid as an inventory, register, or other format.
<b>Derived from</b>	att.typed
<b>Status</b>	Optional
<b>Datatype</b>	

**Contained by** EAD: ead

**May contain** EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist controlaccess custodhist dao daogrp descgrp did dsc fileplan note odd originalsloc otherfindaid phystech prefercite processinfo relatedmaterial runner scopecontent separatedmaterial userrestrict

**Note** The Descriptive Identification <did> element is required to appear in <archdesc> before presenting more detailed descriptions in <bioghist>, <scopecontent>, and <dsc>, in order to provide first a basic description of the archival materials.

**Schematron** This constraint exists only for technical reasons. Without the declaration of the EAD namespace, the transformation in relaxNG wouldn't work.  
<s:ns prefix="ead" uri="urn:isbn:1-931666-22-9"/>

**Schematron** This constraint exists only for technical reasons. Without the declaration of the TEI namespace, the transformation in relaxNG wouldn't work.  
<s:ns prefix="tei" uri="http://www.tei-c.org/ns/1.0"/>

- Schematron** <archdesc> MUST have a *level* attribute.  
 <s:rule context="ead:archdesc"> <s:assert role="MUST" test="@level">archdesc  
 MUST have a level-attribute</s:assert> </s:rule>
- Schematron** The value of the <archdesc> *level* attribute SHOULD be limited to four values:  
 <s:rule context="ead:archdesc"> <s:assert role="COULD" test="@level = 'fonds' or  
 @level = 'recordGrp' or @level = 'collection' or @level='otherlevel'">The value of the  
 archdesc level attribute SHOULD be 'fonds', 'recordGrp', 'collection' or  
 'otherlevel'.</s:assert> </s:rule>
- Schematron** <archdesc>should contain a non-empty <origination> element.  
 <s:rule context="ead:archdesc"> <s:assert role="SHOULD"  
 test="ead:did/ead:origination and normalize-  
 space(ead:did/ead:origination)">archdesc SHOULD have a non-empty  
 origination</s:assert> </s:rule>
- Schematron** If <archdesc> should contain a non-empty <processinfo> element.  
 <s:rule context="ead:archdesc"> <s:assert role="SHOULD" test="normalize-  
 space(ead:processinfo)">archdesc-processinfo SHOULD not be empty</s:assert>  
 </s:rule>
- Schematron** The <processinfo> element SHOULD contain a <date> element as descendant.  
 <s:rule context="ead:archdesc"> <s:assert role="SHOULD" test="normalize-  
 space(ead:processinfo/ead:p/ead:date)">archdesc-processinfo SHOULD have a  
 non empty date</s:assert> </s:rule>
- Schematron** The <archdesc> element COULD contain a <langmaterial> element.  
 <s:rule context="ead:archdesc"> <s:assert role="COULD"  
 test="ead:did/ead:langmaterial">archdesc COULD have a langmaterial</s:assert>  
 </s:rule>
- Schematron** The <archdesc> element COULD contain a <custodhist> element.  
 <s:rule context="ead:archdesc">  
 <s:assert role="COULD" test="ead:custodhist">archdesc COULD have a  
 custodhist</s:assert> </s:rule>
- Schematron** The <archdesc> element COULD contain a <otherfindaid> element.  
 <s:rule context="ead:archdesc"> <s:assert role="COULD"  
 test="ead:otherfindaid">archdesc COULD have an otherfindaid</s:assert> </s:rule>
- Schematron** The <archdesc> element COULD contain a <originalsloc> element.  
 <s:rule context="ead:archdesc"> <s:assert role="COULD"  
 test="ead:originalsloc">archdesc COULD have an originalsloc</s:assert> </s:rule>
- Schematron** The <archdesc> element COULD contain a <altformavail> element.  
 <s:rule context="ead:archdesc"> <s:assert role="COULD"  
 test="ead:altformavail">archdesc COULD have an altformavail</s:assert> </s:rule>
- Schematron** The <archdesc> element COULD contain a <bibliography> element.  
 <s:rule context="ead:archdesc"> <s:assert role="COULD"  
 test="ead:bibliography">archdesc COULD have a bibliography</s:assert> </s:rule>
- Schematron** The <archdesc> element COULD contain a <odd> element  
 <s:rule context="ead:archdesc"> <s:assert role="COULD" test="ead:odd">archdesc  
 COULD have an odd</s:assert> </s:rule>
- Schematron** The <archdesc> element COULD contain a <note> element.  
 <s:rule context="ead:archdesc"> <s:assert role="COULD" test="ead:note">archdesc  
 COULD have a note</s:assert> </s:rule>
- Schematron** The <archdesc> element COULD contain a <controlaccess> element.  
 <s:rule context="ead:archdesc"> <s:assert role="COULD"  
 test="ead:controlaccess">archdesc COULD have a controlaccess</s:assert>  
 </s:rule>
- Schematron** A <scopecontent> element SHOULD be present in the description at least in

<archdesc>, if not in the <c> elements.

```
<s:rule context="ead:archdesc" role="SHOULD"> <s:assert test="ead:scopecontent
or ead:dsc/ead:c01/descendant-or-self::ead:scopecontent">a scopecontent element
SHOULD be present at least in archdesc if not in the c elements</s:assert>
</s:rule>
```

## Content model

<content/>

## Schema Declaration

```
element archdesc
{
  att.EADGlobal.attributes,
  att.relatedencoding.attributes,
  att.desc.c.attribute.otherlevel,
  attribute level
  {
    "class"
    | "collection"
    | "fonds"
    | "item"
    | "otherlevel"
    | "recordgrp"
    | "series"
    | "subfonds"
    | "subgrp"
    | "subseries"
    | "file"
  }
}>>
tei:constraintSpec
[
  ident = "otherlevel"
  scheme = "isoschematron"
  type = "EHRI"
  mode = "add"
  "If the attribute "
  "level"
  "" has the value 'otherlevel', an attribute ""
  "otherlevel"
  " MUST be added"
  ""If the attribute level has the value 'otherlevel', an attribute otherlevel MUST be a
dded""
]
>>
tei:constraintSpec
[
  ident = "levelFonds"
  scheme = "isoschematron"
  type = "EHRI"
  mode = "add"
  "The "
  "<archdesc>"
```

```

" element can have for "
"level"
"" the value 'fonds', not the subcomponents, ""
"<c01>"
" to "
"<c06>"
""The archdesc can have for level the value 'fonds', not the subcomponents.""
]
>>
tei:constraintSpec
[
  ident = "recordgrplevel"
  scheme = "isoschematron"
  type = "EHRI"
  mode = "add"
  "A component with "
  "level"
  ""="recordgrp" SHOULD be a child of another component with ""
  "level"
  ""="recordgrp""
  "recordgrp SHOULD be a child of another recordgrp"
]
>>
tei:constraintSpec
[
  ident = "subgrpLevel"
  scheme = "isoschematron"
  type = "EHRI"
  mode = "add"
  "A component with "
  "level"
  ""="subgrp" SHOULD be a child of another component with ""
  "level"
  ""="subgrp" or "recordgrp""
  "subgrp SHOULD be a child of another subgrp or a recordgrp"
]
>>
tei:constraintSpec
[
  ident = "subseriesLevel"
  scheme = "isoschematron"
  type = "EHRI"
  mode = "add"
  "A component with "
  "level"
  ""="subseries" SHOULD be a child of another component with ""
  "level"
  ""="subseries" or "series""
  "subseries SHOULD be a child of another subseries or a series"
],
attribute type { data.enumerated }?,
( runner*, did, model.desc.full* )

```



}

## <archdescgrp>

**<archdescgrp>** (Archival Description Group) A wrapper element used only within <eadgrp> in the EAD Group Document Type Definition. The <archdescgrp> summarizes the content, context, and extent of the archival materials described in separate EAD documents bundled within the <dscgrp> subelement. The <archdescgrp> may contain all data elements available in <archdesc>, except for <dsc>; the <dscgrp> subelement fills the role of <dsc>. As with <archdesc>, a Descriptive Identification <did> element is required to appear in <archdescgrp> before presenting more detailed descriptions in such elements as <bioghist>.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)  
att.relatedencoding (@relatedencoding) att.desc.c (@level, @otherlevel)

**Contained by** —

**May contain** EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist controlaccess custodhist dao daogrp descgrp did dsc fileplan note odd originalsloc otherfindaid phystech prefercite processinfo relatedmaterial runner scopecontent separatedmaterial userrestrict  
See also the <eadgrp> element.

**Note**  
**Content**  
**model**

<content>  
</content>

### Schema

**Declaration** element archdescgrp  
{  
  att.EADGlobal.attributes,  
  att.relatedencoding.attributes,  
  att.desc.c.attributes,  
  ( runner\*, did, model.desc.full\*, dscgrp )  
}

## <archref>

**<archref>** (Archival Reference) A reference element that provides a citation and/or an electronic link to separately described archival materials of special interest. Examples of such materials include a record group and one of its large series (which might have separate EAD-encoded finding aids) and a general reference to a collection with similar content.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.rolled (@role)  
att.xlink (@label, @href, @type, @title, @from, @to, @role, @actuate, @show, @arcrole, @xpointer, @entityref, @target, @parent)

**Member of** model.refs

**Contained by** EAD: abstract bibliography bibref creation descrules dimensions emph entry event extref item label langmaterial language materialspec origination otherfindaid p physdesc physfacet physloc ref relatedmaterial repository separatedmaterial unitdate unitid unittitle

**May contain** EAD: abbr abstract bibref container dao daogrp emph expan extptr extref langmaterial lb materialspec note origination physdesc physloc ptr ref repository title unitdate unitid unittitle

**Note** The <archref> element can be helpful in several situations. It can be used, with the

HREF or ENTITYREF attribute, for linking to another EAD instance. The <archref> element can also be used to cite archival materials within a <bibliography>, <relatedmaterial>, or <separatedmaterial> element. The <archref> may contain just text or some of the content-specific elements such as <origination>, <repository>, and <unittitle> to identify the different kinds of information in a citation. Do not confuse <archref> with the Bibliographic Reference <bibref> element, which is used to cite works that are published entities or individual items that are not usefully designated as archival materials.

While XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use XLink are encouraged to consult the specification available online at <http://www.w3.org/TR/xlink>.

### Example

```
<relatedmaterial xmlns="urn:isbn:1-931666-22-9">
  <head>Related Collections</head>
  <archref>
    <unitid>BANC PIC 19xx.055--ffALB</unitid>,
    <unittitle>
      <title>Photographs Taken During the U.S.
        Geological Surveys West of the 100th Meridian,
        1871-1873</title>, by Timothy H. O'Sullivan and
        William Bell</unittitle>
    </archref>
    <archref>
      <unitid>BANC PIC 19xx.089--STER</unitid>,
      <unittitle>
        <title>Stereoviews of the U.S.
          Geographical Survey Expedition West of the 100th
          Meridian of 1871</title>, by Timothy H.
          O'Sullivan</unittitle>
      </archref>
      <archref>
        <unitid>BANC PIC 19xx.273--PIC</unitid>,
        <unittitle>Geographical Surveys West of the 100th
          Meridian (U.S.). <title>New Mexico Photographs from the
          1873 Geographical Survey West of the 100th
          Meridian</title>
        </unittitle>
      </archref>
      <archref>
        <unitid>BANC PIC 1905.17116-.17119--STER</unitid>,
        <unittitle>
          <title>Western Survey Expeditions of
            1871, 1872, 1873, and 1874 </title>, by Timothy H.
            O'Sullivan and William Bell</unittitle>
          </archref>
        </relatedmaterial>
```

### Content model

```
<content>
</content>
```

### Schema

**Declaration** element archref

```
{
  att.EADGlobal.attributes,
  att.roled.attributes,
  att.xlink.attributes,
  (
    text
    | model.phrase.basic.norefs
    | bibref
    | ref
    | title
    | extref
    | model.did
  )*
}
```

## <arrangement>

**<arrangement>** (Arrangement) Information on how the described materials have been subdivided into smaller units, e.g., record groups into series, identifying the logical or physical groupings within a hierarchical structure. Can also be used to express the filing sequence of the described materials, such as the principle characteristics of the internal structure, or the physical or logical ordering of materials, including alphabetical, chronological, geographical, office of origin, and other schemes. Identifying logical groupings and the arrangement pattern may enhance retrieval by researchers.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Member of** model.desc.base

**Contained by** EAD: archdesc archdescgrp arrangement c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp scopecontent

**May contain** EAD: address arrangement blockquote chronlist head list note p table

**Note** The <arrangement> element may occur within <archdesc> and <c> or as a subelement of <scopecontent>. The <arrangement> element is comparable to ISAD(G) data element 3.3.4 and MARC field 351. The ENCODINGANALOG attribute may be used to differentiate between the 351 subfield a (organization) and subfield b (arrangement).

**Example**

```
<arrangement xmlns="urn:isbn:1-931666-22-9">
  <head>Arrangement of the Collection</head>
  <p>The filing system for the Braman Collection has been kept
    substantially in its original form. That is, original
    folders and their titles have been retained. The processor
    devised the basic organization scheme for the collection
    and, where necessary, reorganized the papers within the
    various component groups.</p>
</arrangement>
```

**Example**

```
<c01 xmlns="urn:isbn:1-931666-22-9" level="series">
  <did>
    <unittitle>Research files</unittitle>
    <unitdate type="inclusive"
      normal="1887/1995">1887-1995</unitdate>
    <physdesc>
      <extent>3.5 linear feet (4 boxes)</extent>
```

```

</physdesc>
</did>
<scopecontent>
<p>This series consists of newspaper clippings and research
notes of Fred Reed, pertaining to the Champlain
Transportation Company, its vessels, and the vessels'
crew members. Several of the folders of chronological
clippings include subjects, such as the move of the
Ticonderoga (1954-1955) and the sale of the Champlain
Transportation Company (1966). A number of clippings
under "Persons" are obituaries. Two folders under the
subseries "Notes" contain handwritten notes by Fred Reed
broadly pertaining to the history of the Champlain
Transportation Company, including a chronology, a list
of crew members, and information about the Company's
vessels.</p>
<arrangement>
<p>Organized into three subseries: <list type="simple">
<item>Clippings--chronological</item>
<item>Clippings--persons</item>
<item>Notes</item>
</list>
</p>
<p>"Clippings-persons" is arranged alphabetically by
surname, and "Notes" alphabetically by subject.</p>
</arrangement>
</scopecontent>
</c01>

```

#### Example

```

<c03 xmlns="urn:isbn:1-931666-22-9" level="file">
<did>
<unittitle id="bruce.A.2.3">Letters from various
correspondents to Craufurd Bruce</unittitle>
<unitdate normal="1807/1819">1807-19</unitdate>
<unitid>MS. Eng. c. 5746</unitid>
<physdesc>
<extent>126 leaves</extent>
</physdesc>
</did>
<arrangement>
<p>Alphabetical, Grey - Peterkin</p>
</arrangement>
<scopecontent>
<p>Mainly relating to Michael Bruce, with drafts of a few
letters from Craufurd Bruce.</p>
</scopecontent>
</c03>

```

#### Content model

```

<content>
</content>

```

#### Schema

**Declaration** element arrangement

```
{
  att.EADGlobal.attributes,
  head?,
  ( model.blocks | arrangement )+
}
```

## <author>

**<author>** (Author) Name(s) of institution(s) or individual(s) responsible for compiling the intellectual content of the finding aid. May include a brief statement indicating the nature of the responsibility, for example, archivist, collections processor, or records manager. Because acknowledgment of such individuals or institutions often appears on the title page of a finding aid, the <author> element is available in both the required <titlestmt> portion of the <eadheader> and the optional <titlepage> element in <frontmatter>.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: titlepage titlestmt

**May contain** EAD: emph extptr lb ptr

**Note** Use the <creation> element found under <profiledesc> to designate the encoder of the finding aid. Use the <persname> or <corpname> element with the ROLE attribute to designate the author in a Bibliographic Reference <bibref> citation. Use the <origination> element to designate the compiler, collector, or creator of the materials being described.

### Example

```
<filedesc xmlns="urn:isbn:1-931666-22-9">
  <titlestmt>
    <titleproper>Register of the Rhea Higbee Wakeling
      Collection</titleproper>
    <author>The print and machine readable finding aids for this
      collection were created by the Special Collections
      staff, Gerald R. Sherratt Library.</author>
  </titlestmt>
</filedesc>
```

### Example

```
<frontmatter xmlns="urn:isbn:1-931666-22-9">
  <titlepage>
    <titleproper>Indians Overseas</titleproper>
    <subtitle>A guide to source materials in the India Office
      Records for the study of Indian emigration,
      1830-1950</subtitle>
    <author>Timothy N. Thomas</author>
    <publisher>THE BRITISH LIBRARY<extptr entityref="plachold"/>
    </publisher>
    <date>1985</date>
  </titlepage>
</frontmatter>
```

### Content model

```
<content>
</content>
```

### Schema

**Declaration** element author { att.EADGlobal.attributes, ( text | model.phrase.bare )\* }

## <bibliography>

**<bibliography>** (Bibliography) Citations to works that are based on, about, or of special value when using the materials being described, or works in which a citation to or brief description of the materials is available. The works could be books, articles, television programs, unpublished reports, web sites, or other forms of information. The <bibliography> may be a simple <list>, a list of both Bibliographic References <bibref> and Archival References <archref>, or a series of Paragraphs <p>.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Member of** model.desc.base

**Contained by** EAD: archdesc archdescgrp bibliography c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp

**May contain** EAD: address archref bibliography bibref blockquote chronlist extref head linkgrp list note p ref subtitle table title

**Note** The <bibref> element may be used to designate single citations within Paragraphs <p> without opening the <bibliography> element. In EAD Version 1.0 <bibliography> was a subelement of Adjunct Descriptive Data <add>, which has been deprecated in EAD 2002 (see Appendix B). The new Description Group <descgrp> element, which can group any of the <did>-level elements (except the Description of Subordinate Components <dsc>), may be used to wrap elements where a group heading is desirable. The <descgrp> element can be used to replace <add> when converting finding aids encoded in EAD V1.0 to EAD 2002.

The <bibliography> element is comparable to ISAD(G) data element 3.5.4 and MARC fields 510 and 581.

### Example

```
<bibliography xmlns="urn:isbn:1-931666-22-9">
  <head>Bibliography</head>
  <p>Sources consulted by John Kobler.</p>
  <bibliography>
    <head>Monographs</head>
    <bibref>
      <title render="italic">Affiches americaines</title>.
      San Domingo: Imprimerie royale du Cap, 1782. Nos. 30,
      35.</bibref>
    <bibref>Ardouin, Charles Nicholas Celigny. <title render="italic">Essais sur l'
histoire
d'Haiti</title>. Port-au-Prince, 1865.</bibref>
    <bibref>Bastien, Remy. <title render="italic">Anthologie du
folklore haitien</title>, <title render="doublequote">Proverbes</title>. Mex
ico,
1946. pp.83-91.</bibref>
    <bibref>Bellegarde, Dantes. <title render="italic"> Dessalines a parle</title>.
Port-au-Prince, 1948.
Chap. IV: pp. 47-54.</bibref>
  </bibliography>
  <bibliography>
    <head>Serial publications</head> . . . </bibliography>
</bibliography>
```

### Content model

```
<content>
</content>
```

## Schema Declaration

```

element bibliography
{
  att.EADGlobal.attributes,
  ( head?, ( model.blocks | model.refs | bibliography )+ )
}

```

## <bibref>

**<bibref>** (Bibliographic Reference) A reference element that provides a citation and/or electronic link for a published work such as a book, article, dissertation, motion picture, or sound recording. The <bibref> may contain just text or some of the content-specific elements such as <title>, <imprint>, or <edition>, although the latter two elements are unlikely to be used for unpublished works.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.roled (@role) att.xlink (@label, @href, @type, @title, @from, @to, @role, @actuate, @show, @arcrole, @xpointer, @entityref, @target, @parent)

**Member of** model.refs

**Contained by** EAD: abstract archref bibliography creation descrules dimensions emph entry event extref item label langmaterial language materialspec origination otherfindaid p physdesc physfacet physloc ref relatedmaterial repository separatedmaterial unitdate unitid unittitle

**May contain** EAD: abbr archref bibseries corpname edition emph expan extptr extref famname imprint lb name num persname ptr ref title

**Note** A list of <bibref>s may be gathered into a <bibliography>. A single <bibref> may be part of a Paragraph <p>. Use the HREF or ENTITYREF attribute to point to an electronic bibliographic work. Use the more specific <archref> element to cite or link to separately described archival materials. Do not confuse with the Reference <ref> element, which is an internal link from one place in a finding aid to another place in the same finding aid. While XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use XLink are encouraged to consult the specification available online at <http://www.w3.org/TR/xlink>.

**Example** <p xmlns="urn:isbn:1-931666-22-9">The Archibald MacLeish Papers are described in <bibref>

```

<title render="italic">Library of Congress Acquisitions:
  Manuscript Division, 1982, </title> p. 29. </bibref>
</p>

```

**Example** <bibliography xmlns="urn:isbn:1-931666-22-9">

```

<head>Bibliography</head>

```

```

<p>Sources consulted by John Kobler.</p>

```

```

<bibref>

```

```

<title render="italic">Affiches americaines</title>. San
  Domingo: Imprimerie royale du Cap, 1782. Nos. 30,
  35.</bibref>

```

```

<bibref>Ardouin, Charles Nicholas Celigny. <title render="italic">Essais sur l'h
  istoire d'Haiti</title>.
  Port-au-Prince, 1865.</bibref>

```



```
<bibref>Bastien, Remy. <title render="italic">Anthologie du
  folklore haitien</title>, <title render="doublequote"> Proverbes</title>. Mexi
co, 1946. pp.83-91.</bibref>
<bibref>Bellegarde, Dantes. <title render="italic">Dessalines a
  parle</title>. Port-au-Prince, 1948. Chap. IV: pp.
  47-54.</bibref> . . . </bibliography>
```

## Content model

```
<content>
</content>
```

## Schema Declaration

```
element bibref
{
  att.EADGlobal.attributes,
  att.roled.attributes,
  att.xlink.attributes,
  (
    text
    | model.phrase.basic.norefs
    | edition
    | imprint
    | name
    | num
    | bibseries
    | ref
    | title
    | famname
    | persname
    | corpname
    | extref
    | archref
  )*
}
```

## <bibseries>

**<bibseries>** (Bibliographic Series) Information about the published series in which a book, encoded finding aid, or other published work has appeared. Refers to monographic series only. Not to be used for archival series.

<b>Module</b>	EAD
<b>Attributes</b>	att.EADGlobal (@id, @altrender, @audience, @encodinganalog)
<b>Contained by</b>	EAD: bibref titlepage unittitle
<b>May contain</b>	EAD: emph extptr lb num ptr title
<b>Example</b>	<pre>&lt;frontmatter xmlns="urn:isbn:1-931666-22-9"&gt;   &lt;titlepage&gt;     &lt;bibseries&gt;Guides to Special Collections in the Music       Division of the Library of Congress&lt;/bibseries&gt;     &lt;titleproper&gt;Irving Fine Collection&lt;/titleproper&gt;   &lt;/titlepage&gt; &lt;/frontmatter&gt; &lt;bibliography xmlns="urn:isbn:1-931666-22-9"&gt;   &lt;head&gt;Selected Bibliography of History of the Harvard University</pre>
<b>Example</b>	<pre>&lt;bibliography xmlns="urn:isbn:1-931666-22-9"&gt;   &lt;head&gt;Selected Bibliography of History of the Harvard University</pre>

```

Department of Physics</head>
<bibref>
  <persname>Morton, Charles</persname>. <title>Compendium
    Physicae</title>. <imprint> [<geogname>Boston
      </geogname>: <publisher>Colonial Society of
        Massachusetts, </publisher>
        <date normal="1940">1940</date>].</imprint>
  <bibseries>Colonial Society of Massachusetts. Publications ;
    <num>v. 33</num>.</bibseries>
</bibref>
</bibliography>

```

## Content model

```

<content>
</content>

```

## Schema

### Declaration

```

element bibseries
{
  att.EADGlobal.attributes,
  ( text | model.phrase.bare | title | num ) *
}

```

## <bioghist>

**<bioghist>** (Biography or History) A concise essay or chronology that places the archival materials in context by providing information about their creator(s). Includes significant information about the life of an individual or family, or the administrative history of a corporate body. The <bioghist> may contain just text in a series of Paragraphs <p>, and/or a Chronology List <chronlist> that matches dates and date ranges with associated events. Additional <bioghist> elements may be nested inside one another when a complex body of materials, such as a collection of family papers, is being described, and separately headed sections are desired. The <bioghist> element may also be nested to designate a portion of the essay or chronology that might be extracted as a MARC 545 subfield.

### Module

EAD

### Attributes

att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

### Member of

model.desc.base

### Contained by

EAD: archdesc archdescgrp bioghist c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp

### May contain

EAD: address bioghist blockquote chronlist dao daogrp head list note p table

### Note

Many elements, such as <bioghist> are recursive (i.e., the elements are available within themselves) to facilitate the use of multiple headings with subdivided descriptions for complex collections, and to enable EAD markup to be used for a variety of output. In Example 1 below, <bioghist> is repeated within itself to enable the extraction of a brief biographical note for a MARC record. The <bioghist> element is comparable to ISAD(G) data element 3.2.2 and MARC field 545.

### Example

```

<bioghist xmlns="urn:isbn:1-931666-22-9">
  <head>Administrative History</head>
  <bioghist encodinganalog="545$a">
    <p id="PRO123">In October 1964 the incoming Labour
      government created new office of Secretary of State for
      Economic Affairs (combined with First Secretary of

```

State) and set up the Department of Economic Affairs under the Ministers of the Crown Act 1964 to carry primary responsibility for long term economic planning.

</bioghist>

<p>Under the Act the posts of Economic Secretary to the Treasury and Secretary of State for Industry, Trade and Regional Development were abolished.

<p>George Brown was appointed as First Secretary of State and Secretary of

<p>Composition of DEA: most of Treasury's National Economy Group (excluding the short term forecasting team); economic planning staff from the National Economic Development Office (NEDO); the regional policy divisions from the Board of Trade; a team of industrial experts.

<p>DEA charged with duty of formulating, with both sides of industry, a National Plan (published in September 1965), co-ordinating the work of other departments in implementing policies of economic growth, particularly in the fields of industry, the regions, and prices and incomes. . . .

</bioghist>

#### Example

<bioghist xmlns="urn:isbn:1-931666-22-9">

<head>Chronology</head>

<chronlist>

<chronitem>

<date normal="18401012">1840</date>

<event>Born Helena Opid in Krakow, Poland on October 12th.</event>

</chronitem>

<chronitem>

<date normal="1861">1861</date>

<event>Made stage debut as Helena Modrzejewska in charity fair production of <title>The White Camellia</title>, in Bochnia, Poland.</event>

</chronitem> . . . <chronitem>

<date normal="19090409">1909</date>

<event>Died April 8th at her home on Bay Island. Funeral services held at St. Vibiana's Cathedral in Los Angeles, and Modjeska was later buried in her native Krakow.</event>

</chronitem>

</chronlist>

</bioghist>

#### Content model

<content>

</content>

#### Schema Declaration

```
element bioghist
{
  att.EADGlobal.attributes,
  head?,
```

```
( model.blocks | bioghist | dao | daogrp )+
}
```

## <blockquote>

**<blockquote>** (Block Quote) A formatting element that designates an extended quotation. The quotation is set off from the text by spacing or other typographic distinction.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Member of** model.inter

**Contained by** EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist controlaccess custodhist daodesc descgrp div dsc dscgroup event extrefloc index item note odd originalsloc otherfindaid p phystech prefercite processinfo ref refloc relatedmaterial scopecontent separatedmaterial userrestrict

**May contain** EAD: address chronlist list note p table

**Note** Use the Emphasis <emph> element, not <blockquote>, to tag words that are set off with quotations for emphasis or as a small quoted phrase that occurs, "as these words do," in the line of text.

**Example** <bioghist xmlns="urn:isbn:1-931666-22-9">

<head>Administrative History</head>

<p>The Brewster presidential administration's primary objective was to raise academic standards comprehensively throughout Yale University. This required the substantial revision of certain existing policies and disciplines, as well as the development of new programs, schools, and departments.</p>

<p>President Brewster began this process in the 1960s by significantly increasing the size of the faculty and by actively recruiting renowned non-Yale scholars to fill the positions. According to Brewster, previous Yale administrations tended to overlook high caliber academicians who graduated and specialized outside the university. . . .</p>

<p>As the size of the Yale faculty increased, Brewster's new admissions policies caused the make up of the undergraduate body to shift. By the early 1960s, most undergraduates had prepared at private schools, and many were sons of Yale alumni. As with the faculty, Brewster felt that Yale was consistently overlooking some of the best intellectual student talent necessary to maintain the highest levels of academic excellence. In a 1965 speech to alumni, Brewster summarized his administration's revised recruitment policy by stating that Yale would only seek students <blockquote>whose capacity for intellectual achievement is outstanding and who also have the motivation to put their intellectual capacities to creatively influential use, in thought, in art, in science, or in the exercise of public or private or professional responsibility.</p>

</blockquote>

</p> . . . </bioghist>

## Content model

```
<content>
</content>
```

## Schema

### Declaration

```
element blockquote { att.EADGlobal.attributes, ( model.inter.noquote | p )+ }
```

### <c>

**<c>** (Component (Unnumbered)) A wrapper element that designates a subordinate part of the materials being described. A Component **<c>** provides information about the content, context, and extent of a subordinate body of materials. It is always nested within a Description of Subordinate Components **<dsc>** and often within another **<c>** element. Each **<c>** element identifies an intellectually logical section of the described materials. The physical filing separations between components do not always coincide with the intellectual separations. For example, a **<c>** that designates dramatic works might end in the same box in which the next **<c>** begins with short stories. Also, not every **<c>** directly corresponds to a folder or other physical entity. Some **<c>** elements simply represent a stage within a hierarchical description.

### Module

EAD

### Attributes

att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.desc.c (@level, @otherlevel)

### Contained by

EAD: c dsc

### May contain

EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist c controlaccess custodhist dao daogrp descgrp did dsc fileplan head note odd originalsloc otherfindaid phystech prefercite processinfo relatedmaterial scopecontent separatedmaterial thead userrestrict Components may be subdivided into smaller and smaller components and may eventually reach the level of a single item. For example, the components of a collection may be series, components of series may be subseries, components of subseries may be files, and components of files may be items. A component may be either an unnumbered **<c>** or a numbered **<c01>**, **<c02>**, etc. The numbered components **<c01>** to **<c12>** assist a finding aid encoder in nesting up to twelve component levels accurately. Use the LEVEL attribute to identify the descriptive character of the component, for example, "series," "subseries," "subfonds," "subgrp," "file," or "item." Assigning a LEVEL attribute for the highest **<c>** is recommended; thereafter the attribute may be used when the repository deems it useful.

### Note

### Example

```
<dsc xmlns="urn:isbn:1-931666-22-9" type="combined">
  <c level="series">
    <did>
      <unitid>Series 1</unitid>
      <unittitle>Correspondence</unittitle>
    </did>
    <scopecontent>[...]</scopecontent>
  </c>
  <c level="subseries">
    <did>
      <unitid>Subseries 1.1</unitid>
      <unittitle>Outgoing Correspondence</unittitle>
    </did>
    <c level="file">
      <did>
        <unittitle>Abbingner-Aldrich</unittitle>
      </did>
```

```

</c> . . . </c>
<c level="subseries">
  <did>
    <unitid>Subseries 1.2</unitid>
    <unittitle>Incoming Correspondence</unittitle>
  </did>
  <c level="file">
    <did>
      <unittitle>Adams-Ayers</unittitle>
    </did>
  </c> . . . </c>
</c>
</dsc>

```

## Content model

```

<content>
</content>

```

## Schema Declaration

```

element c
{
  att.EADGlobal.attributes,
  att.desc.c.attributes,
  head?,
  did,
  model.desc.full*,
  ( thead?, c+ )*
}

```

## <c01>

**<c01>** (Component (First Level)) A wrapper element that designates the top or first-level subordinate part of the materials being described. Components may be either unnumbered <c> or numbered <c01>, <c02>, etc. The numbered components <c01> to <c12> assist a finding aid encoder in nesting up to twelve component levels accurately.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.desc.c (@level, @otherlevel)

**Contained by** EAD: dsc

**May contain** EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist c02 controlaccess custodhist dao daogrp descgrp did dsc fileplan head note odd originalsloc otherfindaid phystech prefercite processinfo relatedmaterial scopecontent separatedmaterial thead userrestrict

**Note** The LEVEL attribute is used to identify which level of description the <c01> covers, e.g., "series," "subseries," "file," or "item." Do not expect that all elements at the same numbered component designation represent the same level of description. The <c01> element can start at different levels of description in different finding aids, and, the quantity of hierarchical components can vary between, for example, a "series" and a "file." For example, a <c03> element could represent a "file" in one part of a finding aid, and in another part of the finding aid, a file might be a <c05> element because additional hierarchical groupings were needed to categorize the materials being described. See the description under Component <c> for additional

## Example

information.

```
<dsc xmlns="urn:isbn:1-931666-22-9" type="combined">
  <c01 level="series">
    <did>
      <unittitle>Topical Files</unittitle>
      <unitdate normal="1918/1945">1918-1945</unitdate>
    </did>
    <scopecontent>[...]</scopecontent>
    <c02 level="file">
      <did>
        <unittitle>California Dining Club</unittitle>
      </did>
      <c03 level="file">
        <did>
          <unittitle>Annual financial statements</unittitle>
          <unitdate type="inclusive"
            normal="1923/1929">1923-1929</unitdate>
        </did>
      </c03>
      <c03 level="file">
        <did>
          <unittitle>Membership rosters</unittitle>
          <unitdate type="inclusive"
            normal="1918/1932">1918-1932</unitdate>
        </did>
      </c03>
      <c03 level="file">
        <did>
          <unittitle>Minutes</unittitle>
          <unitdate type="inclusive"
            normal="1925/1930">1925-1930</unitdate>
        </did>
      </c03>
      <c03 level="file">
        <did>
          <unittitle>Newsletters</unittitle>
          <unitdate type="inclusive"
            normal="1919/1932">1919-1932</unitdate>
        </did>
      </c03>
    </c02> . . . </c01>
  </dsc>
```

## Schematron

<c01> MUST have a *level* attribute.

```
<s:rule context="ead:c01"> <s:assert role="MUST" test="@level">c01 MUST
have a level-attribute</s:assert> </s:rule>
```

## Content model

```
<content/>
```

## Schema Declaration

```
element c01
{
  att.EADGlobal.attributes,
```



```

att.desc.c.attributes,
head?,
did,
model.desc.full*,
( thead?, c02+ )*
}

```

## <c02>

**<c02>** (Component (Second Level)) A wrapper element that designates a second-level subordinate part of the materials being described. Components may be either unnumbered <c> or numbered <c01>, <c02>, etc. The numbered components <c01> to <c12> assist a finding aid encoder in nesting up to twelve component levels accurately.

<b>Module</b>	EAD
<b>Attributes</b>	att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.desc.c (@level, @otherlevel)
<b>Contained by</b>	EAD: c01
<b>May contain</b>	EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist c03 controlaccess custodhist dao daogrp descgrp did dsc fileplan head note odd originalsloc otherfindaid phystech prefercite processinfo relatedmaterial scopecontent separatedmaterial thead userrestrict
<b>Note</b>	See the description under Component (Unnumbered) <c> and Component (First Level) <c01> for additional information. See examples under <c01> Component (First Level) and in fully encoded examples in Appendix C.
<b>Schematron</b>	<c02> MUST have a <i>level</i> attribute. <s:rule context="ead:c02"> <s:assert role="MUST" test="@level">c02 MUST have a level-attribute</s:assert> </s:rule>
<b>Content model</b>	<content/>
<b>Schema Declaration</b>	<pre> element c02 {   att.EADGlobal.attributes,   att.desc.c.attributes,   head?,   did,   model.desc.full*,   ( thead?, c03+ )* } </pre>

## <c03>

**<c03>** (Component (Third Level)) A wrapper element that designates a third-level subordinate part of the materials being described. Components may be either unnumbered <c> or numbered <c01>, <c02>, etc. The numbered components <c01> to <c12> assist a finding aid encoder in nesting up to twelve component levels accurately.

<b>Module</b>	EAD
<b>Attributes</b>	att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.desc.c (@level, @otherlevel)
<b>Contained by</b>	EAD: c02
<b>May contain</b>	EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement

bibliography bioghist c04 controlaccess custodhist dao daogrp descgrp did dsc  
fileplan head note odd originalsloc otherfindaid phystech prefercite processinfo  
relatedmaterial scopecontent separatedmaterial thead userrestrict

#### Note

See the description under Component (Unnumbered) <c> and Component (First Level) <c01> for additional information. See examples under <c01> Component (First Level) and in fully encoded examples in Appendix C.

#### Schematron

<c03> MUST have a *level* attribute.

<s:rule context="ead:c03"> <s:assert role="MUST" test="@level">c03 MUST have a level-attribute</s:assert> </s:rule>

#### Content model

<content/>

#### Schema

##### Declaration

```
element c03
{
  att.EADGlobal.attributes,
  att.desc.c.attributes,
  head?,
  did,
  model.desc.full*,
  ( thead?, c04+ )*
```

### <c04>

**<c04>** (Component (Fourth Level)) A wrapper element that designates a fourth-level subordinate part of the materials being described. Components may be either unnumbered <c> or numbered <c01>, <c02>, etc. The numbered components <c01> to <c12> assist a finding aid encoder in nesting up to twelve component levels accurately.

#### Module

EAD

#### Attributes

att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.desc.c (@level, @otherlevel)

#### Contained by

EAD: c03

#### May contain

EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement  
bibliography bioghist c05 controlaccess custodhist dao daogrp descgrp did dsc  
fileplan head note odd originalsloc otherfindaid phystech prefercite processinfo  
relatedmaterial scopecontent separatedmaterial thead userrestrict

#### Note

See the description under Component (Unnumbered) <c> and Component (First Level) <c01> for additional information. See examples under <c01> Component (First Level) and in fully encoded examples in Appendix C.

#### Schematron

<c04> MUST have a *level* attribute.

<s:rule context="ead:c04"> <s:assert role="MUST" test="@level">c04 MUST have a level-attribute</s:assert> </s:rule>

#### Content model

<content/>

#### Schema

##### Declaration

```
element c04
{
  att.EADGlobal.attributes,
  att.desc.c.attributes,
  head?,
```

```

    did,
    model.desc.full*,
    ( thead?, c05+ )*
}

```

## <c05>

**<c05>** (Component (Fifth Level)) A wrapper element that designates a fifth-level subordinate part of the materials being described. Components may be either unnumbered <c> or numbered <c01>, <c02>, etc. The numbered components <c01> to <c12> assist a finding aid encoder in nesting up to twelve component levels accurately.

<b>Module</b>	EAD
<b>Attributes</b>	att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.desc.c (@level, @otherlevel)
<b>Contained by</b>	EAD: c04
<b>May contain</b>	EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist c06 controlaccess custodhist dao daogrp descgrp did dsc fileplan head note odd originalsloc otherfindaid phystech prefercite processinfo relatedmaterial scopecontent separatedmaterial thead userrestrict
<b>Note</b>	See the description under Component (Unnumbered) <c> and Component (First Level) <c01> for additional information. See examples under <c01> Component (First Level) and in fully encoded examples in Appendix C.
<b>Schematron</b>	<c05> MUST have a level attribute. <s:rule context="ead:c05"> <s:assert role="MUST" test="@level">c05 MUST have a level-attribute</s:assert> </s:rule>
<b>Content model</b>	<content/>
<b>Schema Declaration</b>	<pre> element c05 {   att.EADGlobal.attributes,   att.desc.c.attributes,   head?,   did,   model.desc.full*,   ( thead?, c06+ )* } </pre>

## <c06>

**<c06>** (Component (Sixth Level)) A wrapper element that designates a sixth-level subordinate part of the materials being described. Components may be either unnumbered <c> or numbered <c01>, <c02>, etc. The numbered components <c01> to <c12> assist a finding aid encoder in nesting up to twelve component levels accurately.

<b>Module</b>	EAD
<b>Attributes</b>	att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.desc.c (@level, @otherlevel)
<b>Contained by</b>	EAD: c05
<b>May contain</b>	EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist c07 controlaccess custodhist dao daogrp descgrp did dsc fileplan head note odd originalsloc otherfindaid phystech prefercite processinfo

<b>Note</b>	relatedmaterial scopecontent separatedmaterial thead userrestrict See the description under Component (Unnumbered) <c> and Component (First Level) <c01> for additional information. See examples under <c01> Component (First Level) and in fully encoded examples in Appendix C.
<b>Schematron</b>	<c06> MUST have a <i>level</i> attribute. <s:rule context="ead:c06"> <s:assert role="MUST" test="@level">c06 MUST have a level-attribute</s:assert> </s:rule>
<b>Schematron</b>	The component elements SHOULD be numbered components between <c01> and <c06> <s:rule context="not(ead:c06)"> <s:assert role="SHOULD" test="ead:c07">c subelements SHOULD be between c01 and c06</s:assert> </s:rule>
<b>Content model</b>	<content/>
<b>Schema Declaration</b>	element c06 { att.EADGlobal.attributes, att.desc.c.attributes, head?, did, model.desc.full*, ( thead?, c07+ )* }
<b>&lt;c07&gt;</b>	
<b>&lt;c07&gt;</b> (Component (Seventh Level)) A wrapper element that designates a seventh-level subordinate part of the materials being described. Components may be either unnumbered <c> or numbered <c01>, <c02>, etc. The numbered components <c01> to <c12> assist a finding aid encoder in nesting up to twelve component levels accurately.	
<b>Module</b>	EAD
<b>Attributes</b>	att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.desc.c (@level, @otherlevel)
<b>Contained by</b>	EAD: c06
<b>May contain</b>	EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist c08 controlaccess custodhist dao daogrp descgrp did dsc fileplan head note odd originalsloc otherfindaid phystech prefercite processinfo relatedmaterial scopecontent separatedmaterial thead userrestrict
<b>Note</b>	See the description under Component (Unnumbered) <c> and Component (First Level) <c01> for additional information. See examples under <c01> Component (First Level) and in fully encoded examples in Appendix C.
<b>Schematron</b>	The component elements SHOULD be numbered components between <c01> and <c06> <s:rule context="not(ead:c07)"> <s:assert role="SHOULD" test="ead:c08">c subelements SHOULD be between c01 and c06</s:assert> </s:rule>
<b>Content model</b>	<content/>
<b>Schema Declaration</b>	element c07 {

```

att.EADGlobal.attributes,
att.desc.c.attributes,
head?,
did,
model.desc.full*,
( thead?, c08+ )*
}

```

## <c08>

**<c08>** (Component (Eighth Level)) A wrapper element that designates a eighth-level subordinate part of the materials being described. Components may be either unnumbered <c> or numbered <c01>, <c02>, etc. The numbered components <c01> to <c12> assist a finding aid encoder in nesting up to twelve component levels accurately.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.desc.c (@level, @otherlevel)

**Contained by** EAD: c07

**May contain** EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist c09 controlaccess custodhist dao daogrp descgrp did dsc fileplan head note odd originalsloc otherfindaid phystech prefercite processinfo relatedmaterial scopecontent separatedmaterial thead userrestrict

**Note** See the description under Component (Unnumbered) <c> and Component (First Level) <c01> for additional information. See examples under <c01> Component (First Level) and in fully encoded examples in Appendix C.

**Schematron** The component elements SHOULD be numbered components between <c01> and <c06>  
<s:rule context="not(ead:c08)"> <s:assert role="SHOULD" test="ead:c09">c subelements SHOULD be between c01 and c06</s:assert> </s:rule>

**Content model**

<content/>

**Schema**

**Declaration**

```

element c08
{
  att.EADGlobal.attributes,
  att.desc.c.attributes,
  head?,
  did,
  model.desc.full*,
  ( thead?, c09+ )*
}

```

## <c09>

**<c09>** (Component (Ninth Level)) A wrapper element that designates a ninth-level subordinate part of the materials being described. Components may be either unnumbered <c> or numbered <c01>, <c02>, etc. The numbered components <c01> to <c12> assist a finding aid encoder in nesting up to twelve component levels accurately.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.desc.c (@level, @otherlevel)

<b>Contained by</b>	EAD: c08
<b>May contain</b>	EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist c10 controlaccess custodhist dao daogrp descgrp did dsc fileplan head note odd originalsloc otherfindaid phystech prefercite processinfo relatedmaterial scopecontent separatedmaterial thead userrestrict
<b>Note</b>	See the description under Component (Unnumbered) <c> and Component (First Level) <c01> for additional information. See examples under <c01> Component (First Level) and in fully encoded examples in Appendix C.
<b>Schematron</b>	The component elements SHOULD be numbered components between <c01> and <c06> <s:rule context="not(ead:c09)"> <s:assert role="SHOULD" test="ead:c10">c subelements SHOULD be between c01 and c06</s:assert> </s:rule>
<b>Content model</b>	<content/>
<b>Schema Declaration</b>	<pre> element c09 {   att.EADGlobal.attributes,   att.desc.c.attributes,   head?,   did,   model.desc.full*,   ( thead?, c10+ )* } </pre>

## <c10>

**<c10>** (Component (Tenth Level)) A wrapper element that designates a tenth-level subordinate part of the materials being described. Components may be either unnumbered <c> or numbered <c01>, <c02>, etc. The numbered components <c01> to <c12> assist a finding aid encoder in nesting up to twelve component levels accurately.

<b>Module</b>	EAD
<b>Attributes</b>	att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.desc.c (@level, @otherlevel)
<b>Contained by</b>	EAD: c09
<b>May contain</b>	EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist c11 controlaccess custodhist dao daogrp descgrp did dsc fileplan head note odd originalsloc otherfindaid phystech prefercite processinfo relatedmaterial scopecontent separatedmaterial thead userrestrict
<b>Note</b>	See the description under Component (Unnumbered) <c> and Component (First Level) <c01> for additional information. See examples under <c01> Component (First Level) and in fully encoded examples in Appendix C.
<b>Schematron</b>	The component elements SHOULD be numbered components between <c01> and <c06> <s:rule context="not(ead:c10)"> <s:assert role="SHOULD" test="ead:c11">c subelements SHOULD be between c01 and c06</s:assert> </s:rule>
<b>Content model</b>	<content/>
<b>Schema Declaration</b>	<pre> element c10 </pre>

```
{
  att.EADGlobal.attributes,
  att.desc.c.attributes,
  head?,
  did,
  model.desc.full*,
  ( thead?, c11+ )*
}
```

## <c11>

**<c11>** (Component (Eleventh Level)) A wrapper element that designates a eleventh-level subordinate part of the materials being described. Components may be either unnumbered <c> or numbered <c01>, <c02>, etc. The numbered components <c01> to <c12> assist a finding aid encoder in nesting up to twelve component levels accurately.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.desc.c (@level, @otherlevel)

**Contained by** EAD: c10

**May contain** EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist c12 controlaccess custodhist dao daogrp descgrp did dsc fileplan head note odd originalsloc otherfindaid phystech prefercite processinfo relatedmaterial scopecontent separatedmaterial thead userrestrict

**Note** See the description under Component (Unnumbered) <c> and Component (First Level) <c01> for additional information. See examples under <c01> Component (First Level) and in fully encoded examples in Appendix C.

**Schematron** The component elements SHOULD be numbered components between <c01> and <c06>  
<s:rule context="not(ead:c11)"> <s:assert role="SHOULD" test="ead:c12">c subelements SHOULD be between c01 and c06</s:assert> </s:rule>

**Content model**

<content/>

**Schema**

**Declaration**

```
element c11
{
  att.EADGlobal.attributes,
  att.desc.c.attributes,
  head?,
  did,
  model.desc.full*,
  ( thead?, c12+ )*
}
```

## <c12>

**<c12>** (Component (Twelfth Level)) A wrapper element that designates a twelfth-level subordinate part of the materials being described. Components may be either unnumbered <c> or numbered <c01>, <c02>, etc. The numbered components <c01> to <c12> assist a finding aid encoder in nesting up to twelve component levels accurately.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.desc.c



<b>Contained by</b>	( <i>@level</i> , <i>@otherlevel</i> )
<b>May contain</b>	EAD: c11 EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist controlaccess custodhist dao daogrp descgrp did dsc fileplan head note odd originalsloc otherfindaid phystech prefercite processinfo relatedmaterial scopecontent separatedmaterial userrestrict
<b>Note</b>	See the description under Component (Unnumbered) <c> and Component (First Level) <c01> for additional information. See examples under <c01> Component (First Level) and in fully encoded examples in Appendix C.
<b>Content model</b>	<content> </content>
<b>Schema Declaration</b>	<pre> element c12 {   att.EADGlobal.attributes,   att.desc.c.attributes,   head?,   did,   model.desc.full* } </pre>

## <change>

**<change>** (Change) An optional subelement in the <revisiondesc> portion of <eadheader> used for a brief description of an update made to an EAD document. Additions to a finding aid or significant recoding should be noted, but not correction of a few typographical errors. The <change> element is modeled on a header element in the Text Encoding Initiative (TEI) DTD. The TEI recommends that revisions be entered and numbered in reverse chronological order, with the most recent <change> first.

<b>Module</b>	EAD
<b>Attributes</b>	att.EADGlobal ( <i>@id</i> , <i>@altrender</i> , <i>@audience</i> , <i>@encodinganalog</i> )
<b>Contained by</b>	EAD: revisiondesc
<b>May contain</b>	EAD: date item
<b>Note</b>	The <edition> element can be used to designate a finding aid that has been so substantively changed that it constitutes a new version and supersedes earlier versions of the finding aid.
<b>Example</b>	<pre> &lt;eadheader xmlns="urn:isbn:1-931666-22-9" langencoding="iso639-2b"&gt; . . . &lt; revisiondesc&gt;   &lt;change&gt;     &lt;date normal="19970505"&gt;May 5, 1997&lt;/date&gt;     &lt;item&gt;This electronic finding aid was updated to current       markup standards by Sarah Taylor using a perl       script. Updates included: eadheader, eadid, and       arrangement of did elements and their labels.&lt;/item&gt;   &lt;/change&gt; &lt;/revisiondesc&gt; &lt;/eadheader&gt; </pre>
<b>Schematron</b>	<p>In &lt;revisiondesc&gt;, each &lt;change&gt; element SHOULD contain a &lt;date&gt; element and a &lt;item&gt; element. [This rule has been taken from ]</p> <pre> &lt;s:rule context="ead:change" role="SHOULD"&gt; &lt;s:assert test=".[ead:date and </pre>

<b>Schematron</b>	<p>ead:item]"&gt; 'revisiondesc/change' element SHOULD contain both a date and an item subelement. &lt;/s:assert&gt; &lt;/s:rule&gt;</p> <p>The &lt;date&gt; element for each &lt;change&gt; in &lt;revisiondesc&gt; SHOULD not be empty</p> <p>&lt;s:rule context="ead:change"&gt; &lt;s:assert role="SHOULD" test="normalize-space(ead:date)"&gt;a revisiondesc/change SHOULD have a not empty date&lt;/s:assert&gt; &lt;/s:rule&gt;</p>
<b>Content model</b>	<content/>
<b>Schema</b>	<p>Declaration element change { att:EADGlobal.attributes, date, item+ }</p>

## <chronitem>

**<chronitem>** (Chronology List Item) A formatting element that keeps a date paired with an associated event or group of events within a Chronology List <chronlist>. Each <chronitem> contains a <date> (either a single date or date range) coupled with an <event> or description of what occurred during that time. When multiple <event>s are associated with a single <date>, the <event>s are bundled in an <eventgrp> tag, which is then easily paired with the appropriate <date>.

<b>Module</b>	EAD
<b>Attributes</b>	att:EADGlobal (@id, @altrender, @audience, @encodinganalog)
<b>Contained by</b>	EAD: chronlist
<b>May contain</b>	EAD: date event eventgrp
<b>Example</b>	<bioghist xmlns="urn:isbn:1-931666-22-9">

```

<head>Chronology</head>
<chronlist>
  <chronitem>
    <date normal="18401012">1840</date>
    <event>Born Helena Opid in Krakow, Poland on October
      12th.</event>
  </chronitem>
  <chronitem>
    <date normal="1861">1861</date>
    <event>Made stage debut as Helena Modrzejewska in
      charity fair production of <title>The White
        Camellia</title>, in Bochnia, Poland.</event>
  </chronitem> . . . <chronitem>
    <date normal="19090409">1909</date>
    <event>Died April 8th at her home on Bay Island. Funeral
      services held at St. Vibiana's Cathedral in Los
      Angeles, and Modjeska was later buried in her native
      Krakow.</event>
  </chronitem>
</chronlist>
</bioghist>

```

<b>Content model</b>	<p>&lt;content&gt;</p> <p>&lt;/content&gt;</p>
----------------------	--

## Schema

**Declaration** element chronitem { att.EADGlobal.attributes, date, ( event | eventgrp ) }

## <chronlist>

**<chronlist>** (Chronology List) A formatting element that designates information about the sequence in which significant past events, associated with the described materials, occurred. The <chronlist> also provides a structured display to list these dates and events. Each <chronlist> contains Chronology Items <chronitem>s that pair a <date> or date range with a brief description of an associated <event> or events <eventgrp>.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Member of** model.inter.noquote

**Contained by** EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist blockquote controlaccess custodhist daodesc descgrp div dsc dscgroup event extrefloc index item note odd originalsloc otherfindaid p physitech prefercite processinfo ref refloc relatedmaterial scopecontent separatedmaterial userrestrict

**May contain** EAD: chronitem head listhead

**Note** A <chronlist> most often appears in finding aids as part of the Biography or History <bioghist> element, but <chronlist> is also available for use in other elements that might need to present historical dates and events in a multicolumn list.

**Example**

```
<bioghist xmlns="urn:isbn:1-931666-22-9">
  <head>Biographical Note</head>
  <chronlist>
    <chronitem>
      <date>1820, Dec. 20</date>
      <event>Born eighth of ten children of Taylor and Dicey
        (Jones) Duke; Little River, Orange Co., N.C.</event>
    </chronitem>
    <chronitem>
      <date>1842</date>
      <event>Married Mary Caroline Clinton</event>
    </chronitem>
    <chronitem>
      <date>1844</date>
      <event>Sidney Taylor Duke born</event>
    </chronitem> . . . </chronlist>
</bioghist>
```

**Content model**

```
<content>
</content>
```

**Schema**

**Declaration** element chronlist { att.EADGlobal.attributes, head?, listhead?, chronitem+ }

## <colspec/>

**<colspec/>** (Table Column Specification) An empty formatting element that designates the position and size of a single column in a Table <table>. Attributes specify the unique name of the column, its unique number within the table, its width and rules, and the horizontal alignment of text within the column. The quantity of columns in a <table> is determined by the COLS attribute of the

<tbody> element, not by the number of <td> elements defined. The values set for <td> override any values implied from <tbody> or <thead> elements.

Module	Attributes		
	att.EADGlobal	( <i>@id</i> , <i>@altrender</i> , <i>@audience</i> , <i>@encodinganalog</i> )	
	colnum	<b>Status</b>	Optional
		<b>Datatype</b>	
	colname	<b>Status</b>	Optional
		<b>Datatype</b>	
	colwidth	<b>Status</b>	Optional
		<b>Datatype</b>	
	colsep	<b>Status</b>	Optional
		<b>Datatype</b>	
		<b>Legal values are:</b>	<b>1</b>
			<b>0</b>
	rowsep	<b>Status</b>	Optional
		<b>Datatype</b>	
		<b>Legal values are:</b>	<b>1</b>
			<b>0</b>
	align	<b>Status</b>	Optional
		<b>Datatype</b>	
		<b>Legal values are:</b>	<b>left</b>
			<b>right</b>
			<b>center</b>
			<b>justify</b>
			<b>char</b>
	char	<b>Status</b>	Optional
		<b>Datatype</b>	
	charoff	<b>Status</b>	Optional
		<b>Datatype</b>	

**Contained by**  
**May contain**  
**Note**  
**Example**

EAD: tgroup  
Empty element  
See also related elements <table> and <tgroup>.

```
<table xmlns="urn:isbn:1-931666-22-9" frame="none">
  <tgroup cols="3">
    <colspec colnum="1" colname="1"
      align="left" colwidth="50pt"/>
    <colspec colnum="2" colname="2"
      align="left" colwidth="50pt"/>
    <colspec colnum="3" colname="3"
      align="left" colwidth="50pt"/>
    <thead>
      <row>
        <entry colname="1">Major Family Members</entry>
```

```

<entry colname="2">Spouses</entry>
<entry colname="3">Children</entry>
</row>
</thead>
<tbody>
<row>
<entry colname="1">John Albemarle
(1760-1806)</entry>
<entry colname="2">Mary Frances Delaney
(1769-1835)</entry>
<entry colname="3">John Delaney Albemarle
(1787-1848)</entry>
</row> . . . </tbody>
</tgroup>
</table>

```

## Content model

```

<content>
</content>

```

## Schema Declaration

```

element colspec
{
  att.EADGlobal.attributes,
  attribute colnum { xsd:NMTOKEN }?,
  attribute colname { xsd:NMTOKEN }?,
  attribute colwidth { text }?,
  attribute colsep { "1" | "O" }?,
  attribute rowsep { "1" | "O" }?,
  attribute align { "left" | "right" | "center" | "justify" | "char" }?,
  attribute char { text }?,
  attribute charoff { xsd:NMTOKEN }?,
  empty
}

```

## <container>

**<container>** (Container) A <did> subelement for information that contributes to locating the described materials by indicating the kinds of devices that hold the materials and identifying any sequential numbers assigned to those devices. The <container> element is used most frequently at the component level, i.e., once a Description of Subordinate Components <dsc> has been opened. This storage information can help researchers understand how extensive the material is, especially in the absence of a specific physical <extent> statement at the component level.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type) att.labeled (@label)  
parent

**Status**

Optional

**Datatype**

**Member of** model.did

**Contained by** EAD: archref did

**May contain** EAD: emph extptr lb ptr

**Note** Use of the TYPE attribute is strongly recommended to clarify the nature of the storage device. Use any useful designations, such as "box," "folder," and

"reel." The Physical Location <physloc> element can be used to designate the shelves, stacks, rooms, buildings, or other places where the containers are stored.

Use the ID of the Unit <unitid> element to designate control numbers not associated with a physical container, for example, accession numbers. Most repositories use either <container> or <unitid> as the call numbers for fetching material for researchers. If both elements are used, consider setting the LABEL attribute to specify which element is the call number.

The PARENT attribute can be used to point to the <container> element that describes the box in which a folder is housed.

### Example

```
<dsc xmlns="urn:isbn:1-931666-22-9" type="combined">
  <c level="series">
    <did>
      <unittitle>Correspondence, </unittitle>
      <unitdate normal="1942/1987">1942-1987 </unitdate>
    </did>
    <scopecontent>[...]</scopecontent>
  </c>
  <c level="file">
    <did>
      <container id="mss1993-043.1.1"
        type="box">1</container>
      <container parent="mss1993-043.1.1"
        type="folder">1</container>
      <unittitle>
        <unitdate normal="1942/1943">1942-1943</unitdate>
      </unittitle>
    </did>
  </c>
  <c level="file">
    <did>
      <container parent="mss1993-043.1.1"
        type="folder">2</container>
      <unittitle>
        <unitdate normal="194401/194408">January-August 1944</unitdate>
      </unittitle>
    </did>
  </c>
  <c level="file">
    <did>
      <container parent="mss1993-043.1.1"
        type="folder">3</container>
      <unittitle>
        <unitdate normal="194409/194503">August
          1944-March 1945</unitdate>
      </unittitle>
    </did>
  </c>
</dsc>
```

### Example

```
<c01 xmlns="urn:isbn:1-931666-22-9" level="series">
  <did>[...]</did>
  <c02 level="file">
    <did>
      <container type="box">3</container>
```

```

<container type="folder">18</container>
<unittitle>Parent-Teacher Association of Fondsville </unittitle>
<unitdate type="inclusive"
normal="1959/1972">1959-1972</unitdate>
</did>
</c02>
<c02 level="file">
<did>
<container type="box">3</container>
<container type="folder">19</container>
<unittitle>Pasta and Politics Club</unittitle>
<unitdate type="inclusive"
normal="1967/1975">1967-1975</unitdate>
</did>
</c02> . . . </c01>

```

## Content model

```

<content>
</content>

```

## Schema Declaration

```

element container
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  att.labeled.attributes,
  attribute parent { xsd:IDREFS }?,
  ( text | model.phrase.bare ) *
}

```

## <controlaccess>

**<controlaccess>** (Controlled Access Headings) A wrapper element that designates key access points for the described materials and enables authority-controlled searching across finding aids on a computer network. Hundreds of names and subjects can appear in a finding aid. Prominence can be given to the major ones by bundling them together in a single place within the <archdesc> or within a large Component <c> and tagging them with <controlaccess>.

<b>Module</b>	EAD
<b>Attributes</b>	att.EADGlobal (@id, @altrender, @audience, @encodinganalog)
<b>Member of</b>	model.desc.base
<b>Contained by</b>	EAD: archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 controlaccess descgrp
<b>May contain</b>	EAD: address blockquote chronlist controlaccess corpname famname function genreform geogname head list name note occupation p persname subject subtitle table title
<b>Note</b>	The <controlaccess> element designates terms comparable to those found in the 1xx, 6xx, and 7xx fields of MARC catalog records. Finding aid searches limited to the <controlaccess> element and its subelements will improve the likelihood of locating strong sources of information on a desired subject, because access terms will have been entered in a consistent form across finding aids, and also because only the most significant terms are likely to have been selected for encoding. Although names and terms from locally controlled vocabularies are permissible, the <controlaccess> subelements (<corpname>,



<famname>, <function>, <genreform>, <geogname>, <occupation>, <persname>, <subject>, and <title>) should come from national or international vocabularies whenever they are available to enable searches in information systems that include multiple finding aids, or finding aids and bibliographic records from many institutions.

These subelements have SOURCE attributes to specify the vocabulary tool from which the heading is taken and RULES attributes to specify the descriptive rules by which it has been formulated. The attribute AUTHFILENUMBER can be used to identify an authority file record that provides additional information about a heading and includes cross references. The ROLE attribute can be used to specify such factors as whether a heading is for the creator of the materials, the subject of the materials, or both.

### Example

```
<archdesc xmlns="urn:isbn:1-931666-22-9" level="collection">
  <did>[...]</did>
  <scopecontent>[...]</scopecontent>
  <controlaccess>
    <head>Index Terms</head>
    <p>These records are indexed under the following headings in
      the catalog of the Minnesota Historical Society.
      Researchers wishing to find related materials should
      search the catalog under these index terms.</p>
    <controlaccess>
      <head>Organizations:</head>
      <corpname encodinganalog="610"
        source="lcnaf">Board of
          Game and Fish Commissioners of Minnesota.</corpname>
    </controlaccess>
    <controlaccess>
      <head>Topics:</head>
      <subject encodinganalog="650"
        source="lcsh">Fishery law
          and legislation--Minnesota.</subject>
      <subject encodinganalog="650"
        source="lcsh">Game-law--Minnesota.</subject>
      <subject encodinganalog="650"
        source="lcsh">Law
          enforcement--Minnesota.</subject>
    </controlaccess>
    <controlaccess>
      <head>Government Functions:</head>
      <function encodinganalog="657"
        source="aat">Law
          enforcing.</function>
      <function encodinganalog="657"
        source="aat">Convicting.</function>
    </controlaccess>
  </controlaccess> . . . </archdesc>
```

### Schematron

In <controlaccess>, EHRI welcomes any access points types : <subject>, <geogname>, <persname>, <orgname>.  
 <s:rule context="ead:controlaccess">  
 <s:assert role="COULD" test="ead:subject">controlaccess COULD have one or more subject elements</s:assert> </s:rule>

<b>Schematron</b>	<p>In &lt;controlaccess&gt;, EHRI welcomes any access points types : &lt;subject&gt;, &lt;geogname&gt;, &lt;persname&gt;, &lt;orgname&gt;.</p> <pre>&lt;s:rule context="ead:controlaccess"&gt; &lt;s:assert role="COULD" test="ead:geogname"&gt;controlaccess COULD have one or more geogname elements&lt;/s:assert&gt; &lt;/s:rule&gt;</pre>
<b>Schematron</b>	<p>In &lt;controlaccess&gt;, EHRI welcomes any access points types : &lt;subject&gt;, &lt;geogname&gt;, &lt;persname&gt;, &lt;orgname&gt;.</p> <pre>&lt;s:rule context="ead:controlaccess"&gt; &lt;s:assert role="COULD" test="ead:persname"&gt;controlaccess COULD have one or more persname elements&lt;/s:assert&gt; &lt;/s:rule&gt;</pre>
<b>Schematron</b>	<p>In &lt;controlaccess&gt;, EHRI welcomes any access points types : &lt;subject&gt;, &lt;geogname&gt;, &lt;persname&gt;, &lt;orgname&gt;.</p> <pre>&lt;s:rule context="ead:controlaccess"&gt; &lt;s:assert role="COULD" test="ead:orgname"&gt;controlaccess COULD have one or more orgname elements&lt;/s:assert&gt; &lt;/s:rule&gt;</pre>
<b>Schematron</b>	<p>Access points COULD be chosen in authority lists. The list is declared with a <i>source</i> attribute. The related id of this authority should be declared in an <i>authfilenumber</i> attribute. Note that EHRI provides URLs for vocabularies and authorities. Check the <a href="#">EHRI website</a> for more information</p> <pre>&lt;s:rule context="ead:controlaccess"&gt; &lt;s:assert role="COULD" test="[@authfilenumber and @source]"&gt;Access points COULD be chosen in an authority list. This list should be declared in a @source attribute. The related id of this authority should be declared in an @authfilenumber attribute. &lt;/s:assert&gt; &lt;/s:rule&gt;</pre>
<b>Content model</b>	<pre>&lt;content/&gt;</pre>
<b>Schema Declaration</b>	<pre>element controlaccess {   att.EADGlobal.attributes,   head?,   ( model.blocks   model.access.title   controlaccess )+ }</pre>
<b>&lt;corpname&gt;</b>	
<p><b>&lt;corpname&gt;</b> (Corporate Name) The proper noun name that identifies an organization or group of people that acts as an entity. Examples include names of associations, institutions, business firms, nonprofit enterprises, governments, government agencies, projects, programs, religious bodies, churches, conferences, athletic contests, exhibitions, expeditions, fairs, and ships.</p>	
<b>Module</b>	EAD
<b>Attributes</b>	att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.access (@source, @rules, @authfilenumber, @normal) att.rolled (@role)
<b>Member of</b>	model.access
<b>Contained by</b>	EAD: bibref controlaccess entry event extrefloc indexentry item label namegrp origination p physdesc physfacet ref refloc repository unittitle
<b>May contain</b>	EAD: emph extptr lb ptr subarea
<b>Note</b>	All names in a finding aid do not have to be tagged. One option is to tag those names for which access other than basic, undifferentiated keyword retrieval is desired. Use of controlled vocabulary forms is recommended to facilitate access to names within and across finding aid systems. The <corpname>

element may be used in text elements such as <p>. To indicate a corporate entity with major representation in the described materials, nest <corpname> within the <controlaccess> element. When a <corpname> is also the name of the institution providing intellectual access to the described material, nest <corpname> within the <repository> element. The <subarea> element may be used to show a secondary or subsidiary level within the <corpname>. When a <corpname> is also the name of the creator or compiler of the described material, nest <corpname> within the <origination> element. The ROLE attribute can be used to specify other relationship(s) of the name to the described materials, for example, "compiler," "creator," "collector," or "subject." The ENCODINGANALOG attribute can be used to specify corresponding data categories in another coding system such as MARC. The NORMAL attribute can be used to provide the authority form of a name that has been encoded with <corpname> in narrative text, e.g., within a paragraph. Use the SOURCE attribute to specify the vocabulary from which the name has been taken, and/or the RULES attribute to specify the descriptive rules followed when forming the name. The attribute AUTHFILENUMBER can be used to identify a link to an authority file record that has more information about the name or cross references for alternative forms of the name and related names. The <corpname> element is comparable to MARC fields 110, 111, 610, 611, 710, and 711.

See also the related elements <controlaccess>, <persname>, <famname>, <name>, and <subarea>.

#### Example

```
<archdesc xmlns="urn:isbn:1-931666-22-9" level="collection">
  <did>
    <head>Collection Summary</head>
    <origination label="Creator">
      <corpname encodinganalog="110"
        source="Icnaf">National
        Association for the Advancement of Colored
        People</corpname>
    </origination> . . . </did> . . . </archdesc>
```

#### Example

```
<controlaccess xmlns="urn:isbn:1-931666-22-9">
  <head>Index Terms</head>
  <p>These records are indexed under the following headings in the
    catalog of the Minnesota Historical Society. Researchers
    wishing to find related materials should search the catalog
    under these index terms.</p>
  <controlaccess>
    <head>Organizations:</head>
    <corpname encodinganalog="610"
      source="Icnaf">Board of Game
      and Fish Commissioners of Minnesota.</corpname>
  </controlaccess> . . . </controlaccess>
```

#### Content model

```
<content>
</content>
```

#### Schema Declaration

```
element corpname
{
  att.EADGlobal.attributes,
```

```

att.access.attributes,
att.roled.attributes,
( text | model.phrase.bare | subarea ) *
}

```

## <creation>

**<creation>** (Creation) A subelement of the <profiledesc> portion of <eadheader> used for information about the encoding of the finding aid, including the person(s) or agency(ies) responsible for the encoding, the date, and the circumstances under which the encoding was done.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: profiledesc

**May contain** EAD: abbr archref bibref date emph expan extptr extref lb linkgrp ptr ref subtitle title

**Note** This element is modeled on a Text Encoding Initiative (TEI) DTD header element.

**Example** <eadheader xmlns="urn:isbn:1-931666-22-9" langencoding="iso639-2b"> . . . <profiledesc>  
 <creation>Machine-readable finding aid and skeletal markup  
 derived via a macro from WordPerfect file; markup  
 checked and completed by Sarah Taylor. <date normal="19950423">April 2  
 3, 1995.</date>  
 </creation>  
 </profiledesc> . . . </eadheader>

## Content model

```

<content>
</content>

```

## Schema

### Declaration

```

element creation
{
  att.EADGlobal.attributes,
  ( text | model.phrase.basic | date ) *
}

```

## <custodhist>

**<custodhist>** (Custodial History) Information about the chain of ownership of the materials being described, before they reached the immediate source of acquisition. Both physical possession and intellectual ownership can be described, providing details of changes of ownership and/or custody that may be significant in terms of authority, integrity, and interpretation.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Member of** model.desc.base

**Contained by** EAD: archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 custodhist descgrp

**May contain** EAD: acqinfo address blockquote chronlist custodhist head list note p table  
**Note** Although the history of custody is sometimes synonymous with provenance, a description of archival provenance may be more appropriate for the <origination>, <bioghist>, or <scopecontent> elements. Use Acquisition Information <acqinfo> for text about the immediate source of the described materials and the circumstances under which they were received by the

repository.

In EAD Version 1.0 <custodhist> was a subelement of Administrative Information <admininfo>, which has been deprecated in EAD 2002 (see Appendix B). The new Description Group <descgrp> element, which can group any of the <did>-level elements (except the Description of Subordinate Components <dsc>), may be used to wrap elements where a group heading is desirable. The <descgrp> element can be used to replace <admininfo> where it has been used as a wrapper when converting finding aids encoded in EAD V1.0 to EAD 2002.

The <custodhist> element is comparable to ISAD(G) data element 3.2.3 and MARC field 561.

### Example

```
<custodhist xmlns="urn:isbn:1-931666-22-9">
  <p>The George Franklin Papers were maintained by the staff of
    the Mayor's Office, City of Irvine, California, in the
    records storage facility at City Hall from the time of
    Franklin's death in 1972 until they were transferred, at his
    family's request, to Special Collections and Archives, The
    UC Irvine Libraries, in 1988.</p>
</custodhist>
```

### Content model

```
<content>
</content>
```

### Schema Declaration

```
element custodhist
{
  att.EADGlobal.attributes,
  head?,
  ( model.blocks | custodhist | acqinfo )+
}
```

## <dao>

**<dao>** (Digital Archival Object) A linking element that uses the attributes ENTITYREF or HREF to connect the finding aid information to electronic representations of the described materials. The <dao> and <daogrp> elements allow the content of an archival collection or record group to be incorporated in the finding aid. These digital representations include graphic images, audio or video clips, images of text pages, and electronic transcriptions of text. The objects can be selected examples, or digital surrogates all the materials in an archival fonds or series.

### Module

EAD

### Attributes

att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.xlink (@label, @href, @type, @title, @from, @to, @role, @actuate, @show, @arcrole, @xpointer, @entityref, @target, @parent)

### Member of

model.desc.full model.did

### Contained by

EAD: archdesc archdescgrp archref bioghist c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 did odd scopecontent

### May contain Note

EAD: daodesc

Use the Extended Pointer <extptr> element to link the finding aid to electronic objects that are not part of the described materials. Use the ACTUATE attribute to designate whether the object is displayed automatically ("onload") or only if the user requests it ("onrequest"). Use the SHOW attribute to define whether a remote resource appears at the point of the link, in a new window, or replaces

the link.

See also related elements <daodesc>, <daogrp>, and <daoloc>.

While XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use XLink are encouraged to consult the specification available online at <http://www.w3.org/TR/xlink>.

### Example

```
<c02 xmlns="urn:isbn:1-931666-22-9" level="file">
  <did>
    <unittitle>Photographs</unittitle>
    <unitdate type="inclusive"
      normal="1895/1928">1895-1928</unitdate>
  </did>
  <c03 level="item">
    <did>
      <unittitle>John Smith graduation portrait</unittitle>
      <unitdate type="single"
        normal="18950528">May 28,
          1895</unitdate>
      <dao linktype="simple"
        href="http://imgs.ud.edu/archives/image/f12001_1.jpg" actuate="onrequest" s
        how="new"/>
    </did>
  </c03>
  <c03 level="item">
    <did>
      <unittitle>Photographs of John Smith and family
        members</unittitle>
      <unitdate type="inclusive"
        normal="1907-1928">1907-1928</unitdate>
      <physdesc>
        <extent>12 photographic
          prints</extent>
      </physdesc>
    </did>
  </c03>
</c02>
```

### Content model

```
<content>
</content>
```

### Schema

**Declaration** element dao { att.EADGlobal.attributes, att.xlink.attributes, daodesc? }

### <daodesc>

**<daodesc>** (Digital Archival Object Description) Information about the contents, usage, or source of a Digital Archival Object <dao> or Digital Archival Object Group <daogrp>. When the <unittitle> or other descriptive information in a Component <c> is sufficient to identify one or more digital objects, the <daodesc> caption is not necessary.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

# **Contained by** **May contain** **Note** **Example**

EAD: dao daogrp daoloc  
EAD: address blockquote chronlist head list note p table  
See also related elements <dao>, <daogrp>, and <daoloc>.  
<c02 xmlns="urn:isbn:1-931666-22-9" level="file">  
  <did>  
    <unittitle>Photographs of John Smith and family  
      members</unittitle>  
    <unitdate type="inclusive"  
      normal="1895/1928">1895-1928</unitdate>  
    <daogrp linktype="extended">  
      <daodesc>  
        <p>Sample digitized image from this file: John Smith  
          graduation portrait, <date normal="18950528">28  
          May 1895</date>.</p>  
      </daodesc>  
      <resource linktype="resource"  
        label="start"/>  
      <daoloc entityref="f0042\_1tmb"  
        linktype="locator" label="thumb"/>  
      <daoloc entityref="f0042\_1ref"  
        linktype="locator" label="reference"/>  
      <arc linktype="arc" show="embed"  
        actuate="onload" from="start" to="thumb"/>  
      <arc linktype="arc" show="new"  
        actuate="onrequest" from="thumb" to="reference"/>  
      </daogrp>  
    </did>  
  </c02>

## **Content model**

<content>  
</content>

## **Schema**

**Declaration**      element daodesc { att.EADGlobal.attributes, head?, model.blocks+ }

## **<daogrp>**

**<daogrp>** (Digital Archival Object Group) A wrapper element that contains two or more related Digital Archival Object Locations <daoloc> that should be thought of as a group and may share a single common Digital Archival Object Description <daodesc>. They may also form an extended link group to enable a set of multidirectional links. The <dao>, <daogrp>, and <daoloc> elements allow the content of the described materials to be incorporated in the finding aid.

**Module**      EAD

**Attributes**      att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.xlink  
                  (@label, @href, @type, @title, @from, @to, @role, @actuate, @show,  
                  @arcrole, @xpointer, @entityref, @target, @parent)

**Member of**      model.desc.full model.did

**Contained by**      EAD: archdesc archdescgrp archref bioghist c c01 c02 c03 c04 c05 c06 c07 c08  
                  c09 c10 c11 c12 did odd scopecontent

**May contain**      EAD: arc daodesc daoloc extptrloc extrefloc ptrloc refloc resource  
**Note**      See also related elements <dao>, <daodesc>, <daoloc> and <linkgrp>. While  
                  XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking



elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use XLink are encouraged to consult the specification available online at <http://www.w3.org/TR/xlink>.

### Example

```
<c02 xmlns="urn:isbn:1-931666-22-9" level="file">
  <did>
    <unittitle>Photographs of John Smith and family
      members</unittitle>
    <unitdate type="inclusive"
      normal="1895/1928">1895-1928</unitdate>
    <daogrp linktype="extended">
      <daodesc>
        <p>Sample digitized image from this file: John Smith
          graduation portrait, <date normal="18950528">28
            May 1895</date>.</p>
      </daodesc>
      <resource linktype="resource"
        label="start"/>
      <daoloc entityref="f0042_1tmb"
        linktype="locator" label="thumb"/>
      <daoloc entityref="f0042_1ref"
        linktype="locator" label="reference"/>
      <arc linktype="arc" show="embed"
        actuate="onload" from="start" to="thumb"/>
      <arc linktype="arc" show="new"
        actuate="onrequest" from="thumb" to="reference"/>
    </daogrp>
  </did>
</c02>
```

### Content model

```
<content>
</content>
```

### Schema Declaration

```
element daogrp
{
  att.EADGlobal.attributes,
  att.xlink.attributes,
  daodesc?,
  ( daoloc | model.extended.els )+
}
```

### <daoloc>

**<daoloc>** (Digital Archival Object Location) The location of a Digital Archival Object <dao> that is a resource in an extended link. Within a Digital Archival Object Group <daogrp>, a <daoloc> element is used instead of a <dao> element to indicate that an extended, possibly multidirectional link is being tagged. See also related elements <dao>, <daogrp>, and <daodesc>.

#### Module

EAD

#### Attributes

att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.xlink (@label, @href, @type, @title, @from, @to, @role, @actuate, @show, @arcrole, @xpointer, @entityref, @target, @parent)

## Contained by May contain Note

EAD: daogrp  
EAD: daodesc  
While XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use XLink are encouraged to consult the specification available online at <http://www.w3.org/TR/xlink>.

## Example

```
<c02 xmlns="urn:isbn:1-931666-22-9" level="file">
  <did>
    <unittitle>Photographs of John Smith and family
      members</unittitle>
    <unitdate type="inclusive"
      normal="1895/1928">1895-1928</unitdate>
    <daogrp linktype="extended">
      <daodesc>
        <p>Sample digitized image from this file: John Smith
          graduation portrait, <date normal="18950528">28
            May 1895</date>.</p>
      </daodesc>
      <resource linktype="resource"
        label="start"/>
      <daoloc entityref="f0042_1tmb"
        linktype="locator" label="thumb"/>
      <daoloc entityref="f0042_1ref"
        linktype="locator" label="reference"/>
      <arc linktype="arc" show="embed"
        actuate="onload" from="start" to="thumb"/>
      <arc linktype="arc" show="new"
        actuate="onrequest" from="thumb" to="reference"/>
    </daogrp>
  </did>
</c02>
```

## Content model

```
<content>
</content>
```

## Schema

**Declaration** element daoloc { att.EADGlobal.attributes, att.xlink.attributes, daodesc? }

## <date>

**<date>** (Date) A generic element that contains a month, day, or year in any format. Use <date> to identify any dates that merit encoding, except for the creation and other relevant dates of the described materials, which are instead tagged with the <unitdate> element. Examples of dates that might merit encoding are a person's birth date, the date the materials were acquired, or the date of an event in a chronology. These dates may be entered in the form of text or numbers, and may consist of a single date or range of dates.

### Module

EAD

### Attributes

att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type) att.normalized (@normal) att.calendar (@calendar) att.era (@era) att.certainty (@certainty)

### Member of

model.data

<b>Contained by</b>	EAD: change chronitem creation entry event extrefloc imprint item label legalstatus p physdesc physfacet publicationstmt ref refloc subtitle title titlepage titleproper unittitle
<b>May contain Note</b>	EAD: emph extptr lb ptr A standard numeric form of the date (YYYYMMDD, etc.) can be specified with the NORMAL attribute to facilitate machine comparison of dates for searching, for example, 19480101/19980401 (YYYYMMDD/YYYYMMDD), or 1948/1998 (YYYY/YYYY). The TYPE attribute can be used to supply a more specific designation, for example, "life," "flourish," "depiction," "publication," or "acquisition." The CERTAINTY attribute may be used to indicate the degree of precision in the dating, for example, "circa," "approximately," or "after." The CALENDAR attribute, which has a default value of "gregorian," specifies the calendar from which the date stems. The value "ce" (common or Christian era) is the default for the ERA attribute.
<b>Example</b>	<pre> &lt;bibref xmlns="urn:isbn:1-931666-22-9"&gt;   &lt;persname role="author"&gt;Kinder, Dolores.&lt;/persname&gt;   &lt;title render="italic"&gt;Once Upon a Lullaby.&lt;/title&gt;   &lt;imprint&gt;     &lt;geogname&gt;New York: &lt;/geogname&gt;     &lt;publisher&gt;Wells &amp; Sons, &lt;/publisher&gt;     &lt;date type="publication"&gt;1931&lt;/date&gt;   &lt;/imprint&gt; &lt;/bibref&gt; </pre>
<b>Example</b>	<pre> &lt;acqinfo xmlns="urn:isbn:1-931666-22-9"&gt;   &lt;p&gt;This collection, number &lt;num type="donor"&gt;1988-015,&lt;/num&gt; was     donated by Mrs. Dolores Franklin on &lt;date type="acquisition"       normal="19880423"&gt;April 23, 1988.&lt;/date&gt;   &lt;/p&gt; &lt;/acqinfo&gt; </pre>
<b>Schematron</b>	<p>All the &lt;date&gt; elements MUST have a <i>normal</i> attribute whose pattern respects the ISO8601 standard and take the following form: YYYY-MM-DD</p> <pre> &lt;s:rule context="ead:date"&gt; &lt;s:assert role="MUST" test="matches(@normal, '^(([0-9][1-9][0-9][1-9][0-9]{2})[1-9][0-9]{3})-(0[1-9] 1[012])-(0[1-9] 1[12][0-9]  3[01])\$')"&gt;@normal attribute MUST respect ISO8601 pattern = YYYY-MM-DD&lt;/s:assert&gt; &lt;/s:rule&gt; </pre>
<b>Content model</b>	<content/>
<b>Schema Declaration</b>	<pre> element date {   att.EADGlobal.attributes,   att.typed.attributes,   att.normalized.attributes,   att.calendar.attributes,   att.era.attributes,   att.certainty.attributes,   ( text   model.phrase.bare ) * } </pre>

## <defitem>

**<defitem>** (Definition List Item) A formatting element in a special type of list that keeps an entry in a list (called a <label>) paired with its definition, description, or explanation (called an <item>). The <defitem> can be thought of as an entry with two cells: <label> followed by <item>. Lists with <defitem>s are often displayed in two columns.

**Module** EAD  
**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)  
**Contained by** EAD: list  
**May contain** EAD: item label  
**Note** See also related element <list>.  
**Example**

```
<list xmlns="urn:isbn:1-931666-22-9" type="deflist">
  <listhead>
    <head01>Abbreviation</head01>
    <head02>Expansion</head02>
  </listhead>
  <defitem>
    <label>ALS</label>
    <item>Autograph Letter Signed</item>
  </defitem>
  <defitem>
    <label>TLS</label>
    <item>Typewritten Letter Signed</item>
  </defitem>
</list>
```

### Content model

```
<content>
</content>
```

### Schema

**Declaration** element defitem { att.EADGlobal.attributes, label, item }

## <descgrp>

**<descgrp>** (Description Group) An element that can be used to bring together any group of elements that are children of the Archival Description <archdesc> element except for the <did> and <dsc> elements. Description Group might be used, for example, to cluster elements into groups that correspond to the areas specified by the General International Standard Archival Description (ISAD(G)).

**Module** EAD  
**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type)  
**Member of** model.desc.base  
**Contained by** EAD: archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp  
**May contain** EAD: accessrestrict accruals acqinfo address altformavail appraisal arrangement bibliography bioghist blockquote chronlist controlaccess custodhist descgrp fileplan head list note odd originalsloc otherfindaid p phystech prefercite processinfo relatedmaterial scopecontent separatedmaterial table userrestrict  
**Note** Description Group can be used in place of wrapper elements from EAD Version 1.0 such as Administrative Information <admininfo> and Adjunct Descriptive Data <add>. Use the TYPE attribute to characterize the nature of the groupings.

## Example

```
<descgrp xmlns="urn:isbn:1-931666-22-9">
  <head>Related and Associated Materials</head>
  <separatedmaterial>
    <p>Photographs and sound recordings have been transferred to
      the appropriate custodial divisions of the Library where
      they are identified as part of these papers. Among the
      sound recordings are the following broadcasts:</p>
    <list>[...]</list>
  </separatedmaterial>
  <separatedmaterial>
    <p>Other papers of Earl Warren, which relate chiefly to his
      early years and public service in California, are held
      by the California State Archives in Sacramento.</p>
  </separatedmaterial>
  <relatedmaterial>
    <p>Records relating to the Warren Commission are held in the
      National Archives and Records Administration.</p>
  </relatedmaterial>
</descgrp>
```

## Example

```
<descgrp xmlns="urn:isbn:1-931666-22-9">
  <head>Important Information for Users of the Collection</head>
  <accessrestrict>
    <head>Access</head>
    <p>Collection is open for research. Scrapbooks are extremely
      fragile and require close supervision by Special
      Collections staff during use.</p>
  </accessrestrict>
  <userrestrict>
    <head>Publication Rights</head>
    <p>Property rights reside with the University of California.
      Literary rights are retained by the creators of the
      records and their heirs. For permissions to reproduce or
      to publish, please contact the Head of Special
      Collections and Archives.</p>
  </userrestrict>
  <prefercite>
    <head>Preferred Citation</head>
    <p>Eugene Loring Papers. MS-P02. Special Collections and
      Archives, The UCI Libraries, Irvine, California.</p>
  </prefercite>
  <acqinfo>
    <head>Acquisition Information</head>
    <p>Gift of Eugene Loring, 1975 and 1980.</p>
  </acqinfo>
  <processinfo>
    <head>Processing History</head>
    <p>Preliminary processing by Roger Berry in 1975 and 1980.
      Processing completed by Emma Kheradyar in 1996-1997.
      Guide edited by Laura Clark Brown in 1998 and completed
      by William Landis in 2000.</p>
  </processinfo>
</descgrp>
```

## Content model

```
<content>
</content>
```

## Schema Declaration

```
element descgrp
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  head?,
  ( model.blocks | model.desc.base )+
}
```

## <descrules>

**<descrules>** (Descriptive Rules) A subelement of Profile Description <profiledesc> for the enumeration of the rules, standards, conventions, and protocols used in preparing the description.

**Module** EAD  
**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)  
**Contained by** EAD: profiledesc  
**May contain** EAD: abbr archref bibref emph expan extptr extref lb linkgrp ptr ref subtitle title  
**Note** Do not confuse this element with the RULES attribute in the <controlaccess> subelements, e.g., <persname>, <geogname>, and <title>, which are used to specify the descriptive rules, such as AACR2R, used in formulating individual access points. The <descrules> element is comparable to ISAD(G) data element 3.7.2.  
**Example** <descrules xmlns="urn:isbn:1-931666-22-9">Finding aid prepared using  
<title render="italic">Rules for Archival  
Description</title>  
</descrules>

## Content model

```
<content>
</content>
```

## Schema

**Declaration** element descrules { att.EADGlobal.attributes, ( text | model.phrase.basic )\* }

## <did>

**<did>** (Descriptive Identification) A required wrapper element that bundles other elements identifying core information about the described materials in either Archival Description <archdesc> or a Component <c>. The various <did> subelements are intended for brief, clearly designated statements of information and, except for <note>, do not require Paragraphs <p> to enter text.

**Module** EAD  
**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)  
**Contained by** EAD: archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12  
**May contain** EAD: abstract container dao daogrp head langmaterial materialspec note origination physdesc physloc repository unitdate unitid unittitle  
**Note** The <did> groups elements that constitute a good basic description of an archival unit. This grouping ensures that the same data elements and structure are available at every level of description within the EAD hierarchy. It facilitates

the retrieval or other output of a cohesive body of elements for resource discovery and recognition. The <did> in <archdesc> is sometimes called the high level <did>, because it describes the collection as a whole. Consider using the following elements for this high level <did>: <head>, <origination>, <unittitle>, <physdesc>, <repository>, and <abstract>. The <unitid> and <physloc> elements are suggested if applicable to a repository's practice. A <did> within a Component <c> can be less complete, and might have only a <container> or <unitid> and a <unittitle>.

#### Example

```
<archdesc xmlns="urn:isbn:1-931666-22-9" type="inventory" level="subgrp">
  <did>
    <head>Overview of the Records</head>
    <repository label="Repository:">
      <corpname>Minnesota Historical Society</corpname>
    </repository>
    <origination label="Creator:">Minnesota. Game and Fish
      Department</origination>
    <unittitle label="Title:">Game laws violation records, </unittitle>
    <unitdate label="Dates:">1908-1928</unitdate>
    <abstract label="Abstract:">Records of prosecutions for and
      seizures of property resulting from violation of the
      state's hunting and fishing laws.</abstract>
    <physdesc label="Quantity:">2.25 cu. ft. (7 v. and 1 folder
      in 3 boxes)</physdesc>
    <physloc label="Location:">See Detailed Description section
      for box location</physloc>
  </did> . . . </archdesc>
```

#### Example

```
<archdesc xmlns="urn:isbn:1-931666-22-9" level="collection">
  <did>
    <unittitle>Early Durham Cartularies</unittitle>
    <unitid>GB-0033-DCD</unitid>
    <unitdate label="Date range:"
      normal="1220/1230">compiled
      between 1220 and 1230, with later additions</unitdate>
    <physdesc label="Extent:">1 cartulary (175ff. and inserts),
      1 fragment and 1 [photostat of] fragment.</physdesc>
    <repository label="Repository:">Durham University Library,
      Archives and Special Collections</repository>
    <origination label="Origination:">early cartularies produced
      by the Durham monastic administration. </origination>
  </did>
</archdesc>
```

#### Example

```
<dsc xmlns="urn:isbn:1-931666-22-9" type="combined">
  <c01 level="series">
    <did>
      <unittitle>Series 1: Correspondence,</unittitle>
      <unitdate type="inclusive">1943-1978</unitdate>
      <physdesc>
        <extent>2.5 linear ft. </extent>(5 document
          boxes)</physdesc>
    </did>
    <scopecontent>[...]</scopecontent>
  </c01>
  <c02 level="subseries">
```



```

<did>
  <unittitle>Subseries 1.1: Outgoing Correspondence, </unittitle>
  <unitdate type="inclusive">1943-1969</unitdate>
  <physdesc>
    <extent>0.75 linear
      ft.</extent>
  </physdesc>
</did>
<c03 level="file">
  <did>
    <physloc audience="internal">B:14:D</physloc>
    <container type="box">1</container>
    <container type="folder">1</container>
    <unittitle>Abbingner-Aldrich</unittitle>
    <physdesc>
      <extent>14 letters</extent>
    </physdesc>
  </did>
</c03>
</c02>
</c01>
</dsc>
Schematron <did> elements MUST contain <unitid>
  <s:rule context="ead:did"> <s:assert role="MUST" test="ead:unitid">a did MUST
  have a unitid, according 17.3 and WP19</s:assert> </s:rule>
Schematron <did> elements MUST contain <unittitle>
  <s:rule context="ead:did"> <s:assert role="MUST" test="ead:unittitle">a did
  MUST have a unittitle, according 17.3</s:assert> </s:rule>
Schematron a <did> MUST have at least one non-empty <unittitle>
  <s:rule context="ead:did"> <s:assert role="MUST"
  test="count(ead:unittitle[text()]) > 0">a did MUST have at least one non-empty
  unittitle</s:assert> </s:rule>
Content model
  <content/>

Schema
Declaration element did { att.EADGlobal.attributes, ( head?, model.did+ ) }

```

## <dimensions>

**<dimensions>** (Dimensions) A subelement of <physdesc> for information about the size of the materials being described; usually includes numerical data. Measurements may be expressed in any convenient unit. Attributes may be used when the unit of measurement or type of dimension is not clear in the finding aid text. The UNIT attribute specifies the kind of measurement, for example, "inches" or "meters." The TYPE attribute specifies the kind of dimensions being measured, for example, "height" or "circumference." Multiple dimensions, for example, height-by-width, can be tagged in a single <dimensions> element or in separate <dimensions> with distinctive attribute values.

**Module** EAD  
**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.labeled (@label) att.typed (@type)  
 unit **Status** Optional

## Datatype

<b>Contained by</b>	EAD: dimensions physdesc
<b>May contain</b>	EAD: abbr archref bibref dimensions emph expan extptr extref lb linkgrp ptr ref subtitle title
<b>Note</b>	Do not confuse with the <extent> element, which is used to tag the quantity of described materials.
<b>Example</b>	<pre>&lt;dsc xmlns="urn:isbn:1-931666-22-9" type="in-depth"&gt;   &lt;head&gt;Handlist&lt;/head&gt;   &lt;c01&gt;     &lt;did&gt;       &lt;unittitle&gt;Cartuarium vetus&lt;/unittitle&gt;       &lt;physdesc&gt;3 paper leaves; 1 parchment on paper leaf; 175         leaves, 4 inserts, 2 schedules, parchment; 4 paper         leaves &lt;dimensions&gt; approximately 230 mm x 163         mm.&lt;/dimensions&gt;       &lt;/physdesc&gt;     &lt;/did&gt;   &lt;/c01&gt; . . . &lt;/dsc&gt;</pre>
<b>Content model</b>	<pre>&lt;content&gt; &lt;/content&gt;</pre>
<b>Schema Declaration</b>	<pre>element dimensions {   att.EADGlobal.attributes,   att.labeled.attributes,   att.typed.attributes,   attribute unit { text }?,   ( text, model.phrase.basic, dimensions ) * }</pre>

## <div>

**<div>** (Text Division) A generic element that designates a major section of text within <frontmatter>. Examples of these text divisions include a title page, preface, acknowledgments, or instructions for using a finding aid. Use the <head> element to identify the <div>'s purpose.

<b>Module</b>	EAD
<b>Attributes</b>	att.EADGlobal (@id, @altrender, @audience, @encodinganalog)
<b>Contained by</b>	EAD: div frontmatter
<b>May contain</b>	EAD: address blockquote chronlist div head list note p table
<b>Example</b>	<pre>&lt;frontmatter xmlns="urn:isbn:1-931666-22-9"&gt;   &lt;titlepage&gt;[...]&lt;/titlepage&gt;   &lt;div&gt;     &lt;head&gt;Acknowledgements&lt;/head&gt;     &lt;p&gt;The University of California, Irvine Libraries wishes to       acknowledge the generosity of the family of Edgar Holden       for an endowment in support of the processing and       maintenance of this collection and the University of       California Office of the President for grant funding in       support of the encoding of this and other finding aids       using the Encoded Archival Description standard.&lt;/p&gt;</pre>

## Example

```

</div> . . . </frontmatter>
<frontmatter xmlns="urn:isbn:1-931666-22-9">
<titlepage>
<titleproper>Inventory of the Rietta Hines Herbert Papers,
1940-1969</titleproper>
<author>Processed by: Debra Carter</author>
<publisher>Schomburg Center for Research in Black
Culture<lb/> The New York Public Library</publisher>
<date>August, 1977</date>

<!--&schtp;-->
<p> © <date>1999 </date> The New York Public Library, Astor,
Lenox and Tilden Foundations. All rights reserved.</p>
</titlepage>
<div>
<head>Preface</head>
<p>This inventory is one of several prepared as a part of
the archival preservation program at the Schomburg
Center for Research in Black Culture, a research
division of The New York Public Library.</p>
<p>The Schomburg archival preservation program involves the
organization and preservation of primary source material
held by the Center and of significance to the study of
the Black Experience. It furthermore includes the
preparation of detailed inventories of these records,
making the information contained therein accessible as
well as available to scholars.</p>
<p>The necessary staff and supplies for this program were
made available through a combination of Library,
National Endowment for the Humanities grant, and State
of New York grant funds.</p>
</div>
</frontmatter>

```

## Content model

```

<content>
</content>

```

## Schema

**Declaration** element div { att:EADGlobal.attributes, head?, model.blocks\*, div\* }

## <dsc>

**<dsc>** (Description of Subordinate Components) A wrapper element that bundles information about the hierarchical groupings of the materials being described. The subordinate components can be presented in several different forms or levels of descriptive detail, which are identified by the element's required TYPE attribute. For example, "analyticover" identifies an overview description of series and subseries, which might be followed by a second <dsc> with the TYPE attribute set to "in-depth" that provides a more detailed listing of the content of the materials, including information about the container numbers associated with those materials. The TYPE attribute value "combined" is used when the description of a series is followed immediately by a listing of the contents of that series. The TYPE attribute "othertype" is for models that do not follow any of the above-mentioned formats, in which case the OTHERTYPE attribute can then be used to

specify a particular presentation model.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

att.dsctab.tpattern (@tpattern)

type

characterizes the element in some sense, using any convenient classification scheme or typology.

**Derived from** att.typed

**Status** Optional

**Datatype**

**Member of** model.desc.full

**Contained by** EAD: archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 dsc

**May contain** EAD: address blockquote c c01 chronlist dsc head list note p table thead

**Note** See also related elements <c> and <c01> through <c12>.

**Example** <dsc xmlns="urn:isbn:1-931666-22-9" type="combined">

<c01 level="series">

<did>

<unittitle>Activities, </unittitle>

<unitdate type="inclusive">1965-1971</unitdate>

<physdesc>

<extent>0.3 linear ft.</extent>

</physdesc>

</did>

<scopecontent>

<p>The Activities series gives examples of the types of activities offered at the camp. The folders contain

<genreform>reports,</genreform>

<genreform>schedules,</genreform> and

<genreform>inventories </genreform> from each

activity area of the camp. These records are

predominantly from the late 1960s and early 1970s

and replicate some of the information found in the

staff manuals.</p>

</scopecontent>

<c02 level="file">

<did>

<container label="Box" type="box">1</container>

<unittitle>General, </unittitle>

<unitdate type="inclusive">1970-1971</unitdate>

</did>

</c02>

<c02 level="file">

<did>

<container type="box">1</container>

<unittitle>Camp Crafts, </unittitle>

<unitdate>1967</unitdate>

</did>

</c02>

<c02 level="file">

<did>

<container type="box">1</container>

```

<unittitle>Education Program, </unittitle>
<unitdate>1967</unitdate>
</did>
</c02>
<c02 level="file">
<did>
<container type="box">1</container>
<unittitle>Expressive Arts, </unittitle>
<unitdate>1970</unitdate>
</did>
</c02> . . . </c01> . . . </dsc>
<dsc xmlns="urn:isbn:1-931666-22-9" type="analyticcover">
<c01 level="series">
<did>
<unitid>1-429-1</unitid>
<unittitle>Forest Stand Maps by Township and Basemap </unittitle>
<unitdate type="inclusive">1958-1979</unitdate>
<physdesc>
<extent>36 ft. (approx. 1700 sheets)</extent>
of <genreform>cartographic records.</genreform>
</physdesc>
<materials-spec>Scale: predominantly 4 inches to 1 mile
(1:15,840)</materials-spec>
</did>
<scopecontent>
<p>Series consists of forest stand maps. A map
sheet was created for each township of the surveyed
section of the province and for each basemap area in
unsurveyed areas.</p> . . . </scopecontent>
</c01>
<c01 level="series">
<did>
<unitid>RG 1-429-2</unitid>
<unittitle>Forest Stand Map Composites</unittitle>
<unitdate type="inclusive">1958-1971</unitdate>
<physdesc>
<extent>ca.70</extent>
<genreform>maps
</genreform>
</physdesc>
<materials-spec>Scale: 1 inch to 1 mile</materials-spec>
</did>
<scopecontent>
<p>Series consists of composite maps of the
forest resource inventory data from all the
townships within a Forestry Management Unit. The
composites offer a broader view of an area than the
township/basemaps, however the forest stand
statistics are quite small and difficult to
read.</p> . . . </scopecontent>
</c01> . . . </dsc>
<dsc xmlns="urn:isbn:1-931666-22-9" type="in-depth">

```

## Example

## Example

```

<c01 level="series">
  <did>
    <unittitle>Series 1: Administrative Records, </unittitle>
    <unitdate type="inclusive">1912-1956.</unitdate>
  </did>
  <c02>
    <did>
      <container id="mss92-894c-bx1"
        type="box">Box
        1</container>
      <container parent="mss92-894c-bx1"
        label="Folder" type="folder">7-8 </container>
      <unittitle>Annual reports, </unittitle>
      <unitdate type="inclusive">1912-16, 1922</unitdate>
    </did>
  </c02>
  <c02>
    <did>
      <container parent="mss92-894c-bx1"
        label="Folder" type="folder">9 </container>
      <unittitle>Board of Directors–Minutes and
        correspondence, </unittitle>
      <unitdate type="inclusive">1947-1949</unitdate>
    </did>
  </c02>
  <c02>
    <did>
      <container parent="mss92-894c-bx1"
        label="Folder" type="folder">10 </container>
      <unittitle>Contracts and specifications for
        construction of nurses' quarters, </unittitle>
      <unitdate>ca. 1947</unitdate>
    </did>
  </c02>
  <c02>
    <did>
      <container parent="mss92-894c-bx1"
        label="Folder" type="folder">11 </container>
      <unittitle>Marin County Reports, </unittitle>
      <unitdate type="inclusive">1955-1956</unitdate>
    </did>
  </c02>
</c01>
<c01 level="series">
  <did>
    <unittitle>Series 3: Philip King Brown, </unittitle>
    <unitdate type="inclusive">1910-1931, n.d.</unitdate>
  </did>
  <c02>
    <did>
      <container parent="mss92-894c-bx1"
        label="Folder" type="folder">21 </container>
    </did>
  </c02>
</c01>

```

```

<unittitle>Correspondence, </unittitle>
<unitdate type="inclusive">1910-1931</unitdate>
</did>
</c02>
<c02>
<did>
<container parent="mss92-894c-bx1"
label="Folder" type="folder">22 </container>
<unittitle>Writings, </unittitle>
<unitdate>n.d.</unitdate>
</did>
</c02> . . . </c01>
</dsc>

```

#### Schematron

```

<dsc> MUST have a type attribute
<s:rule context="ead:dsc"> <s:assert role="MUST" test="@type">dsc MUST
have a type attribute</s:assert> </s:rule>

```

#### Schematron

```

if <dsc>'s type attribute has "othertype" for value, <dsc> MUST have a not empty
othertype attribute
<s:rule context="ead:dsc"> <s:assert role="MUST" test="not(@type
='othertype') or (@othertype and not(@othertype=''))">if dsc's type attribute has
"othertype" for value, dsc MUST have a not empty othertype attribute</s:assert>
</s:rule>

```

#### Schematron

```

the <dsc> components SHOULD numbered, from <c01> to <c06>
<s:rule role="SHOULD" context="ead:dsc | ead:c01 | ead:c02 | ead:c03 |
ead:c04 | ead:c05 "> <s:assert test="not(ead:c)">the dsc components SHOULD
numbered, from c01 to c06</s:assert> </s:rule>

```

#### Content model

```

<content/>

```

#### Schema Declaration

```

element dsc
{
  att.EADGlobal.attributes,
  att.dsctab.tpattern.attributes,
  attribute type { data.enumerated }?,
  ( head?, model.blocks* ),
  ( ( thead?, ( ( c, thead? )+ | ( c01, thead? )+ ) ) | dsc* )
}

```

#### <dscgroup>

**<dscgroup>** (Description of Subordinate Components Group) A wrapper element used only within the <archdescgrp> subelement of <eadgrp> in the EAD Group Document Type Definition. The <dscgrp> contains two or more <ead> encoded finding aids, one after the other.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** —

**May contain** EAD: address blockquote chronlist ead head list note p table

**Note** See also the <eadgrp> element.

#### Content model

```

<content>
</content>

```



## Schema

**Declaration** element dscgroup { att.EADGlobal.attributes, head?, ead, model.blocks\* }

## <ead>

**<ead>** (Encoded Archival Description) The outermost wrapper element for an information access tool known generically as a finding aid. A finding aid establishes physical and intellectual control over many types of archival materials and helps researchers understand and access the materials being described. The <ead> element defines a particular instance of a document encoded with the EAD Document Type Definition.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)  
att.relatedencoding (@relatedencoding)

**Contained by** EAD: dscgroup

**May contain** EAD: archdesc eadheader frontmatter

**Note** The AUDIENCE attribute value may be set to "external" to display data in all subelements, unless the value is changed for a specific element. A separate Document Type Definition called EAD Group can be used to bundle <ead> finding aids that describe different parts of a collection that have been dispersed among various institutions or custodial units. See the <eadgrp> element description for additional information.

**Example** The following elements constitute the minimum set of elements for an EAD instance (i.e., those required by the DTD). Although the Description of Subordinate Components <dsc> is not itself required, if it is used its type attribute must be set.

```
<ead xmlns="urn:isbn:1-931666-22-9">
  <eadheader>
    <eadid>[...]/</eadid>
    <filedesc>
      <titlestmt>
        <titleproper>[...]/</titleproper>
      </titlestmt>
    </filedesc>
  </eadheader>
  <archdesc level="fonds">
    <did>[...]/</did>
    <dsc type="combined">[...]/</dsc>
  </archdesc>
</ead>
```

## Content model

```
<content>
</content>
```

## Schema

**Declaration** element ead  
{  
  att.EADGlobal.attributes,  
  att.relatedencoding.attributes,  
  ( eadheader, frontmatter?, archdesc )  
}

## <eadheader>

**<eadheader>** (EAD Header) A wrapper element for bibliographic and descriptive information about the finding aid document rather than the archival materials being described. The **<eadheader>** is modeled on the Text Encoding Initiative (TEI) header element to encourage uniformity in the provision of metadata across document types.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.encodings (@countryencoding, @langencoding, @scriptencoding, @repositoryencoding, @dateencoding) att.relatedencoding (@relatedencoding)  
findaidstatus

The extent to which the encoded finding aid is a finished document.

**Status** Optional

**Datatype**

**Contained by** EAD: ead

**May contain** EAD: eadid filedesc profiledesc revisiondesc

**Note** The **<eadheader>** is required, because information that was often unrecorded for a local paper finding aid is essential in a machine-readable environment. Four subelements are available, which must occur in the following order: **<eadid>** (required), **<filedesc>** (required), **<profiledesc>** (optional), and **<revisiondesc>** (optional). These elements and their subelements provide: a unique identification code for the finding aid; bibliographic information, such as the author and title of the finding aid; information about the encoding of the finding aid; and statements about significant revisions. The FINDAIDSTATUS attribute can be used to indicate how complete or polished the information in the finding aid is. The COUNTRYENCODING, DATEENCODING, LANGENCODING, REPOSITORYENCODING, and SCRIPTENCODING attributes are used to specify the ISO standards from which code values for other attributes, such as COUNTRYCODE in **<eadid>** and **<unitid>**, are taken.

Some or all of the **<eadheader>** subelements can be used to display title page information. Alternatively, the **<eadheader>** can be blocked from display by setting the AUDIENCE attribute to "internal" and using the **<frontmatter>** **<titlepage>** elements to create a title page.

**Example** Following are the required **<eadheader>** elements.

```
<eadheader xmlns="urn:isbn:1-931666-22-9">
```

```
<eadid>[...]</eadid>
```

```
<filedesc>
```

```
<titlestmt>
```

```
<titleproper>[...]</titleproper>
```

```
</titlestmt>
```

```
</filedesc>
```

```
</eadheader>
```

**Schematron** If the language of the description is not English, a parallel form of the title in English SHOULD be added. For instance, using another **<unittitle>** element with a *type* attribute

```
<s:rule context="ead:eadheader"> <s:assert role="SHOULD"
```

```
test="ead:profiledesc/ead:language/@langcode = 'eng'">If the language of the description is not English, a parallel form of the title in English SHOULD be added. For instance, using another unittitle element with a type attribute</s:assert> </s:rule>
```

**Schematron** **<eadheader>** MUST contain a **<profiledesc>** element

```
<s:rule context="ead:eadheader">
```

## Schematron

```
<s:assert role="MUST" test="ead:profiledesc">eadheader MUST contain a
profiledesc element</s:assert> </s:rule>
A date of creation for the finding aid is welcome. The relevant element in <date>,
child of <creation>
<s:rule context="ead:eadheader"> <s:assert role="COULD"
test="ead:creation/ead:date and normalize-
space(ead:creation/ead:date)">eadheader COULD have a non-empty creation-
date</s:assert> </s:rule>
```

## Content model

```
<content/>
```

## Schema Declaration

```
element eadheader
{
  att.EADGlobal.attributes,
  att.encodings.attributes,
  att.relatedencoding.attributes,
  attribute findaidstatus { text }?,
  ( eadid, filedesc, profiledesc?, revisiondesc? )
}
```

## <eadid>

**<eadid>** (EAD Identifier) A required subelement of <eadheader> that designates a unique code for a particular EAD finding aid document.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.coded (@countrycode) mainagencycode

A code compliant with ISO/DIS 15511 Information and Documentation International Standard Identifier for Libraries and Related Organizations (ISIL).

**Status** Optional

**Datatype**

**Note** Values should be supplied without the country code, which should be placed instead in the COUNTRYCODE attribute.

url An absolute (<http://www.loc.gov/ead/ms99999.xml>) or relative (ms99999.xml) Uniform Resource Locator.

**Status** Optional

**Datatype**

urn A Uniform Resource Name intended to serve as a persistent, location-independent, resource identifier.

**Status** Optional

**Datatype**

publicid A formal public identifier (FPI) that includes the owner name and an object name.

**Status** Optional

**Datatype**

**Note** Defined in ISO/IEC 9070:1991, the FPI is intended to be universally unique, with each owner name being unique, and each object name unique within the name

identifier                      domain controlled by the owner.  
    A machine-readable unique identifier.  
**Status**                      Optional  
**Datatype**

<b>Contained by</b>	EAD: eadheader
<b>May contain</b>	Character data only
<b>Note</b>	Two of the attributes, COUNTRYCODE and MAINAGENCYCODE, are required to make the <eadid> compliant with ISAD(G) element 3.1.1. MAINAGENCYCODE provides the ISO 15511 code for the institution that maintains the finding aid (which may not be the same as the institution that is the custodian of the materials described). COUNTRYCODE supplies the ISO 3166-1 code for the country of the maintenance agency. In addition to these two attributes, it is recommended that repositories also use at least one of the following attributes: URL, PUBLICID, or IDENTIFIER to make the <eadid> globally unique. PUBLICID should be a Formal Public Identifier, URL an absolute or relative address, and IDENTIFIER a machine-readable unique identifier for the finding aid file. (The proper syntax for PUBLICID is defined in ISO/IEC 9070:1991 Information technology -- SGML support facilities -- Registration procedures for public text owner identifiers.)
<b>Example</b>	<pre>&lt;eadid xmlns="urn:isbn:1-931666-22-9" countrycode="us"   mainagencycode="txu-hu"   publicid="//us::txu-hu//TEXT us::txu-hu::hrc.00001//EN"   url="www.lib.utexas.edu/taro/hrc/00001.xml"&gt;hrc.00001&lt;/eadid&gt;</pre>
<b>Schematron</b>	the <eadid> element MUST contain text. Most of the time, it is automatically generated by the archival tool.
<b>Schematron</b>	<pre>&lt;s:rule context="ead:eadid"&gt; &lt;s:assert role="MUST" test="normalize-space(.)"&gt;eadid MUST contain text&lt;/s:assert&gt; &lt;/s:rule&gt;</pre>
<b>Schematron</b>	<pre>&lt;eadid&gt; SHOULD contain a mainagencycode attribute, which provides (if applicable) the ISO 15511 code for the institution that maintains the finding aid. &lt;s:rule context="ead:eadid"&gt; &lt;s:assert role="SHOULD"   test="@mainagencycode"&gt; eadid SHOULD contain a mainagencycode attribute &lt;/s:assert&gt; &lt;/s:rule&gt;</pre>
<b>Content model</b>	<content/>
<b>Schema Declaration</b>	<pre>element eadid {   att.EADGlobal.attributes,   att.coded.attributes,   attribute mainagencycode { text }?,   attribute url { text }?,   attribute urn { text }?,   attribute publicid { text }?,   attribute identifier { text }?,   text }</pre>

## <edition>

**<edition>** (Edition) A version of the finding aid or other bibliographic entity. When used in the <editionstmt> subelement of the <eadheader> or in the <titlepage> subelement of <frontmatter>,

the <edition> refers to the version of the finding aid. A new edition of a finding aid represents substantial additions or changes and should supersede previous online versions. When used in a Bibliographic Reference <bibref>, the <edition> element specifies the version of a published work.

**Module** EAD  
**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)  
**Contained by** EAD: bibref editionstmt titlepage unittitle  
**May contain** EAD: emph extptr lb ptr  
**Example** <eadheader xmlns="urn:isbn:1-931666-22-9" audience="internal" langencoding="iso639-2b">  
 <eadid>[...]</eadid>  
 <filedesc>  
 <titlestmt>[...]</titlestmt>  
 <editionstmt>  
 <edition>2nd ed.</edition>  
 <p>This edition reflects substantial additions to the collection in 1994.</p>  
 </editionstmt>  
 </filedesc> . . . </eadheader>

#### Content model

```
<content>
</content>
```

#### Schema

**Declaration** element edition { att.EADGlobal.attributes, ( text | model.phrase.bare )\* }

### <editionstmt>

**<editionstmt>** (Edition Statement) An optional subelement within the <filedesc> portion of the <eadheader> element that groups information about a finding aid edition by providing an <edition> element as well as a Paragraph <p> element for narrative statements.

**Module** EAD  
**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)  
**Contained by** EAD: filedesc  
**May contain** EAD: edition p  
**Example** <eadheader xmlns="urn:isbn:1-931666-22-9" audience="internal" langencoding="iso639-2b">  
 <eadid>[...]</eadid>  
 <filedesc>  
 <titlestmt>[...]</titlestmt>  
 <editionstmt>  
 <edition>2nd ed.</edition>  
 <p>This edition reflects substantial additions to the collection in 1994.</p>  
 </editionstmt>  
 </filedesc> . . . </eadheader>

**Example** <filedesc xmlns="urn:isbn:1-931666-22-9">  
 <titlestmt>  
 <titleproper>Etat sommaire des fonds d'archives privées du Centre historique des Archives nationales</titleproper>  
 <subtitle> Séries AP et AB XIX</subtitle>  
 <author>Instrument de recherche rédigé par Claire Sibille, avec la collaboration de George-Andrée Banguio et de

Violaine Le Nénaon, sous la direction de Christine  
Nougaret</author>  
</titlestmt>  
<editionstmt>  
<edition> Première édition</edition>  
</editionstmt>  
<publicationstmt>  
<publisher>Centre historique des Archives nationales de  
France (CHAN)</publisher>  
<address>  
<addressline>60 rue des Francs-Bourgeois</addressline>  
<addressline>F-75141 PARIS CEDEX 03</addressline>  
</address>  
<date>mai 2001</date>  
</publicationstmt>  
</filedesc>

#### Content model

<content>  
</content>

#### Schema

**Declaration** element editionstmt { att.EADGlobal.attributes, ( edition | p )+ }

#### <emph>

**<emph>** (Emphasis) A formatting element for marking words or phrases that are stressed or emphasized for linguistic effect. Use the RENDER attribute to specify the kind of emphasis, e.g., bold or italics.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.rendered (@render)

**Member of** model.render

**Contained by** EAD: abstract addressline archref author bibref bibseries container corpname creation date descrules dimensions edition emph entry event extrefloc famname function genreform geogname head head01 head02 imprint item label langmaterial language languasage legalstatus materialspec name num occupation origination p persname physdesc physfacet physloc publisher ref refloc repository resource runner sponsor subarea subject subtitle title titleproper unitdate unitid unittitle

**May contain** EAD: abbr archref bibref emph expan extptr extref lb linkgrp ptr ref subtitle title  
**Note** When the content of an entire element should always be rendered in italics or some other display feature, use the style sheet functions instead of the <emph> element.

**Example** <abstract xmlns="urn:isbn:1-931666-22-9" label="Abstract"> Papers document Donald C. Stone's work with Ornstein and Swencionis on the <emph render="italic">est</emph> Outcome Project, and the development of his doctoral research, including his various publications on the human potential movement, up to the completion of his doctoral dissertation. </abstract>

#### Content model

<content>  
</content>

## Schema

### Declaration

```

element emph
{
  att.EADGlobal.attributes,
  att.rendered.attributes,
  ( text | model.phrase.basic ) *
}

```

## <entry>

**<entry>** (Table Entry) A formatting element that designates the contents of a cell in a table. A cell is the intersection of a row and a column. The <entry> attributes control cell spanning, alignment of the contents, and the rules on the cell edges. The attributes can be specified for <entry> or inherited from the nearest of the following table elements: <table>, <tgroup>, <colspec/>, <tbody>, or <row>.

### Module

EAD

### Attributes

att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

align

**Status**

Optional

**Datatype**
**Legal values are:** left

right

center

justify

char

char

**Status**

Optional

**Datatype**

charoff

**Status**

Optional

**Datatype**

colname

**Status**

Optional

**Datatype**

colsep

**Status**

Optional

**Datatype**
**Legal values are:** 1

0

morerows

**Status**

Optional

**Datatype**

nameend

**Status**

Optional

**Datatype**

namest

**Status**

Optional

**Datatype**

rowsep

**Status**

Optional

**Datatype**
**Legal values are:** 1

O

valign      **Status**      Optional  
**Datatype**  
**Legal values are:** top  
middle  
bottom

## Contained by May contain

EAD: row  
EAD: abbr address archref bibref corpname date emph expan extptr extref  
famname function genreform geogname lb linkgrp list name note num occupation  
origination persname ptr ref repository subject subtitle title unitdate unittitle

## Note

Three attributes are used together to force horizontal alignment on a specific character, such as a decimal point. The ALIGN attribute must be set to "char" (align="char"). The CHAR attribute should be set to the specific character on which the text will align (for example the decimal point, char="."). The CHAROFF attribute controls the position of the alignment by naming the percentage of the current column width that is to the left of the alignment character (for example, charoff="30"). The extent of a horizontal span is determined by naming the first column (NAMEST) and the last column (NAMEEND) in the span. By convention, the specified rule is printed or displayed to the right of the column. External rules are specified using the FRAME attribute of the <table> element, horizontal rules are specified using ROWSEP.

## Example

```
<table xmlns="urn:isbn:1-931666-22-9" frame="none">
  <tgroup cols="3">
    <colspec colnum="1" colname="1"
      align="left" colwidth="50pt"/>
    <colspec colnum="2" colname="2"
      align="left" colwidth="50pt"/>
    <colspec colnum="3" colname="3"
      align="left" colwidth="50pt"/>
    <thead>
      <row>
        <entry colname="1">Major Family Members</entry>
        <entry colname="2">Spouses</entry>
        <entry colname="3">Children</entry>
      </row>
    </thead>
    <tbody>
      <row>
        <entry colname="1">John Albemarle
          (1760-1806)</entry>
        <entry colname="2">Mary Frances Delaney
          (1769-1835)</entry>
        <entry colname="3">John Delaney Albemarle
          (1787-1848)</entry>
      </row> . . . </tbody>
    </tgroup>
  </table>
```

## Content model



```
<content>
</content>
```

## Schema Declaration

```
element entry
{
  att.EADGlobal.attributes,
  attribute align { "left" | "right" | "center" | "justify" | "char" }?,
  attribute char { text }?,
  attribute charoff { text }?,
  attribute colname { text }?,
  attribute colsep { "1" | "O" }?,
  attribute morerows { text }?,
  attribute nameend { text }?,
  attribute namest { text }?,
  attribute rowsep { "1" | "O" }?,
  attribute valign { "top" | "middle" | "bottom" }?,
  ( text | ( model.phrase.plus | address | list | note ) ) *
}
```

## <event>

**<event>** (Event) That part of a Chronology List Item <chronitem> which describes or names something that happened. The <event> is paired with a <date> (a single date or date range) and can be grouped with other events in <eventgrp>, if multiple events need to be associated with the same <date>.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: chronitem eventgrp

**May contain** EAD: abbr address archref bibref blockquote chronlist corpname date emph expan extptr extref famname function genreform geogname lb linkgrp list name note num occupation origination persname ptr ref repository subject subtitle table title unitdate unittitle

**Note** See related element Chronology List <chronlist>.

## Example

```
<bioghist xmlns="urn:isbn:1-931666-22-9">
  <head>Biographical Note</head>
  <chronlist>
    <chronitem>
      <date>1892, May 7</date>
      <event>Born, <geogname>Glencoe, Ill.</geogname>
    </event>
    </chronitem>
    <chronitem>
      <date>1915</date>
      <event>A.B., <corpname>Yale University, </corpname>New
        Haven, Conn.</event>
    </chronitem>
    <chronitem>
      <date>1916</date>
      <event>Married <persname>Ada Hitchcock</persname>
    </event>
    </chronitem>
  </chronlist>
</bioghist>
```

```
<chronitem>
  <date>1917-1919</date>
  <event>Served in <corpname>United States
    Army</corpname>
</event>
</chronitem>
</chronlist>
</bioghist>
```

#### Content model

```
<content>
</content>
```

#### Schema

**Declaration** element event { att.EADGlobal.attributes, ( text | model.para.content )\* }

### <eventgrp>

**<eventgrp>** (Event Group) An element within a Chronology List Item <chronitem> that bundles multiple <event>s associated with the same <date>.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: chronitem

**May contain** EAD: event

**Note** See related element Chronology List <chronlist>.

**Example**

```
<bioghist xmlns="urn:isbn:1-931666-22-9">
  <head>Biographical Note</head>
  <chronlist>
    <chronitem>
      <date normal="19010718">1901 July 18</date>
      <event>Born, Holsterhausen, Westphalia, Germany </event>
    </chronitem>
    <chronitem>
      <date normal="1918">1918</date>
      <event>Member and active participant of Sokoly, Polish
        insurrection against the Germans</event>
    </chronitem>
    <chronitem>
      <date normal="1920">1920</date>
      <eventgrp>
        <event>Private, Polish Army, Polish-Russo
          War</event>
        <event>Graduated from Agricultural High School,
          People's University</event>
      </eventgrp>
    </chronitem> . . . </chronlist>
  </bioghist>
```

#### Content model

```
<content>
</content>
```

#### Schema

**Declaration** element eventgrp { att.EADGlobal.attributes, event+ }

## <expan>

**<expan>** (Expansion) A generic element to designate the full form of a word that often appears as an abbreviation or acronym. Use the ABBR attribute to supply the abbreviated form for indexing or searching purposes.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)  
abbr An abbreviation for a word or phrase that is expressed in an expanded form in the text; used for searching and indexing purposes. Available only in the <expan> element.  
**Status** Optional  
**Datatype**

**Member of** model.phrase.basic.norefs

**Contained by** EAD: abstract archref bibref creation descrules dimensions emph entry event extrefloc item label langmaterial languasage materialspec origination p physdesc physfacet physloc ref refloc repository subtitle titleproper unitdate unitid unittitle

**May contain** Character data only

**Note** See also related element Abbreviation <abbr>.

**Example** <note xmlns="urn:isbn:1-931666-22-9">  
<p>  
<expan abbr="ALS">Autograph Letter Signed</expan>  
</p>  
</note>

**Content model**

<content>  
</content>

**Schema**

**Declaration** element expan { att.EADGlobal.attributes, attribute abbr { text }?, text }

## <extent>

**<extent>** (Extent) A <physdesc> subelement for information about the quantity of the materials being described or an expression of the physical space they occupy. Includes such traditional archival measurements as cubic and linear feet and meters; also includes counts of microfilm reels, photographs, or other special formats, the number of logical records in a database, or the volume of a data file in bytes.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type) att.labeled (@label)  
unit  
**Status** Optional  
**Datatype**

**Contained by** EAD: physdesc

**May contain** Character data only

**Note** Repeat the element when more than one type or unit of extent is provided, such as, when both linear feet and quantity of containers are given. Use the UNIT attribute to indicate the measurement unit, e.g., "bytes" or "cubic meter." Use the <dimension> element when it is necessary to specify the size of the archival materials being described, for example, height and width.

**Example** <archdesc xmlns="urn:isbn:1-931666-22-9" level="collection">  
<did>  
<origination>

```

<persname encodinganalog="100"
  label="Creator:" source="lcnaf"> Franklin, George A. (George
    Albert).</persname>
</origination>
<unittitle>The George Franklin Papers, </unittitle>
<unitdate type="inclusive">1928-1972</unitdate>
<physdesc>
  <extent>100 boxes; </extent>
  <extent>50 linear feet</extent>
</physdesc>
</did>
</archdesc>
<c xmlns="urn:isbn:1-931666-22-9" level="file">
  <did>
    <physloc audience="internal">B:14:D</physloc>
    <container type="box">1</container>
    <container type="folder">1</container>
    <unittitle>Abbingner-Aldrich</unittitle>
    <physdesc>
      <extent>14 letters</extent>
    </physdesc>
  </did>
</c>

```

### Example

### Content model

```

<content>
</content>

```

### Schema Declaration

```

element extent
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  att.labeled.attributes,
  attribute unit { text }?,
  ( text | m.phrase.basic )*
}

```

### <extptr/>

**<extptr/>** (Extended Pointer) An empty linking element that uses attributes to connect the EAD document to an external electronic object, which is not part of the materials being described. Examples include graphic representations of a repository's seal or logo, and pointers to an institution's web page.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.xlink (@label, @href, @type, @title, @from, @to, @role, @actuate, @show, @arcrole, @xpointer, @entityref, @target, @parent)

**Member of** model.phrase.bare

**Contained by** EAD: abstract addressline archref author bibref bibseries container corpname creation date descrules dimensions edition emph entry event extrefloc famname function genreform geogname head head01 head02 imprint item label langmaterial language language legalstatus materialspec name num occupation

origination p persname physdesc physfacet physloc publisher ref refloc repository  
runner sponsor subarea subject subtitle title titleproper unitdate unitid unittitle

## May contain Note

Empty element

Use the ENTITYREF or HREF attribute to identify the external object. Do not confuse with the Pointer <ptr/> element, which is an internal link for movement from one place in a finding aid to another place in the same finding aid.

While XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use XLink are encouraged to consult the specification available online at

<http://www.w3.org/TR/xlink>.

## Example

```
<frontmatter xmlns="urn:isbn:1-931666-22-9">
  <titlepage>
    <titleproper>Inventory of the Rietta Hines Herbert Papers,
      1940-1969</titleproper>
    <author>Processed by: Debra Carter</author>
    <publisher>Schomburg Center for Research in Black Culture<lb/>
    <extptr linktype="simple"
      entityref="phyllis" title="Image of Phyllis Wheatley"
      actuate="onload" show="embed"/>
    <lb/> The New York Public
      Library</publisher>
    <date>August, 1977</date>

    <!--&schtp;-->
    <p> © <date>1999 </date> The New York Public Library, Astor,
      Lenox and Tilden Foundations. All rights reserved.</p>
  </titlepage>
</frontmatter>
```

## Content model

```
<content>
</content>
```

## Schema

**Declaration** element extptr { att.EADGlobal.attributes, att.xlink.attributes, empty }

## <extptrloc/>

**<extptrloc/>** (Extended Pointer Location) The location of an Extended Pointer <extptr/> that is a resource in an extended link.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.xlink (@label, @href, @type, @title, @from, @to, @role, @actuate, @show, @arcrole, @xpointer, @entityref, @target, @parent)

**Member of** model.extended.els

**Contained by** EAD: daogrp linkgrp

**May contain** Empty element

**Note** While XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use XLink are encouraged to consult the specification available online at <http://www.w3.org/TR/xlink>.

## Content model

```
<content>
</content>
```

## Schema

**Declaration** element extptrloc { att.EADGlobal.attributes, att.xlink.attributes, empty }

## <extref>

**<extref>** (Extended Reference) A linking element that can include text and subelements as part of its reference to an electronic object that is external to the EAD document.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.xlink (@label, @href, @type, @title, @from, @to, @role, @actuate, @show, @arcrole, @xpointer, @entityref, @target, @parent)

**Member of** model.refs

**Contained by** EAD: abstract archref bibliography bibref creation descrules dimensions emph entry event item label langmaterial language materialspec origination otherfindaid p physdesc physfacet physloc ref relatedmaterial repository separatedmaterial unitdate unitid unittitle

**May contain** EAD: archref bibref ref title

**Note** Use the ENTITYREF or HREF attribute to identify the external object. Use the <ref> element to point to another location within the EAD document. While XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use XLink are encouraged to consult the specification available online at <http://www.w3.org/TR/xlink>.

**Example**

```
<bioghist xmlns="urn:isbn:1-931666-22-9">
  <head>Chronology</head>
  <chronlist> . . . <chronitem>
    <date normal="199510">October 1995</date>
    <event>
      <extref linktype="simple"
        entityref="nobelsite" title="Nobel Prize eMuseum"
        actuate="onrequest" show="new">Awarded Nobel Prize in Physics by the
        Royal Swedish Academy of Sciences.</extref>
    </event>
  </chronitem> . . . </chronlist>
</bioghist>
```

## Content model

```
<content>
</content>
```

## Schema

**Declaration**

```
element extref
{
  att.EADGlobal.attributes,
  att.xlink.attributes,
  ( text | m.para.content.norefs | bibref | title | archref | ref )*
}
```

## <extrefloc>

**<extrefloc>** (Extended Reference Location) The location of an Extended Reference <extref> that is a resource in an extended link.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.xlink (@label, @href, @type, @title, @from, @to, @role, @actuate, @show, @arcrole, @xpointer, @entityref, @target, @parent)

**Member of** model.extended.els

**Contained by** EAD: daogrp linkgrp

**May contain** EAD: abbr address blockquote chronlist corpname date emph expan extptr famname function genreform geogname lb list name note num occupation origination persname ptr repository subject table unitdate unittitle

**Note** While XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use XLink are encouraged to consult the specification available online at <http://www.w3.org/TR/xlink>.

**Example**

```
<relatedmaterial xmlns="urn:isbn:1-931666-22-9">
  <p>The Society also has records of other conservation
    organizations in Minnesota.</p>
  <p>
    <linkgrp linktype="extended">
      <extrefloc href="http://www.someserver.edu/findaids/3270.xml">
        <archref>Issak Walton League of Minnesota</archref>
      </extrefloc>
      <extrefloc href="http://www.someserver.edu/findaids/9248.xml">
        <archref>Minnesota Audubon Council</archref>
      </extrefloc>
      <extrefloc entityref="FBWW">
        <archref>Friends of the Boundary Waters
          Wilderness</archref>
      </extrefloc>
      <extrefloc href="http://www.someserver.edu/findaids/23145.sgm">
        <archref>Minnesota Emergency Conservation
          Committee</archref>
      </extrefloc>
    </linkgrp>
  </p>
</relatedmaterial>
```

**Content model**

```
<content>
</content>
```

**Schema**

**Declaration**

```
element extrefloc
{
  att.EADGlobal.attributes,
  att.xlink.attributes,
  ( text | model.para.content.norefs ) *
}
```



## <famname>

**<famname>** (Family Name) The proper noun designation for a group of persons closely related by blood or persons who form a household. Includes single families and family groups, e.g., Patience Parker Family and Parker Family.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.access (@source, @rules, @authfilenumber, @normal) att.rored (@role)

**Member of** model.access

**Contained by** EAD: bibref controlaccess entry event extrefloc indexentry item label namegrp origination p physdesc physfacet ref refloc unittitle

**May contain** EAD: emph extptr lb ptr

**Note** All names in a finding aid do not have to be tagged. One option is to tag those names for which access other than basic, undifferentiated keyword retrieval is desired. Use of authorized forms is recommended to facilitate access to the names within and across finding aid systems. The <famname> element may be used in text elements such as <p>. To indicate a family name with major representation in the materials being described, nest <famname> within the <controlaccess> element. The ROLE attribute can be used to specify the relationship(s) of the name to the materials being described, for example, "compiler," "creator," "collector," or "subject." The NORMAL attribute can be used to provide the authority form of a name that has been encoded with <famname> in narrative text, e.g., within a paragraph. The AUTHFILENUMBER attribute can be used to identify a link to an authority file record that has more information about the name or cross references for alternative forms of the name and related names. Use the SOURCE attribute to specify the vocabulary from which the name has been taken and/or the RULES attribute to specify the descriptive rules followed when forming the name.

See also the related elements <controlaccess>, <corpname>, <persname>, and <name>.

The <famname> element is comparable to MARC fields 100, 600, 700.

### Example

```
<indexentry xmlns="urn:isbn:1-931666-22-9">
  <famname>Hely-Hutchinson family</famname>
</indexentry>
<genreform> Pedigree, 20th cent.</genreform>
<ref linktype="simple" role="internal"
  target="EngC5769-f74" show="replace" actuate="onrequest">MS. Eng. c. 5769,
  fol. 74</ref>
</indexentry>
</indexentry>
```

### Example

```
<archdesc xmlns="urn:isbn:1-931666-22-9" level="collection">
  <did>[...]</did> . . . <controlaccess>
    <head>Controlled Vocabulary Indexing Terms:</head>
    <controlaccess>
      <head>Subjects:</head>
      <famname encodinganalog="600"
        source="lcnaf">Ferry
        family.</famname>
      <geogname encodinganalog="651"
        source="lcsh">Ferry Field
        (University of Michigan)</geogname>
    </controlaccess>
```

```
</controlaccess>
</archdesc>
```

## Content model

```
<content>
</content>
```

## Schema

### Declaration

```
element famname
{
  att.EADGlobal.attributes,
  att.access.attributes,
  att.roled.attributes,
  ( text | model.phrase.bare ) *
}
```

## <filedesc>

**<filedesc>** (File Description) A required subelement of the <eadheader> that bundles much of the bibliographic information about the finding aid, including its author, title, subtitle, and sponsor (all in the <titlestmt>), as well as the edition, publisher, publishing series, and related notes (encoded separately).

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: eadheader

**May contain** EAD: editionstmt notestmt publicationstmt seriesstmt titlestmt

**Note** This element has been modeled on a Text Encoding Initiative (TEI) DTD element and includes the following subelements, in this order: a required <titlestmt>, an optional <editionstmt>, an optional <publicationstmt>, an optional <seriesstmt>, and an optional <notestmt>. The <filedesc> provides information that is helpful for citing a finding aid in a bibliography or footnote. Institutions that catalog finding aids separately from the archival materials being described might use the <filedesc> elements to build a basic bibliographic record for the finding aid. Do not confuse with the <profiledesc> element, which describes the encoding of the finding aid. Do not confuse with <archdesc> elements, which refer to the materials being described rather than the finding aid itself.

### Example

```
<eadheader xmlns="urn:isbn:1-931666-22-9">
  <eadid>[. . .]</eadid>
  <filedesc>
    <titlestmt>
      <titleproper>Guide to the Bank of Willows Records,
      <date>1880-1905</date>
    </titleproper>
    </titlestmt>
    <publicationstmt>

<!--&#x2013;hdr-cst-spcoll;-->
    <date>© 1999</date>
    <p>The Board of Trustees of Stanford University. All
      rights reserved.</p>
    </publicationstmt>
  </filedesc>
  <profiledesc>[. . .]</profiledesc>
```

## Example

```
</eadheader>
<filedesc xmlns="urn:isbn:1-931666-22-9">
  <titlestmt>
    <titleproper>Inventory of the Otis Turner Papers,
      1978-1990</titleproper>
    <author>Processed by Hanna Bailey</author>
  </titlestmt>
  <publicationstmt>

  <!--&hdrscm;-->
  <p>© <date>2000</date> The New York Public Library. Astor,
    Lenox and Tilden Foundations. All rights reserved.</p>
</publicationstmt>
</filedesc>
```

## Content model

```
<content>
</content>
```

## Schema

### Declaration

```
element filedesc
{
  att.EADGlobal.attributes,
  ( titlestmt, editionstmt?, publicationstmt?, seriesstmt?, notestmt? )
}
```

## <fileplan>

**<fileplan>** (File Plan) Information about any classification scheme used for arranging, storing, and retrieving the described materials by the parties originally responsible for creating or compiling them. A filing plan is usually identified by the type of system used, e.g., alphabetical, numerical, alpha-numerical, decimal, color-coded, etc. It is often hierarchical and may include the filing guidelines of the originating organization. Additional types include a drawing of a room layout or a scientific scheme.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Member of** model.desc.base

**Contained by** EAD: archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp fileplan

**May contain** EAD: fileplan head

**Note** Do not confuse with Other Finding Aid <otherfindaid> which contains references to additional descriptions of the material rather than descriptions of classification schemes by which the materials might still be arranged. In EAD Version 1.0 fileplan was a subelement of Adjunct Descriptive Data <add>, which has been deprecated in EAD 2002 (see Appendix B). The new Description Group <descgrp> element, which can group any of the <did>-level elements (except the Description of Subordinate Components <dsc>), may be used to wrap elements where a group heading is desirable. The <descgrp> element can be used to replace <add> when converting finding aids encoded in EAD V1.0 to EAD 2002.

## Example

```
<fileplan xmlns="urn:isbn:1-931666-22-9">
  <head>File List</head>
  <note>
    <p>The list below outlines the classification system used
```

for the central files of Vice President Mondale's office. This structure assigned alpha-numeric codes to primary subjects and to secondary and tertiary subdivisions thereunder.</p>

```
</note>
<fileplan>
  <head>AGRICULTURE (AG)</head>
  <list type="ordered">
    <defitem>
      <label>1</label>
      <item>Home Economics</item>
    </defitem>
    <defitem>
      <label>2</label>
      <item>Horticulture</item>
    </defitem>
    <defitem>
      <label>3</label>
      <item>Marketing</item>
    </defitem>
    <defitem>
      <label>4</label>
      <item>Price Support</item>
    </defitem>
  </list>
</fileplan>
<fileplan>
  <head>ARTS (AR)</head>
  <list type="ordered">
    <defitem>
      <label>1</label>
      <item>Languages</item>
    </defitem>
    <defitem>
      <label>2</label>
      <item>Museums</item>
    </defitem>
    <defitem>
      <label>3</label>
      <item>Music</item>
    </defitem>
    <defitem>
      <label>4</label>
      <item>Painting/Drawing</item>
    </defitem>
  </list>
</fileplan>
</fileplan>
```

## Content model

```
<content>
</content>
```

## Schema

**Declaration** element fileplan { att:EADGlobal.attributes, head?, ( m.blocks | fileplan )+ }

## <frontmatter>

**<frontmatter>** (Front Matter) A wrapper element that bundles prefatory text found before the start of the Archival Description <archdesc>. It focuses on the creation, publication, or use of the finding aid rather than information about the materials being described. Examples include a title page, preface, dedication, and instructions for using a finding aid. The optional <titlepage> element within <frontmatter> can be used to repeat selected information from the <eadheader> to generate a title page that follows local preferences for sequencing information. The other <frontmatter> structures, such as a dedication, are encoded as Text Divisions <div>s, with a <head> element containing word(s) that identify the nature of the text.

**Module** EAD

**Attributes** att:EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: ead

**May contain** EAD: div titlepage

**Example**

```
<frontmatter xmlns="urn:isbn:1-931666-22-9">
  <titlepage>
    <titleproper>Register of the Gibbons (Stuart C.) Papers,
    <date>1955-1964</date>
    </titleproper>
    <num>Collection number: Ms28</num>
    <publisher>San Joaquin County Historical Society and Museum <lb/>
    <extptr actuate="onload" show="embed"
      entityref="sjmlogo"/>
    <lb/> Lodi, California</publisher>

    <!--&tp-cstoh;-->
    <list type="deflist">
      <defitem>
        <label>Processed by: </label>
        <item>Don Walker</item>
      </defitem>
      <defitem>
        <label>Date Completed: </label>
        <item>1997</item>
      </defitem>
      <defitem>
        <label>Encoded by: </label>
        <item>Don Walker</item>
      </defitem>
    </list>
    <p>© 2000 San Joaquin County Historical Society &
      Museum. All rights reserved.</p>
  </titlepage>
</frontmatter>
```

## Content model

```
<content>
</content>
```

## Schema

**Declaration** element frontmatter { att.EADGlobal.attributes, titlepage?, div\* }

## <function>

**<function>** (Function) Terms for the spheres of activities and processes that generated the described materials. Such terms often provide useful access points to the materials, especially for corporate, government, or institutional records. Examples include: collecting taxes and entertaining.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.access (@source, @rules, @authfilenumber, @normal)

**Member of** model.access

**Contained by** EAD: controlaccess entry event extrefloc indexentry item label namegrp p physdesc physfacet ref refloc unittitle

**May contain** EAD: emph extptr lb ptr

**Note** All functions mentioned in a finding aid do not have to be tagged. One option is to tag those functions for which access other than basic, undifferentiated keyword retrieval is desired. Use of controlled vocabulary forms is recommended to facilitate access to the functions within and across finding aid systems. The <function> element may be used in text elements such as <p>. To indicate a function with major representation in the materials being described, nest <function> within the <controlaccess> element. Use the SOURCE attribute to specify the vocabulary from which the term has been taken. The AUTHFILENUMBER attribute can be used to identify a link to an authority file record that has more information about the function or cross references for alternative forms of a function term.

Do not confuse with <occupation>, which designates a type of work or business and is often associated with personal papers.

See also the related access elements under <controlaccess>.

The <function> element is comparable to MARC field 657.

## Example

```
<controlaccess xmlns="urn:isbn:1-931666-22-9">
  <head>Index Terms</head>
  <p>These records are indexed under the following headings in the
  catalog of the Minnesota Historical Society. Researchers
  wishing to find related materials should search the catalog
  under these index terms.</p>
</controlaccess>
<head>Government Functions:</head>
<function encodinganalog="657"
  source="aat">Law
  enforcing.</function>
<function encodinganalog="657"
  source="aat">Convicting.</function>
</controlaccess>
</controlaccess>
```

## Content model

```
<content>
</content>
```

## Schema

**Declaration** element function  
{

```

att.EADGlobal.attributes,
att.access.attributes,
( text | model.phrase.bare ) *
}

```

## <genreform>

**<genreform>** (Genre/Physical Characteristic) A term that identifies the types of material being described, by naming the style or technique of their intellectual content (genre); order of information or object function (form); and physical characteristics. Examples include: account books, architectural drawings, portraits, short stories, sound recordings, and videotapes.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type) att.access (@source, @rules, @authfilenumber, @normal)

**Member of** model.access

**Contained by** EAD: controlaccess entry event extrefloc indexentry item label namegrp p physdesc physfacet ref refloc unittitle

**May contain** EAD: emph extptr lb ptr

**Note** All genres and forms of material mentioned in a finding aid do not have to be tagged. One option is to tag those <genreform> terms for which access other than basic, undifferentiated keyword retrieval is desired. Use of controlled vocabulary terms is recommended to facilitate access to the information within and across finding aid systems. The <genreform> element may be used in text elements such as <p>. To indicate a function with major representation in the materials being described, nest <genreform> within the <controlaccess> element. To associate a <genreform> term with more detailed physical characteristics, use <genreform>> within the <physdesc> or <physfacet> elements. Use the SOURCE attribute to specify the vocabulary from which the term has been taken. The NORMAL attribute can be used to provide the authority form of a term that has been encoded with <genreform> in narrative text, e.g., within a paragraph. The AUTHFILENUMBER attribute can be used to identify a link to an authority file record that has more information about the term or cross references for alternative forms of a genre term.

See also the related access elements under <controlaccess>.

The <genreform> element is comparable to ISAD(G) data element 3.1.5 and MARC field 655, and, when used in conjunction with <extent>, to MARC field 300.

### Example

```

<controlaccess xmlns="urn:isbn:1-931666-22-9">
  <head>Index Terms</head>
  <controlaccess>
    <head>Physical Characteristics of Materials in the
      Collection:</head>
    <genreform encodinganalog="655$a"
      source="gmGPC">Architectural drawings</genreform>
    <genreform encodinganalog="655$a"
      source="gmGPC">Photographs</genreform>
  </controlaccess>
</controlaccess>

```

### Example

```

<scopecontent xmlns="urn:isbn:1-931666-22-9">
  <head>Scope and Content of the Collection</head>
  <p>Although the bulk of the collection is composed of
    <genreform>letters</genreform>, <genreform>portrait
      photographs </genreform>appear in several series.</p>

```



## Example

```
</scopecontent>
<c01 xmlns="urn:isbn:1-931666-22-9" level="series">
  <did>[...]</did>
  <c02 level="file">
    <did>
      <unittitle>Diaries, </unittitle>
      <unitdate type="inclusive">1820-1864</unitdate>
      <physdesc>
        <extent>14
        </extent>
        <genreform>diaries</genreform> bound in
        <physfacet type="cover material">red
          leather</physfacet>
      </physdesc>
    </did>
  </c02>
</c01>
```

## Content model

```
<content>
</content>
```

## Schema

### Declaration

```
element genreform
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  att.access.attributes,
  ( text | model.phrase.bare ) *
}
```

## <geogname>

**<geogname>** (Geographic Name) The proper noun designation for a place, natural feature, or political jurisdiction. Examples include: Appalachian Mountains; Baltimore, Md.; Chinatown, San Francisco; and Kew Gardens, England.

**Module** EAD

**Attributes** att.EADGlobal (*@id*, *@altrender*, *@audience*, *@encodinganalog*) att.access (*@source*, *@rules*, *@authfilenumber*, *@normal*) att.roled (*@role*)

**Member of** model.access

**Contained by** EAD: controlaccess entry event extrefloc imprint indexentry item label namegrp p physdesc physfacet ref refloc unittitle

**May contain** EAD: emph extptr lb ptr

### Note

All names in a finding aid do not have to be tagged. One option is to tag those names for which access other than basic, undifferentiated keyword retrieval is desired. Use of controlled vocabulary names is recommended to facilitate access to the names within and across finding aid systems. The <geogname> element may be used in text elements such as <p>. To indicate a place name with major representation in the materials being described, nest <geogname> within the <controlaccess> element. The ROLE attribute can be used to specify the relationship(s) of the name to the materials being described, for example, "subject." The NORMAL attribute can be used to provide the authority form of a term that has been encoded with <geogname> in narrative text, e.g., within a

paragraph. Use the SOURCE attribute to specify the vocabulary from which the name has been taken and/or the RULES attribute to specify the descriptive rules followed when forming the name. The AUTHFILENUMBER attribute can be used to identify a link to an authority file record that has more information about the name or cross references for alternative forms of the name and related names. See also the related access elements under <controlaccess>.

The <geogname> element is comparable to MARC fields 651 and 752.

### Example

```
<controlaccess xmlns="urn:isbn:1-931666-22-9">
  <head>Controlled Vocabulary Indexing Terms:</head>
</controlaccess>
  <head>Subjects:</head>
  <famname encodinganalog="600"
    source="lcnaf">Ferry
    family.</famname>
  <geogname encodinganalog="651"
    source="lcsh">Ferry Field
    (University of Michigan)</geogname>
</controlaccess>
</controlaccess>
```

### Content model

```
<content>
</content>
```

### Schema

#### Declaration

```
element geogname
{
  att.EADGlobal.attributes,
  att.access.attributes,
  att.roled.attributes,
  ( text | model.phrase.bare ) *
}
```

### <head>

**<head>** (Heading) A generic element that designates the title or caption for a section of text, including a list. When a <head> is used, it should be the first subelement, followed by one or more other elements.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

althread

An alternative short form of the heading element <head> that might be used, for example, to create a running header.

**Status**

Optional

**Datatype**

**Contained by** EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 chronlist controlaccess custodhist daodesc descgrp did div dsc dscgroup fileplan index list odd originalsloc otherfindaid phystech prefercite processinfo relatedmaterial scopecontent separatedmaterial table userrestrict

**May contain** EAD: emph extptr lb ptr

#### Note

Do not confuse with the <listhead> subelements <head01> and <head02>, which designate headings for columns in a list. A <thead> element is used for column

<b>Example</b>	<p>heads in a table.</p> <pre>&lt;chronlist xmlns="urn:isbn:1-931666-22-9"&gt;   &lt;head&gt;Publications List&lt;/head&gt;   &lt;listhead&gt;     &lt;head01&gt;Publication Year&lt;/head01&gt;     &lt;head02&gt;Book Title&lt;/head02&gt;   &lt;/listhead&gt;   &lt;chronitem&gt;[...]&lt;/chronitem&gt; &lt;/chronlist&gt;</pre>
<b>Example</b>	<pre>&lt;bioghist xmlns="urn:isbn:1-931666-22-9" id="PRO123"&gt;   &lt;head&gt;Administrative History&lt;/head&gt;   &lt;p&gt;In October 1964, the incoming Labour government created new     office of Secretary of State for Economic Affairs (combined     with First Secretary of State) and set up the Department of     Economic Affairs under the Ministers of the Crown Act 1964     to carry primary responsibility for long term economic     planning.&lt;/p&gt; &lt;/bioghist&gt;</pre>
<b>Content model</b>	<pre>&lt;content&gt; &lt;/content&gt;</pre>
<b>Schema Declaration</b>	<pre>element head {   att.EADGlobal.attributes,   attribute althead { text }?,   ( text   model.phrase.bare ) * }</pre>

## <head01>

**<head01>** (First Heading) A formatting element within <listhead> that designates the heading over the first column in a multicolumn list.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: listhead

**May contain** EAD: emph extptr lb ptr

**Note** Do not confuse with the generic <head> element, which designates a heading for an entire list or other section of text. Do not confuse with the <thead> element, which is used for column heads in a table.

**Example**

```
<chronlist xmlns="urn:isbn:1-931666-22-9">
  <head>Publications List</head>
  <listhead>
    <head01>Publication Year</head01>
    <head02>Book Title</head02>
  </listhead>
  <chronitem>
    <date type="publication">1928</date>
    <event>
      <title render="italic">The Happy Little
        Lamb</title>
```

```

</event>
</chronitem> . . . </chronlist>

```

#### Content model

```

<content>
</content>

```

#### Schema

**Declaration** element head01 { att.EADGlobal.attributes, ( text | model.phrase.bare )\* }

### <head02>

**<head02>** (Second Heading) A formatting element within <listhead> that designates the heading over the second column in a multicolumn list.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: listhead

**May contain** EAD: emph extptr lb ptr

**Note** Do not confuse with the generic <head> element, which designates a heading for an entire list or other section of text. Do not confuse with the <thead> element, which is used for column heads in a table.

**Example** <chronlist xmlns="urn:isbn:1-931666-22-9">

```

<head>Publications List</head>
<listhead>
  <head01>Publication Year</head01>
  <head02>Book Title</head02>
</listhead>
<chronitem>
  <date type="publication">1928</date>
  <event>
    <title render="italic">The Happy Little
      Lamb</title>
  </event>
</chronitem> . . . </chronlist>

```

#### Content model

```

<content>
</content>

```

#### Schema

**Declaration** element head02 { att.EADGlobal.attributes, ( text | model.phrase.bare )\* }

### <imprint>

**<imprint>** (Imprint) Information relating to the publication or distribution of a work cited in a Bibliographic Reference <bibref> or <unittitle>. In both elements the place of publication, name of the publisher, and date of publication can be encoded as either plain text or wrapped in the <imprint> subelements <geogname>, <publisher>, and <date>. It is seldom, if ever, appropriate to use <imprint> in a citation for an unpublished work cited in a <bibref>.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: bibref unittitle

**May contain** EAD: date emph extptr geogname lb ptr publisher

**Example** <bibref xmlns="urn:isbn:1-931666-22-9">

```
<title render="italic">Action For Outdoor Recreation For
  America.</title>, <imprint>
  <geogname>Washington, D.C.</geogname>: <publisher>Citizen's
    Committee For The Outdoor Recreation Resources Review
    Commission Report</publisher>, <date type="publication" normal="1964">1964
</date>. </imprint>
</bibref>
```

### Content model

```
<content>
</content>
```

### Schema

```
Declaration    element imprint
{
  att.EADGlobal.attributes,
  ( text | model.phrase.bare | publisher | geogname | date )*
}
```

### <index>

**<index>** (Index) A list of key terms and reference pointers that have been assembled to enhance access to the materials being described. The <index> can also serve as a helpful alphabetical overview of subjects, correspondents, photographers, or other entities represented in the collection. This back-of-the volume <index> may provide hypertext links, or it may note the container numbers useful for locating the position in the finding aid where the indexed material appears.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: index

**May contain** EAD: address blockquote chronlist head index indexentry list listhead note p table

**Note** The <index> is assumed to be text that has to be tagged, not text generated automatically from the encoded finding aid. In some cases, the <index> repeats terms and names found elsewhere in the finding aid. In other cases, such as in some literary manuscript collections, the <index> may be the only place where a name is listed, and the references point to one or more files, which include letters from that person or corporate body, but which are described only in general terms, e.g., "Correspondents T-Z." The <index> should contain <indexentry> elements, which consist of an access element, such as <name> or <subject>, followed by a Pointer <ptr/>, Pointer Group <ptrgrp>, or Reference <ref> element. Plain text cannot be used in an <indexentry>. If the <indexentry> elements are expected to provide access points other than basic keyword retrieval, use authority file terms to facilitate access to the information within and across finding aid systems. In EAD Version 1.0 <index> was a subelement of Adjunct Descriptive Data <add>, which has been deprecated in EAD 2002 (see Appendix B). The new Description Group <descgrp> element, which can group any of the <did>-level elements (except the Description of Subordinate Components <dsc>), may be used to wrap elements where a group heading is desirable. The <descgrp> element can be used to replace <add> when converting finding aids encoded in EAD V1.0 to EAD 2002.

### Example

```
<index xmlns="urn:isbn:1-931666-22-9">
  <head>Photographer Index</head>
  <p>Names of photographers and studios--and the cities and states
```

in which they operated--are usually noted as they appear on the photographs (usually stamped or written on the versos). Corporate names appear in direct order; personal names in inverted order (i.e., filed by surname). Rectos and versos of photographs were microfilmed to capture information exactly as it appears on the photographs. To locate a specific photographer/studio, a user should consider all possible forms of entry (corporate and personal), browse the index under these forms, identify which LOT(s) contain photographs by that photographer/studio, then browse the relevant LOT on the microfilm to locate specific photographs that bear the markings of the specific photographer/studio.

```
<indexentry>
  <name>12th Air Force Photo:</name>
  <ref target="LOT13105"
    actuate="onrequest" show="replace">LOT 13105</ref>
</indexentry>
<indexentry>
  <name>15th Air Force Command:</name>
  <ref target="LOT13105"
    actuate="onrequest" show="replace">LOT 13105</ref>
</indexentry>
<indexentry>
  <name>324th Service Corp.:</name>
  <ref target="LOT13105"
    actuate="onrequest" show="replace">LOT 13105</ref>
</indexentry>
<indexentry>
  <name>A.L. Adams Photo Studio--Atlanta, Ga.:</name>
  <ref target="LOT13076"
    actuate="onrequest" show="replace">LOT 13076</ref>
</indexentry>
<indexentry>
  <name>AAA Agricultural Adjustment Agency by Cooper:</name>
  <ref target="LOT13121"
    actuate="onrequest" show="replace">LOT 13121</ref>
</indexentry>
</index>
```

#### Content model

```
<content>
</content>
```

#### Schema Declaration

```
element index
{
  att.EADGlobal.attributes,
  head?,
  model.blocks*,
  ( ( listhead?, indexentry+ ) | index+ )
}
```

## <indexentry>

**<indexentry>** (Index Entry) A formatting element that pairs an index term with one or more linking elements. Each <indexentry> contains an access element, such as <namegrp> or <subject>; an optional <note> that can divide the entry into subcategories, e.g., "during office" and "family life"; followed by optional Pointer <ptr/>, Pointer Group <ptrgrp>, or Reference <ref> elements. Plain text cannot be used in an <indexentry>. If the <indexentry> subelements are expected to provide access points other than basic keyword retrieval, use controlled vocabulary terms to facilitate access to information within and across finding aid systems, with the SOURCE attribute to indicate which vocabulary provided the term.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: index indexentry

**May contain** EAD: corpname famname function genreform geogname indexentry name namegrp occupation persname ptr ptrgrp ref subject subtitle title

**Note** Use the Name Group <namegrp> element to bundle access element entries, e.g., several <famname> and <persname> elements, that share the same <ref>, <ptr/>, or <ptrgrp> element. Use the Pointer Group <ptrgrp> element to bundle several <ref> or <ptr/> links to a single access term. Use the <ptr/> element when no text is needed with the link. Use the <ref> element when text as well as a link are needed.

**Example**

```
<index xmlns="urn:isbn:1-931666-22-9">
  <indexentry>
    <name>12th Air Force Photo:</name>
    <ref target="LOT13105"
      actuate="onrequest" show="replace">LOT 13105</ref>
  </indexentry>
  <indexentry>
    <name>15th Air Force Command:</name>
    <ref target="LOT13105"
      actuate="onrequest" show="replace">LOT 13105</ref>
  </indexentry>
</index>
```

**Content model**

```
<content>
</content>
```

**Schema**

**Declaration**

```
element indexentry
{
  att.EADGlobal.attributes,
  ( namegrp | model.access.title ),
  ( ptrgrp | ptr | ref )?,
  indexentry*
}
```

## <item>

**<item>** (Item) A formatting element used in one of three contexts: as an entry in a simple, random, or ordered <list>; as part of a <defitem> inside a definition list; or as an entry within the <change> element. In the first instance, the <item> can be a number, word, or phrase. In a definition list, which is usually displayed as two columns, a <defitem> pairs a <label> with a corresponding



`<item>` containing text that defines, describes, or explains the terms or other text tagged as the `<label>`. In the `<eadheader>` `<revisiondesc>` `<change>` element, the `<item>` designates information about a revision to the finding aid and is often paired with a `<date>`.

**Module** EAD

**Attributes** `att.EADGlobal (@id, @altrender, @audience, @encodinganalog)`

**Contained by** EAD: change defitem list

**May contain** EAD: abbr address archref bibref blockquote chronlist corpname date emph expan extptr extref famname function genreform geogname lb linkgrp list name note num occupation origination persname ptr ref repository subject subtitle table title unitdate unittitle

**Note** Do not confuse with `<chronitem>`, which designates entries in a Chronology List `<chronlist>`. See also related elements `<list>`, `<defitem>`, and `<change>`.

**Example** `<eadheader xmlns="urn:isbn:1-931666-22-9" langencoding="iso639-2b">`

`<eadid>[...]</eadid> . . . <revisiondesc>`

`<change>`

`<date normal="19970505">May 5, 1997</date>`

`<item>This electronic finding aid was updated to current markup standards by Sarah Taylor using a perl script. Updates included: eadheader, eadid, arrangement of did elements and their labels.</item>`

`</change>`

`</revisiondesc>`

`</eadheader>`

**Example** `<list xmlns="urn:isbn:1-931666-22-9" type="deflist">`

`<defitem>`

`<label>ALS</label>`

`<item>Autograph Letter Signed</item>`

`</defitem>`

`<defitem>`

`<label>TLS</label>`

`<item>Typewritten Letter Signed</item>`

`</defitem>`

`</list>`

**Content model**

`<content>`

`</content>`

**Schema**

**Declaration** `element item { att.EADGlobal.attributes, ( text | model.para.content ) * }`

## **`<label>`**

**`<label>` (Label)** A formatting element that identifies the term or concept being described, defined, or explained in a Definition List Item `<defitem>`. The `<defitem>` can be thought of as an entry in a `<list>` that is usually displayed in two columns: `<label>` followed by `<item>`. Each list item `<defitem>` contains a term or concept (called a `<label>`) and a definition, description, or explanation of that `<label>` (called an `<item>`).

**Module** EAD

**Attributes** `att.EADGlobal (@id, @altrender, @audience, @encodinganalog)`

**Contained by** EAD: defitem

**May contain** EAD: abbr archref bibref corpname date emph expan extptr extref famname function genreform geogname lb linkgrp name num occupation origination

**Note** persname ptr ref repository subject subtitle title unitdate unittitle  
Do not confuse with the attribute called LABEL, which identifies the kind of information in an element for public display in the did subelements. See also related elements <list> and <defitem>.

**Example** <list xmlns="urn:isbn:1-931666-22-9" type="deflist">  
<defitem>  
<label>ALS</label>  
<item>Autograph Letter Signed</item>  
</defitem>  
<defitem>  
<label>TLS</label>  
<item>Typewritten Letter Signed</item>  
</defitem>  
</list>

#### Content model

```
<content>
</content>
```

#### Schema

**Declaration** element label { att.EADGlobal.attributes, ( text | model.phrase.plus )\* }

### <langmaterial>

**<langmaterial>** (Language of the Material) A prose statement enumerating the language(s) of the archival materials found in the unit being described.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.labeled (@label)

**Member of** model.did

**Contained by** EAD: archref did

**May contain** EAD: abbr archref bibref emph expan extptr extref language lb linkgrp ptr ref subtitle title

**Note** Language of the material may also be recorded in coded form in the LANGCODE attribute in the <language> subelement using the ISO 639-2b three-letter language codes. Do not confuse with the Language Usage <language> element which specifies the language(s) in which the finding aid is written. See also the description for the <language> element.  
The <langmaterial> element is comparable to the ISAD(G) data element 3.4.3 and MARC field 546.

**Example** <c01 xmlns="urn:isbn:1-931666-22-9" level="series">  
<did>  
<unittitle>Correspondence, </unittitle>  
<unitdate type="inclusive">1854-1902. </unitdate>  
<physdesc>4 boxes</physdesc>  
<langmaterial>Correspondence in <language>French, </language>  
<language>German, </language>and  
<language>English.</language>  
</langmaterial>  
</did>  
</c01>

**Example** <eadheader xmlns="urn:isbn:1-931666-22-9" langencoding="iso639-2b">[...]</eadheader>

```
<archdesc xmlns="urn:isbn:1-931666-22-9" level="fonds">
  <did> . . . <langmaterial>Texte <language langcode="ara">arabe</language> et t
raduction <language langcode="fre">française</language> par Lacroix fils
  </langmaterial>
</did> . . . </archdesc>
```

### Example

```
<did xmlns="urn:isbn:1-931666-22-9">
  <unitid label="Reference Code">DL 42</unitid>
  <unittitle label="Title">Duchy of Lancaster: Cartularies,
    Enrolments, Surveys and other Miscellaneous
    Books</unittitle>
  <unitdate label="Creation Dates"
    type="inclusive">13th Century
    -1894</unitdate>
  <langmaterial label="Language(s)">
    <language langcode="eng">English</language>, <language langcode="fre">Fre
nch</language> and <language langcode="lat">Latin</language>
  </langmaterial>
</did>
```

### Schematron

```
<langmaterial> COULD contain a <language> element.
<s:rule context="ead:langmaterial">
  <s:assert role="COULD" test="ead:language">langmaterial COULD have a
language sub element</s:assert> </s:rule>
```

### Content model

```
<content/>
```

### Schema

#### Declaration

```
element langmaterial
{
  att.EADGlobal.attributes,
  att.labeled.attributes,
  ( text | model.phrase.basic | language ) *
}
```

## <language>

**<language>** (Language) A subelement of <langusage> within the <profiledesc> portion of the <eadheader> that specifies the language or communication system in which the finding aid is written. For bilingual or multilingual finding aids, either identify each language in a separate <language> element, or mention only the predominant language. The LANGCODE attribute can be used to provide the three-letter ISO 639-2b code for the language.

#### Module

EAD

#### Attributes

att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.langcode (@langcode) att.scriptcode (@scriptcode)

#### Contained by

EAD: langmaterial language

#### May contain

EAD: emph extptr lb ptr

#### Note

Also a subelement of <langmaterial> within <did>, where it specifies the language of the materials being described. In this instance, the LANGCODE attribute may be used to provide the three-letter ISO 639-2b code which is the equivalent of the MARC 041 field. The SCRIPTCODE attribute may be used to specify the ISO 15924 code for the script in which the language is written.

### Example

```
<eadheader xmlns="urn:isbn:1-931666-22-9" langencoding="iso639-2b">
  <eadid>[...]</eadid>
```

```

<filedesc>[...]/filedesc>
<profiledesc>
  <creation>[...]/creation>
  <language>Bilingual finding aid written in <language langcode="fre">French</la
nguage> and <language langcode="eng">English.</language>
</language>
</profiledesc>
</eadheader>

```

#### Example

```

<c01 xmlns="urn:isbn:1-931666-22-9" level="series">
  <did>
    <unittitle>Correspondence, </unittitle>
    <unitdate type="inclusive">1854-1902.</unitdate>
    <physdesc>4 boxes</physdesc>
    <langmaterial>Correspondence in <language>French, </language>
      <language>German, </language>and
      <language>English.</language>
    </langmaterial>
  </did>
</c01>

```

#### Schematron

```

<language> MUST have a langcode attribute. See also the rule on langcode and
ISO 639: ISO639rule
<s:rule context="ead:language">
  <s:assert role="MUST" test="@langcode">language MUST have a langcode
attribute</s:assert> </s:rule>

```

#### Schematron

```

<language> MUST have a scriptcode attribute. See also the rule on scriptcode
and ISO 15924: ISO15924rule
<s:rule context="ead:language">
  <s:assert role="SHOULD" test="@scriptcode">language SHOULD have a
scriptcode attribute</s:assert> </s:rule>

```

#### Content model

```

<content/>

```

#### Schema

##### Declaration

```

element language
{
  att.EADGlobal.attributes,
  att.langcode.attributes,
  att.scriptcode.attributes,
  ( text | model.phrase.bare ) *
}

```

## <language>

**<language>** (Language Usage) An optional subelement within the <profiledesc> portion of the <eadheader> that provides a statement about languages, sublanguages, and dialects represented in an encoded finding aid. The language(s) in which the finding aid is written can be further specified using the <language> subelement within <language>. For bilingual or multilingual finding aids, either identify each language in a separate <language> element, or mention only the predominant language.

##### Module

EAD

##### Attributes

att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

##### Contained by

EAD: profiledesc

<b>May contain</b>	EAD: abbr archref bibref emph expan extptr extref language lb linkgrp ptr ref subtitle title
<b>Note</b>	The <language> element is modeled on a Text Encoding Initiative (TEI) DTD element.
<b>Example</b>	<pre>&lt;eadheader xmlns="urn:isbn:1-931666-22-9" langencoding="iso639-2b"&gt;   &lt;eadid&gt;[...]&lt;/eadid&gt;   &lt;filedesc&gt;[...]&lt;/filedesc&gt;   &lt;profiledesc&gt;     &lt;creation&gt;[...]&lt;/creation&gt;     &lt;language&gt;Bilingual finding aid written in &lt;language langcode="fre"&gt;French&lt;/language&gt; and &lt;language langcode="eng"&gt;English.&lt;/language&gt;   &lt;/profiledesc&gt; &lt;/eadheader&gt;</pre>
<b>Content model</b>	<pre>&lt;content&gt; &lt;/content&gt;</pre>
<b>Schema Declaration</b>	<pre>element language {   att.EADGlobal.attributes,   ( text   model.phrase.basic   language ) * }</pre>

## <lb/>

**<lb/>** (Line Break) An empty formatting element that forces text to start on a new line at a point chosen by the author rather than a linewrap algorithm or style sheet. Use only when a line break is needed within an element, for example, within a <titlepage>. Use a style sheet to specify line breaks between elements.

<b>Module</b>	EAD
<b>Attributes</b>	att.EADGlobal (@id, @altrender, @audience, @encodinganalog)
<b>Member of</b>	model.render
<b>Contained by</b>	EAD: abstract addressline archref author bibref bibseries container corpname creation date descrules dimensions edition emph entry event extrefloc famname function genreform geogname head head01 head02 imprint item label langmaterial language langusage legalstatus materialspec name num occupation origination p persname physdesc physfacet physloc publisher ref refloc repository resource runner sponsor subarea subject subtitle title titleproper unitdate unitid unittitle
<b>May contain</b>	Empty element
<b>Example</b>	<pre>&lt;publisher xmlns="urn:isbn:1-931666-22-9"&gt; San Joaquin County Historical Society and Museum &lt;lb/&gt; &lt;extptr actuate="onload" show="embed"   entityref="sjmlogo"/&gt; &lt;lb/&gt; Lodi, California &lt;/publisher&gt;</pre>
<b>Content model</b>	<pre>&lt;content&gt; &lt;/content&gt;</pre>

## Schema

**Declaration** element lb { att.EADGlobal.attributes, empty }

## <legalstatus>

**<legalstatus>** (Legal Status) The statutorily-defined status of the materials being described in the encoded finding aid, as, for example, defined by the Public Records Act of 1958 in the United Kingdom.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type)

**Contained by** EAD: accessrestrict

**May contain** EAD: date emph extptr lb ptr

**Note** The <legalstatus> element is comparable to the ISAD(G) data element 3.4.1 and MARC field 506.

**Example**

```
<did xmlns="urn:isbn:1-931666-22-9">
  <unitid label="Reference Code">PREM 8</unitid>
  <unittitle label="Title">Prime Minister's Office: Correspondence
    and Papers</unittitle>
  <unitdate label="Creation Dates"
    type="inclusive">1935-1951</unitdate>
</did>
<accessrestrict xmlns="urn:isbn:1-931666-22-9">
  <legalstatus>Public Record(s)</legalstatus>
</accessrestrict>
```

### Content model

```
<content>
</content>
```

### Schema

**Declaration** element legalstatus

```
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  ( text | model.phrase.bare | date ) *
}
```

## <linkgrp>

**<linkgrp>** (Linking Group) A wrapper element that contains two or more linking elements which form an extended link group so as to enable a set of multidirectional, out-of-line links.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.xlink (@label, @href, @type, @title, @from, @to, @role, @actuate, @show, @arcrole, @xpointer, @entityref, @target, @parent)

**Member of** model.refs

**Contained by** EAD: abstract bibliography creation descrules dimensions emph entry event item label langmaterial language materialspec origination otherfindaid p physdesc physfacet physloc relatedmaterial repository separatedmaterial unitdate unitid unittitle

**May contain** EAD: arc extptrloc extrefloc ptrloc refloc resource

**Example**

```
<relatedmaterial xmlns="urn:isbn:1-931666-22-9">
  <p>The Society also has records of other conservation
```

```

organizations in Minnesota.</p>
<p>
<linkgrp linktype="extended">
  <extrefloc href="http://www.someserver.edu/findaids/3270.xml">
    <archref>Issak Walton League of Minnesota</archref>
  </extrefloc>
  <extrefloc href="http://www.someserver.edu/findaids/9248.xml">
    <archref>Minnesota Audubon Council</archref>
  </extrefloc>
  <extrefloc entityref="FBWW">
    <archref>Friends of the Boundary Waters
      Wilderness</archref>
  </extrefloc>
  <extrefloc href="http://www.someserver.edu/findaids/23145.sgm">
    <archref>Minnesota Emergency Conservation
      Committee</archref>
  </extrefloc>
</linkgrp>
</p>
</relatedmaterial>

```

#### Content model

```

<content>
</content>

```

#### Schema

##### Declaration

```

element linkgrp
{
  att.EADGlobal.attributes,
  att.xlink.attributes,
  model.extended.els+
}

```

#### <list>

**<list>** (List) A formatting element that contains a series of words or numerals (called <item>s) separated from one another and arranged in a linear, often vertical sequence.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)  
 type characterizes the element in some sense, using any convenient classification scheme or typology.

**Derived from** att.typed

**Status** Optional

**Datatype**

**Member of** model.inter.noquote

**Contained by** EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist blockquote controlaccess custodhist daodesc descgrp div dsc dscgroup entry event extrefloc index item note odd originalsloc otherfindaid p phystech prefercite processinfo ref refloc relatedmaterial revisiondesc scopecontent separatedmaterial userrestrict

**May contain** EAD: defitem head item listhead

**Note** The TYPE attribute is used to identify and format the list. The choices are: "simple," "deflist," "marked," and "ordered." In a "simple" list, <item>s are not

numbered or bulleted. In a "deflist" or definition list, each <defitem> pairs a <label> with a corresponding <item> containing the text that defines, describes, or explains the term or other text tagged as the <label>. In a "marked" list, the sequence of the list items is not critical, and a bullet, box, dash, or other character is displayed at the beginning of each <item>. In an "ordered" list, the sequence of the list <item>s is important, and each list <item> is lettered or numbered. See also the related elements <defitem> and <item>.

### Example

```
<bibliography xmlns="urn:isbn:1-931666-22-9">
  <head>Major Works of Archibald MacLeish</head>
  <list type="ordered" numeration="arabic">
    <item>
      <bibref>
        <imprint>
          <date>1924</date>
        </imprint>
        <title render="italic">The Happy Marriage,
          and Other Poems</title> (Boston and New York:
          Houghton Mifflin. 79 pp.) </bibref>
      </item>
    <item>
      <bibref>
        <imprint>
          <date>1925</date>
        </imprint>
        <title render="italic">The Pot of Earth</title>
          (Boston and New York: Houghton Mifflin. 44
          pp.)</bibref>
      </item> . . . </list>
  </bibliography>
```

### Content model

```
<content>
</content>
```

### Schema

#### Declaration

```
element list
{
  att.EADGlobal.attributes,
  attribute type { data.enumerated }?,
  head?,
  ( item+ | ( listhead?, defitem+ ) )
}
```

### <listhead>

**<listhead>** (List Heading) A formatting element that groups headings for columns in a definition, marked, or ordered list, Chronology List <chronlist>, or <index>. The headings are called <head01> and <head02>.

#### Module

EAD

#### Attributes

att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

#### Contained by

EAD: chronlist index list

#### May contain

EAD: head01 head02

#### Example

```
<chronlist xmlns="urn:isbn:1-931666-22-9">
```



```
<head>Publications List</head>
<listhead>
  <head01>Publication Year</head01>
  <head02>Book Title</head02>
</listhead>
<chronitem>[...]</chronitem>
</chronlist>
```

#### Content model

```
<content>
</content>
```

#### Schema

**Declaration** element listhead { att.EADGlobal.attributes, head01?, head02? }

### <materialspec>

**<materialspec>** (Material Specific Details) Data which are unique to a particular class or form of material and which are not assigned to any other element of description. Examples of material specific details include mathematical data, such as scale for cartographic and architectural records, jurisdictional and denominational data for philatelic records, and physical presentation data for music records.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type) att.labeled (@label)

**Member of** model.did

**Contained by** EAD: archref did materialspec

**May contain** EAD: abbr archref bibref emph expan extptr extref lb linkgrp materialspec num ptr ref subtitle title

**Note** The <matspec> element is comparable to MARC fields 254, 255, and 256.

**Example**

```
<c03 xmlns="urn:isbn:1-931666-22-9" level="file">
  <did> . . . <materialspec label="Mathematical Data">
    <materialspec label="Scale:">1:10000</materialspec>
    <materialspec label="Projection:">Universal transverse
      Mercator projection</materialspec>
  </materialspec>
</did> . . . </c03>
```

#### Content model

```
<content>
</content>
```

#### Schema

**Declaration** element materialspec {  
 att.EADGlobal.attributes,  
 att.typed.attributes,  
 att.labeled.attributes,  
 ( text | model.phrase.basic | num | materialspec ) \*  
}

### <name>

**<name>** (Name) The proper noun or noun phrase designation for an entity that is difficult to tag

more specifically as a <corpname>, <famname>, <geogname>, <persname>, or <title>. The <name> element may be used in place of the more specific access elements when it is not known what kind of name is being described or when a high degree of precision is unnecessary. For example, the <name> element might be used in an <indexentry> when it is not clear if the name "Bachrach" refers to a person or a photographic corporation.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.access (@source, @rules, @authfilenumber, @normal) att.rolled (@role)

**Member of** model.access

**Contained by** EAD: bibref controlaccess entry event extrefloc indexentry item label namegrp origination p physdesc physfacet ref refloc repository unittitle

**May contain** EAD: emph extptr lb ptr

**Note** All names in a finding aid do not have to be tagged. One option is to tag those names for which access other than basic, undifferentiated keyword retrieval is desired. Use of controlled vocabulary names is recommended to facilitate access to the names within and across finding aid systems. The <name> element may be used in text elements such as <p>. To indicate a name with major representation in the materials being described, nest <name> within the <controlaccess> element. The ROLE attribute can be used to specify the relationship(s) of the name to the materials being described, for example, "subject" or "photographer." The SOURCE attribute can be used to specify the vocabulary from which the name has been taken. The RULES attribute can be used to specify the descriptive rules followed when forming the name, such as AACR2R. See also the related access elements under <controlaccess>. The <name> element is comparable to MARC field 720, when it is not from a controlled vocabulary.

**Example** <c02 xmlns="urn:isbn:1-931666-22-9" level="file">  
<did>  
<unittitle>  
<name>Bartleby </name>barn purchase files, </unittitle>  
<unitdate>1799.</unitdate>  
<physdesc>  
<extent>3 items, </extent>heavily  
<physfacet>foxed.</physfacet>  
</physdesc>  
<note>  
<p>Items relate to the purchase by Mr. Wigglethorpe  
from <persname normal="Brookes, Josiah">Jos. Brookes  
</persname>of a building colloquially known as the  
Bartleby barn.</p>  
</note>  
</did>  
</c02>

**Content model** <content>  
</content>

**Schema Declaration** element name  
{  
att.EADGlobal.attributes,  
att.access.attributes,

```

    att.roled.attributes,
    ( text | model.phrase.bare ) *
}

```

## <namegrp>

**<namegrp>** (Name Group) A formatting element used in an <indexentry> to group access element entries that share the same <ref>, <ptr/>, or <ptrgrp> element. A <note> is available to divide a name or term into subcategories, for example, "during office" and "family life."

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: indexentry

**May contain** EAD: corpname famname function genreform geogname name note occupation persname subject subtitle title

**Example**

```

<index xmlns="urn:isbn:1-931666-22-9">
  <head>Index to Correspondents and Recipients</head>
  <indexentry>
    <corpname>Bach & Bros.</corpname>
    <ref linktype="simple" target="NonC:21-2"
      show="replace" actuate="onrequest"> (In non correspondence)</ref>
  </indexentry>
  <indexentry>
    <namegrp>
      <corpname>Bacon and Lewis, Ltd.</corpname>
      <persname>Levering, Alexander M.</persname>
      <persname>Windom, Lucious</persname>
    </namegrp>
    <ref linktype="simple"
      target="Cres:18610408" show="replace" actuate="onrequest"> (1861 Apr. 8, AL
    S, to W.W., re:
      inquiry into what to do with unsold flour)</ref>
  </indexentry> . . . </index>

```

## Content model

```

<content>
</content>

```

## Schema

**Declaration** element namegrp { att.EADGlobal.attributes, ( model.access.title | note )+ }

## <note>

**<note>** (Note) A generic element that provides a short statement explaining the text, indicating the basis for an assertion, or citing the source of a quotation or other information. Used both for general comments and as an annotation for the text in a finding aid. Not used when more specific content designation elements are appropriate, e.g., <abstract>, <altformavail>, <archref>, or <scopecontent>. Do not confuse with Other Descriptive Data <odd> element, which is used within <archdesc> and <c> to designate information that is more than a short comment in a <note>.>

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type) att.labeled (@label)

show

**Status**

Optional

**Datatype**

		<b>Legal values are:</b>	<b>embed</b>
			<b>new</b>
	actuate	<b>Status</b>	Optional
		<b>Datatype</b>	
		<b>Legal values are:</b>	<b>onload</b>
			<b>onrequest</b>
<b>Member of Contained by</b>	model.desc.full model.did model.inter.noquote EAD: accessrestrict accruals acqinfo altformavail appraisal archdesc archdescgrp archref arrangement bibliography bioghist blockquote c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 controlaccess custodhist daodesc descgrp did div dsc dscgroup entry event extrefloc index item namegrp note notestmt odd originalsloc otherfindaid p phystech prefercite processinfo ref refloc relatedmaterial scopecontent separatedmaterial userrestrict		
<b>May contain Note</b>	EAD: address blockquote chronlist list note p table The placement of a <note> is dependent on the design of the document and the purpose of the <note>. A <note> may appear at the end of the text as endnotes, at the foot of a section as footnotes or embedded within the text. One or more <note> elements may be grouped in a <notestmt> element in the <filedesc> portion of the <eadheader>. The ACTUATE and SHOW attributes can be used to mask a <note> from display until it is requested by a finding aid user. The <note> element is comparable to ISAD(G) data element 3.6.1 and MARC field 500.		
<b>Example</b>	<archdesc xmlns="urn:isbn:1-931666-22-9" level="collection"> <did> . . . <repository label="repository" encodinganalog="852"> <corpname>Library of Congress, <subarea>Prints and Photographs Division, </subarea> </corpname> Washington, D.C. 20540 </repository> <note> <p>For information about Prints and Photographs Division collections and services, see the Prints and Photographs Division's Reading Room Home Page: <extptr actuate="onrequest" href="http://www.loc.gov/rr/print.htm" show="new"/> </p> </note> </did> . . . </archdesc>		
<b>Content model</b>	<content> </content>		
<b>Schema Declaration</b>	element note { att.EADGlobal.attributes, att.typed.attributes, att.labeled.attributes, attribute show { "embed"   "new" }?,		

```

    attribute actuate { "onload" | "onrequest" }?,
    model.blocks+
  }

```

## <notestmt>

**<notestmt>** (Note Statement) An optional subelement within the <filedesc> portion of the <eadheader> that groups <note> elements, each of which contains a single piece of descriptive information about the finding aid. These <note>s are similar to the "general notes" in traditional bibliographic descriptions.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: filedesc

**May contain** EAD: note

**Note** The <notestmt> element is modeled on a header element found in the Text Encoding Initiative (TEI).

**Example** In the California Digital Library, access points are put in the <eadheader> for system use in the resource directory. These same access points are also provided in <controlaccess> for public use.

```

<notestmt xmlns="urn:isbn:1-931666-22-9">
  <note>
    <p>
      <subject source="cdl">Arts and Humanities--Performing
        Arts--Dance</subject>
      <subject source="cdl">Arts and Humanities--Performing
        Arts--Theater</subject>
    </p>
  </note>
</notestmt>

```

**Content model**

```

<content>
</content>

```

**Schema**

**Declaration** element notestmt { att.EADGlobal.attributes, note+ }

## <num>

**<num>** (Number) A generic element for numeric information in any form. The <num> element is used only when it is necessary to display a number in a special way, or to identify it with a TYPE attribute. For example, an accession number in the <acqinfo> element might be designated as <num type="accession">. A publication number might be designated as <publicationstmt> ... <num>no. 42</num> ...

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type)

**Member of** model.data

**Contained by** EAD: bibref bibseries entry event extrefloc item label materialspec p publicationstmt ref refloc seriesstmt subtitle title titlepage titleproper unittitle

**May contain** EAD: emph extptr lb ptr

**Note** Do not confuse with <container>, <unitid>, or <eadid>, which may also consist of numeric information.

### Example

```
<filedesc xmlns="urn:isbn:1-931666-22-9">
  <titlestmt>[...]</titlestmt>
  <seriesstmt>
    <titleproper encodinganalog="440$a">Archival Inventories and
      Guides of the World; </titleproper>
    <num encodinganalog="440$v">no. 148</num>
  </seriesstmt>
</filedesc>
```

### Example

```
<acqinfo xmlns="urn:isbn:1-931666-22-9">
  <p>The collection (Donor No. <num type="donor">8338</num>) was
    donated by <persname role="donor">Vonda Thomas
  </persname>and <persname role="donor"> Francine Farrow
  </persname>in March 1995.</p>
</acqinfo>
```

### Content model

```
<content>
</content>
```

### Schema

#### Declaration

```
element num
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  ( text | model.phrase.bare ) *
}
```

## <occupation>

**<occupation>** (Occupation) A term identifying a type of work, profession, trade, business, or avocation significantly reflected in the materials being described.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.access (@source, @rules, @authfilenumber, @normal)

**Member of** model.access

**Contained by** EAD: controlaccess entry event extrefloc indexentry item label namegrp p physdesc physfacet ref refloc unittitle

**May contain** EAD: emph extptr lb ptr

**Note** All occupations in a finding aid do not have to be tagged. One option is to tag those occupations for which access other than basic, undifferentiated keyword retrieval is desired. Use of controlled vocabulary forms is recommended to facilitate access to occupations within and across finding aid systems. The <occupation> element may be used in text elements such as <p>. To indicate an occupation with major representation in the described materials, nest <occupation> within the <controlaccess> element. Use the SOURCE attribute to specify the vocabulary from which the term has been taken. The NORMAL attribute can be used to provide the authority form of a term that has been encoded with <occupation> in narrative text, e.g., within a paragraph. The AUTHFILENUMBER attribute can be used to identify a link to an authority file record that has more information about the occupation. Do not confuse with <function>, which designates the spheres of activities and processes that generated the described materials, e.g., collecting taxes or entertaining.

Do not confuse with the `ROLE` attribute available on the various name elements, e.g., `<corpname>`, `<persname>`, `<famname>`, etc., which may be used to specify the relationship of a name to the described materials, e.g., "compiler," "creator," "collector," or "subject."

See also the related access terms under `<controlaccess>`.

The `<occupation>` element is comparable to MARC field 656.

### Example

```
<controlaccess xmlns="urn:isbn:1-931666-22-9">
  <head>Selected Search Terms</head>
  <controlaccess>
    <head>Occupations:</head>
    <occupation encodinganalog="656">Dramatists</occupation>
    <occupation encodinganalog="656">Librarians of
      Congress</occupation>
    <occupation encodinganalog="656">Poets</occupation>
    <occupation encodinganalog="656">Public
      officers</occupation>
  </controlaccess>
</controlaccess>
```

### Content model

```
<content>
</content>
```

### Schema Declaration

```
element occupation
{
  att.EADGlobal.attributes,
  att.access.attributes,
  ( text | model.phrase.bare ) *
}
```

### <odd>

**<odd>** (Other Descriptive Data) An element for information about the described materials that is not easily incorporated into one of the other named elements within `<archdesc>` and `<c>`.

**Module** EAD

**Attributes** `att.EADGlobal (@id, @altrender, @audience, @encodinganalog)` `att.typed (@type)`

**Member of** `model.desc.base`

**Contained by** EAD: `archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp odd`

**May contain** EAD: `address blockquote chronlist dao daogrp head list note odd p table`

**Note** When converting finding aids to an ideal EAD markup, some shifting of text or addition of data may be necessary to conform to the DTD's sequencing of elements and the consignment of certain elements to specific settings. The `<odd>` element helps to minimize conversion difficulties by designating, as "other," information that does not fit easily into one of EAD's more distinct categories. Some situations in which `<odd>` may be used are when the information does not correspond to another element's definition; when the information is of such mixed content as to make a single classification difficult; and when shifting the information to permit more specific content designation would be too costly or burdensome for the finding aid encoder. The first situation may occur especially when additional narrative description is required beyond



what is included in the <bioghist> and <scopecontent> elements, such as when the finding aid is describing a computer file. Applying the *type* and *encodinganalog* attributes may help provide additional content specification in situations where the unspecified <odd> is used.

Despite its wide availability under <archdesc> and <c>, the <odd> element should be used with restraint and only after carefully considering the consequences that unspecified content designation poses for searching, retrieving, and displaying information in a networked environment.

The <odd> element is comparable to ISAD(G) data element 3.6.1 and MARC field 500.

### Example

Note: The Public Record Office of the United Kingdom uses a 7 level system of intellectual units devised specifically for that repository. In that system "division" is the equivalent of "subfonds" and "class" is the equivalent of "series."

```
<c01 xmlns="urn:isbn:1-931666-22-9" level="otherlevel"
otherlevel="division">
<did>
<unittitle>Records of the Industrial Division</unittitle>
<origination>
<corpname>Department of Economic Affairs, Industrial
Group; </corpname>
<corpname>Department of Economic Affairs, Industrial
Division; </corpname>
<corpname>Department of Economic Affairs, Industrial
Policy; Division </corpname>
<corpname>Department of Economic Affairs, Industrial
Prices and Incomes Department; </corpname>
</origination>
<unitdate>1949-1969</unitdate>
<physdesc>
<extent>2 </extent>
<genreform>classes</genreform>
</physdesc>
</did>
<scopecontent>[...]</scopecontent>
<bioghist>[...]</bioghist>
<controlaccess>[...]</controlaccess>
<odd>
<list type="simple">
<item>Department of Economic Affairs: Industrial Policy
Group: Registered Files (1-IG and 2-IG Series) <ref actuate="onrequest" targ
et="ew26"
show="new">EW
26</ref>
</item>
<item>Department of Economic Affairs: Industrial
Division and Industrial Policy Division: Registered
Files (IA Series) <ref actuate="onrequest" target="ew27"
show="new">EW 27</ref>
</item>
</list>
</odd>
</c01>
```



## Content model

```
<content>
</content>
```

## Schema

### Declaration

```
element odd
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  head?,
  ( model.blocks | dao | daogrp | odd )+
}
```

## <originalsloc>

**<originalsloc>** (Location of Originals) Information about the existence, location, availability, and/or the destruction of originals where the unit described consists of copies.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type)

**Member of** model.desc.base

**Contained by** EAD: archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp originalsloc

**May contain** EAD: address blockquote chronlist head list note originalsloc p table

**Note** Do not confuse <originalsloc> with Alternative Form Available <altformavail>, which is used to encode information about copies of the material being described. The <originalsloc> element is comparable to ISAD(G) data element 3.5.1 and MARC field 535.

### Example

```
<c01 xmlns="urn:isbn:1-931666-22-9" level="file">
  <did>
    <unittitle>Dream diary, </unittitle>
    <unitdate normal="1947/1948">1947-48</unitdate>
  </did>
  <originalsloc>
    <p>File contains photocopies of original still held by the
      donor.</p>
  </originalsloc>
</c01>
```

### Example

```
<c01 xmlns="urn:isbn:1-931666-22-9" level="series">
  <did>[...]</did>
  <originalsloc>
    <p>Originals destroyed after microfilming, 1981.</p>
  </originalsloc>
</c01>
```

### Example

```
<c03 xmlns="urn:isbn:1-931666-22-9" level="file">
  <did>[...]</did>
  <originalsloc>
    <p>Original glass plate negatives are held by the Bailly
      family, Lunenburg, Nova Scotia.</p>
  </originalsloc>
</c03>
```

**Schematron** If the element <originalsloc> is not empty, you COULD try to identify if copies are

present in the EHRI portal and make a link between the two descriptions.  
<s:rule context="ead:originalsloc/ead:p"> <s:assert role="COULD"  
test="not(normalize-space(.))">If the element originalsloc is not empty, you  
COULD try to identify if copies are present in the EHRI portal and make a link  
between the two descriptions.</s:assert> </s:rule>

## Content model

&lt;content/&gt;

## Schema

### Declaration

```
element originalsloc
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  head?,
  ( model.blocks | originalsloc )+
}
```

## <origination>

**<origination>** (Origination) Information about the individual or organization responsible for the creation, accumulation, or assembly of the described materials before their incorporation into an archival repository. The <origination> element may be used to indicate such agents as correspondents, records creators, collectors, and dealers. Using the LABEL attribute may help identify for a finding aid reader the role of the originator, e.g., "creator," "collector," or "photographer." It is also possible to set the ROLE attribute on the name elements that are available within <origination>, i.e., <corpname>, <famname>, <name>, and <persname>.

### Module

EAD

### Attributes

att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.labeled (@label)

### Member of

model.data model.did

### Contained by

EAD: archref did entry event extrefloc item label p ref refloc

### May contain

EAD: abbr archref bibref corpname emph expan extptr extref famname lb linkgrp name persname ptr ref subtitle title

### Note

The &lt;origination&gt; element is comparable to ISAD(G) data element 3.2.1 and MARC fields 100, 110, 700, and 710.

### Example

```
<archdesc xmlns="urn:isbn:1-931666-22-9" level="collection">
  <did>
    <origination label="Creator:">
      <persname encodinganalog="100"
        normal="Frisell, Toni" role="photographer">Toni
        Frisell</persname>
    </origination>
  </did>
</archdesc>
```

### Example

```
<archdesc xmlns="urn:isbn:1-931666-22-9" type="inventory" level="subgrp">
  <did>
    <head>Overview of the Records</head>
    <repository label="Repository:">
      <corpname>Minnesota
        Historical Society</corpname>
    </repository>
    <origination label="Creator:">
```

```

<corpname>Minnesota. Game and
    Fish Department</corpname>
</origination>
<unittitle label="Title:">Game laws violation records, </unittitle>
<unitdate label="Dates:">1908-1928</unitdate>
<abstract label="Abstract:"> Records of prosecutions for and
    seizures of property resulting from violation of the
    state's hunting and fishing laws. </abstract>
<physdesc label="Quantity:"> 2.25 cu. ft. (7 v. and 1 folder
    in 3 boxes) </physdesc>
<physloc label="Location:"> See Detailed Description section
    for box location </physloc>
</did>
</archdesc>

```

## Content model

```

<content>
</content>

```

## Schema

**Declaration**

```

element origination
{
    att.EADGlobal.attributes,
    att.labeled.attributes,
    ( text | model.phrase.basic | corpname | famname | name | persname ) *
}

```

## <otherfindaid>

**<otherfindaid>** (Other Finding Aid) Information about additional or alternative guides to the described material, such as card files, dealers' inventories, or lists generated by the creator or compiler of the materials. It is used to indicate the existence of additional finding aids; it is not designed to encode the content of those guides.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Member of** model.desc.base

**Contained by** EAD: archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp otherfindaid

**May contain** EAD: address archref bibref blockquote chronlist extref head linkgrp list note otherfindaid p ref subtitle table title

**Note** Do not confuse with <fileplan>, which designates information about a particular type of access tool, known as a file plan, which explains the classification scheme used by the parties originally responsible for creating or compiling the described materials. The <archref> element may be used to give a formal citation to the other finding aid or to link to an online version of it. In EAD Version 1.0 <otherfindaid> was a subelement of Adjunct Descriptive Data <add>, which has been deprecated in EAD 2002 (see Appendix B). The new Description Group <descgrp> element, which can group any of the <did>-level elements (except the Description of Subordinate Components <dsc>), may be used to wrap elements where a group heading is desirable. The <descgrp> element can be used to replace <add> when converting finding aids encoded in EAD V1.0 to EAD 2002.

The <otherfindaid> element is comparable to ISAD(G) data element 3.4.5.

### Example

```
<otherfindaid xmlns="urn:isbn:1-931666-22-9">
  <bibref>The Society has published an expanded guide to this
    collection: <title>Guide to the Records of the American
      Crystal Sugar Company. </title> Compiled by <persname role="author">David
        Carmichael; </persname>assisted by
        <persname role="author">Lydia A. Lucas </persname>and
        <persname role="author">Marion E. Matters.
        </persname>St. Paul. Division of Archives and Manuscripts.
        Minnesota Historical Society. 1985. </bibref>
</otherfindaid>
```

### Content model

```
<content>
</content>
```

### Schema

#### Declaration

```
element otherfindaid
{
  att.EADGlobal.attributes,
  head?,
  ( model.blocks | model.refs | otherfindaid )+
}
```

### <p>

**<p>** (Paragraph) One or more sentences that form a logical prose passage. A paragraph may be a subdivision of a larger composition, or it may exist alone. It is usually typographically distinct: A line space is often left blank before it; the text begins on a new line; and the first letter of the first word is often indented, enlarged, or both. The <p> element is an important textual feature, which may be used inside of more than thirty other elements. The content model of a <p> provides access to thirty-three other elements, including reference and linking elements, formatting elements, controlled access elements, and some of the Descriptive Identification <did> subelements.

#### Module

EAD

#### Attributes

att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

#### Member of

model.blocks

#### Contained by

EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist blockquote controlaccess custodhist daodesc descgrp div dsc dscgroup editionstmt index note odd originalsloc otherfindaid phystech prefercite processinfo publicationstmt relatedmaterial scopecontent separatedmaterial seriesstmt userrestrict

#### May contain

EAD: abbr address archref bibref blockquote chronlist corpname date emph expan extptr extref famname function genreform geogname lb linkgrp list name note num occupation origination persname ptr ref repository subject subtitle table title unitdate unittitle

### Example

```
<bioghist xmlns="urn:isbn:1-931666-22-9">
  <head>Biographical Sketch</head>
  <p>John Ferguson Godfrey was born in Toronto on December 19,
    1942. He received a B.A. (Hons.) from Trinity College,
    University of Toronto, in 1965, a M.Phil. degree from
    Balliol College, Oxford University, England, in 1967, and a
    D.Phil. degree from St. Anthony's College, Oxford
    University, in 1975. He holds the title of Doctor of Sacred
    letters (honoris causa), Trinity College (1987).</p>
```

<p>Mr. Godfrey taught in the Department of History of Dalhousie University, Halifax, first as Assistant Professor (1970-1975), and then as Associate Professor (1980-1987). At <corpname>King's College University, Halifax</corpname> he held the position of Assistant Professor (1975-1976), before becoming President and Vice-Chancellor (1977-1987).</p>  
</bioghist>

## Content model

<content>  
</content>

## Schema

**Declaration** element p { att.EADGlobal.attributes, ( text | model.para.content )\* }

## <persname>

**<persname>** (Personal Name) The proper noun designation for an individual, including any or all of that individual's forenames, surnames, honorific titles, and added names.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.access (@source, @rules, @authfilenumber, @normal) att.rolled (@role)

**Member of** model.access

**Contained by** EAD: bibref controlaccess entry event extrefloc indexentry item label namegrp origination p physdesc physfacet ref refloc unittitle

**May contain** EAD: emph extptr lb ptr

## Note

All names in a finding aid do not have to be tagged. One option is to tag those names for which access other than basic, undifferentiated keyword retrieval is desired. Use of controlled vocabulary forms is recommended to facilitate access to names within and across finding aid systems. The <persname> element may be used in text elements such as <p>. To indicate a personal name with major representation in the materials being described, nest <persname> within the <controlaccess> element. The ROLE attribute can be used to specify the relationship(s) of the name to the materials being described, for example, "compiler," "creator," "collector," or "subject." The NORMAL attribute can be used to provide the authority form of a name that has been encoded with <persname> in narrative text, e.g., within a paragraph. Use the SOURCE attribute to specify the vocabulary from which the name has been taken. The AUTHFILENUMBER attribute can be used to identify a link to an authority file record that has more information about the name or cross references for alternative forms of the name and related names. The RULES attribute can be used to specify the descriptive rules followed when forming the name, such as AACR2R. See also related elements <controlaccess>, <corpname>, <famname>, and <name>.

The <persname> element is comparable to MARC fields 100, 600, and 700.

## Example

```
<scopecontent xmlns="urn:isbn:1-931666-22-9">
  <head>Scope and Content Note</head>
  <p>The papers of university professor and economist Mark Perlman span the dates 1952-1994, with most of the papers being dated between 1967 and 1989. The papers consist chiefly of professional correspondence to and from Perlman, indexes to these letters and a small number of subject files, but
```

include none of his personal papers. The collection documents Perlman's career as an economist and author at <corpname normal="Cornell University">Cornell,</corpname> <corpname normal="Johns Hopkins University">Johns Hopkins,</corpname> and the <corpname>University of Pittsburgh</corpname> and reflects his interest in work arbitration, trade unions, and the economics of public health. Among correspondents are many noted economists, including <persname normal="Abramovitz, Moses">Moses Abramovitz, </persname> <persname normal="Shubik, Martin"> Martin Shubik, </persname>and <persname normal="Bronfenbrenner, Martin"> Martin Bronfenbrenner. </persname> While many of the letters are personal in nature, others contain considerable information about Perlman's work, particularly in the years around the publication of his works <title render="italic">Judges in Industry: A Study of Labor Arbitration in Australia</title> <date type="publication">(1954)</date> and <title render="italic">Spatial, Regional, and Population Economics: Essays in Honor of Edgar M. Hoover</title> <date type="publication">(1972).</date> Additional correspondence relates to the publication of the <title render="italic">Journal of Economic Literature.</title>

</p>  
</scopecontent>  
<controlaccess xmlns="urn:isbn:1-931666-22-9">  
<head>Subjects:</head>  
<persname encodinganalog="600\$a" source="lcnaf">Reimann, Lewis Charles, 1909-1978.</persname>  
<persname encodinganalog="600\$a" source="lcnaf">Evans, Thomas.</persname>  
<persname encodinganalog="600\$a" source="lcnaf">Trippe, Matthew J., 1915-1967.</persname>  
<persname encodinganalog="600\$a" source="lcnaf">Elliot, Raymond.</persname>  
</controlaccess>

#### Example

#### Schematron

In the access points, Person names SHOULD be structured like this : Family name, given name  
<s:rule context="ead:controlaccess/ead:persname"> <s:assert role="SHOULD" test="[0-9a-zA-Z]+(,[0-9a-zA-Z]+)"">In the access points, Person names SHOULD be structured like this : Family name, given name</s:assert> </s:rule>

#### Content model

<content/>

#### Schema

**Declaration** element persname

```
{
  att.EADGlobal.attributes,
  att.access.attributes,
  att.roled.attributes,
  ( text | model.phrase.bare ) *
}
```

## <physdesc>

**<physdesc>** (Physical Description) A wrapper element for bundling information about the appearance or construction of the described materials, such as their dimensions, a count of their quantity or statement about the space they occupy, and terms describing their genre, form, or function, as well as any other aspects of their appearance, such as color, substance, style, and technique or method of creation. The information may be presented as plain text, or it may be divided into the <dimension>, <extent>, <genreform>, and <physfacet> subelements.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.labeled (@label) att.access (authfilenumber, normal, @source, @rules)

**Member of** model.did

**Contained by** EAD: archref did

**May contain** EAD: abbr archref bibref corpname date dimensions emph expan extent extptr extref famname function genreform geogname lb linkgrp name occupation persname physfacet ptr ref subject subtitle title

**Note** The <physdesc> element is comparable to ISAD(G) data element 3.1.5 and MARC field 300.

**Example** <c01 xmlns="urn:isbn:1-931666-22-9" level="series">  
<did>  
<unittitle>Seizure Records, </unittitle>  
<unitdate>December 1908-January 1928.</unitdate>  
<physdesc>4 volumes and 1 folder.</physdesc>  
</did>  
</c01>

**Example** <c xmlns="urn:isbn:1-931666-22-9" level="subseries">  
<did>  
<unittitle>Documentary Movies, </unittitle>  
<unitdate type="inclusive">1952-1964</unitdate>  
<physdesc>  
<extent>2.5 linear ft.</extent>  
</physdesc>  
</did>  
</c>

**Schematron** In the <did> element, <physdesc> SHOULD come with a non-empty <extent>  
<s:rule context="ead:physdesc"> <s:assert role="SHOULD" test="normalize-space(ead:extent[1])">a did SHOULD have a non-empty physdesc-extent, according to 17.3</s:assert> </s:rule>

**Content model** <content/>

**Schema**

**Declaration** element physdesc  
{  
att.EADGlobal.attributes,



```

att.labeled.attributes,
att.access.attribute.source,
att.access.attribute.rules,
(
  text
  | model.phrase.basic
  | dimensions
  | physfacet
  | extent
  | date
  | model.access
)*
}

```

## <physfacet>

**<physfacet>** (Physical Facet) A <physdesc> subelement for information about an aspect of the appearance of the described materials, such as their color, style, marks, substances, materials, or techniques and methods of creation.

<b>Module</b>	EAD		
<b>Attributes</b>	att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.labeled (@label) att.typed (@type) att.access (authfilenumber, normal, @source, @rules) unit	<b>Status</b>	Optional
		<b>Datatype</b>	

<b>Contained by</b>	EAD: physdesc
<b>May contain</b>	EAD: abbr archref bibref corpname date emph expan extptr extref famname function genreform geogname lb linkgrp name occupation persname ptr ref subject subtitle title

**Note** It is used especially to note aspects of appearance that affect or limit use of the materials. It generally should not be used for aspects of physical description that are covered more directly by the <extent>, <dimensions>, and <genreform> elements, although use of <genreform> may be appropriate for further specification within some <physfacet> instances. The TYPE attribute may be used to specify which aspect of the physical appearance is being designated, e.g.,

**Example** <physfacet type="color">red</physfacet>  
 <physdesc xmlns="urn:isbn:1-931666-22-9">  
 <extent>3 </extent>  
 <genreform>daguerreotypes, </genreform>  
 <physfacet>hand colored</physfacet>  
 </physdesc>

**Example** <physdesc xmlns="urn:isbn:1-931666-22-9">  
 <physfacet type="material">Paper</physfacet>  
 <physfacet type="ruling">Ruled in red ink</physfacet>  
 <physfacet type="watermarks">Briquet 1234</physfacet>  
 <physfacet type="binding">Bound in 19th century red leather</physfacet>  
 </physdesc>

**Content model**

```

<content>
</content>

```

## Schema



## Declaration

```

element physfacet
{
  att.EADGlobal.attributes,
  att.labeled.attributes,
  att.typed.attributes,
  att.access.attribute.source,
  att.access.attribute.rules,
  attribute unit { text }?,
  ( text | model.phrase.basic | model.access | date ) *
}

```

## <physloc>

**<physloc>** (Physical Location) Information identifying the place where the described materials are stored, such as the name or number of the building, room, stack, shelf, or other tangible area.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.labeled (@label) att.typed (@type)  
parent

**Status**  
**Datatype**

Optional

**Member of** model.did

**Contained by** EAD: archref did

**May contain** EAD: abbr archref bibref emph expan extptr extref lb linkgrp ptr ref subtitle title  
**Note** Do not confuse with <container>, which is used to identify the cartons, boxes, reels, folders, and other storage devices used to hold the described materials. Also do not confuse with <repository>, which is used to identify the institution or agency responsible for providing intellectual access to the described materials. Like all Descriptive Identification <did> subelements, the <physloc> element has a LABEL attribute which may be used to provide a readily understandable heading for the element's content. The TYPE attribute may also be used to identify the nature of the storage location. For security reasons, the AUDIENCE attribute value may be set to "internal" to shield public access to storage location information.

The <physloc> element is comparable to MARC field 852.

## Example

```

<archdesc xmlns="urn:isbn:1-931666-22-9" type="inventory" level="subgrp">
  <did>
    <head>Overview of the Records</head>
    <repository label="Repository:">
      <corpname>Minnesota
        Historical Society </corpname>
    </repository>
    <origination label="Creator:">Minnesota. Game and Fish
      Department</origination>
    <unittitle label="Title:">Game laws violation records, </unittitle>
    <unitdate label="Dates:">1908-1928</unitdate>
    <abstract label="Abstract:">Records of prosecutions for and
      seizures of property resulting from violation of the
      state's hunting and fishing laws.</abstract>
    <physdesc label="Quantity:">2.25 cu. ft. (7 v. and 1 folder
      in 3 boxes) </physdesc>
    <physloc label="Location:"> See Detailed Description section
      for box location </physloc>
  </did>
</archdesc>

```

**Example**

```

</did>
</archdesc>
<c02 xmlns="urn:isbn:1-931666-22-9" level="file">
  <did>
    <physloc>112.I.8.1B-2</physloc>
    <container type="box">2</container>
    <unittitle>
      <unitdate type="inclusive">December 1908-July
        1917 </unitdate>
    </unittitle>
  </did>
</c02>

```

**Content model**

```

<content>
</content>

```

**Schema Declaration**

```

element physloc
{
  att.EADGlobal.attributes,
  att.labeled.attributes,
  att.typed.attributes,
  attribute parent { xsd:IDREFS }?,
  ( text | model.phrase.basic )*
}

```

## <phystech>

**<phystech>** (Physical Characteristics and Technical Requirements) A description of important physical conditions or characteristics that affect the storage, preservation, or use of the materials described. This includes details of their physical composition or the need for particular hardware or software to preserve or access the materials.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type)

**Member of** model.desc.base

**Contained by** EAD: archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp phystech

**May contain** EAD: address blockquote chronlist head list note p phystech table

**Note** The <phystech> element is comparable to ISAD(G) data element 3.4.4 and MARC fields 340 and 538.

**Example**

```

<c04 xmlns="urn:isbn:1-931666-22-9" level="item">
  <did>[...]</did>
  <phystech>
    <p>Some oxydization of the aluminum layer.</p>
  </phystech>
</c04>

```

**Example**

```

<c02 xmlns="urn:isbn:1-931666-22-9" level="subseries">
  <did>[...]</did>
  <phystech>
    <head>System Requirements</head>
    <p>48K RAM; Apple Disk II with controller; colour

```

```

        monitor</p>
    </phystech>
</c02>

```

## Content model

```

<content>
</content>

```

## Schema

### Declaration

```

element phystech
{
    att.EADGlobal.attributes,
    att.typed.attributes,
    head?,
    ( model.blocks | phystech )+
}

```

## <prefercite>

**<prefercite>** (Preferred Citation) Information about how users should identify the described materials when referring to them in published credits. Generally the repository or agent responsible for providing intellectual access to the materials will supply users with a recommended wording or prescribed format for structuring references to the described materials in bibliographies, footnotes, screen credits, etc.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Member of** model.desc.base

**Contained by** EAD: archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp prefercite

**May contain** EAD: address blockquote chronlist head list note p prefercite table

**Note** Do not confuse with <archref> or <bibref> which are used to cite and/or link to materials other than those described in the finding aid. In EAD Version 1.0 <prefercite> was a subelement of Administrative Information <admininfo>, which has been deprecated in EAD 2002 (see Appendix B). The new Description Group <descgrp> element, which can group any of the <did>-level elements (except the Description of Subordinate Components <dsc>), may be used to wrap elements where a group heading is desirable. The <descgrp> element can be used to replace <admininfo> where it has been used as a wrapper when converting finding aids encoded in EAD V1.0 to EAD 2002.

The <prefercite> element is comparable to MARC field 524.

### Example

```

<prefercite xmlns="urn:isbn:1-931666-22-9">
  <head>Preferred Citation</head>
  <p>[Identification of item], Arequipa Sanatorium Records, BANC
    MSS 92/894c, The Bancroft Library, University of California,
    Berkeley.</p>
</prefercite>

```

### Example

```

<prefercite xmlns="urn:isbn:1-931666-22-9">
  <p>item, folder title, box number, Charles Thomas, Jr. Papers,
    Bentley Historical Library, University of Michigan.</p>
</prefercite>

```

## Content model

```

<content>
</content>

```

## Schema

**Declaration** element prefercite

```
{
  att.EADGlobal.attributes,
  head?,
  ( model.blocks | prefercite )+
}
```

## <processinfo>

**<processinfo>** (Processing Information) Information about accessioning, arranging, describing, preserving, storing, or otherwise preparing the described materials for research use. Specific aspects of each of these activities may be encoded separately within other elements, such as <acqinfo>, <arrangement>, <physloc>, etc.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type)

**Member of** model.desc.base

**Contained by** EAD: archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp processinfo

**May contain** EAD: address blockquote chronlist head list note p processinfo table

**Note** In EAD Version 1.0 <processinfo> was a subelement of Administrative Information <admininfo>, which has been deprecated in EAD 2002 (see Appendix B). The new Description Group <descgrp> element, which can group any of the <did>-level elements (except the Description of Subordinate Components <dsc>), may be used to wrap elements where a group heading is desirable. The <descgrp> element can be used to replace <admininfo> where it has been used as a wrapper when converting finding aids encoded in EAD V1.0 to EAD 2002. The <processinfo> element is comparable to ISAD(G) data element 3.7.1 and MARC field 583. A <date> within a <processinfo><p> element is comparable to ISAD(G) data element 3.7.3.

**Example**

```
<processinfo xmlns="urn:isbn:1-931666-22-9">
  <head>Processing Information:</head>
  <p>These records were organized and cataloged in
  <date>1977</date> by Lydia Lucas.</p>
</processinfo>
```

**Content model**

```
<content>
</content>
```

## Schema

**Declaration** element processinfo

```
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  head?,
  ( model.blocks | processinfo )+
}
```

## <profiledesc>

**<profiledesc>** (Profile Description) An optional subelement of the <eadheader> that bundles information about the creation of the encoded version of the finding aid, including the name of the agent, place, and date of encoding. The <profiledesc> element also designates the predominant and minor languages used in the finding aid.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: eadheader

**May contain** EAD: creation descrules language

**Note** Do not confuse with <filedesc>, which bundles such bibliographic information as the title, author, publisher, edition, and publishing series of the finding aid. For newer finding aids, the author and encoder may be the same person or institution, but for most older finding aids, someone other than the author will be converting and encoding the document. The encoder should be listed in the <creation> subelement of <profiledesc>, while the author should be identified in the <titlemt> subelement of <filedesc>.

Within <profiledesc> the Descriptive Rules <descrules> element can be used to specify the descriptive code or guidelines followed in creating the finding aid.

### Example

```
<eadheader xmlns="urn:isbn:1-931666-22-9" audience="internal"
  langencoding="iso639-2b">
  <eadid>[...]</eadid>
  <filedesc>[...]</filedesc>
  <profiledesc>
    <creation>Machine-readable finding aid and skeletal markup
      derived via a macro from WordPerfect file; markup
      checked and completed by Sarah Taylor. <date normal="19950423">April 23, 1
      995.</date>
    </creation>
    <language> Finding aid written in <language langcode="eng">English.</language>
  </language>
    <descrules>Finding aid prepared using <title render="italic">Rules for Archival D
    escription</title>
  </descrules>
  </profiledesc>
</eadheader>
```

**Schematron** <eadheader> MUST contain information on the language used in the EAD document: <language> <language> element

```
<s:rule context="ead:profiledesc"> <s:assert role="MUST"
  test="ead:language/ead:language">eadheader MUST contain a
  language/language element</s:assert> </s:rule>
```

**Schematron** <eadheader> SHOULD contain a <creation> element

```
<s:rule context="ead:profiledesc">
  <s:assert role="SHOULD" test="ead:creation">eadheader SHOULD contain a
  creation element</s:assert> </s:rule>
```

**Schematron** <descrules> has a default value added automatically by EHRI. Therefore, the content of <descrules> will be overwritten

```
<s:rule context="ead:profiledesc" role="SHOULD">
  <s:assert test="not(normalize-space(ead:descrules))">descrules has a default
  value added automatically by EHRI. Therefore, the content of descrules will be
  overwritten</s:assert> </s:rule>
```

## Content model

```
<content/>
```

## Schema

### Declaration

```
element profiledesc
{
  att.EADGlobal.attributes,
  ( creation?, language?, descrules? )
}
```

## <ptr/>

**<ptr/>** (Pointer) An empty internal linking element that uses attributes to provide for movement from one place in a finding aid to another place in the same finding aid. Unlike the <ref> element, the <ptr/> element cannot contain text and subelements to describe the referenced object.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.xlink (@label, @href, @type, @title, @from, @to, @role, @actuate, @show, @arcrole, @xpointer, @entityref, @target, @parent)

**Member of** model.phrase.bare

**Contained by** EAD: abstract addressline archref author bibref bibseries container corpname creation date descrules dimensions edition emph entry event extrefloc famname function genreform geogname head head01 head02 imprint indexentry item label langmaterial language language legalstatus materialspec name num occupation origination p persname physdesc physfacet physloc ptrgrp publisher ref refloc repository runner sponsor subarea subject subtitle title titleproper unitdate unitid unittitle

**May contain** Empty element

**Note** Do not confuse with <extptr/> which is used to connect the EAD document to an external electronic object, which is not part of the described materials. See related linking elements <extptr/>, <extptrloc/>, <extref>, <extrefloc>, <linkgrp>, <ptrgrp>, <ptrloc/>, <ref>, and <refloc>.

While XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use XLink are encouraged to consult the specification available online at <http://www.w3.org/TR/xlink>.

### Example

```
<appraisal xmlns="urn:isbn:1-931666-22-9">
  <p> This collection was re-appraised by repository staff in 1992
    in order to facilitate use by weeding the collection of
    materials no longer deemed as having evidential or
    informational value. A list of materials removed from the
    collection after the re-appraisal is provided at the end of
    this guide. <ptr linktype="simple"
      actuate="onrequest" show="replace" target="mss1982-062_add2"/>
  </p>
</appraisal>
```

## Content model

```
<content>
</content>
```

## Schema

**Declaration** element ptr { att.EADGlobal.attributes, att.xlink.attributes, empty }

## <ptrgrp>

**<ptrgrp>** (Pointer Group) A wrapper element for two or more Pointer <ptr/> or Reference <ref> elements used in an <indexentry>. Pointers and references are internal links that provide for movement from one place in the finding aid to another place in the same finding aid. When encoding an index in EAD, a name or entry is generally listed only once, followed by a <ptrgrp> containing the series of pointers and references that link the name or entry to the places in the finding aid where it appears. The <ptrgrp> prevents the name or entry from having to appear multiple times in the index.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: indexentry

**May contain** EAD: ptr ref

**Example**

```
<index xmlns="urn:isbn:1-931666-22-9">
  <head>Correspondent Index</head>
  <indexentry>
    <persname>Adeltraud, Jerome</persname>
    <ptrgrp>
      <ref linktype="simple"
        target="corresp19730824" actuate="onrequest" show="replace">
        <date normal="19730824">1973 August 24</date>
      </ref>
      <ref linktype="simple"
        target="corresp19740228" actuate="onrequest" show="replace">
        <date normal="19740228">1974 February 28</date>
      </ref>
      <ref linktype="simple"
        target="corresp19750315" actuate="onrequest" show="replace">
        <date normal="19750315">1975 March 15</date>
      </ref>
    </ptrgrp>
  </indexentry> . . . </index>
```

**Content model**

```
<content>
</content>
```

**Schema**

**Declaration** element ptrgrp { att.EADGlobal.attributes, ( ptr | ref )+ }

## <ptrloc/>

**<ptrloc/>** (Pointer Location) The location of a pointer <ptr/> that is a resource in an extended link.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Member of** model.extended.els

**Contained by** EAD: daogrp linkgrp

**May contain** Empty element

**Note** While XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use



XLink are encouraged to consult the specification available online at <http://www.w3.org/TR/xlink>.

## Content model

```
<content>
</content>
```

## Schema

**Declaration** element ptrloc { att.EADGlobal.attributes, empty }

## <publicationstmt>

**<publicationstmt>** (Publication Statement) A wrapper element within the <filedesc> portion of <eadheader> for information concerning the publication or distribution of the encoded finding aid, including the publisher's name and address, the date of publication, and other relevant details.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: filedesc

**May contain** EAD: address date num p publisher

**Note** The <publicationstmt> may contain just text, laid out in Paragraphs <p>, or it may include the <publisher>, <address>, <date>, and <num> elements, which allow for more specific tagging of a publisher's name and address, the date of publication, and the number, if any, assigned to the published finding aid.

## Example

```
<filedesc xmlns="urn:isbn:1-931666-22-9">
  <titlestmt>[...]</titlestmt>
  <publicationstmt>
    <date>1995</date>
    <publisher>Prints & Photographs Division</lb>Library of
      Congress</publisher>
    <address>
      <addressline>Washington, D.C.
        20540</addressline>
    </address>
  </publicationstmt>
</filedesc>
```

**Schematron** <eadheader> SHOULD specify a <publisher>  
 <s:rule context="ead:publicationstmt">  
 <s:assert role="SHOULD" test="ead:publisher">eadheader SHOULD specify a  
 publisher</s:assert> </s:rule>

## Content model

```
<content/>
```

## Schema

**Declaration** element publicationstmt  
 {  
 att.EADGlobal.attributes,  
 ( publisher | date | address | num | p )+  
 }

## <publisher>

**<publisher>** (Publisher) When used in the <publicationstmt> portion of <eadheader> and in the <titlepage> element in <frontmatter>, the <publisher> is the name of the party responsible for issuing or distributing the encoded finding aid. Often this party is the same corporate body



identified in the <repository> element in the finding aid. When used in the <imprint> section of a Bibliographic Reference <bibref>, the <publisher> is the name of the party issuing a monograph or other bibliographic work cited in the finding aid.

**Module** EAD  
**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)  
**Contained by** EAD: imprint publicationstmt titlepage  
**May contain** EAD: emph extptr lb ptr  
**Example**

```
<filedesc xmlns="urn:isbn:1-931666-22-9">
  <titlestmt>[...]</titlestmt>
  <publicationstmt>
    <date>1995</date>
    <publisher>Prints & Photographs Division</>Library of
      Congress</publisher>
    <address>
      <addressline>Washington, D.C.
        20540</addressline>
    </address>
  </publicationstmt>
</filedesc>
```

**Example**

```
<bibliography xmlns="urn:isbn:1-931666-22-9">
  <bibref>
    <persname role="author">Kinder, Dolores.</persname>
    <title>Once Upon a Lullaby.</title>
    <imprint>
      <geogname>New York: </geogname>
      <publisher>Wells & Sons, </publisher>
      <date type="publication">1931</date>
    </imprint>
  </bibref>
</bibliography>
```

**Content model**

```
<content>
</content>
```

## Schema

**Declaration** element publisher { att.EADGlobal.attributes, ( text | model.phrase.bare )\* }

## <ref>

**<ref>** (Reference) An internal linking element that provides for movement from one place in a finding aid to another place in the same finding aid. Unlike the internal Pointer <ptr> element, the <ref> element may contain text and subelements that identify or describe the referenced object. The <ref> element may be used in a variety of ways in an encoded finding aid. For example, a <ref> may provide a dynamic link from one Component <c> to another related Component <c> in the same way that See and See also references direct readers of paper-based finding aids. Or, a <ref> might be used to direct the reader from text in a scope and content note to a description of a Component <c> in a contents list.

**Module** EAD  
**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.xlink  
 (@label, @href, @type, @title, @from, @to, @role, @actuate, @show, @arcrole,  
 @xpointer, @entityref, @target, @parent)  
**Member of** model.refs

<b>Contained by</b>	EAD: abstract archref bibliography bibref creation descrules dimensions emph entry event extref indexentry item label langmaterial language materialspec origination otherfindaid p physdesc physfacet physloc ptrgrp relatedmaterial repository separatedmaterial unitdate unitid unittitle
<b>May contain</b>	EAD: abbr address archref bibref blockquote chronlist corpname date emph expan extptr extref famname function genreform geogname lb list name note num occupation origination persname ptr repository subject table title unitdate unittitle
<b>Note</b>	While XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use XLink are encouraged to consult the specification available online at <a href="http://www.w3.org/TR/xlink">http://www.w3.org/TR/xlink</a> .
<b>Example</b>	<pre> &lt;index xmlns="urn:isbn:1-931666-22-9"&gt;   &lt;head&gt;Index to Correspondents and Recipients&lt;/head&gt;   &lt;indexentry&gt;     &lt;corpname&gt;Bach &amp; Bros.&lt;/corpname&gt;     &lt;ref linktype="simple" target="NonC:21-2"       show="replace" actuate="onrequest"&gt; (In non correspondence)&lt;/ref&gt;   &lt;/indexentry&gt;   &lt;indexentry&gt;     &lt;namegrp&gt;       &lt;corpname&gt;Bacon and Lewis, Ltd.&lt;/corpname&gt;       &lt;persname&gt;Levering, Alexander M.&lt;/persname&gt;       &lt;persname&gt;Windom, Lucious&lt;/persname&gt;     &lt;/namegrp&gt;     &lt;ref linktype="simple"       target="Cres:18610408" show="replace" actuate="onrequest"&gt; (1861 Apr. 8, AL S, to W.W., re:   inquiry into what to do with unsold flour)&lt;/ref&gt;   &lt;/indexentry&gt; . . . &lt;/index&gt; </pre>
<b>Content model</b>	<pre> &lt;content&gt; &lt;/content&gt; </pre>
<b>Schema Declaration</b>	<pre> element ref {   att.EADGlobal.attributes,   att.xlink.attributes,   ( text   model.para.content.norefs   bibref   title   extref   archref ) * } </pre>
<b>&lt;refloc&gt;</b>	
<b>&lt;refloc&gt;</b> (Reference Location) A linking element that provides the location of a reference <ref> that is a resource in an extended link.	
<b>Module</b>	EAD
<b>Attributes</b>	att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.roled (@role)
<b>Member of</b>	model.extended.els
<b>Contained by</b>	EAD: daogrp linkgrp
<b>May contain</b>	EAD: abbr address blockquote chronlist corpname date emph expan extptr famname function genreform geogname lb list name note num occupation

## Note

origination persname ptr repository subject table unitdate unittitle  
While XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use XLink are encouraged to consult the specification available online at <http://www.w3.org/TR/xlink/>.

## Example

```
<archdesc xmlns="urn:isbn:1-931666-22-9" level="collection">
  <did>[...]</did>
  <arrangement>
    <p>This collection is organized into two major sections. The
      Original Gift portion reflects the materials originally
      donated to the Society by Mr. Provenance, while the
      Additions portion contains records transferred following
      his death. As these two groups of documents have not
      been physically interfiled, materials on any given topic
      may appear in either or both sections, each of which is
      divided into four parallel series. <linkgrp>
        <refloc target="a9"/>
        <refloc target="s1"/>
        <refloc target="s7"/>
      </linkgrp>
    </p>
    <p id="a9">Personal Correspondence</p>
    <p id="a10">Financial Records</p>
    <p id="a11">Diaries</p>
    <p id="a12">Literary Manuscripts</p>
  </arrangement>
  <dsc type="combined">
    <head>Original Gift</head>
    <c01 id="s1">
      <did>
        <unittitle>Personal correspondence, </unittitle>
        <unitdate>1917-1965.</unitdate>
      </did>
    </c01> . . . </dsc>
  <dsc type="combined">
    <head>Additions</head>
    <c01 id="s7">
      <did>
        <unittitle>Personal correspondence, </unittitle>
        <unitdate>1922-1945.</unitdate>
      </did>
    </c01> . . . </dsc>
  </dsc>
</archdesc>
```

## Content model

```
<content>
</content>
```

## Schema Declaration

```
element refloc
{
  att:EADGlobal.attributes,
```

```

    att.roled.attributes,
    ( text | model.para.content.norefs ) *
}

```

## <relatedmaterial>

**<relatedmaterial>** (Related Material) Information about materials that are not physically or logically included in the material described in the finding aid but that may be of use to a reader because of an association to the described materials. Materials designated by this element are not related to the described material by provenance, accumulation, or use.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type)

**Member of** model.desc.base

**Contained by** EAD: archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp relatedmaterial

**May contain** EAD: address archref bibref blockquote chronlist extref head linkgrp list note p ref relatedmaterial subtitle table title

**Note** Do not confuse <relatedmaterial> with the element <separatedmaterial>, which provides information about materials that have been separated or physically removed from the described materials but that are related to them by provenance. Also do not confuse with <altformavail>, which encodes information about copies of the described materials, such as microforms, photocopies, and reproductions in digital formats. Do not confuse with <originalsloc>, which encodes information regarding the existence and location of the originals when the unit being described consists of copies. In EAD Version 1.0 <relatedmaterial> was a subelement of Adjunct Descriptive data <add>, which has been deprecated in EAD 2002 (see Appendix B). The new Description Group <descgrp> element, which can group any of the <did>-level elements (except the Description of Subordinate Components <dsc>), may be used to wrap elements where a group heading is desirable. The <descgrp> element can be used to replace <add> when converting finding aids encoded in EAD V1.0 to EAD 2002. The <relatedmaterial> element is comparable to ISAD(G) data element 3.5.3 and MARC field 544 with indicator 1.

**Example**

```

<relatedmaterial xmlns="urn:isbn:1-931666-22-9">
  <head>Related Correspondence</head>
  <p>Researchers should note that a significant amount of the
    correspondence between Franklin Wigglethorpe and Nellie
    Forbush is extant. In addition to the incoming letters in
    this collection from Mr. Wigglethorpe to Miss Forbush, the
    letters written to Mr. Wigglethorpe by Miss Forbush are
    available to researchers at the Mainline University Special
    Collections Library.</p>
  <archref>
  <origination>
    <persname>Wigglethorpe,
      Franklin.</persname>
  </origination>
  <unittitle>Franklin Wigglethorpe Papers, <unitdate type="inclusive">1782-
1809.</unitdate>
  </unittitle>
  <unitid>MSS 00143</unitid>

```

```

</archref>
<p>An online guide to the Wigglethorpe Papers is available.
<extptr actuate="onrequest"
  entityref="mu-scl-00143" show="new"/>
</p>
</relatedmaterial>

```

### Example

```

<separatedmaterial xmlns="urn:isbn:1-931666-22-9">
  <p>Photographs and sound recordings have been transferred to the
    appropriate custodial divisions of the Library where they
    are identified as part of these papers. Among the sound
    recordings are the following broadcasts:</p>
  <list>[...]</list>
</separatedmaterial>
<separatedmaterial xmlns="urn:isbn:1-931666-22-9">
  <p>Other papers of Earl Warren, which relate chiefly to his
    early years and public service in California, are held by
    the California State Archives in Sacramento.</p>
</separatedmaterial>
<relatedmaterial xmlns="urn:isbn:1-931666-22-9">
  <p>Records relating to the Warren Commission are held in the
    National Archives and Records Administration.</p>
</relatedmaterial>

```

### Content model

```

<content>
</content>

```

### Schema

#### Declaration

```

element relatedmaterial
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  head?,
  ( model.blocks | model.refs | relatedmaterial )+
}

```

### <repository>

**<repository>** (Repository) The institution or agency responsible for providing intellectual access to the materials being described. The **<corpname>** element may be used within **<repository>** to encode the institution's proper name.

**Module** EAD

**Attributes** att.EADGlobal (*@id*, *@altrender*, *@audience*, *@encodinganalog*) att.labeled (*@label*)

**Member of** model.data model.did

**Contained by** EAD: archref did entry event extrefloc item label p ref refloc

**May contain** EAD: abbr address archref bibref corpname emph expan extptr extref lb linkgrp name ptr ref subarea subtitle title

**Note** Although the repository providing intellectual access usually also has physical custody over the materials, this is not always the case. For example, an archives may assume responsibility for long-term intellectual access to electronic records, but the actual electronic data files or systems may continue to reside in the office where they were created and maintained, or they may be held for long-term

storage by a unit such as a data library that is able to provide the appropriate technical facilities for storage and remounting. When it is clear that the physical custodian does not provide intellectual access, use <physloc> to identify the custodian and <repository> to designate the intellectual caretaker. When a distinction cannot be made, assume that the custodian of the physical objects also provides intellectual access to them and should be recognized as the <repository>. The <repository> element is comparable to MARC field 852.

### Example

```
<archdesc xmlns="urn:isbn:1-931666-22-9" type="inventory" level="subgrp">
  <did>
    <head>Overview of the Records</head>
    <repository label="Repository:">
      <corpname>Minnesota Historical Society</corpname>
    </repository>
    <origination label="Creator:">Minnesota. Game and Fish
      Department</origination>
    <unittitle label="Title:">Game laws violation records, </unittitle>
    <unitdate label="Dates:">1908-1928</unitdate>
    <abstract label="Abstract:">Records of prosecutions for and
      seizures of property resulting from violation of the
      state's hunting and fishing laws. </abstract>
    <physdesc label="Quantity:">2.25 cu. ft. (7 v. and 1 folder
      in 3 boxes) </physdesc>
    <physloc label="Location:">See Detailed Description section
      for box location</physloc>
  </did>
</archdesc>
```

### Example

Note: The Public Record Office of the United Kingdom uses a 7 level system of intellectual units devised specifically for that repository. In that system "lettercode" is the equivalent of "fonds" and "class" is the equivalent of "series."

```
<archdesc xmlns="urn:isbn:1-931666-22-9" level="otherlevel"
  otherlevel="Lettercode">
  <did>
    <unitid>EW</unitid>
    <unittitle>Records of the Department of Economic
      Affairs</unittitle>
    <origination>
      <corpname>Department of Economic
        Affairs</corpname>
    </origination>
    <unitdate>1945-1979</unitdate>
    <physdesc>
      <extent>28 </extent>
      <genreform>classes</genreform>
    </physdesc>
    <repository>Public Record Office, Kew</repository>
  </did>
</archdesc>
```

### Content model

```
<content>
</content>
```

### Schema

**Declaration** element repository

```
{
  att.EADGlobal.attributes,
  att.labeled.attributes,
  ( text | model.phrase.basic | address | corpname | name | subarea )*
}
```

## <resource>

**<resource>** (Resource) A linking element that specifies the local resource that participates in an extended link.

**Module** EAD

**Attributes** att.EADGlobal (*@id*, *@altrender*, *@audience*, *@encodinganalog*) att.xlink (*@label*, *@href*, *@type*, *@title*, *@from*, *@to*, *@role*, *@actuate*, *@show*, *@arcrole*, *@xpointer*, *@entityref*, *@target*, *@parent*)

**Member of** model.extended.els

**Contained by** EAD: daogrp linkgrp

**May contain** EAD: emph lb

**Note** While XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use XLink are encouraged to consult the specification available online at <http://www.w3.org/TR/xlink>.

**Example**

```
<c02 xmlns="urn:isbn:1-931666-22-9" level="file">
  <did>
    <unittitle>Photographs of John Smith and family
      members</unittitle>
    <unitdate type="inclusive"
      normal="1895/1928">1895-1928</unitdate>
    <daogrp linktype="extended">
      <daodesc>
        <p>Sample digitized image from this file: John Smith
          graduation portrait, <date normal="18950528">28
            May 1895</date>.</p>
      </daodesc>
      <resource linktype="resource"
        label="start"/>
      <daoloc entityref="f0042_1tmb"
        linktype="locator" label="thumb"/>
      <daoloc entityref="f0042_1ref"
        linktype="locator" label="reference"/>
      <arc linktype="arc" show="embed"
        actuate="onload" from="start" to="thumb"/>
      <arc linktype="arc" show="new"
        actuate="onrequest" from="thumb" to="reference"/>
    </daogrp>
  </did>
</c02>
```

## Content model

```
<content>
</content>
```



## Schema

### Declaration

```
element resource
{
  att.EADGlobal.attributes,
  att.xlink.attributes,
  ( text | model.render ) *
}
```

## <revisiondesc>

**<revisiondesc>** (Revision Description) An optional subelement of the <eadheader> for information about changes or alterations that have been made to the encoded finding aid. The revisions may be recorded as part of a <list> or as a series of <change> elements. Like much of the <eadheader>, the <revisiondesc> element is modeled on an element found in the Text Encoding Initiative (TEI) DTD. The TEI recommends that revisions be numbered and appear in reverse chronological order, with the most recent <change> first.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: eadheader

**May contain** EAD: change list

**Example**

```
<eadheader xmlns="urn:isbn:1-931666-22-9" audience="internal"
  langencoding="iso639-2b">
  <eadid>[...]</eadid>
  <filedesc>[...]</filedesc>
  <profiledesc>[...]</profiledesc>
  <revisiondesc>
    <change>
      <date normal="19970505">May 5, 1997</date>
      <item>This electronic finding aid was updated to current
        markup standards by Sarah Taylor using a perl
        script. Updates included: eadheader, eadid,
        arrangement of did elements and their labels.</item>
    </change>
  </revisiondesc>
</eadheader>
```

### Content model

```
<content>
</content>
```

## Schema

### Declaration

```
element revisiondesc { att.EADGlobal.attributes, ( list | change+ ) }
```

## <row>

**<row>** (Table Row) A formatting element that contains one or more <entry> elements (horizontal cells) in a table.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

rowsep

**Status**

Optional

**Datatype**

**Legal values are:** 1



0

valign	<b>Status</b> <b>Datatype</b> <b>Legal values are:</b>	Optional <b>top</b> <b>middle</b> <b>bottom</b>
--------	--	--

### Contained by May contain Note

EAD: tbody thead

EAD: entry

By convention, a rule specified by the ROWSEP attribute prints or displays below the row. Vertical rules are specified by the COLSEP attribute in <table> or one of its column-related subelements; external rules are specified by the FRAME attribute available on the <table> element. See also related elements <table>, <tbody>, <tgroup>, and <thead>.

### Example

```
<table xmlns="urn:isbn:1-931666-22-9" frame="none">
  <tgroup cols="3">
    <colspec colnum="1" colname="1"
      align="left" colwidth="50pt"/>
    <colspec colnum="2" colname="2"
      align="left" colwidth="50pt"/>
    <colspec colnum="3" colname="3"
      align="left" colwidth="50pt"/>
    <thead>
      <row>
        <entry colname="1">Major Family Members</entry>
        <entry colname="2">Spouses</entry>
        <entry colname="3">Children</entry>
      </row>
    </thead>
    <tbody>
      <row>
        <entry colname="1">John Albemarle
          (1760-1806)</entry>
        <entry colname="2">Mary Frances Delaney
          (1769-1835)</entry>
        <entry colname="3">John Delaney Albemarle
          (1787-1848)</entry>
      </row> . . . </tbody>
    </tgroup>
  </table>
```

### Content model

```
<content>
</content>
```

### Schema Declaration

```
element row
{
  att.EADGlobal.attributes,
  attribute rowsep { "1" | "0" }?,
```

```

    attribute valign { "top" | "middle" | "bottom" }?,
    entry+
}

```

## <runner>

**<runner>** (Runner) An optional formatting element that provides for a header, footer, or watermark to appear on every page of a printed finding aid or throughout an electronic version. If a transparent image is desired as background, use <extptr/> instead. The <runner> is available within <archdesc> and <archdescgrp> and must appear before the <did>. The PLACEMENT attribute specifies whether the <runner> should appear as a header, footer, or watermark.

**Module** EAD  
**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.rolled (@role) placement  
**Contained by** EAD: archdesc archdescgrp  
**May contain** EAD: emph extptr lb ptr  
**Example** <runner xmlns="urn:isbn:1-931666-22-9" placement="footer"> Special Collections, University of Virginia Library, #5866-b </runner>  
**Content model** <content>  
 </content>

## Schema

**Declaration** element runner  
 {  
 att.EADGlobal.attributes,  
 att.rolled.attributes,  
 attribute placement { "header" | "footer" | "watermark" }?,  
 ( text | model.phrase.bare ) \*  
 }

## <scopecontent>

**<scopecontent>** (Scope and Content) A prose statement summarizing the range and topical coverage of the described materials, often mentioning the form and arrangement of the materials and naming significant organizations, individuals, events, places, and subjects represented. The purpose of the <scopecontent> element is to assist readers in evaluating the potential relevance of the materials to their research. It may highlight particular strengths of, or gaps in, the described materials and may summarize in narrative form some of the descriptive information entered in other parts of the finding aid.

**Module** EAD  
**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)  
**Member of** model.desc.base  
**Contained by** EAD: archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp scopecontent  
**May contain** EAD: address arrangement blockquote chronlist dao daogrp head list note p scopecontent table  
**Note** Additional <scopecontent> elements may be nested inside one another when a complex collection of materials is being described and separate headings are desired. For example, when a collection is received and processed in installments, individual scope and content notes may be created for each installment. EAD permits these separate narrative descriptions to be encoded as

discrete <scopecontent> elements, but it also enables the encoder to gather the independent <scopecontent> notes within a single larger <scopecontent> reflective of the materials as a whole. Nested <scopecontent> elements might also occur when an institution encodes the first paragraph of a long scope and content note as a separate summary <scopecontent> with an *encodinganalog* attribute set to MARC field 520\$a. The *scopecontent* element is comparable to ISAD(G) data element 3.3.1 and MARC field 520.

### Example

```
<archdesc xmlns="urn:isbn:1-931666-22-9" level="fonds">
  <did>[...]</did>
  <scopecontent encodinganalog="520">
    <head>Scope and Content</head>
    <p>Fonds includes records relating to the Department of
      Plant Ecology's administration, teaching and research;
      extension work relating to the Saskatchewan Weed Survey;
      and correspondence with a variety of institutions and
      individuals. A series of minutes and correspondence
      relating to the Saskatchewan Committee on the Ecology
      and Preservation of Grasslands (established in 1935)
      documents the efforts to establish permanent reserves of
      significant grasslands in Saskatchewan.</p>
  </scopecontent>
</archdesc>
```

### Example

```
<dsc xmlns="urn:isbn:1-931666-22-9" type="combined">
  <head>Detailed Description of the Collection</head>
  <c01 level="series">
    <did>
      <unittitle>Record of Prosecutions, </unittitle>
      <unitdate>1916-1927. </unitdate>
      <physdesc>3 volumes.</physdesc>
    </did>
    <scopecontent>
      <p>Information provided in each entry: date of report,
        name and address of person arrested, location where
        offense was committed, date of arrest, nature of
        offense, name of judge or justice, result of trial,
        amounts of fine and court costs, number of days
        served if jailed, name of warden, and occasional
        added remarks. Types of offenses included hunting or
        fishing out of season or in unauthorized places,
        exceeding catch or bag limits, taking undersized
        fish, illegal fishing practices such as gill-netting
        or dynamiting, illegal hunting practices such as
        night-lighting, killing non-game birds, fishing or
        hunting without a license, and hunting-related
        offenses against persons such as fraud and
        assault.</p>
    </scopecontent>
  </c01>
</dsc>
```

### Example

```
<scopecontent xmlns="urn:isbn:1-931666-22-9">
  <p>Papers of the Lewis family, 19th-20th cent., mainly letters
    to: Elizabeth, Lady Lewis (1844-1931), with a few to her
```

husband Sir George Lewis, 1st Bart. (1833-1911); to one of their daughters, Katherine Elizabeth Lewis (d. 1961), with a few to their son Sir George Lewis, 2nd Bart. (1868-1927); and to their grand-daughter Elizabeth Lewis, later Wansbrough (d. 1995). Many of the letters are undated; some can be dated from the postmark on the envelope, but several letters were kept in the wrong envelopes; most of Paderewski's and Whistler's letters had become separated from their envelopes.

## Content model

## Schema

### Declaration

element scopecontent

{

att.EADGlobal.attributes,

head?,

( ( model.blocks ) | arrangement | scopecontent | dao | daogrp )+

}

## <separatedmaterial>

**<separatedmaterial>** (Separated Material) Information about materials that are associated by provenance to the described materials but that have been physically separated or removed.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type)

**Member of** model.desc.base

**Contained by** EAD: archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp separatedmaterial

**May contain** EAD: address archref bibref blockquote chronlist extref head linkgrp list note p ref separatedmaterial subtitle table title

**Note** Items may be separated for various reasons, including the dispersal of special formats to more appropriate custodial units; the outright destruction of duplicate or nonessential material; and the deliberate or unintentional scattering of fonds among different repositories. Do not confuse with <relatedmaterial>, which is used to encode descriptions of or references to materials that are not physically or logically included in the material described in the finding aid but that may be of use to a reader because of an association to the described materials. Items encoded as <relatedmaterial> are not related to the described material by provenance, accumulation, or use. In EAD Version 1.0 <separatedmaterial> was a subelement of Adjunct Descriptive Data <add>, which has been deprecated in EAD 2002 (see Appendix B). The new Description Group <descgrp> element, which can group any of the <did>-level elements (except the Description of Subordinate Components <dsc>), may be used to wrap elements where a group heading is desirable. The <descgrp> element can be used to replace <add> when converting finding aids encoded in EAD V1.0 to EAD 2002. The <separatedmaterial> element is comparable to ISAD(G) data element 3.5.3 and MARC field 544 with indicator 0.

**Example** <separatedmaterial xmlns="urn:isbn:1-931666-22-9">

### Example

```
<head>Materials Cataloged Separately</head>
<p>Photographs have been transferred to Pictorial Collections of
  The Bancroft Library.</p>
</separatedmaterial>
<separatedmaterial xmlns="urn:isbn:1-931666-22-9">
  <p>Photographs and sound recordings have been transferred to the
    appropriate custodial divisions of the Library where they
    are identified as part of these papers. Among the sound
    recordings are the following broadcasts:</p>
  <list>[...]</list>
</separatedmaterial>
<separatedmaterial xmlns="urn:isbn:1-931666-22-9">
  <p>Other papers of Earl Warren, which relate chiefly to his
    early years and public service in California, are held by
    the California State Archives in Sacramento.</p>
</separatedmaterial>
<relatedmaterial xmlns="urn:isbn:1-931666-22-9">
  <p>Records relating to the Warren Commission are held in the
    National Archives and Records Administration.</p>
</relatedmaterial>
```

### Content model

```
<content>
</content>
```

### Schema

#### Declaration

```
element separatedmaterial
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  head?,
  ( model.blocks | model.refs | separatedmaterial )+
}
```

### <seriesstmt>

**<seriesstmt>** (Series Statement) A wrapper element within the <filedesc> portion of <eadheader> that groups information about the published monographic series, if any, to which an encoded finding aid belongs. The <seriesstmt> may contain just text, laid out in Paragraphs <p>, or it may include the <titleproper> and <num> elements, which allow for more specific tagging of names or numbers associated with the series.

#### Module

EAD

#### Attributes

att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

#### Contained by

EAD: filedesc

#### May contain

EAD: num p titleproper

#### Example

```
<filedesc xmlns="urn:isbn:1-931666-22-9">
  <titlestmt>
    <titleproper>Inventory of the Alfred Harrison Joy Papers,
    <date>1910-1972</date>
  </titleproper>
  <author>Processed by Ronald S. Brashear; machine-readable
    finding aid created by Xiuzhi Zhou</author>
  </titlestmt>
```

```
<publicationstmt>
```

```
<!--&hdr-huntm;-->
```

```
<date>© 1998</date>
```

```
<p>The Huntington Library. All rights reserved.</p>
```

```
</publicationstmt>
```

```
<seriesstmt>
```

```
<p>Observatories of the Carnegie Institution of Washington  
Collection</p>
```

```
</seriesstmt>
```

```
</filedesc>
```

## Content model

```
<content>
```

```
</content>
```

## Schema

**Declaration** element seriesstmt { att.EADGlobal.attributes, ( titleproper | num | p )+ }

## <sponsor>

**<sponsor>** (Sponsor) Name(s) of institution(s) or individual(s) who endorsed, financed, or arranged the acquisition, appraisal, and processing of the described materials or the preparation and distribution of the finding aid. Because acknowledgment of such contributors often appears on title pages of finding aids, the <sponsor> element is available in both the optional <titlepage> element in <frontmatter> and in the required <titlestmt> portion of the <eadheader>. Do not confuse with <author>, which is used to denote the persons or institutions responsible for the intellectual content of the finding aid, or with <repository>, which is used to identify the institution or corporate body providing intellectual access to the described materials.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: titlepage titlestmt

**May contain** EAD: emph extptr lb ptr

**Note** The <sponsor> element is comparable to MARC field 536.

**Example** <filedesc xmlns="urn:isbn:1-931666-22-9">

```
<titlestmt>
```

```
<titleproper>Inventory of The Bruno Walter Papers, <date>ca.  
1887-1966</date>
```

```
</titleproper>
```

```
<author>Processed by Richard Koprowski, Fran Barulich, and  
Robert Kosovsky; machine-readable finding aid created by  
Robert Kosovsky</author>
```

```
<sponsor>Encoding funded by the generous support of the  
Gladys Krieble Delmas Foundation.</sponsor>
```

```
</titlestmt> . . . </filedesc>
```

## Content model

```
<content>
```

```
</content>
```

## Schema

**Declaration** element sponsor { att.EADGlobal.attributes, ( text | model.phrase.bare )\* }

## <subarea>

**<subarea>** (Subordinate Area) A name or phrase that indicates a secondary or subsidiary administrative level within a repository or other corporate body; a specialized area of subject or other collecting emphasis within a larger unit; or an ancillary collecting area based on the physical form of the materials.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: corpname repository

**May contain** EAD: emph extptr lb ptr

**Note** This information may be included as plain text within the <repository> and <corpname> elements, or it may be encoded within <repository> and <corpname> as separately tagged <subarea> elements. The latter approach facilitates the filtering of finding aids by administrative division, department, or specialty. For <corpname>s other than <repository>, the <subarea> might help refine searches of large corporate entities, such as government agencies, which share common words, e.g., United States.

**Example** <did xmlns="urn:isbn:1-931666-22-9">  
<repository>  
    <corpname>Library of Congress, <subarea>Manuscript  
        Division</subarea>  
    </corpname>  
  </repository>  
</did>

**Example** <controlaccess xmlns="urn:isbn:1-931666-22-9">  
  <head>Index Terms</head>  
  <corpname>National Association for the Advancement of Colored  
    People <subarea>Washington Bureau</subarea>  
  </corpname>  
</controlaccess>

**Content model**

<content>  
</content>

**Schema**

**Declaration** element subarea { att.EADGlobal.attributes, ( text | model.phrase.bare )\* }

## <subject>

**<subject>** (Subject) A term that identifies a topic associated with or covered by the described materials. Personal, corporate, and geographic names behaving as subjects are tagged as <persname>, <corpname>, and <geogname>, respectively. The ROLE attribute can be set to "subject" when it is necessary to specify the relationship of the name to the materials being described.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.access (@source, @rules, @authfilenumber, @normal)

**Member of** model.access

**Contained by** EAD: controlaccess entry event extrefloc indexentry item label namegrp p physdesc physfacet ref refloc unittitle

**May contain** EAD: emph extptr lb ptr

**Note** All subjects mentioned in a finding aid do not have to be tagged. One option is to



tag those subjects for which access other than basic, undifferentiated keyword retrieval is desired. Use of controlled vocabulary forms is recommended to facilitate access to the subjects within and across finding aid systems. The <subject> element may be used in text elements such as <p>. To indicate a subject with major representation in the materials being described, nest <subject> within the <controlaccess> element. Use the SOURCE attribute to specify the vocabulary from which the term has been taken. The NORMAL attribute can be used to provide the authority form of a term that has been encoded with <subject> in narrative text, e.g., within a paragraph. The RULES attribute can be used to specify the descriptive rules followed when formulating the term. The AUTHFILENUMBER attribute can be used to identify a link to an authority file record that has more information about the subject or cross references for alternative forms of a subject term.

The <subject> element is comparable to MARC fields 650 and 69x.

### Example

```
<controlaccess xmlns="urn:isbn:1-931666-22-9">
  <head>Selected Search Terms</head>
  <controlaccess>
    <head>Subjects:</head>
    <subject encodinganalog="650">Alien and Sedition laws,
      1798</subject>
    <subject encodinganalog="650">American Confederate voluntary
      exiles</subject>
    <subject encodinganalog="650">Kentucky and Virginia
      resolutions of 1798</subject>
  </controlaccess>
</controlaccess>
```

### Content model

```
<content>
</content>
```

### Schema

#### Declaration

```
element subject
{
  att.EADGlobal.attributes,
  att.access.attributes,
  ( text | model.phrase.bare ) *
}
```

### <subtitle>

**<subtitle>** (Subtitle) A secondary or subsidiary name of an encoded finding aid that is subordinate to the main name encoded in <titleproper>. The <subtitle> element is available only within <titlepage> and <titlestmt> to capture bibliographic aspects of the finding aid. Subtitles of monographs, serials, paintings, and other such works mentioned in the finding aid are not separately encoded, but they may be listed as part of the <title> element.

#### Module

EAD

#### Attributes

att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

#### Member of

model.access.title model.refs

#### Contained by

EAD: abstract bibliography controlaccess creation descrules dimensions emph entry event indexentry item label langmaterial language materialspec namegrp origination otherfindaid p physdesc physfacet physloc relatedmaterial repository separatedmaterial titlepage titlestmt unitdate unitid unittitle



## May contain Example

```
EAD: abbr date emph expan extptr lb num ptr
<filedesc xmlns="urn:isbn:1-931666-22-9">
  <titlestmt>
    <titleproper>Tom Stoppard</titleproper>
    <subtitle>An Inventory of His Papers at the Harry Ransom
      Humanities Research Center</subtitle>
    <author>Finding aid written by Katherine Mosley</author>
  </titlestmt>
  <publicationstmt>
    <publisher>The University of Texas at Austin, Harry Ransom
      Humanities Research Center</publisher>
    <date>2000</date>
  </publicationstmt>
</filedesc>
```

## Content model

```
<content>
</content>
```

## Schema Declaration

```
element subtitle
{
  att.EADGlobal.attributes,
  ( text | model.phrase.bare | abbr | date | expan | num ) *
}
```

## <table>

**<table>** (Table) A wrapper element for formatting information in a row and column display.

<b>Module</b>	EAD		
<b>Attributes</b>	att.EADGlobal ( <i>@id</i> , <i>@altrender</i> , <i>@audience</i> , <i>@encodinganalog</i> )		
	frame	<b>Status</b>	Optional
		<b>Datatype</b>	
		<b>Legal values are:</b>	top
			bottom
			topbot
			all
			sides
			none
	colsep	<b>Status</b>	Optional
		<b>Datatype</b>	
		<b>Legal values are:</b>	1
			0
	rowsep	<b>Status</b>	Optional
		<b>Datatype</b>	

Legal values are: 1

0

pgwide Status Optional

Datatype

Legal values are: 1

0

**Member of** model.inter.noquote  
**Contained by** EAD: accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist blockquote controlaccess custodhist daodesc descgrp div dsc dscgroup event extrefloc index item note odd originalsloc otherfindaid p phystech prefercite processinfo ref refloc relatedmaterial scopecontent separatedmaterial userrestrict

**May contain** EAD: head tgroup  
**Note** The application of the <table> element is based on the XML Exchange Table Model, an XML expression of the Exchange subset of the full CALS table model DTD. This model is promulgated by the Organization for the Advancement of Structured Information Standards (OASIS) to promote interoperability among vendor products.

**Example** <table xmlns="urn:isbn:1-931666-22-9" frame="none">  
<tgroup cols="3">  
<colspec colnum="1" colname="1" align="left" colwidth="50pt"/>  
<colspec colnum="2" colname="2" align="left" colwidth="50pt"/>  
<colspec colnum="3" colname="3" align="left" colwidth="50pt"/>  
<thead>  
<row>  
<entry colname="1">Major Family Members</entry>  
<entry colname="2">Spouses</entry>  
<entry colname="3">Children</entry>  
</row>  
</thead>  
<tbody>  
<row>  
<entry colname="1">John Albemarle  
(1760-1806)</entry>  
<entry colname="2">Mary Frances Delaney  
(1769-1835)</entry>  
<entry colname="3">John Delaney Albemarle  
(1787-1848)</entry>  
</row> . . . </tbody>  
</tgroup>  
</table>

**Content model**  
<content>  
</content>

## Schema

### Declaration

element table

```
{
  att.EADGlobal.attributes,
  attribute frame { "top" | "bottom" | "topbot" | "all" | "sides" | "none" }?,
  attribute colsep { "1" | "0" }?,
  attribute rowsep { "1" | "0" }?,
  attribute pgwide { "1" | "0" }?,
  head?,
  tgroup+
}
```

## <tbody>

**<tbody>** (Table Body) A formatting element that contains one or more <row> elements, which in turn contain <entry> elements in a <table>. The <tbody> element identifies the body of the information in a <table>, as distinct from the column headings (Table Head <thead>).

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

valign

**Status**

Optional

**Datatype**

**Legal values are:** top

middle

bottom

**Contained by** EAD: tgroup

**May contain** EAD: row

**Note** See also related elements <entry>, <row>, <table>, <tgroup>, and <thead>.

**Example** <table xmlns="urn:isbn:1-931666-22-9" frame="none">

<tgroup cols="3">

<colspec colnum="1" colname="1"

align="left" colwidth="50pt"/>

<colspec colnum="2" colname="2"

align="left" colwidth="50pt"/>

<colspec colnum="3" colname="3"

align="left" colwidth="50pt"/>

<thead>

<row>

<entry colname="1">Major Family Members</entry>

<entry colname="2">Spouses</entry>

<entry colname="3">Children</entry>

</row>

</thead>

<tbody>

<row>

<entry colname="1">John Albemarle

(1760-1806)</entry>

<entry colname="2">Mary Frances Delaney

(1769-1835)</entry>

<entry colname="3">John Delaney Albemarle

```

        (1787-1848)</entry>
    </row> . . . </tbody>
</tgroup>
</table>

```

## Content model

```

<content>
</content>

```

## Schema

### Declaration

```

element tbody
{
    att.EADGlobal.attributes,
    attribute valign { "top" | "middle" | "bottom" }?,
    row+
}

```

## <tgroup>

**<tgroup>** (Table Group) A formatting element that bundles <table> subelements: <colspec/>, <thead>, and <tbody>. Tables are comprised of one or more <tgroup>s, depending on the number of times the column specifications change. The <tgroup> element provides a subgrouping of rows within a table that all use the same column specifications.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

cols	<b>Status</b>	Optional
	<b>Datatype</b>	
colsep	<b>Status</b>	Optional
	<b>Datatype</b>	
	<b>Legal values are:</b>	1
		0
rowsep	<b>Status</b>	Optional
	<b>Datatype</b>	
	<b>Legal values are:</b>	1
		0
align	<b>Status</b>	Optional
	<b>Datatype</b>	
	<b>Legal values are:</b>	left
		right
		center
		justify
		char

**Contained by** EAD: table

**May contain** EAD: colspec tbody thead

## Note

Three attributes are used together to force horizontal alignment on a specific character, such as a decimal point. The ALIGN attribute must be set to "char" (align="char"). The CHAR attribute should be set to the specific character on which the text will align (for example the decimal point, char="."). The CHAROFF attribute controls the position of the alignment by naming the percentage of the current column width that is to the left of the alignment character (for example, charoff="30"). The required COLS attribute specifies the number of columns in the table. By convention, any rule specified in COLSEP is printed or displayed to the right of the column. External rules are specified with the FRAME attribute of <table>; horizontal rules are specified with the <table> or <tgroup> ROWSEP attribute.

By convention, any rule specified in rowsep prints or displays below the row. Vertical rules are specified by a COLSEP attribute; external rules are specified by the FRAME attribute of the <table> element.

See also related elements <colspec/>, <table>, <tbody>, <thead>.

## Example

```
<odd xmlns="urn:isbn:1-931666-22-9">
  <head>Appendix: Chronological List of the Names of Major Family
    Members, Their Spouses, and Children</head>
  <p>Papers of the individuals listed here make up the greater
    part of the Albemarle Family Papers. Names of children who
    are known not to have survived to adulthood are omitted.</p>
  <table frame="none">
    <tgroup cols="3">
      <colspec colnum="1" colname="1"
        align="left" colwidth="50pt"/>
      <colspec colnum="2" colname="2"
        align="left" colwidth="50pt"/>
      <colspec colnum="3" colname="3"
        align="left" colwidth="50pt"/>
    <thead>
      <row>
        <entry colname="1">Major Family Members</entry>
        <entry colname="2">Spouses</entry>
        <entry colname="3">Children</entry>
      </row>
    </thead>
    <tbody>
      <row>
        <entry colname="1">John Albemarle
          (1760-1806)</entry>
        <entry colname="2">Mary Frances Delaney
          (1769-1835)</entry>
        <entry colname="3">John Delaney Albemarle
          (1787-1848)</entry>
      </row>
      <row>
        <entry colname="3">Lucretia Albemarle Goodrich
          (1788-1823)</entry>
      </row>
      <row>
        <entry colname="3">Porter Breckinridge Albermarle
          (1790-1831)</entry>
      </row>
    </tbody>
  </table>
</odd>
```

```

</row>
<row>
  <entry colname="3">Joseph Fairfax Albemarle
    (1792-1856)</entry>
</row>
<row>
  <entry colname="1">John Delaney Albemarle
    (1787-1848)</entry>
  <entry colname="2">Martha Mary Adams
    (1795-1862)</entry>
  <entry colname="3">John Adams Albemarle
    (1814-1867)</entry>
</row>
<row>
  <entry colname="3">Mary Delaney Albemarle
    (1818-1880)</entry>
</row> . . . </tbody>
</tgroup>
</table>
</odd>

```

#### Content model

```

<content>
</content>

```

#### Schema

##### Declaration

```

element tgroup
{
  att.EADGlobal.attributes,
  attribute cols { xsd:NMTOKEN }?,
  attribute colsep { "1" | "0" }?,
  attribute rowsep { "1" | "0" }?,
  attribute align { "left" | "right" | "center" | "justify" | "char" }?,
  colspec*,
  thead?,
  tbody
}

```

#### <thead>

**<thead>** (Table Head) A formatting element that contains the heading information in a <table>, usually column heads, that appears at the top of the table and may appear again at the top of any physical break in rows in the body. The <thead> element is used inside an ordinary structural <table> and to provide column headings for Components <c> or the Description of Subordinate Components <dsc>.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

valign

**Status**

Optional

**Datatype**

**Legal values are:** top

middle

## bottom

**Contained by** EAD: c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 dsc tgroup  
**May contain** EAD: row  
**Note** See related elements <table> and <tgroup> for general table information.  
**Example**

```
<table xmlns="urn:isbn:1-931666-22-9" frame="none">
  <tgroup cols="3">
    <colspec colnum="1" colname="1"
      align="left" colwidth="50pt"/>
    <colspec colnum="2" colname="2"
      align="left" colwidth="50pt"/>
    <colspec colnum="3" colname="3"
      align="left" colwidth="50pt"/>
    <thead>
      <row>
        <entry colname="1">Major Family Members</entry>
        <entry colname="2">Spouses</entry>
        <entry colname="3">Children</entry>
      </row>
    </thead>
    <tbody>[. . .]</tbody>
  </tgroup>
</table>
```

## Content model

```
<content>
</content>
```

## Schema

### Declaration

```
element thead
{
  att.EADGlobal.attributes,
  attribute valign { "top" | "middle" | "bottom" }?,
  row+
}
```

## <title>

**<title>** (Title) The formal name of a work, such as a monograph, serial, or painting, listed in a finding aid. Subtitles of such works are not separately encoded but may instead be listed as part of the <title> element.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type) att.access (@source, @rules, @authfilenumber, @normal) att.xlink (@label, @href, @type, @title, @from, @to, @role, @actuate, @show, @arcrole, @xpointer, @entityref, @target, @parent) att.rendered (@render)

**Member of** model.access.title model.refs

**Contained by** EAD: abstract archref bibliography bibref bibseries controlaccess creation descrules dimensions emph entry event extref indexentry item label langmaterial language materialspec namegrp origination otherfindaid p physdesc physfacet physloc ref relatedmaterial repository separatedmaterial unitdate unitid unittitle

**May contain** EAD: date emph extptr lb num ptr

**Note** Do not confuse with <titleproper>, which is used for the title of the encoded finding



aid. Also do not confuse with <unittitle>, which is used to encode the name of the described materials, such as the title of a collection, record group, fonds, series, file, or item. Do not confuse with the TITLE attribute which is found in several linking elements. The <title> element may be used inside of <unittitle>, and it is possible that a <unittitle> may contain no text other than that which is further specified by the <title> element. (See example below.) The RULES attribute can be used to specify the descriptive rules followed when forming the title, such as AACR2R. The ENTITYREF or HREF attributes may be used to name either the entity or pointer when linking to a machine-readable version of the cited <title>. The RENDER attribute permits specification of how the content of a particular <title> element should be displayed or printed, e.g., bold, italics, quoted, etc. The <title> element is comparable to MARC fields 130, 240, 245, 630, 730, and 740.

While XML Linking Language (XLink) Version 1.0, which is the basis for EAD linking elements, is a stable document, examples of EAD usage are hypothetical and have not been tested in real XLink-based applications. Those wishing to use XLink are encouraged to consult the specification available online at <http://www.w3.org/TR/xlink>.

#### Example

```
<c01 xmlns="urn:isbn:1-931666-22-9">
  <did>
    <unittitle>Short stories, </unittitle>
    <unitdate>1946-1954</unitdate>
  </did>
  <c02>
    <did>
      <unittitle>
        <title render="italic">The Lottery</title>
      </unittitle>
    </did>
  </c02>
</c01>
```

#### Example

```
<bibref xmlns="urn:isbn:1-931666-22-9">
  <title render="italic">Library of Congress Acquisitions:
    Manuscript Division, <date>1982,</date>
  </title> p. 29.
</bibref>
```

#### Content model

```
<content>
</content>
```

#### Schema Declaration

```
element title
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  att.access.attributes,
  att.xlink.attributes,
  att.rendered.attributes,
  ( text | model.phrase.bare | date | num ) *
}
```

## <titlepage>

**<titlepage>** (Title Page) A wrapper element within <frontmatter> that groups bibliographic information about an encoded finding aid, including its name, author, and other aspects of its creation and publication. It contains much of the same information found in the <filedesc> portion of the <eadheader>, such as the <titleproper>, <subtitle>, <author>, <sponsor>, <publisher>, and <date> of the finding aid. Although it is possible to generate an electronic or printed title page directly from the <eadheader>, use of the <titlepage> may be more accommodating of local preferences, including displays of photographic illustrations, institutional logos, or other graphic images.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: frontmatter

**May contain** EAD: author bibseries date edition num publisher sponsor subtitle titleproper

**Example**

```
<frontmatter xmlns="urn:isbn:1-931666-22-9">
  <titlepage>
    <titleproper>Inventory of The Arequipa Sanatorium Records,
    <date>1911-1958</date>
  </titleproper>
  <num type="Collection number:">BANC MSS 92/894 c</num>
  <publisher>The Bancroft Library<lb/>University of
    California, Berkeley<lb/>Berkeley, California </publisher>
  <list type="deflist">
    <defitem>
      <label>Processed by:</label>
      <item>Lynn Downey</item>
    </defitem>
    <defitem>
      <label>Completed by:</label>
      <item>Mary Morganti and Katherine Bryant</item>
    </defitem>
    <defitem>
      <label>Date Completed:</label>
      <item>
        <date>May 1994</date>
      </item>
    </defitem>
    <defitem>
      <label>Encoded by:</label>
      <item>Gabriela A. Montoya</item>
    </defitem>
  </list>
  <p>© 1996 The Regents of the University of California. All
    rights reserved.</p>
</titlepage>
</frontmatter>
```

**Content model**

```
<content>
</content>
```

**Schema**

**Declaration** element titlepage

```
{
  att.EADGlobal.attributes,
  (
    m.blocks
    | author
    | date
    | edition
    | num
    | publisher
    | bibseries
    | sponsor
    | titleproper
    | subtitle
  )+
}
```

## <titleproper>

**<titleproper>** (Title Proper of the Finding Aid) The name of the finding aid or finding aid series.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type) att.rendered (@render)

**Contained by** EAD: seriesstmt titlepage titlestmt

**May contain** EAD: abbr date emph expan extptr lb num ptr

**Note** The <titleproper> element is required within the <titlestmt> subelement of <filedesc>, part of the <eadheader>. It may also be optionally used in the <titlepage> subelement of <frontmatter>. To encode the name of a finding aid series, <titleproper> may be used in the optional <seriesstmt> subelement of <filedesc>. The <titlestmt> relates to the finding aid and should not be confused with Title <title>, used to encode the formal names of works such as monographs, serials, paintings, etc., listed in the finding aid, or with Title of the Unit <unittitle>, used to encode the name of the described materials.

**Example**

```
<filedesc xmlns="urn:isbn:1-931666-22-9">
  <titlestmt>
    <titleproper> Inventory of the Kingsley Amis Papers,
    <date>1941-1995</date>
  </titleproper>
  <author>Processed by Sara S. Hodson; machine-readable
    finding aid created by Xiuzhi Zhou</author>
</titlestmt> . . . </filedesc>
```

**Example**

```
<frontmatter xmlns="urn:isbn:1-931666-22-9">
  <titlepage>
    <titleproper> Inventory of The Arequipa Sanatorium Records,
    <date>1911-1958</date>
  </titleproper>
  <num type="Collection number:">BANC MSS 92/894 c</num>
  <publisher>The Bancroft Library<lb/>University of
    California, Berkeley<lb/>Berkeley, California </publisher>
  <p>© 1996 The Regents of the University of California. All
    rights reserved.</p>
</titlepage>
</frontmatter>
```

## Content model

```
<content>
</content>
```

## Schema

### Declaration

```
element titleproper
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  att.rendered.attributes,
  ( text | model.phrase.bare | abbr | date | expan | num ) *
}
```

## <titlestmt>

**<titlestmt>** (Title Statement) A required wrapper element within the <filedesc> portion of <eadheader> that groups information about the name of an encoded finding aid and those responsible for its intellectual content. Like much of the <eadheader>, the <titlestmt> element is modeled on an element found in the Text Encoding Initiative (TEI) DTD, and its subelements must adhere to the following prescribed sequence: a required <titleproper>, followed by an optional <subtitle>, optional <author>, and optional <sponsor>.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog)

**Contained by** EAD: filedesc

**May contain** EAD: author sponsor subtitle titleproper

**Note** The <titlestmt> relates to the finding aid and should not be confused with Title <title>, used to encode the formal names of works such as monographs, serials, paintings, etc., listed in the finding aid. Also do not confuse with Title of the Unit <unittitle>, used to encode the name of the described materials.

### Example

```
<filedesc xmlns="urn:isbn:1-931666-22-9">
  <titlestmt>
    <titleproper> Inventory of the Kingsley Amis Papers,
    <date>1941-1995</date>
  </titleproper>
  <author>Processed by Sara S. Hodson; machine-readable
    finding aid created by Xiuzhi Zhou</author>
  </titlestmt> . . . </filedesc>
```

## Content model

```
<content>
</content>
```

## Schema

### Declaration

```
element titlestmt
{
  att.EADGlobal.attributes,
  ( titleproper+, subtitle?, author?, sponsor? ),
  text
}
```

## <unitdate>

**<unitdate>** (Date of the Unit) The creation year, month, or day of the described materials. The

<unitdate> may be in the form of text or numbers, and may consist of a single date or range of dates. As an important subelement of the Descriptive Identification <did>, the <unitdate> is used to tag only the creation and other relevant dates of the materials described in the encoded finding aid. Do not confuse it with the <date> element, which is used to tag all other dates.

<b>Module</b>	EAD
<b>Attributes</b>	att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.normalized (@normal) att.labeled (@label) att.calendar (@calendar) att.era (@era) att.certainty (@certainty) type characterizes the element in some sense, using any convenient classification scheme or typology. <b>Derived from</b> att.typed <b>Status</b> Optional <b>Datatype</b> datechar Term characterizing the nature of dates, such as dates of creation, accumulation, or modification. <b>Status</b> Optional <b>Datatype</b>
<b>Member of</b>	model.data model.did
<b>Contained by</b>	EAD: archref did entry event extrefloc item label p ref refloc unittitle
<b>May contain</b>	EAD: abbr archref bibref emph expan extptr extref lb linkgrp ptr ref subtitle title
<b>Note</b>	A standard numeric form of the date (YYYYMMDD, etc.) can be specified with the NORMAL attribute to facilitate machine comparison of dates for search purposes. The TYPE attribute may be used to indicate whether the <unitdate> represents inclusive dates or bulk (predominant) dates. The CERTAINTY attribute may be applied to indicate if the date has been supplied or estimated by the archivist. The DATECHAR attribute can be used to supply a term characterizing the nature of the dates, such as creation or accumulation. The CALENDAR attribute, which has a default value of "gregorian," specifies the calendar from which the date stems. The value "ce" (common or Christian era) is the default for the ERA attribute. The <unitdate> may be nested within the <unittitle> or used independently of that element. This element is comparable to ISAD(G) element 3.1.3, and MARC fields 245 subfield f for inclusive dates, 245 subfield g for bulk dates, or 260 subfield c.
<b>Example</b>	<pre> &lt;archdesc xmlns="urn:isbn:1-931666-22-9" level="collection"&gt;   &lt;did&gt;     &lt;head&gt;Collection Summary&lt;/head&gt;     &lt;origination label="Creator"&gt;       &lt;corpname encodinganalog="110"&gt;National Association for the Advancement of         Colored           People&lt;/corpname&gt;     &lt;/origination&gt;     &lt;unittitle label="Title"       encodinganalog="245"&gt;Visual       Materials from the National Association for the         Advancement of Colored People Records (Library of           Congress)&lt;/unittitle&gt;     &lt;unitdate label="Dates" type="inclusive"       encodinganalog="260"&gt; ca. 1838-1969, &lt;/unitdate&gt;     &lt;unitdate type="bulk"&gt;bulk 1944-1955&lt;/unitdate&gt;   &lt;/did&gt; &lt;/archdesc&gt; </pre>
<b>Example</b>	<pre> &lt;dsc xmlns="urn:isbn:1-931666-22-9" type="analyticcover"&gt; </pre>

```
<c level="subseries">
  <did>
    <unittitle>Documentary Movies, </unittitle>
    <unitdate type="inclusive"
      normal="1952/1964">1952-1964</unitdate>
    <physdesc>
      <extent>2.5 linear ft.</extent>
    </physdesc>
    <abstract>Includes scores, arranged alphabetically by
      movie title, and some correspondence, arranged
      chronologically.</abstract>
    </did>
  </c> . . . </dsc>
```

**Schematron** <unitdates> COULD have a *label* attribute or an *encodinganalog* attribute, describing the type of date  
 <s:rule context="ead:unitdate"> <s:assert role="COULD" test="normalize-space(@label) or normalize-space(@encodinganalog)">unitdates COULD have a label attribute or an encodinganalog attribute, describing the type of date</s:assert> </s:rule>

**Schematron** <unitdate> SHOULD have a non-empty *normal* attribute  
 <s:rule context="ead:unitdate"> <s:assert role="SHOULD" test="normalize-space(@normal)">unitdate should have a non-empty @normal attribute</s:assert> </s:rule>

**Schematron** The *normal* attribute of <unitdate> must respect the ISO8601 pattern = YYYY-MM-DD  
 <s:rule context="ead:unitdate"> <s:assert role="MUST" test="matches(@normal, '^(d{4}-?d{2}-?d{2}/?){1,2}\$'">date format MUST be valid. @normal attribute must respect ISO8601 pattern = YYYY-MM-DD</s:assert> <s:let name="start-date" value="replace(@normal, '/', '')"/> <s:let name="start-date" value="replace(\$start-date, '-', '')"/> <s:let name="start-date" value="string-join((substring(\$start-date, 1, 4), substring(\$start-date, 5, 2), substring(\$start-date, 7, 2)), '-')"/> <s:assert role="MUST" test="\$start-date castable as xs:date">start date MUST exist</s:assert> <s:let name="end-date" value="replace(@normal, '.', '')"/> <s:let name="end-date" value="replace(\$end-date, '-', '')"/> <s:let name="end-date" value="string-join((substring(\$end-date, 1, 4), substring(\$end-date, 5, 2), substring(\$end-date, 7, 2)), '-')"/> <s:assert role="MUST" test="\$end-date castable as xs:date">end date MUST exist</s:assert> </s:rule>

**Content model**  
 <content/>

**Schema Declaration** element unitdate  
 {  
   att.EADGlobal.attributes,  
   att.normalized.attributes,  
   att.labeled.attributes,  
   att.calendar.attributes,  
   att.era.attributes,  
   att.certainty.attributes,  
   attribute type { data.enumerated }?,  
   attribute datechar { text }?,

```
( text | model.phrase.basic )*
}
```

## <unitid>

**<unitid>** (ID of the Unit) Any alpha-numeric text string that serves as a unique reference point or control number for the described material, such as a lot number, an accession number, a classification number, or an entry number in a bibliography or catalog. An important subelement of the Descriptive Identification <did>, the <unitid> is primarily a logical designation, which sometimes secondarily provides location information, as in the case of a classification number. Use other <did> subelements, such as <physloc> and <container>, to designate specifically the physical location of the described materials.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type) att.labeled (@label) att.coded (@countrycode)

repositorycode A unique code indicating the repository responsible for intellectual control of the materials being described.

**Status** Optional

**Datatype**

**Note** The code should be taken from ISO/DIS 15511 Information and documentation--International Standard Identifier for Libraries and Related Organizations (ISIL), as specified in the <eadheader> repositoryencoding attribute.

identifier A machine-readable unique identifier.

**Status**

Optional

**Datatype**

**Member of** model.did

**Contained by** EAD: archref did

**May contain** EAD: abbr archref bibref emph expan extptr extref lb linkgrp ptr ref subtitle title

**Note**

Do not confuse <unitid>, which relates to the archival materials, with <eadid>, which is used to designate a unique identification string for the finding aid. Although not required, the COUNTRYCODE and REPOSITORYCODE attributes should be used in <unitid> at the <archdesc><did> level to comply with ISAD(G) element 3.1.1. REPOSITORYCODE specifies the ISO 15511 code for the institution that has custody of the materials described, while COUNTRYCODE provides the ISO 3166-1 code for the country in which that institution is located. IDENTIFIER should contain a machine-readable unique identifier, containing a value similar to the text in the <unitid> element. The TYPE attribute may be used to indicate the system from which the <unitid> was derived, e.g., accessioning system, record group classification scheme, records retention scheduling system, etc.

**Example**

```
<archdesc xmlns="urn:isbn:1-931666-22-9" level="collection">
  <did>
    <head>Descriptive Summary</head>
    <unittitle label="Title">Donald C. Stone, Jr. Papers, </unittitle>
    <unitdate type="inclusive">1971-1983</unitdate>
    <unitid countrycode="us"
      repositorycode="cbgtu" label="Accession number"> GTU 2001-8-03</unitid>
    <origination label="Creator">
      <persname source="lcnaf"> Stone, Donald C., Jr.
    </persname>
```



```

</origination>
<physdesc label="Extent">
  <extent>4 boxes, </extent>
  <extent>4
    linear ft.</extent>
</physdesc>
<repository label="Repository"> The <corpname>Graduate
  Theological Union</corpname>
  <address>
    <addressline>Berkeley,
      California</addressline>
  </address>
</repository>
<abstract label="Abstract">The papers document Donald C.
  Stone's work with Ornstein and Swencionis on the <emph render="italic">est</
emph> Outcome Project, and the
  development of his doctoral research, including his
  various publications on the human potential movement, up
  to the completion of his doctoral
  dissertation.</abstract>
<physloc label="Shelf location">5/D/4-5</physloc>
</did> . . . </archdesc>

```

**Schematron** Each unit of description SHOULD have an identifier in the element <unitid>.

```

<s:rule context="ead:unitid"> <s:assert role="SHOULD" test="normalize-
space(.)">a unitid SHOULD not be empty</s:assert> </s:rule>

```

**Schematron** In a given EAD document, all the <unitid> elements MUST be unique

```

<s:rule context="ead:unitid"> <s:assert role="MUST"
  test="count(//ead:unitid[@label = 'ehri_main_identifier']) = count(distinct-
values(//unitid[@label = 'ehri_main_identifier']))">unitid's MUST be unique within
one ead file</s:assert> </s:rule>

```

**Schematron** If the repositoryencoding is set to iso15511, the format of the value of the *repositorycode* attribute is constrained according to the International Standard Identifier for Libraries and Related Organizations (ISIL: ISO 15511): a prefix, a dash, and an identifier.

```

<s:rule context="*[@repositorycode]
[preceding::ead:eadHeader/@repositoryencoding = 'iso15511']">
  <s:let name="iso15511Pattern" value="'^([A-Z]{2})([a-zA-Z]{1})([a-zA-Z]{3,4})-
[a-zA-Z0-9/\-]{1,11})$"/> <s:assert test="matches(@repositorycode,
$iso15511Pattern)" role="SHOULD">If the repositoryencoding is set to iso15511,
the format of the value of the <s:emph>repositorycode</s:emph> attribute of
<s:name/> is constrained according to the International Standard Identifier for
Libraries and Related Organizations (ISIL: ISO 15511): a prefix, a dash, and an
identifier.</s:assert> </s:rule>

```

**Content model**

```

<content/>

```

**Schema  
Declaration**

```

element unitid
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  att.labeled.attributes,

```

```

att.coded.attributes,
attribute repositorycode
{
  token
  {
    pattern = "((AF|AX|AL|DZ|AS|AD|AO|AI|AQ|AG|AR|AM|AW|AU|AT|AZ|BS|
BH|BD|BB|BY|BE|BZ|BJ|BM|BT|BO|BA|BW|BV|BR|IO|BN|BG|BF|BI|KH|CM| CA|
CV|KY|CF|TD|CL|CN|CX|CC|CO|KM|CG|CD|CK|CR|CI|HR|CU|CY|CZ|DK|DJ|DM|
DO|EC|EG|SV|GQ|ER|EE|ET|FK|FO|FJ|FI|FR|GF|PF|TF|GA|GM|GE |DE|GH|GI|
GR|GL|GD|GP|GU|GT|GN|GW|GY|HT|HM|VA|HN|HK|HU|IS|IN|ID|IR|IQ|IE|IL|IT|
JM|JP|JO|KZ|KE|KI|KP|KR|KW|KG|LA|LV|LB|LS|LR|LY |LI|LT|LU|MO|MK|MG|
MW|MY|MV|ML|MT|MH|MQ|MR|MU|YT|MX|FM|MD|MC|MN|MS|MA|MZ|MM|NA|
NR|NP|NL|AN|NC|NZ|NI|NE|NG|NU|NF|MP|NO|OM|PK|PW| PS|PA|PG|PY|PE|
PH|PN|PL|PT|PR|QA|RE|RO|RUIRW|SH|KN|LC|PM|VC|WS|SM|ST|SA|SN|CS|
SC|SL|SG|SK|SI|SB|SO|ZA|GS|ES|LK|SD|SR|SJ|SZ|SE|CH |SY|TW|TJ|TZ|TH|TL|
TG|TK|TO|TT|TN|TR|TM|TC|TV|UG|UA|AE|GB|US|UM|UY|UZ|VU|VE|VN|VG|VI|
WF|EH|YE|ZM|ZW)| ([a-zA-Z]{1})|([a-zA-Z]{3,4}))(-[a-zA-Z0-9:/-]{1,11})"
  }
}?,
attribute identifier { ( text | model.phrase.bare )* }?,
( text | model.phrase.basic )*
}

```

## <unittitle>

**<unittitle>** (Title of the Unit) The name, either formal or supplied, of the described materials. May consist of a word, phrase, character, or group of characters. As an important subelement of the Descriptive Identification <did>, the <unittitle> encodes the name of the described materials at both the highest unit or <archdesc> level (e.g., collection, record group, or fonds) and at all the subordinate Component <c> levels (e.g., subseries, files, items, or other intervening stages within a hierarchical description).

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type) att.labeled (@label)

**Member of** model.data model.did

**Contained by** EAD: archref did entry event extrefloc item label p ref refloc

**May contain** EAD: abbr archref bibref bibseries corpname date edition emph expan extptr extref famname function genreform geogname imprint lb linkgrp name num occupation persname ptr ref subject subtitle title unitdate

**Note** Do not confuse <unittitle> with Title <title>, a more general element used to encode the formal names of works such as monographs, serials, paintings, etc. Also do not confuse with Title Proper of the Finding Aid <titleproper>, used to designate the name of a finding aid, or a finding aid series encoded in EAD. The <unittitle> element is comparable to ISAD(G) element 3.1.2 and MARC field 245.

**Example** <c xmlns="urn:isbn:1-931666-22-9" level="subseries">

<did>

<unittitle>Documentary Movies, </unittitle>

<unitdate type="inclusive">1952-1964</unitdate>

<physdesc>

<extent>2.5 linear ft.</extent>

</physdesc>

<abstract label="Summary:">Includes scores, arranged

alphabetically by movie title, and some correspondence, arranged chronologically.</abstract>

&lt;/did&gt;

&lt;/c&gt;

## Content model

&lt;content&gt;

&lt;/content&gt;

## Schema

### Declaration

```

element unittitle
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  att.labeled.attributes,
  (
    text
    | model.phrase.basic
    | model.access
    | unitdate
    | num
    | date
    | bibseries
    | edition
    | imprint
  )*
}

```

## <userrestrict>

**<userrestrict>** (Conditions Governing Use) Information about conditions that affect use of the described materials after access has been granted.

**Module** EAD

**Attributes** att.EADGlobal (@id, @altrender, @audience, @encodinganalog) att.typed (@type)

**Member of** model.desc.base

**Contained by** EAD: archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 descgrp userrestrict

**May contain** EAD: address blockquote chronlist head list note p table userrestrict

**Note** May indicate limitations, regulations, or special procedures imposed by a repository, donor, legal statute, or other agency regarding reproduction, publication, or quotation of the described materials. May also indicate the absence of restrictions, such as when copyright or literary rights have been dedicated to the public. Do not confuse with Conditions Governing Access <accessrestrict>, which designates information about conditions affecting the availability of the described materials. Preferred Citation <prefercite> may be used in conjunction with <userrestrict> to encode statements specifying how the described materials should be referenced when reproduced, published, or quoted by patrons. In EAD Version 1.0 <userrestrict> was a subelement of Administrative Information <admininfo>, which has been deprecated in EAD 2002 (see Appendix B). The new Description Group <descgrp> element, which can group any of the <did>-level elements (except the Description of Subordinate Components <dsc>), may be used to wrap elements where a group heading is desirable. The <descgrp>

element can be used to replace <admininfo> where it has been used as a wrapper when converting finding aids encoded in EAD V1.0 to EAD 2002. The <userrestrict> element is comparable to ISAD(G) data element 3.4.2 and MARC field 540.

#### Example

```
<userrestrict xmlns="urn:isbn:1-931666-22-9">
  <p>Until 2015 permission to photocopy some materials from this
    collection has been limited at the request of the donor.
    Please ask repository staff for details if you are
    interested in obtaining photocopies from Series 1:
    Correspondence.</p>
</userrestrict>
```

#### Example

```
<userrestrict xmlns="urn:isbn:1-931666-22-9">
  <p>Copyright to the collection has been transferred to the
    Regents of the University of Michigan.</p>
</userrestrict>
```

#### Content model

```
<content>
</content>
```

#### Schema

##### Declaration

```
element userrestrict
{
  att.EADGlobal.attributes,
  att.typed.attributes,
  head?,
  ( model.blocks | userrestrict )+
}
```

## Model classes

### model.access

#### model.access

**Module** EAD

**Used by** model.access.title model.data physdesc physfacet unittitle

**Members** *corpname famname function genreform geogname name occupation persname subject*

### model.access.title

#### model.access.title

**Module** EAD

**Used by** controlaccess indexentry namegrp

**Members** *model.access[corpname famname function genreform geogname name occupation persname subject] subtitle title*

### model.blocks

#### model.blocks

**Module** EAD

**Used by** accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography bioghist controlaccess custodhist daodesc descgrp div dsc dscgroup index note

odd originalsloc otherfindaid phystech prefercite processinfo relatedmaterial  
scopecontent separatedmaterial userrestrict

**Members** *model.inter[model.inter.noquote[address chronlist list note table] blockquote] p*

## model.data

**model.data**

**Module** EAD

**Used by** model para.content.norefs model.phrase.plus

**Members** *model.access[corpname famname function genreform geogname name  
occupation persname subject] date num origination repository unitdate unittitle*

## model.desc.base

**model.desc.base** Basic descriptive elements for the <did> element

**Module** EAD

**Used by** descgrp model.desc.full

**Members** *accessrestrict accruals acqinfo altformavail appraisal arrangement bibliography  
bioghist controlaccess custodhist descgrp fileplan odd originalsloc otherfindaid  
phystech prefercite processinfo relatedmaterial scopecontent separatedmaterial  
userrestrict*

## model.desc.full

**model.desc.full** Complete set of Descriptive elements for the <did> element

**Module** EAD

**Used by** archdesc archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12

**Members** *model.desc.base[accessrestrict accruals acqinfo altformavail appraisal  
arrangement bibliography bioghist controlaccess custodhist descgrp fileplan odd  
originalsloc otherfindaid phystech prefercite processinfo relatedmaterial  
scopecontent separatedmaterial userrestrict] dao daogrp dsc note*

## model.did

**model.did**

**Module** EAD

**Used by** archref did

**Members** *abstract container dao daogrp langmaterial materialspec note origination  
physdesc physloc repository unitdate unitid unittitle*

## model.extended.els

**model.extended.els**

**Module** EAD

**Used by** daogrp linkgrp

**Members** *arc extptrloc extrefloc ptrloc refloc resource*

## model.inter

**model.inter**

**Module** EAD

**Used by** model.blocks model para.content model para.content.norefs

**Members** *model.inter.noquote[address chronlist list note table] blockquote*

## model.inter.noquote

### model.inter.noquote

**Module** EAD  
**Used by** blockquote model.inter  
**Members** *address chronlist list note table*

## model.para.content

### model.para.content

**Module** EAD  
**Used by** event item p  
**Members** *model.inter[model.inter.noquote[address chronlist list note table] blockquote]  
 model.phrase.plus[model.data[model.access[corpname famname function  
 genreform geogname name occupation persname subject] date num origination  
 repository unitdate unittitle]  
 model.phrase.basic.norefs[model.phrase.bare[model.render[emph lb] extptr ptr]  
 abbr expan] model.refs[archref bibref extref linkgrp ref subtitle title]]*

## model.para.content.norefs

### model.para.content.norefs

**Module** EAD  
**Used by** extrefloc ref refloc  
**Members** *model.data[model.access[corpname famname function genreform geogname  
 name occupation persname subject] date num origination repository unitdate  
 unittitle] model.inter[model.inter.noquote[address chronlist list note table]  
 blockquote] model.phrase.basic.norefs[model.phrase.bare[model.render[emph  
 lb] extptr ptr] abbr expan]*

## model.phrase.bare

### model.phrase.bare

**Module** EAD  
**Used by** addressline author bibseries container corpname date edition famname function  
 genreform geogname head head01 head02 imprint language legalstatus  
 model.phrase.basic.norefs name num occupation persname publisher runner  
 sponsor subarea subject subtitle title titleproper  
**Members** *model.render[emph lb] extptr ptr*

## model.phrase.basic

### model.phrase.basic

**Module** EAD  
**Used by** abstract creation descrules dimensions emph langmaterial language  
 materialspec origination physdesc physfacet physloc repository unitdate unitid  
 unittitle  
**Members** *model.phrase.basic.norefs[model.phrase.bare[model.render[emph lb] extptr ptr]  
 abbr expan] model.refs[archref bibref extref linkgrp ref subtitle title]*

## model.phrase.basic.norefs

### model.phrase.basic.norefs

<b>Module</b>	EAD
<b>Used by</b>	archref bibref model.para.content.norefs model.phrase.basic model.phrase.plus
<b>Members</b>	<i>model.phrase.bare[model.render[emph lb] extptr ptr] abbr expan</i>

## model.phrase.plus

### model.phrase.plus

<b>Module</b>	EAD
<b>Used by</b>	entry label model.para.content
<b>Members</b>	<i>model.data[model.access[corpname famname function genreform geogname name occupation persname subject] date num origination repository unitdate unittitle] model.phrase.basic.norefs[model.phrase.bare[model.render[emph lb] extptr ptr] abbr expan] model.refs[archref bibref extref linkgrp ref subtitle title]</i>

## model.refs

### model.refs

<b>Module</b>	EAD
<b>Used by</b>	bibliography model.phrase.basic model.phrase.plus otherfindaid relatedmaterial separatedmaterial
<b>Members</b>	<i>archref bibref extref linkgrp ref subtitle title</i>

## model.render

### model.render

<b>Module</b>	EAD
<b>Used by</b>	model.phrase.bare resource
<b>Members</b>	<i>emph lb</i>

## Attribute classes

### att.EADGlobal

**att.EADGlobal** provides attributes common to all elements in the EAD encoding scheme.

<b>Module</b>	EAD
<b>Members</b>	<i>abbr abstract accessrestrict accruals acqinfo address addressline altformavail appraisal archdesc archdescgrp archref arrangement author bibliography bibref bibseries bioghist blockquote c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12 change chronitem chronlist colspec container controlaccess corpname creation custodhist dao daodesc daogrp daoloc date defitem descgrp descrules did dimensions div dsc dscgroup ead eadheader eadid edition editionstmt emph entry event eventgrp expan extent extptr extptrloc extref extrefloc famname filedesc fileplan frontmatter function genreform geogname head head01 head02 imprint index indexentry item label langmaterial language language lb legalstatus linkgrp list listhead materialspec name namegrp note notestmt num occupation odd originalsloc origination otherfindaid p persname physdesc physfacet physloc phystech prefercite processinfo profiledesc ptr ptrgrp ptrloc publicationstmt publisher ref refloc relatedmaterial repository resource revisiondesc row runner scopecontent separatedmaterial seriesstmt sponsor subarea subject subtitle table tbody tgroup thead title titlepage titleproper titlestmt unitdate unitid unittitle userrestrict</i>
<b>Attributes</b>	id Left span boundary



	<b>Status</b>	Optional
	<b>Datatype</b>	
altrender	<b>Status</b>	Optional
	<b>Datatype</b>	
audience	<b>Status</b>	Optional
	<b>Datatype</b>	
	<b>Legal values are: internal</b>	

#### external

encodinganalog	A field or element in another descriptive encoding system to which an EAD element or attribute is comparable.	
	<b>Status</b>	Optional
	<b>Datatype</b>	
	<pre>e &lt;origination xmlns="urn:isbn:1-931666-22-9"&gt;   &lt;corpname encodinganalog="MARC 110"&gt;Waters     Studio&lt;/corpname&gt; &lt;/origination&gt; &lt;archdesc xmlns="urn:isbn:1-931666-22-9" relatedencoding="MARC"&gt;   &lt;origination&gt;     &lt;persname encodinganalog="100\$a\$q\$d\$e"       source="lcnaf"&gt; Waters, E. C. (Elizabeth Cat),         1870-1944, photographer &lt;/persname&gt;   &lt;/origination&gt; &lt;/archdesc&gt;</pre>	

**Note** Mapping elements from one system to another may help build a single user interface that can index comparable information in bibliographic records and finding aids. The mapping designations may also help a repository harvest selected data from a finding aid to build a basic catalog record. When possible, subfields as well as fields should be specified, e.g., subfields within MARC fields. If the *relatedencoding* attribute in <ead> , <eadheader> , or <archdesc> is not used to identify the encoding system from which fields are specified in the *encodinganalog* attribute, then include the system designation in *encodinganalog*.

## att.access

### att.access

<b>Module</b>	EAD		
<b>Members</b>	<i>corpname famname function genreform geogname name occupation persname subject title</i>		
<b>Attributes</b>	source	<b>Status</b>	Optional
		<b>Datatype</b>	
	rules	<b>Status</b>	Optional
		<b>Datatype</b>	
	authfilenumber	<b>Status</b>	Optional
		<b>Datatype</b>	

normal A consistent form, usually from a controlled vocabulary list to facilitate retrieval

**Status** Optional

**Datatype**

**Note**

In <date> and <unitdate>, the NORMAL attribute follows ISO 8601 Representation of Dates and Times, as specified in the DATEENCODING attribute in <eadheader>.

## att.calendar

**att.calendar**

**Module**

EAD

**Members**

*date unitdate*

**Attributes**

calendar

**Status**

Optional

**Datatype**

**Default**

gregorian

## att.certainty

**att.certainty**

**Module**

EAD

**Members**

*date unitdate*

**Attributes**

certainty

**Status**

Optional

**Datatype**

## att.coded

**att.coded** Groups together various attribute used to provide additional codes on elements

**Module**

EAD

**Members**

*eadid unitid*

**Attributes**

countrycode

A unique code for the country in which the materials being described are held.

**Status**

Optional

**Datatype**

**Schematron**

The *countrycode* attribute SHOULD contain a code from the ISO 3166-1 codelist. This list is maintained in TEI by the Parthenos project under the link <s:rule context="\*[exists(@countrycode)]"><s:let name="countrycodes" value="document('https://raw.githubusercontent.com/ParthenosWP4/standardsLibrary/master/ISO/ISO3166/ISO3166\_TEI.xml')"/><s:let name="code" value="normalize-space(@countrycode)"/><s:assert test="\$countrycodes//tei:f[@name='a2code']/tei:symbol/@value = \$code" role="COULD"> The countrycode attribute should contain a code from the ISO 3166-1 codelist.</s:assert> </s:rule>

**Note**

Codes are to be taken from ISO 3166-1

# Codes for the Representation of Names of Countries, column A2.

## att.desc.c

### att.desc.c

#### Module

EAD

#### Members

`archdescgrp c c01 c02 c03 c04 c05 c06 c07 c08 c09 c10 c11 c12`

#### Attributes

level

The hierarchical level of the materials being described by the element.

#### Status

Optional

#### Datatype

#### Schematron

If the attribute *level* has the value 'otherlevel', an attribute *otherlevel* MUST be added

```
<s:rule context="ead:ead">
<s:assert role="MUST" test="not(@level = 'otherlevel') or (@otherlevel and not(@otherlevel = ''))">If the attribute level has the value 'otherlevel', an attribute otherlevel MUST be added</s:assert> </s:rule>
```

#### Schematron

The <archdesc> element can have for *level* the value 'fonds', not the subcomponents, <c01> to <c06>

```
<s:rule context="ead:ead">
<s:assert role="SHOULD" test="not(@level = 'fonds') or name(.) = 'archdesc'">The archdesc can have for level the value 'fonds', not the subcomponents.</s:assert> </s:rule>
```

#### Schematron

A component with *level*="recordgrp" SHOULD be a child of another component with *level*="recordgrp"

```
<s:rule context="ead:ead">
<s:assert role="SHOULD" test="not(@level = 'recordgrp') or (parent::*[@level = 'recordgrp'] or (name(.) = 'archdesc') or (name(.) = 'c01') and ancestor::*[@level = 'recordgrp'])">recordgrp SHOULD be a child of another recordgrp</s:assert> </s:rule>
```

#### Schematron

A component with *level*="subgrp" SHOULD be a child of another component with *level*="subgrp" or "recordgrp"

```
<s:rule context="ead:ead">
<s:assert role="SHOULD" test="not(@level = 'subgrp') or ((parent::*[@level = 'recordgrp'] or @level = 'subgrp']) or (name(.) = 'c01') and ancestor::*[@level = 'recordgrp'])">subgrp SHOULD be a child of another subgrp or a recordgrp</s:assert> </s:rule>
```

#### Schematron

A component with *level*="subseries" SHOULD be a child of another component with *level*="subseries" or "series"

```
<s:rule context="ead:ead">
```

**Legal values  
are:**

```
<s:assert role="SHOULD" test="not(@level =
'subseries') or parent::*[@level = 'subseries' or
@level = 'series']">subseries SHOULD be a
child of another subseries or a series</s:assert>
</s:rule>
```

**class**

**collection**

**fonds**

**item**

**otherlevel**

**recordgrp**

**series**

**subfonds**

**subgrp**

**subseries**

**file**

**Note**

This attribute is available in <archdesc>, where the highest level of material represented in the finding aid must be declared (e.g., collection, fonds, record group), and in c and c01-12 (e.g., subgroup, series, file). If none of the values in the semi-closed list are appropriate, the value "otherlevel" may be chosen and the term specified in the OTHERLEVEL attribute. Values are: collection fonds class recordgrp series subfonds subgrp subseries file item otherlevel

otherlevel

The hierarchical level of the materials described in <archdesc>, c, <c01-12>, and <archdescgrp> can be specified when the semi-closed list in the LEVEL attribute (e.g., collection, fonds, series, etc.) does not contain an appropriate term.

**Status**

Optional

**Datatype**

**Note**

Set LEVEL to "otherlevel" and then supply the preferred term in the OTHERLEVEL attribute.

## att.dsctab.tpattern

att.dsctab.tpattern

**Module** EAD

**Members** dsc

<b>Attributes</b>	tpattern	<b>Status</b>	Optional
		<b>Datatype</b>	

## att.encodings

### att.encodings

<b>Module</b>	EAD
<b>Members</b>	<i>eadheader</i>
<b>Attributes</b>	countryencoding
	The authoritative source or rules for values supplied in the <i>countrycode</i> attribute in <eadid> and <unitid>.
	<b>Status</b> Optional
	<b>Datatype</b>
	<b>Default</b> iso3166-1
	langencoding
	Language encoding for EAD instances subscribes to ISO 639-2b Codes for the Representation of Names of Languages, so the <i>langencoding</i> attribute value in <eadheader> should be "iso639-2b." The codes themselves are specified in the LANGCODE attribute in <abstract> or <language>, as appropriate.
	<b>Status</b> Optional
	<b>Datatype</b>
	<b>Default</b> iso639-2b
	scriptencoding
	The authoritative source or rules for values supplied in the <i>scriptcode</i> attribute in <language>.
	<b>Status</b> Optional
	<b>Datatype</b>
	<b>Default</b> iso15924
	repositoryencoding
	The authoritative source or rules for values supplied in the <i>mainagencycode</i> attribute in <eadid> and the <i>repositorycode</i> attribute in <unitid>.
	<b>Status</b> Optional
	<b>Datatype</b>
	<b>Default</b> iso15511
	dateencoding
	The authoritative source or rules for values provided in the <i>normal</i> attribute in <date> and <unitdate>.
	<b>Status</b> Optional
	<b>Datatype</b>
	<b>Default</b> iso8601

## att.era

### att.era

<b>Module</b>	EAD
<b>Members</b>	<i>date unitdate</i>
<b>Attributes</b>	era
	<b>Status</b> Optional
	<b>Datatype</b>

## att.labeled

### att.labeled

<b>Module</b>	EAD
<b>Members</b>	<i>abstract container dimensions extent langmaterial materialspec note origination physdesc physfacet physloc repository unitdate unitid unittitle</i>

## Attributes

label

A display label for an element can be supplied using this attribute when a meaningful label cannot be derived by the style sheet from the element name or when a heading element <head> is not available.

**Status**

Optional

## att.langcode

### att.langcode

**Module**

EAD

**Members**
*abstract language*
**Attributes**

langcode

The three-lettter code for the language in which an abstract is written <abstract>, for the language of the finding aid and the language of the materials <language>.

**Status**

Optional

**Datatype**
**Schematron**

The *langcode* attribute SHOULD contain a code from the ISO 639 codelist. This list is maintained in TEI by the Parthenos project under the link <s:rule context="\*[exists(@langcode)]"><s:let name="langcodes" value="document('https://raw.githubusercontent.com/ParthenosWP4/standardsLibrary/master/ISO/ISO639/IANA2TEI/ISO639\_TEI.xml')"/><s:let name="code" value="normalize-space(@langcode)"/><s:assert test="\$langcodes//tei:f[@name='subType']/tei:symbol/@value = \$code " role="COULD">The langcode attribute SHOULD contain a code from the ISO 639 codelist.</s:assert> </s:rule>

**Note**

The codes should be taken from ISO639-2b, as specified in the LANGENCODING attribute in <eadheader>.

## att.normalized

### att.normalized Definition of the *normal* attribute

**Module**

EAD

**Members**
*date unitdate*
**Attributes**

normal

A consistent form, usually from a controlled vocabulary list to facilitate retrieval

**Status**

Optional

**Datatype**
**Note**

In <date> and <unitdate>, the NORMAL attribute follows ISO 8601 Representation of Dates and Times, as specified in the DATEENCODING attribute in <eadheader>.

## att.relatedencoding

### att.relatedencoding

**Module**

EAD

## Members Attributes

*archdesc archdescgrp ead eadheader*  
 relatedencoding A descriptive encoding system, such as MARC, ISAD(G), or Dublin Core, to which certain EAD elements can be mapped using the <encodinganalog> attribute.  
**Status** Optional  
**Datatype**

## att.rendered

### att.rendered

#### Module

EAD

#### Members

*emph title titleproper*

#### Attributes

render

#### Status

Optional

#### Datatype

Legal values **altrender**

are:

**bold**
**bolddoublequote**
**boldsinglequote**
**boldsmcaps**
**boldunderline**
**doublequote**
**italic**
**nonproport**
**singlequote**
**smcaps**
**sub**
**super**
**underline**

## att.rolled

### att.rolled

#### Module

EAD

#### Members

*archref bibref corpname famname geogname name persname refloc runner*

#### Attributes

role

A contextual role or relationship for the person, family, corporate body, or geographic location. In linking elements such as <ptr/>, information that explains to application software the part that a remote resource plays in a link.



## Status

Optional

## att.scriptcode

### att.scriptcode

**Module** EAD

**Members** *language*
**Attributes** *scriptcode*

The four-letter code for the writing script used with a given language.

Optional

The *scriptcode* attribute SHOULD contain a code from the ISO 15924 codelist. This list is maintained in TEI by the Parthenos project under the link

```
<s:rule context="*[exists(@scriptcode)]">
<s:let name="scriptcodes"
  value="document('https://raw.githubusercontent.com/ParthenosWP4/standardsLibrary/master/ISO/ISO15924/ISO159242XML/ISO15924_TEI.xml')"/> <s:let name="code"
  value="normalize-space(@scriptcode)"/>
<s:assert test="$scriptcodes//tei:f[@name='code']/tei:symbol/@value = $code "
  role="COULD"> The script or scriptcode attribute SHOULD contain a code from the ISO 15924 codelist. </s:assert> </s:rule>
The code should be taken from ISO 15924 Code for the Representation of Names of Scripts.
```

## att.typed

**att.typed** provides attributes which can be used to classify or subclassify elements in any way.

**Module** EAD

**Members** *abstract accessrestrict altformavail container date descgrp dimensions extent genreform legalstatus materialspec note num odd originalsloc physfacet physloc phystech processinfo relatedmaterial separatedmaterial title titleproper unitid unittitle userrestrict*
**Attributes** *type* characterizes the element in some sense, using any convenient classification scheme or typology.

**Status** Optional

**Datatype**

## att.xlink

**att.xlink** Provides the definition of all XLink attributes needed for MLIF.NB : For the moment, all the linking attributes are in the same class (xlink attributes + XPOINTER + ENTITYREF + PARENT + TARGET)

**Module** EAD

**Members** *arc archref bibref dao daogrp daoloc extptr extptrloc extref extrefloc linkgrp ptr ref resource title*
**Attributes** *label* Labels the resource of locator element.

href	<b>Status</b>	Optional
	<b>Datatype</b>	
	<b>Note</b>	XLink traversal attribute
	Supplies the data to find a remote resource.	
type	<b>Status</b>	Optional
	<b>Datatype</b>	
	<b>Note</b>	Specifies a document (URI) and an XPointer
	Indicates the XLink element type.	
	<b>Status</b>	Optional
	<b>Legal values are:</b>	<b>simple</b> Creates a simple link.
		<b>extended</b> Creates an extended link.
		<b>locator</b> Creates a locator link that points to a resource.
		<b>arc</b> Creates an arc with multiple resources and various traversal paths.
		<b>resource</b> Creates a resource link, which indicates a specific resource.
		<b>title</b> Creates a title link. Such elements are useful for internationalization purposes.
	Allows a human-readable description.	
title	<b>Status</b>	Optional
	<b>Datatype</b>	
from	Identifies the origin resource of an arc.	
	<b>Status</b>	Optional
	<b>Datatype</b>	
	<b>Note</b>	XLink transversal attribute
to	Identifies the destination resource of an arc.	
	<b>Status</b>	Optional
	<b>Datatype</b>	
	<b>Note</b>	XLink traversal attribute
role	Identifies the type of the related resource with an absolute URI.	
	<b>Status</b>	Optional
	<b>Datatype</b>	
	actuate	A control that defines whether a link occurs automatically or must be requested by the user. It is used in conjunction with the SHOW attribute to determine link behavior.
	<b>Status</b>	Optional
	<b>Datatype</b>	
	<b>Legal values are:</b>	<b>onLoad</b>
		<b>onRequest</b>
		<b>other</b>
		<b>none</b>
show	A control that defines whether a remote resource that is the target of a link	

appears at the point of the link, replaces the existing link, or appears in a new window. It is used in conjunction with the ACTUATE attribute to determine link behavior.

**Status** Optional

**Datatype**

**Legal values are:** new

replace

embed

other

none

**arcrole** URI preference that identifies a resource that describes some property of an arc-type or simple-type linking element.

**Status** Optional

**Datatype**

**xpointer** The locator for a remote resource in a simple or locator link. The XPOINTER attribute takes the form of a Uniform Resource Identifier plus a reference, formulated in XPOINTER syntax, to a sub-resource of the remote resource. XPOINTER enables linking to specific sections of a document that are relative, i.e., based on their position in the document or their content, rather than by reference to a specific identifier such as an ID.

**Status** Optional

**Datatype**

**entityref** The name of a nonparsed entity declared in the declaration subset of the document that points to a machine-readable version of the cited reference.

**Status** Optional

**Datatype**

**target** A pointer to the ID of another element.

**Status** Optional

**Datatype**

**parent** A pointer to another container that holds the container item being described in the current element, e.g., points to the element that describes the box in which a folder is housed. Available in <container> and <physloc>

**Status** Optional

**Datatype**