


Gs Governança

Bruno e Lucas Henrique



MINGW64:/d/gs_governanca

```
labsfiap@L1704MICR040 MINGW64 /d
$ git clone https://github.com/EILHMS/gs_governanca.git
Cloning into 'gs_governanca'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

labsfiap@L1704MICR040 MINGW64 /d
$ cd gs_governanca/

labsfiap@L1704MICR040 MINGW64 /d/gs_governanca (main)
$ git flow init

Which branch should be used for bringing forth production releases?
- main
Branch name for production releases: [main]
Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [D:/gs_governanca/.git/hooks]

labsfiap@L1704MICR040 MINGW64 /d/gs_governanca (develop)
$ |
```

Gs Governança

Bruno e Lucas Henrique





Imagem com zoom para maior visualização-





```
MINGW64:/d/gs_governanca

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (main)
$ git flow init
Already initialized for gitflow.
To force reinitialization, use: git flow init -f

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (main)
$ git checkout develop
Switched to branch 'develop'

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (develop)
$ git pull origin develop
From https://github.com/EILHMS/gs_governanca
* branch      develop    -> FETCH_HEAD
Already up to date.

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (develop)
$ |
```

Git - https://github.com/EILHMS/gs_governanca