


Gs Governança
Bruno e Lucas Henrique

Bruno de Castro Granado RM 551411

Lucas Henrique de Melo Silva RM 550175



MINGW64:/d/gs_governanca

```
labsfiap@L1704MICRO40 MINGW64 /d
$ git clone https://github.com/EILHMS/gs_governanca.git
Cloning into 'gs_governanca'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
```

```
labsfiap@L1704MICRO40 MINGW64 /d
$ cd gs_governanca/
```

```
labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (main)
$ git flow init
```

Which branch should be used for bringing forth production releases?

- main

Branch name for production releases: [main]

Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?

Feature branches? [feature/]

Bugfix branches? [bugfix/]

Release branches? [release/]

Hotfix branches? [hotfix/]

Support branches? [support/]

Version tag prefix? []

Hooks and filters directory? [D:/gs_governanca/.git/hooks]

```
labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (develop)
$ |
```





Imagem com zoom para maior visualização-

Gs Governança
Bruno e Lucas Henrique



```
MINGW64:/d/gs_governanca

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (main)
$ git flow init
Already initialized for gitflow.
To force reinitialization, use: git flow init -f

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (main)
$ git checkout develop
Switched to branch 'develop'

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (develop)
$ git pull origin develop
From https://github.com/EILHMS/gs_governanca
* branch      develop      -> FETCH_HEAD
Already up to date.

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (develop)
$ |
```

Gs Governança
Bruno e Lucas Henrique

```
labsfiap@L1704MICR040 MINGW64 /d/gs_governanca (develop)
$ git checkout -b feature
Switched to a new branch 'feature'

labsfiap@L1704MICR040 MINGW64 /d/gs_governanca (feature)
$ git add .

labsfiap@L1704MICR040 MINGW64 /d/gs_governanca (feature)
$ |
```

```
labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (feature)
$ git commit -m "primeiro commit"
[feature 0c57bca] primeiro commit
Committer: Laboratório FIAP <labsfiap@fiap.com.br>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

2 files changed, 126 insertions(+)
create mode 100644 Gs_governancaTI.archimate
create mode 100644 gs1.pdf

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (feature)
$ git config --global user.name "EILHMS"

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (feature)
$ git config --global user.email lhmelosilva@gmail.com

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (feature)
$ git commit -m "primeiro commit"
On branch feature
nothing to commit, working tree clean

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (feature)
$ git status
On branch feature
nothing to commit, working tree clean

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (feature)
$ git push -u origin feature
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 24 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 177.80 KiB | 35.56 MiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature' on GitHub by visiting:
remote:   https://github.com/EILHMS/gs_governanca/pull/new/feature
remote:
To https://github.com/EILHMS/gs_governanca.git
 * [new branch]      feature -> feature
branch 'feature' set up to track 'origin/feature'.

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (feature)
$ git checkout develop
Switched to branch 'develop'

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (develop)
$ git merge feature
Updating f8a852c..0c57bca
```

```
labsfiap@L1704MICRO40 MINGW64 /d/governanca (feature)
$ git push -u origin feature
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 24 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 177.80 KiB | 35.56 MiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature' on GitHub by visiting:
remote:   https://github.com/EILHMS/governanca/pull/new/feature
remote:
To https://github.com/EILHMS/governanca.git
 * [new branch]      feature -> feature
branch 'feature' set up to track 'origin/feature'.

labsfiap@L1704MICRO40 MINGW64 /d/governanca (feature)
$ git checkout develop
Switched to branch 'develop'

labsfiap@L1704MICRO40 MINGW64 /d/governanca (develop)
$ git merge feature
Updating f8a852c..0c57bca
Fast-forward
 Gs_governancaTI.archimate | 126 ++++++
 gs1.pdf                   | Bin 0 -> 200109 bytes
 2 files changed, 126 insertions(+)
 create mode 100644 Gs_governancaTI.archimate
 create mode 100644 gs1.pdf

labsfiap@L1704MICRO40 MINGW64 /d/governanca (develop)
$ git push origin develop
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/EILHMS/governanca.git
 f8a852c..0c57bca develop -> develop

labsfiap@L1704MICRO40 MINGW64 /d/governanca (develop)
$ |
```

```
labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (develop)
$ git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (main)
$ git pull origin mauin
fatal: couldn't find remote ref mauin

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (main)
$ git pull origin main
From https://github.com/EILHMS/gs_governanca
 * branch          main          -> FETCH_HEAD
Already up to date.

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (main)
$ git merge develop
Merge made by the 'ort' strategy.
 gs1.pdf | Bin 0 -> 200109 bytes
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 gs1.pdf

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (main)
$ git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 24 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 435 bytes | 435.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/EILHMS/gs_governanca.git
 f8a852c..4142324  main -> main

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (main)
$ git remote -v
origin  https://github.com/EILHMS/gs_governanca.git (fetch)
origin  https://github.com/EILHMS/gs_governanca.git (push)

labsfiap@L1704MICRO40 MINGW64 /d/gs_governanca (main)
$ |
```

Git - https://github.com/EILHMS/gs_governanca