

Brand & Build Specification

The complete reference for building the Ejadah web platform — brand foundation, design tokens, component rules, page inventory and build sequence. Written to be handed directly to a developer.

Prepared for	Ejadah International Academy, Cairo
Audience	Front-end developer / development agency
Scope	76 routes, 76 page components, ~22,500 lines
Basis	Audit of the existing Figma Make build
Version	1.0

How to use this document. Sections 2–6 are normative: they define the values a developer must implement. Section 7 is the page inventory, listing every route with its current build depth and priority. Section 8 is the recommended build sequence. Section 9 lists the specific things not to do — each one is a mistake present in the current build.

SECTION 1

Brand foundation

What the brand is for, before any decision about how it looks.

Positioning

Ejadah is the platform Egyptian dental professionals use to build a career that isn't limited by where they qualified. It spans the whole arc: learning, licensing exams, postgraduate study, mentorship, and the routes into practice abroad — clinical and non-clinical alike.

The competitive insight is that most platforms serve one slice of this. A dentist in Cairo currently assembles their plan from forums, WhatsApp groups, and half-accurate blog posts. Ejadah's claim is coherence: one place where the whole route is visible and ordered.

Who it serves

Audience	What they want	What convinces them
Undergraduates & interns	Pass exams, choose a direction early	Free tools, clear pathways, peers who did it
General dentists (0–5 yrs)	Work abroad, earn more, specialise	Concrete routes with real costs and timelines
Specialists & faculty	Teach, mentor, second income	Transparent fees, control of schedule and rate
Career-changers	Leave the chair — industry, digital, management	Proof the degree transfers to non-clinical work
Investors & partners	Scale, defensibility, retention	Breadth of platform, depth of the data

Brand personality

Four traits, in priority order. Where two conflict, the higher one wins.

Trait	Means	Does not mean
Honest	Says when a route is expensive, slow or unlikely	Discouraging, or hedging everything
Specific	Real exam codes, real costs, real employers	Dense with jargon
Ambitious	Assumes the user can get further than they think	Hype, inflated promises, fake urgency
Warm	Written by someone who has been there	Casual, jokey, or over-familiar

Voice

Write this	Not this
Sit the ORE Part 1. Around 8 months, roughly £3,900.	Take the first step on your exciting UK journey!
This route is expensive and slow. Here's a cheaper one.	Anything is possible with dedication.

Write this	Not this
You keep 70%. The 30% is on every invoice.	Industry-leading revenue share.
We don't have data on Sudan yet.	Coverage across the entire region.

The one-line test

If a sentence would sound the same on any education platform in any country, it is not Ejadah's voice. Specificity is the brand.

SECTION 2

Logo & wordmark

The mark is a gradient tile plus the wordmark. Simple, and the rules are short.

Construction

Element	Specification
Tile	Square, corner radius 32% of size, filled with the brand gradient
Tile shadow	0 3px 12px rgba(255,107,26,0.35) — omit below 20px
Wordmark	Playfair Display Bold (800). Arabic: Amiri Bold
Gap	Tile-to-wordmark gap = 40% of tile width
Minimum size	20px tile on screen, 8mm in print
Clear space	Equal to the tile height on all four sides

Placement

Context	Treatment
Dark header (default)	White wordmark, gradient tile
Light background	Charcoal #1B1B1B wordmark, gradient tile
Single colour / fax / embroidery	Solid #FF6B1A tile, no gradient
Favicon & app icon	Tile only, no wordmark

Never


- Re-colour the tile outside the gradient or solid orange.
- Set the wordmark in Inter, or in any weight below 700.
- Apply the gradient to the wordmark itself — the tile carries it.
- Stretch, rotate, outline, or add a drop shadow to the wordmark.
- Place the mark on a mid-tone photograph without a scrim behind it.

SECTION 3

Colour system

Eleven brand colours, six semantic, and one gradient. Every value below is already present in the existing build; the semantic set formalises colours that were being used as raw hex.

Brand



Semantic

These existed only as bare hex literals in the build. The success green alone appeared 231 times without a name. They must become tokens.



The gradient



linear-gradient(135deg, #FF2D32 0%, #FF6B1A 50%, #FFC62E 100%)

Gradient discipline — the single most important rule in this document

In the current build the gradient appears on buttons, badges, icons, borders, headline text, dividers and backgrounds. When an accent is on everything it stops being an accent. It is also the most recognisable signature of template and AI-generated sites, which actively costs credibility.

Permitted uses, and no others:

- Primary buttons
- The logo tile
- Small numbered tiles and step markers
- One emphasised phrase per heading, maximum one heading per screen

— The single closing call-to-action band per page

Everything else uses solid orange, charcoal, or a warm neutral. As a working limit: no more than six gradient elements visible at once.

Contrast requirements

Combination	Ratio	Verdict
charcoal #1B1B1B on off-white #FFF9EF	15.8:1	Pass — default body text
warm-gray #716D67 on off-white	4.9:1	Pass for body, not for text under 13px
white on orange #FF6B1A	3.1:1	Large text and buttons only — never body copy
gold #FFC62E on charcoal	9.7:1	Pass — the standard dark-band accent
white on gradient (mid-point)	~3.2:1	Buttons only, minimum 15px bold

SECTION 4

Typography

Two families. Twelve sizes, reduced from the 26 currently in use.

Families

Role	Latin	Arabic	Use
Display	Playfair Display 700/800	Amiri 700	Headings, statistics, page titles
Body	Inter 400–800	IBM Plex Sans Arabic 400–700	Everything else, including buttons

Playfair Display has no Arabic glyphs. Amiri is the substitute and carries a comparable editorial tone.

Scale

Dental careers without borders	display	36px	hero only
Dental careers without borders	h1	32px	page title
Dental careers without borders	h2	28px	section
Dental careers without borders	h3	24px	sub-section
Dental careers without borders	h4	22px	card title
Dental careers without borders	h5	20px	
Dental careers without borders	h6	18px	
Dental careers without borders	body-lg	16px	intro copy
Dental careers without borders	body	14px	default
Dental careers without borders	small	13px	secondary
Dental careers without borders	caption	12px	labels, chips
Dental careers without borders	micro	11px	eyebrows, meta

Sizes h3 and above are fluid: `clamp(min, preferred, max)`. This is what makes existing inline styles responsive without rewriting them.

Line height & weight

Token	Latin	Arabic	Applies to
tight	1.25	1.45	Display, h1, h2

Token	Latin	Arabic	Applies to
snug	1.45	1.65	Headings h3–h6, UI labels
body	1.70	1.85	Paragraph copy
Weight	Value	Use	
normal	400	Body copy	
medium	500	Secondary labels	
semi	600	Form labels, emphasised list items	
bold	700	Buttons, card titles, headings	
black	800	Display and hero headlines only	

SECTION 5

Space, radius, elevation, motion

Four small scales. The current build uses 23 gap values, 256 padding strings, 22 radii, 47 shadows and 31 transitions — the variance is invisible individually and obvious in aggregate.

Space

Token	sp-1	sp-2	sp-3	sp-4	sp-5	sp-6	sp-7	sp-8	sp-9	sp-10
Pixels	4	8	12	16	20	24	32	40	48	64

Fluid token	Value	Use
pad-page	clamp(16px, 4vw, 40px)	Page gutters — never a fixed value
pad-card	clamp(16px, 2.5vw, 26px)	Card interiors
width-max	1200px	Content column maximum

Radius

Token	r-xs	r-sm	r-md	r-lg	r-xl	r-2xl	r-full
Pixels	4	8	12	16	20	24	999
Use	chips	inputs	buttons	cards	panels	hero cards	pills

Elevation

Token	Value	Use
shadow-1	0 1px 3px rgba(0,0,0,.05)	Resting cards
shadow-2	0 3px 12px rgba(0,0,0,.07)	Raised panels
shadow-3	0 8px 28px rgba(0,0,0,.10)	Hover state, modals
shadow-brand	0 4px 16px rgba(255,107,26,.30)	Primary buttons
shadow-brand-lg	0 8px 28px rgba(255,107,26,.35)	Primary button hover

Motion

Token	Duration	Use
dur-fast	0.15s	Colour and border changes
dur-base	0.20s	Hover lift, most transitions
dur-slow	0.30s	Panel and drawer entrance
ease	cubic-bezier(0.4, 0, 0.2, 1)	All of the above, without exception

All motion must be suppressed under `@media (prefers-reduced-motion: reduce)`. This is not optional.

SECTION 6

Components

Nine primitives cover the platform. In the current build 154 style objects repeat verbatim four or more times — 1,244 occurrences that should be these components instead.

Component	Specification
Button — primary	Gradient background; white 700 text; radius r-md; padding sp-3/sp-6; shadow-brand; hover translateY(-2px) + shadow-brand-lg. Disabled: border-gray fill, no shadow, cursor not-allowed.
Button — secondary	White fill; 1.5px border-gray; charcoal 700 text; same geometry. Hover: border becomes orange. No shadow at any state.
Button — ghost	Transparent; charcoal text; no border. For tertiary actions only, never as the sole action on a screen.
Card	White fill; 1.5px border-gray; radius r-lg; padding pad-card. Hover (only if interactive): translateY(-4px), shadow-3, border becomes transparent. Interactive cards must render as <button>, not <div onClick>.
Card — on dark	rgba(255,255,255,.045) fill; rgba(255,255,255,.10) border; hover border becomes gold. No shadow on dark surfaces.
Chip / filter	Radius r-full; padding sp-2/sp-4; 600 weight; 12.5px. Unselected: white on border-gray. Selected: gradient fill, white text, brand shadow.
Badge	Radius r-full; padding sp-1/sp-2; 700 weight; 11px. Four tones: brand (gradient), success (#2D9B68 on 8% tint), info (#496FA8 on 8% tint), neutral (warm-gray on pale-gray).
Input field	White fill; 1.5px border-gray; radius r-md; padding sp-3/sp-4; 14px. Focus: 3px rgba(255,107,26,.45) ring. Error: border becomes red, message below in 11px red with role=alert. Every input requires a bound <label>.
Section band	Full-bleed. Alternates: off-white → charcoal → off-white → deep/gradient-dark → pale-gray → gradient. Vertical padding clamp(58px, 8vw, 88px). Never two dark bands consecutively.
Stat block	Display font 800; value in gold on dark, gradient text on light; label below at 11–12px 600 in warm-gray or 45% white.

Accessibility floor

The current build contains zero aria- attributes, one role=, 3,922 <div> against 556 <button>, and 57 <input> against 23 <label>. This is the minimum standard for launch.

Requirement	Rule
Focus visible	3px rgba(255,107,26,.45) ring on every focusable element. Never remove the outline without replacing it.
Semantic elements	Anything with onClick is a <button> or <a>. Never a <div>.
Labels	Every input bound to a label via htmlFor/id. Placeholder is not a label.
Images	Every has alt. Decorative images take alt="".
Tap targets	44×44px minimum under @media (pointer: coarse).
Scrollbars	Must remain visible. The current global suppression removes the only scroll-position cue in long tables.
Reduced motion	All animation and transition suppressed under the media query.
Contrast	4.5:1 for body text, 3:1 for large text and UI borders.

SECTION 7

Responsive & Arabic

The current build has zero media queries across 76 routes. It is desktop-only. The audience is predominantly on phones.

Breakpoints

Name	Width	Behaviour
sm	≤ 480px	Single column. Nav collapses. Chips scroll horizontally.
md	≤ 768px	Two columns maximum. Rows stack. Tables scroll in-container.
lg	≤ 1024px	Sidebars collapse below main content.
xl	> 1024px	Full layout, 1200px content maximum.

Method

Do not convert 5,509 inline style objects to CSS. Three mechanisms cover almost all of it at a fraction of the cost:

Mechanism	What it solves
Fluid tokens	Type and gutters scale with viewport via <code>clamp()</code> . Existing inline styles inherit responsiveness with no edit.
Auto-fit grids	<code>repeat(auto-fit, minmax(min(100%, 260px), 1fr))</code> reflows by width with no breakpoints. Replaces fixed column counts, which are the main cause of horizontal overflow on phones.
Utility classes	~14 classes for genuine reflow — sidebar hiding, row stacking, table scrolling. Added alongside existing style attributes.

Arabic & RTL

Arabic is not a translation layer. These rules are mandatory when `dir="rtl"` is active.

Rule	Why
letter-spacing: 0 everywhere	Tracking breaks Arabic letter joining. This is the most common and most visible error.
No text-transform: uppercase	Arabic has no case. The property does nothing but signals the layout was not designed for it.
Line height +0.15 to +0.20	Arabic carries marks above and below the baseline. Latin leading looks cramped.
Gradient mirrors to 225deg	So the light falls from the leading edge.
Logical properties only	<code>margin-inline</code> , <code>padding-inline</code> , <code>inset-inline-start</code> — never left/right.
Isolate Latin fragments	Exam codes, brand and software names need direction: <code>ltr</code> ; <code>unicode-bidi: isolate</code> or the surrounding Arabic scrambles.
Playfair → Amiri	Playfair Display has no Arabic glyphs.
Numerals: pick one	Western (40,000) or Arabic-Indic (٠١٢٣٤٥٦٧٨٩) — but the same choice across the whole product. Currently inconsistent.

SECTION 8

Page inventory

All 76 routes. **Depth** is the component's current line count — a proxy for how built-out it is. **Priority** is the recommended build order: P0 is required for launch, P1 for the first full release, P2 can follow.

Summary

Priority	Count	Meaning
P0	23	Launch-critical. Must be complete and polished.
P1	32	First full release. Functional and consistent.
P2	17	Can ship rough or later.
REMOVE	3	Internal build pages. Must not reach production.

Full route table

Route	Component	Purpose	Depth	Pri
/	Root	Shell / redirect	19	P0
/login	Login	Auth entry	122	P0
/register	Register	Account creation	184	P0
/onboarding	Onboarding	First-run profiling	197	P1
/dashboard	Dashboard	Signed-in home	190	P0
/courses	Courses	Course catalogue	119	P1
/courses/:id	CourseDetail	Course landing	122	P1
/courses/:id/play	CoursePlayer	Lesson playback	151	P1
/courses/:id/handouts	Handouts	Downloadable material	244	P2
/courses/:id/flashcards	Flashcards	Spaced repetition	264	P2
/courses/:id/quiz	Quiz	Course assessment	273	P2
/courses/:id/ai	CourseAI	AI course assistant	216	P2
/live	LiveAcademy	Live sessions index	106	P2
/live/:id/classroom	LiveClassroom	Live session room	265	P2
/live/clinical	ClinicalDemos	Clinical demonstrations	221	P2
/exams	Exams	Licensing exam hub	163	P0
/exams/edle	ELDEDashboard	EDLE progress dashboard	220	P1
/exams/edle/practice	QuestionBank	Practice questions	240	P0

Route	Component	Purpose	Depth	Pri
/exams/edle/mock	MockExam	Timed mock sitting	225	P0
/exams/analytics	ExamAnalytics	Performance breakdown	216	P1
/exams/free	FreeTests	Free acquisition tests	196	P0
/masters	MastersDatabase	Postgraduate programme search	1410	P0
/masters/:id	ProgramDetails	Programme detail	1105	P0
/masters/compare	ProgramComparison	Side-by-side comparison	105	P1
/career	Career	Career hub	290	P0
/career/roadmap	CareerRoadmap	Personalised roadmap generator	950	P0
/career/:country	CountryDetails	Country licensing guide	1462	P0
/tutoring	Tutoring	Tutor marketplace	1034	P0
/tutoring/:id	TutorProfile	Tutor profile	398	P0
/tutoring/:id/book	TutorBooking	Booking flow	644	P0
/tutoring/become-a-tutor	TutorOnboarding	Tutor supply funnel	680	P0
/mentoring	Mentoring	Mentor marketplace	254	P1
/mentoring/:id	MentorProfile	Mentor profile	297	P1
/consulting	Consulting	Consulting marketplace	262	P1
/consulting/:id	ConsultantProfile	Consultant profile	262	P1
/private-training	PrivateTraining	Group / clinic training	343	P2
/bookings	MyBookings	User's bookings	624	P1
/library	DentalLibrary	Book and resource library	577	P1
/library/:id	BookDetails	Book detail	482	P2
/research	ResearchHub	Research index	187	P2
/research/:id	ResearchDetails	Research detail	184	P2
/community	Community	Member community	145	P2
/ai	DentalAI	AI assistant	176	P1
/certificates	Certificates	Earned certificates	252	P2
/verify/:id	CertificateVerify	Public verification	179	P2
/achievements	Achievements	Gamification	208	P2
/accreditations	Accreditations	Trust and accreditation	107	P1
/pricing	Pricing	Plans	231	P0
/pricing/:planId	PlanDetail	Plan detail	209	P1
/pricing/compare	PlanCompare	Plan comparison	116	P1

Route	Component	Purpose	Depth	Pri
/membership	Membership	Membership status	190	P1
/checkout	Checkout	Generic checkout	139	P0
/checkout/subscription	CheckoutSubscription	Subscription checkout	256	P0
/checkout/course	CheckoutCourse	Course purchase	212	P0
/checkout/service	CheckoutService	Service purchase	205	P0
/checkout/success	CheckoutSuccess	Purchase confirmation	151	P0
/billing	Billing	Billing history	187	P1
/billing/cancel	BillingCancel	Cancellation flow	220	P1
/billing/failed	BillingFailed	Failed payment	165	P1
/instructor	InstructorDashboard	Instructor console	184	P1
/tutor/earnings	TutorEarnings	Tutor payouts	178	P1
/profile/:id	NFCProfile	Public NFC profile	139	P1
/profile/edit	NFCProfileEdit	Edit NFC profile	118	P1
/profile/card	NFCCard	NFC card management	107	P1
/search	SearchResults	Global search	387	P1
/notifications	Notifications	Notification centre	96	P2
/admin	AdminDashboard	Admin overview	277	P1
/admin/users	AdminUsers	User management	300	P1
/admin/content	AdminContent	Content management	265	P1
/admin/analytics	AdminAnalytics	Platform analytics	294	P2
/admin/billing	AdminBilling	Revenue management	245	P1
/brand	BrandGuide	Internal — remove from production	120	REMOVE
/design-system	DesignSystem	Internal — remove from production	143	REMOVE
/rtl-demo	RTLDemo	Internal — remove from production	129	REMOVE
*	NotFound	404	21	P1

Two structural findings from the audit

Half the platform is unreachable. 76 routes exist; navigation and in-page links only ever target 38 of them. The remaining pages can only be reached by typing a URL. Linking them is a one-to-two day task and immediately doubles the visible product.

114 buttons have no click handler. They render and do nothing. Each is a credibility failure the moment a user finds one. Every control must either work or communicate that the feature is coming.

One positive: every link that does exist resolves to a real route. There are zero broken routes across all 76 pages.

SECTION 9

Build sequence

Ordered by return per hour. Each step is independent of the backend unless stated.

#	Step	Effort	Why first
1	Install the token layer — tokens.css, layout.css, tokens.ts. Run the normalisation codemod.	1 day	Collapses 26 font sizes to 12, 22 radii to 7, removes 2,227 redundant font-family declarations. ~9,000 corrections across 77 files. Also makes type and gutters responsive with no further work.
2	Fix the shared chrome — navigation, footer, buttons, cards.	2–3 days	These appear on all 76 pages. Fixing four things lifts the entire platform simultaneously. Highest ratio in the project.
3	Remove the three internal routes and add a production guard.	1 hour	/brand, /design-system and /rtl-demo break the illusion instantly if found.
4	Link the 38 unreachable pages into navigation.	1–2 days	Doubles the discoverable product without building anything new.
5	Resolve the 114 dead buttons — wire, disable, or label as coming.	1 day	Removes the single most common trust failure in the current build.
6	Replace the raw card fields in checkout with a Paymob or Fawry hosted redirect.	2–4 hours	Raw PAN and CVV in your own DOM places you in PCI-DSS scope. Do this before any real payment work begins, so the code path never exists.
7	Adopt primitives in the twelve heaviest pages.	1–2 weeks	ProgramDetails, Home, MastersDatabase, TutorOnboarding, CountryDetails, TutorBooking, BookDetails, Tutoring and four others hold ~40% of all inline styles.
8	Accessibility pass.	2–3 days	Focus rings and reduced-motion come free with the token layer. The rest is labels, semantic buttons, and alt text — concentrated in the same twelve pages.
9	Arabic / RTL implementation.	1 week	Roughly doubles the addressable audience. Do it after the token layer, since logical properties depend on it.
10	Remove unused dependencies.	half day	MUI, Emotion and 30 Radix packages are installed and effectively unused — 10 className usages across the whole codebase. Users download both design systems on every visit.

SECTION 10

Do not

Each item below is a specific issue identified in the current build, not a general caution.

Do not	Instead
Apply the gradient to more than six elements on a screen.	Primary buttons, logo tile, step markers, one emphasised phrase, one closing band.
Set headline text in gradient fill across whole lines.	One emphasised phrase. In Latin, Playfair italic is a stronger and more current alternative.
Use emoji as interface elements — flags, payment icons, feature bullets.	Real flag assets, real payment provider logos, or two-letter country codes.
Ship 'X,000+ students' style statistics before they are true.	Count what exists: programmes, countries, exam tracks, specialties. These hold up when questioned.
Add a new font family, colour or radius value.	Everything needed is in sections 3–5. If something is genuinely missing, add it to the token file — never inline.
Write left / right in CSS.	Logical properties, so RTL works without a parallel stylesheet.
Hide scrollbars globally.	Style them. Users need scroll position, especially in the programme table.
Use a <div> with onClick.	<button>, or <a> if it navigates.
Rely on placeholder text as a field label.	A bound <label> element. Placeholders vanish on focus.
Collect card numbers in your own form.	A hosted field or redirect from Paymob or Fawry.
Leave fixed grid column counts (repeat(3, 1fr)).	auto-fit with minmax, so layouts reflow by available width.
Let two dark bands sit next to each other.	Alternate dark and light. The rhythm is a brand asset.

Questions on any of the above should be resolved before implementation rather than during it. Where this document and the existing code disagree, this document is correct.