






Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
W91A W91C W91D W91E W91F W91G W91H W91I W91K W91L W91M W91N W91P W91Q W91R W91S W91T W91V W91Y P92A P92C P92D P92E P92F P92G P92H P92I P92K P92L P92M P92N P92Q P92R P92S P92T P92V P92W P92Y L93A L93C L93D L93E L93F L93G L93H L93I L93K L93M L93N L93P
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
L93Q L93R L93S L93T L93V L93W L93Y S94A S94C S94D S94E S94F S94G S94H S94I S94K S94L S94M S94N S94P S94Q S94R S94T S94V S94W S94Y S95A S95C S95D S95E S95F S95G S95H S95I S95K S95L S95M S95N S95P S95Q S95R S95T S95V S95W S95Y S96A S96C S96D S96E S96F
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
S96G S96H S96I S96K S96L S96M S96N S96P S96Q S96R S96T S96V S96W S96Y V97A V97C V97D V97E V97F V97G V97H V97I V97K V97L V97M V97N V97P V97Q V97R V97S V97T V97W V97Y P98A P98C P98D P98E P98F P98G P98H P98I P98K P98L P98M P98N P98Q P98R P98S P98T P98V
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
P98W
P98Y
S99A
S99C
S99D
S99E
S99F
S99G
S99H
S99I
S99K
S99L
S99M
S99N
S99P
S99Q
S99R
S99T
S99V
S99W
S99Y
Q100A
Q100C
Q100D
Q100E
Q100F
Q100G
Q100H
Q100I
Q100K
Q100L
Q100M
Q100N
Q100P
Q100R
Q100S
Q100T
Q100V
Q100W
Q100Y
K101A
K101C
K101D
K101E
K101F
K101G
K101H
K101I
K101L
K101M
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
K101N K101P K101Q K101R K101S K101T K101V K101W K101Y T102A T102C T102D T102E T102F T102G T102H T102I T102K T102L T102M T102N T102P T102Q T102R T102S T102V T102W T102Y Y103A Y103C Y103D Y103E Y103F Y103G Y103H Y103I Y103K Y103L Y103M Y103N Y103P Y103Q Y103R Y103S Y103T Y103V Y103W Q104A Q104C Q104D
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
Q104E Q104F Q104G Q104H Q104I Q104K Q104L Q104M Q104N Q104P Q104R Q104S Q104T Q104V Q104W Q104Y
G105A G105C G105D G105E G105F G105H G105I G105K G105L G105M G105N G105P G105Q G105R G105S G105T G105V G105W G105Y
S106A S106C S106D S106E S106F S106G S106H S106I S106K S106L S106M S106N S106P S106Q S106R
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
S106T S106V S106W S106Y Y107A Y107C Y107D Y107E Y107F Y107G Y107H Y107I Y107K Y107L Y107M Y107N Y107P Y107Q Y107R Y107S Y107T Y107V Y107W G108A G108C G108D G108E G108F G108H G108I G108K G108L G108M G108N G108P G108Q G108R G108S G108T G108V G108W G108Y F109A F109C F109D F109E F109G F109H F109I F109K
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
F109L
F109M
F109N
F109P
F109Q
F109R
F109S
F109T
F109V
F109W
F109Y
R110A
R110C
R110D
R110E
R110F
R110G
R110H
R110I
R110K
R110L
R110M
R110N
R110P
R110Q
R110S
R110T
R110V
R110W
R110Y
L111A
L111C
L111D
L111E
L111F
L111G
L111H
L111I
L111K
L111M
L111N
L111P
L111Q
L111R
L111S
L111T
L111V
L111W
L111Y
G112A
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
G112C G112D G112E G112F G112H G112I G112K G112L G112M G112N G112P G112Q G112R G112S G112T G112V G112W G112Y F113A F113C F113D F113E F113G F113H F113I F113K F113L F113M F113N F113P F113Q F113R F113S F113T F113V F113W F113Y L114A L114C L114D L114E L114F L114G L114H L114I L114K L114M L114N L114P L114Q
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
L114R L114S L114T L114V L114W L114Y H115A H115C H115D H115E H115F H115G H115I H115K H115L H115M H115N H115P H115Q H115R H115S H115T H115V H115W H115Y S116A S116C S116D S116E S116F S116G S116H S116I S116K S116L S116M S116N S116P S116Q S116R S116T S116V S116W S116Y G117A G117C G117D G117E G117F G117H
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
G117I
G117K
G117L
G117M
G117N
G117P
G117Q
G117R
G117S
G117T
G117V
G117W
G117Y
T118A
T118C
T118D
T118E
T118F
T118G
T118H
T118I
T118K
T118L
T118M
T118N
T118P
T118Q
T118R
T118S
T118V
T118W
T118Y
A119C
A119D
A119E
A119F
A119G
A119H
A119I
A119K
A119L
A119M
A119N
A119P
A119Q
A119R
A119S
A119T
A119V
A119W
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
A119Y K120A K120C K120D K120E K120F K120G K120H K120I K120L K120M K120N K120P K120Q K120R K120S K120T K120V K120W K120Y S121A S121C S121D S121E S121F S121G S121H S121I S121K S121L S121M S121N S121P S121Q S121R S121T S121V S121W S121Y V122A V122C V122D V122E V122F V122G V122H V122I V122K V122L V122M
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
V122N V122P V122Q V122R V122S V122T V122W V122Y T123A T123C T123D T123E T123F T123G T123H T123I T123K T123L T123M T123N T123P T123Q T123R T123S T123V T123W T123Y C124A C124D C124E C124F C124G C124H C124I C124K C124L C124M C124N C124P C124Q C124R C124S C124T C124V C124W C124Y T125A T125C T125D T125E
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
T125F T125G T125H T125I T125K T125L T125M T125N T125P T125Q T125R T125S T125V T125W T125Y Y126A Y126C Y126D Y126E Y126F Y126G Y126H Y126I Y126K Y126L Y126M Y126N Y126P Y126Q Y126R Y126S Y126T Y126V Y126W S127A S127C S127D S127E S127F S127G S127H S127I S127K S127L S127M S127N S127P S127Q S127R S127T
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
S127V
S127W
S127Y
P128A
P128C
P128D
P128E
P128F
P128G
P128H
P128I
P128K
P128L
P128M
P128N
P128Q
P128R
P128S
P128T
P128V
P128W
P128Y
A129C
A129D
A129E
A129F
A129G
A129H
A129I
A129K
A129L
A129M
A129N
A129P
A129Q
A129R
A129S
A129T
A129V
A129W
A129Y
L130A
L130C
L130D
L130E
L130F
L130G
L130H
L130I
L130K
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
L130M
L130N
L130P
L130Q
L130R
L130S
L130T
L130V
L130W
L130Y
N131A
N131C
N131D
N131E
N131F
N131G
N131H
N131I
N131K
N131L
N131M
N131P
N131Q
N131R
N131S
N131T
N131V
N131W
N131Y
K132A
K132C
K132D
K132E
K132F
K132G
K132H
K132I
K132L
K132M
K132N
K132P
K132Q
K132R
K132S
K132T
K132V
K132W
K132Y
M133A
M133C
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
M133D M133E M133F M133G M133H M133I M133K M133L M133N M133P M133Q M133R M133S M133T M133V M133W M133Y F134A F134C F134D F134E F134G F134H F134I F134K F134L F134M F134N F134P F134Q F134R F134S F134T F134V F134W F134Y C135A C135D C135E C135F C135G C135H C135I C135K C135L C135M C135N C135P C135Q C135R
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
C135S
C135T
C135V
C135W
C135Y
Q136A
Q136C
Q136D
Q136E
Q136F
Q136G
Q136H
Q136I
Q136K
Q136L
Q136M
Q136N
Q136P
Q136R
Q136S
Q136T
Q136V
Q136W
Q136Y
L137A
L137C
L137D
L137E
L137F
L137G
L137H
L137I
L137K
L137M
L137N
L137P
L137Q
L137R
L137S
L137T
L137V
L137W
L137Y
A138C
A138D
A138E
A138F
A138G
A138H
A138I
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
A138K
A138L
A138M
A138N
A138P
A138Q
A138R
A138S
A138T
A138V
A138W
A138Y
K139A
K139C
K139D
K139E
K139F
K139G
K139H
K139I
K139L
K139M
K139N
K139P
K139Q
K139R
K139S
K139T
K139V
K139W
K139Y
T140A
T140C
T140D
T140E
T140F
T140G
T140H
T140I
T140K
T140L
T140M
T140N
T140P
T140Q
T140R
T140S
T140V
T140W
T140Y
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
C141A C141D C141E C141F C141G C141H C141I C141K C141L C141M C141N C141P C141Q C141R C141S C141T C141V C141W C141Y P142A P142C P142D P142E P142F P142G P142H P142I P142K P142L P142M P142N P142Q P142R P142S P142T P142V P142W P142Y V143A V143C V143D V143E V143F V143G V143H V143I V143K V143L V143M V143N
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
V143P V143Q V143R V143S V143T V143W V143Y Q144A Q144C Q144D Q144E Q144F Q144G Q144H Q144I Q144K Q144L Q144M Q144N Q144P Q144R Q144S Q144T Q144V Q144W Q144Y L145A L145C L145D L145E L145F L145G L145H L145I L145K L145M L145N L145P L145Q L145R L145S L145T L145V L145W L145Y W146A W146C W146D W146E W146F
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
W146G
W146H
W146I
W146K
W146L
W146M
W146N
W146P
W146Q
W146R
W146S
W146T
W146V
W146Y
V147A
V147C
V147D
V147E
V147F
V147G
V147H
V147I
V147K
V147L
V147M
V147N
V147P
V147Q
V147R
V147S
V147T
V147W
V147Y
D148A
D148C
D148E
D148F
D148G
D148H
D148I
D148K
D148L
D148M
D148N
D148P
D148Q
D148R
D148S
D148T
D148V
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
D148W
D148Y
S149A
S149C
S149D
S149E
S149F
S149G
S149H
S149I
S149K
S149L
S149M
S149N
S149P
S149Q
S149R
S149T
S149V
S149W
S149Y
T150A
T150C
T150D
T150E
T150F
T150G
T150H
T150I
T150K
T150L
T150M
T150N
T150P
T150Q
T150R
T150S
T150V
T150W
T150Y
P151A
P151C
P151D
P151E
P151F
P151G
P151H
P151I
P151K
P151L
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
P151M P151N P151Q P151R P151S P151T P151V P151W P151Y P152A P152C P152D P152E P152F P152G P152H P152I P152K P152L P152M P152N P152Q P152R P152S P152T P152V P152W P152Y P153A P153C P153D P153E P153F P153G P153H P153I P153K P153L P153M P153N P153Q P153R P153S P153T P153V P153W P153Y G154A G154C G154D
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
G154E G154F G154H G154I G154K G154L G154M G154N G154P G154Q G154R G154S G154T G154V G154W G154Y T155A T155C T155D T155E T155F T155G T155H T155I T155K T155L T155M T155N T155P T155Q T155R T155S T155V T155W T155Y R156A R156C R156D R156E R156F R156G R156H R156I R156K R156L R156M R156N R156P R156Q R156S
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
R156T
R156V
R156W
R156Y
V157A
V157C
V157D
V157E
V157F
V157G
V157H
V157I
V157K
V157L
V157M
V157N
V157P
V157Q
V157R
V157S
V157T
V157W
V157Y
R158A
R158C
R158D
R158E
R158F
R158G
R158H
R158I
R158K
R158L
R158M
R158N
R158P
R158Q
R158S
R158T
R158V
R158W
R158Y
A159C
A159D
A159E
A159F
A159G
A159H
A159I
A159K
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
A159L
A159M
A159N
A159P
A159Q
A159R
A159S
A159T
A159V
A159W
A159Y
M160A
M160C
M160D
M160E
M160F
M160G
M160H
M160I
M160K
M160L
M160N
M160P
M160Q
M160R
M160S
M160T
M160V
M160W
M160Y
A161C
A161D
A161E
A161F
A161G
A161H
A161I
A161K
A161L
A161M
A161N
A161P
A161Q
A161R
A161S
A161T
A161V
A161W
A161Y
I162A
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
I162C I162D I162E I162F I162G I162H I162K I162L I162M I162N I162P I162Q I162R I162S I162T I162V I162W I162Y Y163A Y163C Y163D Y163E Y163F Y163G Y163H Y163I Y163K Y163L Y163M Y163N Y163P Y163Q Y163R Y163S Y163T Y163V Y163W K164A K164C K164D K164E K164F K164G K164H K164I K164L K164M K164N K164P K164Q
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
K164R K164S K164T K164V K164W K164Y Q165A Q165C Q165D Q165E Q165F Q165G Q165H Q165I Q165K Q165L Q165M Q165N Q165P Q165R Q165S Q165T Q165V Q165W Q165Y S166A S166C S166D S166E S166F S166G S166H S166I S166K S166L S166M S166N S166P S166Q S166R S166T S166V S166W S166Y Q167A Q167C Q167D Q167E Q167F Q167G
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
Q167H
Q167I
Q167K
Q167L
Q167M
Q167N
Q167P
Q167R
Q167S
Q167T
Q167V
Q167W
Q167Y
H168A
H168C
H168D
H168E
H168F
H168G
H168I
H168K
H168L
H168M
H168N
H168P
H168Q
H168R
H168S
H168T
H168V
H168W
H168Y
M169A
M169C
M169D
M169E
M169F
M169G
M169H
M169I
M169K
M169L
M169N
M169P
M169Q
M169R
M169S
M169T
M169V
M169W
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
M169Y
T170A
T170C
T170D
T170E
T170F
T170G
T170H
T170I
T170K
T170L
T170M
T170N
T170P
T170Q
T170R
T170S
T170V
T170W
T170Y
E171A
E171C
E171D
E171F
E171G
E171H
E171I
E171K
E171L
E171M
E171N
E171P
E171Q
E171R
E171S
E171T
E171V
E171W
E171Y
V172A
V172C
V172D
V172E
V172F
V172G
V172H
V172I
V172K
V172L
V172M
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
V172N V172P V172Q V172R V172S V172T V172W V172Y V173A V173C V173D V173E V173F V173G V173H V173I V173K V173L V173M V173N V173P V173Q V173R V173S V173T V173W V173Y R174A R174C R174D R174E R174F R174G R174H R174I R174K R174L R174M R174N R174P R174Q R174S R174T R174V R174W R174Y R175A R175C R175D R175E
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
R175F
R175G
R175H
R175I
R175K
R175L
R175M
R175N
R175P
R175Q
R175S
R175T
R175V
R175W
R175Y
C176A
C176D
C176E
C176F
C176G
C176H
C176I
C176K
C176L
C176M
C176N
C176P
C176Q
C176R
C176S
C176T
C176V
C176W
C176Y
P177A
P177C
P177D
P177E
P177F
P177G
P177H
P177I
P177K
P177L
P177M
P177N
P177Q
P177R
P177S
P177T
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
P177V
P177W
P177Y
H178A
H178C
H178D
H178E
H178F
H178G
H178I
H178K
H178L
H178M
H178N
H178P
H178Q
H178R
H178S
H178T
H178V
H178W
H178Y
H179A
H179C
H179D
H179E
H179F
H179G
H179I
H179K
H179L
H179M
H179N
H179P
H179Q
H179R
H179S
H179T
H179V
H179W
H179Y
E180A
E180C
E180D
E180F
E180G
E180H
E180I
E180K
E180L
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
E180M
E180N
E180P
E180Q
E180R
E180S
E180T
E180V
E180W
E180Y
R181A
R181C
R181D
R181E
R181F
R181G
R181H
R181I
R181K
R181L
R181M
R181N
R181P
R181Q
R181S
R181T
R181V
R181W
R181Y
C182A
C182D
C182E
C182F
C182G
C182H
C182I
C182K
C182L
C182M
C182N
C182P
C182Q
C182R
C182S
C182T
C182V
C182W
C182Y
S183A
S183C
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
S183D
S183E
S183F
S183G
S183H
S183I
S183K
S183L
S183M
S183N
S183P
S183Q
S183R
S183T
S183V
S183W
S183Y
D184A
D184C
D184E
D184F
D184G
D184H
D184I
D184K
D184L
D184M
D184N
D184P
D184Q
D184R
D184S
D184T
D184V
D184W
D184Y
S185A
S185C
S185D
S185E
S185F
S185G
S185H
S185I
S185K
S185L
S185M
S185N
S185P
S185Q
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
S185R
S185T
S185V
S185W
S185Y
D186A
D186C
D186E
D186F
D186G
D186H
D186I
D186K
D186L
D186M
D186N
D186P
D186Q
D186R
D186S
D186T
D186V
D186W
D186Y
G187A
G187C
G187D
G187E
G187F
G187H
G187I
G187K
G187L
G187M
G187N
G187P
G187Q
G187R
G187S
G187T
G187V
G187W
G187Y
L188A
L188C
L188D
L188E
L188F
L188G
L188H
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
L188I L188K L188M L188N L188P L188Q L188R L188S L188T L188V L188W L188Y A189C A189D A189E A189F A189G A189H A189I A189K A189L A189M A189N A189P A189Q A189R A189S A189T A189V A189W A189Y P190A P190C P190D P190E P190F P190G P190H P190I P190K P190L P190M P190N P190Q P190R P190S P190T P190V P190W P190Y
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
P191A P191C P191D P191E P191F P191G P191H P191I P191K P191L P191M P191N P191Q P191R P191S P191T P191V P191W P191Y Q192A Q192C Q192D Q192E Q192F Q192G Q192H Q192I Q192K Q192L Q192M Q192N Q192P Q192R Q192S Q192T Q192V Q192W Q192Y H193A H193C H193D H193E H193F H193G H193I H193K H193L H193M H193N H193P
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
H193Q
H193R
H193S
H193T
H193V
H193W
H193Y
L194A
L194C
L194D
L194E
L194F
L194G
L194H
L194I
L194K
L194M
L194N
L194P
L194Q
L194R
L194S
L194T
L194V
L194W
L194Y
I195A
I195C
I195D
I195E
I195F
I195G
I195H
I195K
I195L
I195M
I195N
I195P
I195Q
I195R
I195S
I195T
I195V
I195W
I195Y
R196A
R196C
R196D
R196E
R196F
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
R196G R196H R196I R196K R196L R196M R196N R196P R196Q R196S R196T R196V R196W R196Y V197A V197C V197D V197E V197F V197G V197H V197I V197K V197L V197M V197N V197P V197Q V197R V197S V197T V197W V197Y E198A E198C E198D E198F E198G E198H E198I E198K E198L E198M E198N E198P E198Q E198R E198S E198T E198V
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
E198W
E198Y
G199A
G199C
G199D
G199E
G199F
G199H
G199I
G199K
G199L
G199M
G199N
G199P
G199Q
G199R
G199S
G199T
G199V
G199W
G199Y
N200A
N200C
N200D
N200E
N200F
N200G
N200H
N200I
N200K
N200L
N200M
N200P
N200Q
N200R
N200S
N200T
N200V
N200W
N200Y
L201A
L201C
L201D
L201E
L201F
L201G
L201H
L201I
L201K
L201M
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
L201N L201P L201Q L201R L201S L201T L201V L201W L201Y R202A R202C R202D R202E R202F R202G R202H R202I R202K R202L R202M R202N R202P R202Q R202S R202T R202V R202W R202Y V203A V203C V203D V203E V203F V203G V203H V203I V203K V203L V203M V203N V203P V203Q V203R V203S V203T V203W V203Y E204A E204C E204D
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
E204F
E204G
E204H
E204I
E204K
E204L
E204M
E204N
E204P
E204Q
E204R
E204S
E204T
E204V
E204W
E204Y
Y205A
Y205C
Y205D
Y205E
Y205F
Y205G
Y205H
Y205I
Y205K
Y205L
Y205M
Y205N
Y205P
Y205Q
Y205R
Y205S
Y205T
Y205V
Y205W
L206A
L206C
L206D
L206E
L206F
L206G
L206H
L206I
L206K
L206M
L206N
L206P
L206Q
L206R
L206S
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
L206T
L206V
L206W
L206Y
D207A
D207C
D207E
D207F
D207G
D207H
D207I
D207K
D207L
D207M
D207N
D207P
D207Q
D207R
D207S
D207T
D207V
D207W
D207Y
D208A
D208C
D208E
D208F
D208G
D208H
D208I
D208K
D208L
D208M
D208N
D208P
D208Q
D208R
D208S
D208T
D208V
D208W
D208Y
R209A
R209C
R209D
R209E
R209F
R209G
R209H
R209I
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
R209K R209L R209M R209N R209P R209Q R209S R209T R209V R209W R209Y N210A N210C N210D N210E N210F N210G N210H N210I N210K N210L N210M N210P N210Q N210R N210S N210T N210V N210W N210Y T211A T211C T211D T211E T211F T211G T211H T211I T211K T211L T211M T211N T211P T211Q T211R T211S T211V T211W T211Y F212A
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
F212C F212D F212E F212G F212H F212I F212K F212L F212M F212N F212P F212Q F212R F212S F212T F212V F212W F212Y R213A R213C R213D R213E R213F R213G R213H R213I R213K R213L R213M R213N R213P R213Q R213S R213T R213V R213W R213Y H214A H214C H214D H214E H214F H214G H214I H214K H214L H214M H214N H214P H214Q
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
H214R H214S H214T H214V H214W H214Y S215A S215C S215D S215E S215F S215G S215H S215I S215K S215L S215M S215N S215P S215Q S215R S215T S215V S215W S215Y V216A V216C V216D V216E V216F V216G V216H V216I V216K V216L V216M V216N V216P V216Q V216R V216S V216T V216W V216Y V217A V217C V217D V217E V217F V217G
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
V217H
V217I
V217K
V217L
V217M
V217N
V217P
V217Q
V217R
V217S
V217T
V217W
V217Y
V218A
V218C
V218D
V218E
V218F
V218G
V218H
V218I
V218K
V218L
V218M
V218N
V218P
V218Q
V218R
V218S
V218T
V218W
V218Y
P219A
P219C
P219D
P219E
P219F
P219G
P219H
P219I
P219K
P219L
P219M
P219N
P219Q
P219R
P219S
P219T
P219V
P219W
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
P219Y
Y220A
Y220C
Y220D
Y220E
Y220F
Y220G
Y220H
Y220I
Y220K
Y220L
Y220M
Y220N
Y220P
Y220Q
Y220R
Y220S
Y220T
Y220V
Y220W
E221A
E221C
E221D
E221F
E221G
E221H
E221I
E221K
E221L
E221M
E221N
E221P
E221Q
E221R
E221S
E221T
E221V
E221W
E221Y
P222A
P222C
P222D
P222E
P222F
P222G
P222H
P222I
P222K
P222L
P222M
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
P222N P222Q P222R P222S P222T P222V P222W P222Y P223A P223C P223D P223E P223F P223G P223H P223I P223K P223L P223M P223N P223Q P223R P223S P223T P223V P223W P223Y E224A E224C E224D E224F E224G E224H E224I E224K E224L E224M E224N E224P E224Q E224R E224S E224T E224V E224W E224Y V225A V225C V225D V225E
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
V225F V225G V225H V225I V225K V225L V225M V225N V225P V225Q V225R V225S V225T V225W V225Y G226A G226C G226D G226E G226F G226H G226I G226K G226L G226M G226N G226P G226Q G226R G226S G226T G226V G226W G226Y S227A S227C S227D S227E S227F S227G S227H S227I S227K S227L S227M S227N S227P S227Q S227R S227T
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
S227V
S227W
S227Y
D228A
D228C
D228E
D228F
D228G
D228H
D228I
D228K
D228L
D228M
D228N
D228P
D228Q
D228R
D228S
D228T
D228V
D228W
D228Y
C229A
C229D
C229E
C229F
C229G
C229H
C229I
C229K
C229L
C229M
C229N
C229P
C229Q
C229R
C229S
C229T
C229V
C229W
C229Y
T230A
T230C
T230D
T230E
T230F
T230G
T230H
T230I
T230K
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
T230L T230M T230N T230P T230Q T230R T230S T230V T230W T230Y T231A T231C T231D T231E T231F T231G T231H T231I T231K T231L T231M T231N T231P T231Q T231R T231S T231V T231W T231Y I232A I232C I232D I232E I232F I232G I232H I232K I232L I232M I232N I232P I232Q I232R I232S I232T I232V I232W I232Y H233A H233C
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
H233D H233E H233F H233G H233I H233K H233L H233M H233N H233P H233Q H233R H233S H233T H233V H233W H233Y Y234A Y234C Y234D Y234E Y234F Y234G Y234H Y234I Y234K Y234L Y234M Y234N Y234P Y234Q Y234R Y234S Y234T Y234V Y234W N235A N235C N235D N235E N235F N235G N235H N235I N235K N235L N235M N235P N235Q N235R
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
N235S
N235T
N235V
N235W
N235Y
Y236A
Y236C
Y236D
Y236E
Y236F
Y236G
Y236H
Y236I
Y236K
Y236L
Y236M
Y236N
Y236P
Y236Q
Y236R
Y236S
Y236T
Y236V
Y236W
M237A
M237C
M237D
M237E
M237F
M237G
M237H
M237I
M237K
M237L
M237N
M237P
M237Q
M237R
M237S
M237T
M237V
M237W
M237Y
C238A
C238D
C238E
C238F
C238G
C238H
C238I
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
C238K C238L C238M C238N C238P C238Q C238R C238S C238T C238V C238W C238Y N239A N239C N239D N239E N239F N239G N239H N239I N239K N239L N239M N239P N239Q N239R N239S N239T N239V N239W N239Y S240A S240C S240D S240E S240F S240G S240H S240I S240K S240L S240M S240N S240P S240Q S240R S240T S240V S240W S240Y
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
S241A S241C S241D S241E S241F S241G S241H S241I S241K S241L S241M S241N S241P S241Q S241R S241T S241V S241W S241Y C242A C242D C242E C242F C242G C242H C242I C242K C242L C242M C242N C242P C242Q C242R C242S C242T C242V C242W C242Y M243A M243C M243D M243E M243F M243G M243H M243I M243K M243L M243N M243P
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
M243Q M243R M243S M243T M243V M243W M243Y G244A G244C G244D G244E G244F G244H G244I G244K G244L G244M G244N G244P G244Q G244R G244S G244T G244V G244W G244Y G245A G245C G245D G245E G245F G245H G245I G245K G245L G245M G245N G245P G245Q G245R G245S G245T G245V G245W G245Y M246A M246C M246D M246E M246F
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
M246G
M246H
M246I
M246K
M246L
M246N
M246P
M246Q
M246R
M246S
M246T
M246V
M246W
M246Y
N247A
N247C
N247D
N247E
N247F
N247G
N247H
N247I
N247K
N247L
N247M
N247P
N247Q
N247R
N247S
N247T
N247V
N247W
N247Y
R248A
R248C
R248D
R248E
R248F
R248G
R248H
R248I
R248K
R248L
R248M
R248N
R248P
R248Q
R248S
R248T
R248V
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
R248W R248Y R249A R249C R249D R249E R249F R249G R249H R249I R249K R249L R249M R249N R249P R249Q R249S R249T R249V R249W R249Y P250A P250C P250D P250E P250F P250G P250H P250I P250K P250L P250M P250N P250Q P250R P250S P250T P250V P250W P250Y I251A I251C I251D I251E I251F I251G I251H I251K I251L I251M
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
I251N
I251P
I251Q
I251R
I251S
I251T
I251V
I251W
I251Y
L252A
L252C
L252D
L252E
L252F
L252G
L252H
L252I
L252K
L252M
L252N
L252P
L252Q
L252R
L252S
L252T
L252V
L252W
L252Y
T253A
T253C
T253D
T253E
T253F
T253G
T253H
T253I
T253K
T253L
T253M
T253N
T253P
T253Q
T253R
T253S
T253V
T253W
T253Y
I254A
I254C
I254D
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
I254E I254F I254G I254H I254K I254L I254M I254N I254P I254Q I254R I254S I254T I254V I254W I254Y I255A I255C I255D I255E I255F I255G I255H I255K I255L I255M I255N I255P I255Q I255R I255S I255T I255V I255W I255Y T256A T256C T256D T256E T256F T256G T256H T256I T256K T256L T256M T256N T256P T256Q T256R
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
T256S T256V T256W T256Y L257A L257C L257D L257E L257F L257G L257H L257I L257K L257M L257N L257P L257Q L257R L257S L257T L257V L257W L257Y E258A E258C E258D E258F E258G E258H E258I E258K E258L E258M E258N E258P E258Q E258R E258S E258T E258V E258W E258Y D259A D259C D259E D259F D259G D259H D259I D259K
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
D259L D259M D259N D259P D259Q D259R D259S D259T D259V D259W D259Y S260A S260C S260D S260E S260F S260G S260H S260I S260K S260L S260M S260N S260P S260Q S260R S260T S260V S260W S260Y S261A S261C S261D S261E S261F S261G S261H S261I S261K S261L S261M S261N S261P S261Q S261R S261T S261V S261W S261Y G262A
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
G262C G262D G262E G262F G262H G262I G262K G262L G262M G262N G262P G262Q G262R G262S G262T G262V G262W G262Y N263A N263C N263D N263E N263F N263G N263H N263I N263K N263L N263M N263P N263Q N263R N263S N263T N263V N263W N263Y L264A L264C L264D L264E L264F L264G L264H L264I L264K L264M L264N L264P L264Q
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
L264R
L264S
L264T
L264V
L264W
L264Y
L265A
L265C
L265D
L265E
L265F
L265G
L265H
L265I
L265K
L265M
L265N
L265P
L265Q
L265R
L265S
L265T
L265V
L265W
L265Y
G266A
G266C
G266D
G266E
G266F
G266H
G266I
G266K
G266L
G266M
G266N
G266P
G266Q
G266R
G266S
G266T
G266V
G266W
G266Y
R267A
R267C
R267D
R267E
R267F
R267G
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
R267H
R267I
R267K
R267L
R267M
R267N
R267P
R267Q
R267S
R267T
R267V
R267W
R267Y
N268A
N268C
N268D
N268E
N268F
N268G
N268H
N268I
N268K
N268L
N268M
N268P
N268Q
N268R
N268S
N268T
N268V
N268W
N268Y
S269A
S269C
S269D
S269E
S269F
S269G
S269H
S269I
S269K
S269L
S269M
S269N
S269P
S269Q
S269R
S269T
S269V
S269W
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
S269Y
F270A
F270C
F270D
F270E
F270G
F270H
F270I
F270K
F270L
F270M
F270N
F270P
F270Q
F270R
F270S
F270T
F270V
F270W
F270Y
E271A
E271C
E271D
E271F
E271G
E271H
E271I
E271K
E271L
E271M
E271N
E271P
E271Q
E271R
E271S
E271T
E271V
E271W
E271Y
V272A
V272C
V272D
V272E
V272F
V272G
V272H
V272I
V272K
V272L
V272M
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
V272N
V272P
V272Q
V272R
V272S
V272T
V272W
V272Y
R273A
R273C
R273D
R273E
R273F
R273G
R273H
R273I
R273K
R273L
R273M
R273N
R273P
R273Q
R273S
R273T
R273V
R273W
R273Y
V274A
V274C
V274D
V274E
V274F
V274G
V274H
V274I
V274K
V274L
V274M
V274N
V274P
V274Q
V274R
V274S
V274T
V274W
V274Y
C275A
C275D
C275E
C275F
Mutations



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
C275G C275H C275I C275K C275L C275M C275N C275P C275Q C275R C275S C275T C275V C275W C275Y A276C A276D A276E A276F A276G A276H A276I A276K A276L A276M A276N A276P A276Q A276R A276S A276T A276V A276W A276Y C277A C277D C277E C277F C277G C277H C277I C277K C277L C277M C277N C277P C277Q C277R C277S C277T
Mutations


Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
C277V
C277W
C277Y
P278A
P278C
P278D
P278E
P278F
P278G
P278H
P278I
P278K
P278L
P278M
P278N
P278Q
P278R
P278S
P278T
P278V
P278W
P278Y
G279A
G279C
G279D
G279E
G279F
G279H
G279I
G279K
G279L
G279M
G279N
G279P
G279Q
G279R
G279S
G279T
G279V
G279W
G279Y
R280A
R280C
R280D
R280E
R280F
R280G
R280H
R280I
R280K
Mutations


Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
R280L R280M R280N R280P R280Q R280S R280T R280V R280W R280Y D281A D281C D281E D281F D281G D281H D281I D281K D281L D281M D281N D281P D281Q D281R D281S D281T D281V D281W D281Y R282A R282C R282D R282E R282F R282G R282H R282I R282K R282L R282M R282N R282P R282Q R282S R282T R282V R282W R282Y R283A R283C
Mutations


Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
R283D R283E R283F R283G R283H R283I R283K R283L R283M R283N R283P R283Q R283S R283T R283V R283W R283Y T284A T284C T284D T284E T284F T284G T284H T284I T284K T284L T284M T284N T284P T284Q T284R T284S T284V T284W T284Y E285A E285C E285D E285F E285G E285H E285I E285K E285L E285M E285N E285P E285Q E285R
Mutations


Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
E285S
E285T
E285V
E285W
E285Y
E286A
E286C
E286D
E286F
E286G
E286H
E286I
E286K
E286L
E286M
E286N
E286P
E286Q
E286R
E286S
E286T
E286V
E286W
E286Y
E287A
E287C
E287D
E287F
E287G
E287H
E287I
E287K
E287L
E287M
E287N
E287P
E287Q
E287R
E287S
E287T
E287V
E287W
E287Y
N288A
N288C
N288D
N288E
N288F
N288G
N288H
Mutations


Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
N288I
N288K
N288L
N288M
N288P
N288Q
N288R
N288S
N288T
N288V
N288W
N288Y
L289A
L289C
L289D
L289E
L289F
L289G
L289H
L289I
L289K
L289M
L289N
L289P
L289Q
L289R
L289S
L289T
L289V
L289W
L289Y
Mutations