




Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
G105R
G105S
S106R
F109C
F109I
R110G
R110L
R110P
L111P
L111Q
L111R
F113C
F113I
C124R
T125K
T125R
S127C
S127F
S127P
S127Y
L130H
L130P
N131H
N131I
N131Y
K132N
K132R
M133T
F134C
F134I
C135F
C135G
C135R
A138P
A138V
C141W
C141Y
V143A
V143M
V147G
P151A
P151F
P151R
P151S
P151T
P152L
P152R
T155N
R156P
V157F
Mutations
ClinVar germline classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic


Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
V157G
R158G
R158H
R158L
R158P
R158S
A159D
A159V
A161T
Y163C
Y163H
K164E
Q165L
H168L
H168P
E171D
E171G
V173A
V173M
R175G
R175H
R175L
C176F
C176Y
P177R
H178D
H178Q
H179D
H179Q
H179Y
E180K
R181C
R181H
R181P
P190L
H193N
H193P
H193R
H193Y
L194F
I195T
R196P
V197M
G199V
Y205C
Y205D
Y205H
R213P
R213Q
R213W
Mutations
ClinVar germline classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic


Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
H214L
H214R
V216M
V218E
Y220C
Y220H
Y220S
I232N
I232S
I232T
Y234C
Y234D
Y234H
Y234N
Y236H
M237I
M237K
C238F
C238G
C238R
C238W
C238Y
N239S
S240C
S240G
S240N
S241A
S241C
S241F
S241T
S241Y
C242W
C242Y
G244A
G244D
G244S
G244V
G245C
G245D
G245S
G245V
M246K
M246V
R248G
R248L
R248P
R248Q
R248W
R249T
P250L
Mutations
ClinVar germline classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic


Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Stability classification, alphafold, (Foldetta from FoldX and RaSP)
Stability classification, alphafold, (Foldetta from FoldX and Rosetta)
I251F
I251L
T253A
I254N
I254T
E258K
D259A
L265P
L265Q
G266E
G266R
R267G
R267Q
R267W
S269I
F270C
F270S
F270V
E271V
V272L
V272M
R273C
R273G
R273H
R273L
R273P
R273S
C275F
C275W
C275Y
A276G
C277G
P278L
P278S
P278T
R280T
D281A
D281G
D281H
D281N
D281V
D281Y
R282G
R282P
R282W
E285K
E285V
E286A
E286K
Mutations
ClinVar germline classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic