






Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
W91A W91C W91D W91E W91F W91G W91H W91I W91K W91L W91M W91N W91P W91Q W91R W91S W91T W91V W91Y P92A P92C P92D P92E P92F P92G P92H P92I P92K P92L P92M P92N P92Q P92R P92S P92T P92V P92W P92Y L93A L93C L93D L93E L93F L93G L93H L93I L93K L93M L93N L93P
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
L93Q L93R L93S L93T L93V L93W L93Y S94A S94C S94D S94E S94F S94G S94H S94I S94K S94L S94M S94N S94P S94Q S94R S94T S94V S94W S94Y S95A S95C S95D S95E S95F S95G S95H S95I S95K S95L S95M S95N S95P S95Q S95R S95T S95V S95W S95Y S96A S96C S96D S96E S96F
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
S96G S96H S96I S96K S96L S96M S96N S96P S96Q S96R S96T S96V S96W S96Y V97A V97C V97D V97E V97F V97G V97H V97I V97K V97L V97M V97N V97P V97Q V97R V97S V97T V97W V97Y P98A P98C P98D P98E P98F P98G P98H P98I P98K P98L P98M P98N P98Q P98R P98S P98T P98V
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
P98W
P98Y
S99A
S99C
S99D
S99E
S99F
S99G
S99H
S99I
S99K
S99L
S99M
S99N
S99P
S99Q
S99R
S99T
S99V
S99W
S99Y
Q100A
Q100C
Q100D
Q100E
Q100F
Q100G
Q100H
Q100I
Q100K
Q100L
Q100M
Q100N
Q100P
Q100R
Q100S
Q100T
Q100V
Q100W
Q100Y
K101A
K101C
K101D
K101E
K101F
K101G
K101H
K101I
K101L
K101M
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
K101N K101P K101Q K101R K101S K101T K101V K101W K101Y T102A T102C T102D T102E T102F T102G T102H T102I T102K T102L T102M T102N T102P T102Q T102R T102S T102V T102W T102Y Y103A Y103C Y103D Y103E Y103F Y103G Y103H Y103I Y103K Y103L Y103M Y103N Y103P Y103Q Y103R Y103S Y103T Y103V Y103W Q104A Q104C Q104D
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Q104E Q104F Q104G Q104H Q104I Q104K Q104L Q104M Q104N Q104P Q104R Q104S Q104T Q104V Q104W Q104Y G105A G105C G105D G105E G105F G105H G105I G105K G105L G105M G105N G105P G105Q G105R G105S G105T G105V G105W G105Y S106A S106C S106D S106E S106F S106G S106H S106I S106K S106L S106M S106N S106P S106Q S106R
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
S106T S106V S106W S106Y Y107A Y107C Y107D Y107E Y107F Y107G Y107H Y107I Y107K Y107L Y107M Y107N Y107P Y107Q Y107R Y107S Y107T Y107V Y107W G108A G108C G108D G108E G108F G108H G108I G108K G108L G108M G108N G108P G108Q G108R G108S G108T G108V G108W G108Y F109A F109C F109D F109E F109G F109H F109I F109K
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
F109L F109M F109N F109P F109Q F109R F109S F109T F109V F109W F109Y R110A R110C R110D R110E R110F R110G R110H R110I R110K R110L R110M R110N R110P R110Q R110S R110T R110V R110W R110Y L111A L111C L111D L111E L111F L111G L111H L111I L111K L111M L111N L111P L111Q L111R L111S L111T L111V L111W L111Y G112A
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
G112C G112D G112E G112F G112H G112I G112K G112L G112M G112N G112P G112Q G112R G112S G112T G112V G112W G112Y F113A F113C F113D F113E F113G F113H F113I F113K F113L F113M F113N F113P F113Q F113R F113S F113T F113V F113W F113Y L114A L114C L114D L114E L114F L114G L114H L114I L114K L114M L114N L114P L114Q
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
L114R L114S L114T L114V L114W L114Y H115A H115C H115D H115E H115F H115G H115I H115K H115L H115M H115N H115P H115Q H115R H115S H115T H115V H115W H115Y S116A S116C S116D S116E S116F S116G S116H S116I S116K S116L S116M S116N S116P S116Q S116R S116T S116V S116W S116Y G117A G117C G117D G117E G117F G117H
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
G117I G117K G117L G117M G117N G117P G117Q G117R G117S G117T G117V G117W G117Y T118A T118C T118D T118E T118F T118G T118H T118I T118K T118L T118M T118N T118P T118Q T118R T118S T118V T118W T118Y A119C A119D A119E A119F A119G A119H A119I A119K A119L A119M A119N A119P A119Q A119R A119S A119T A119V A119W
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
A119Y K120A K120C K120D K120E K120F K120G K120H K120I K120L K120M K120N K120P K120Q K120R K120S K120T K120V K120W K120Y S121A S121C S121D S121E S121F S121G S121H S121I S121K S121L S121M S121N S121P S121Q S121R S121T S121V S121W S121Y V122A V122C V122D V122E V122F V122G V122H V122I V122K V122L V122M
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
V122N V122P V122Q V122R V122S V122T V122W V122Y T123A T123C T123D T123E T123F T123G T123H T123I T123K T123L T123M T123N T123P T123Q T123R T123S T123V T123W T123Y C124A C124D C124E C124F C124G C124H C124I C124K C124L C124M C124N C124P C124Q C124R C124S C124T C124V C124W C124Y T125A T125C T125D T125E
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
T125F T125G T125H T125I T125K T125L T125M T125N T125P T125Q T125R T125S T125V T125W T125Y Y126A Y126C Y126D Y126E Y126F Y126G Y126H Y126I Y126K Y126L Y126M Y126N Y126P Y126Q Y126R Y126S Y126T Y126V Y126W S127A S127C S127D S127E S127F S127G S127H S127I S127K S127L S127M S127N S127P S127Q S127R S127T
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
S127V
S127W
S127Y
P128A
P128C
P128D
P128E
P128F
P128G
P128H
P128I
P128K
P128L
P128M
P128N
P128Q
P128R
P128S
P128T
P128V
P128W
P128Y
A129C
A129D
A129E
A129F
A129G
A129H
A129I
A129K
A129L
A129M
A129N
A129P
A129Q
A129R
A129S
A129T
A129V
A129W
A129Y
L130A
L130C
L130D
L130E
L130F
L130G
L130H
L130I
L130K
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
L130M L130N L130P L130Q L130R L130S L130T L130V L130W L130Y N131A N131C N131D N131E N131F N131G N131H N131I N131K N131L N131M N131P N131Q N131R N131S N131T N131V N131W N131Y K132A K132C K132D K132E K132F K132G K132H K132I K132L K132M K132N K132P K132Q K132R K132S K132T K132V K132W K132Y M133A M133C
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
M133D
M133E
M133F
M133G
M133H
M133I
M133K
M133L
M133N
M133P
M133Q
M133R
M133S
M133T
M133V
M133W
M133Y
F134A
F134C
F134D
F134E
F134G
F134H
F134I
F134K
F134L
F134M
F134N
F134P
F134Q
F134R
F134S
F134T
F134V
F134W
F134Y
C135A
C135D
C135E
C135F
C135G
C135H
C135I
C135K
C135L
C135M
C135N
C135P
C135Q
C135R
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
C135S C135T C135V C135W C135Y Q136A Q136C Q136D Q136E Q136F Q136G Q136H Q136I Q136K Q136L Q136M Q136N Q136P Q136R Q136S Q136T Q136V Q136W Q136Y L137A L137C L137D L137E L137F L137G L137H L137I L137K L137M L137N L137P L137Q L137R L137S L137T L137V L137W L137Y A138C A138D A138E A138F A138G A138H A138I
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
A138K A138L A138M A138N A138P A138Q A138R A138S A138T A138V A138W A138Y K139A K139C K139D K139E K139F K139G K139H K139I K139L K139M K139N K139P K139Q K139R K139S K139T K139V K139W K139Y T140A T140C T140D T140E T140F T140G T140H T140I T140K T140L T140M T140N T140P T140Q T140R T140S T140V T140W T140Y
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
C141A C141D C141E C141F C141G C141H C141I C141K C141L C141M C141N C141P C141Q C141R C141S C141T C141V C141W C141Y P142A P142C P142D P142E P142F P142G P142H P142I P142K P142L P142M P142N P142Q P142R P142S P142T P142V P142W P142Y V143A V143C V143D V143E V143F V143G V143H V143I V143K V143L V143M V143N
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
V143P V143Q V143R V143S V143T V143W V143Y Q144A Q144C Q144D Q144E Q144F Q144G Q144H Q144I Q144K Q144L Q144M Q144N Q144P Q144R Q144S Q144T Q144V Q144W Q144Y L145A L145C L145D L145E L145F L145G L145H L145I L145K L145M L145N L145P L145Q L145R L145S L145T L145V L145W L145Y W146A W146C W146D W146E W146F
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
W146G W146H W146I W146K W146L W146M W146N W146P W146Q W146R W146S W146T W146V W146Y V147A V147C V147D V147E V147F V147G V147H V147I V147K V147L V147M V147N V147P V147Q V147R V147S V147T V147W V147Y D148A D148C D148E D148F D148G D148H D148I D148K D148L D148M D148N D148P D148Q D148R D148S D148T D148V
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
D148W
D148Y
S149A
S149C
S149D
S149E
S149F
S149G
S149H
S149I
S149K
S149L
S149M
S149N
S149P
S149Q
S149R
S149T
S149V
S149W
S149Y
T150A
T150C
T150D
T150E
T150F
T150G
T150H
T150I
T150K
T150L
T150M
T150N
T150P
T150Q
T150R
T150S
T150V
T150W
T150Y
P151A
P151C
P151D
P151E
P151F
P151G
P151H
P151I
P151K
P151L
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
P151M P151N P151Q P151R P151S P151T P151V P151W P151Y P152A P152C P152D P152E P152F P152G P152H P152I P152K P152L P152M P152N P152Q P152R P152S P152T P152V P152W P152Y P153A P153C P153D P153E P153F P153G P153H P153I P153K P153L P153M P153N P153Q P153R P153S P153T P153V P153W P153Y G154A G154C G154D
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
G154E G154F G154H G154I G154K G154L G154M G154N G154P G154Q G154R G154S G154T G154V G154W G154Y T155A T155C T155D T155E T155F T155G T155H T155I T155K T155L T155M T155N T155P T155Q T155R T155S T155V T155W T155Y R156A R156C R156D R156E R156F R156G R156H R156I R156K R156L R156M R156N R156P R156Q R156S
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
R156T R156V R156W R156Y V157A V157C V157D V157E V157F V157G V157H V157I V157K V157L V157M V157N V157P V157Q V157R V157S V157T V157W V157Y R158A R158C R158D R158E R158F R158G R158H R158I R158K R158L R158M R158N R158P R158Q R158S R158T R158V R158W R158Y A159C A159D A159E A159F A159G A159H A159I A159K
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
A159L A159M A159N A159P A159Q A159R A159S A159T A159V A159W A159Y M160A M160C M160D M160E M160F M160G M160H M160I M160K M160L M160N M160P M160Q M160R M160S M160T M160V M160W M160Y A161C A161D A161E A161F A161G A161H A161I A161K A161L A161M A161N A161P A161Q A161R A161S A161T A161V A161W A161Y I162A
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
I162C I162D I162E I162F I162G I162H I162K I162L I162M I162N I162P I162Q I162R I162S I162T I162V I162W I162Y Y163A Y163C Y163D Y163E Y163F Y163G Y163H Y163I Y163K Y163L Y163M Y163N Y163P Y163Q Y163R Y163S Y163T Y163V Y163W K164A K164C K164D K164E K164F K164G K164H K164I K164L K164M K164N K164P K164Q
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
K164R K164S K164T K164V K164W K164Y Q165A Q165C Q165D Q165E Q165F Q165G Q165H Q165I Q165K Q165L Q165M Q165N Q165P Q165R Q165S Q165T Q165V Q165W Q165Y S166A S166C S166D S166E S166F S166G S166H S166I S166K S166L S166M S166N S166P S166Q S166R S166T S166V S166W S166Y Q167A Q167C Q167D Q167E Q167F Q167G
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
Q167H Q167I Q167K Q167L Q167M Q167N Q167P Q167R Q167S Q167T Q167V Q167W Q167Y H168A H168C H168D H168E H168F H168G H168I H168K H168L H168M H168N H168P H168Q H168R H168S H168T H168V H168W H168Y M169A M169C M169D M169E M169F M169G M169H M169I M169K M169L M169N M169P M169Q M169R M169S M169T M169V M169W
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
M169Y
T170A
T170C
T170D
T170E
T170F
T170G
T170H
T170I
T170K
T170L
T170M
T170N
T170P
T170Q
T170R
T170S
T170V
T170W
T170Y
E171A
E171C
E171D
E171F
E171G
E171H
E171I
E171K
E171L
E171M
E171N
E171P
E171Q
E171R
E171S
E171T
E171V
E171W
E171Y
V172A
V172C
V172D
V172E
V172F
V172G
V172H
V172I
V172K
V172L
V172M
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
V172N V172P V172Q V172R V172S V172T V172W V172Y V173A V173C V173D V173E V173F V173G V173H V173I V173K V173L V173M V173N V173P V173Q V173R V173S V173T V173W V173Y R174A R174C R174D R174E R174F R174G R174H R174I R174K R174L R174M R174N R174P R174Q R174S R174T R174V R174W R174Y R175A R175C R175D R175E
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
R175F R175G R175H R175I R175K R175L R175M R175N R175P R175Q R175S R175T R175V R175W R175Y C176A C176D C176E C176F C176G C176H C176I C176K C176L C176M C176N C176P C176Q C176R C176S C176T C176V C176W C176Y P177A P177C P177D P177E P177F P177G P177H P177I P177K P177L P177M P177N P177Q P177R P177S P177T
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
P177V
P177W
P177Y
H178A
H178C
H178D
H178E
H178F
H178G
H178I
H178K
H178L
H178M
H178N
H178P
H178Q
H178R
H178S
H178T
H178V
H178W
H178Y
H179A
H179C
H179D
H179E
H179F
H179G
H179I
H179K
H179L
H179M
H179N
H179P
H179Q
H179R
H179S
H179T
H179V
H179W
H179Y
E180A
E180C
E180D
E180F
E180G
E180H
E180I
E180K
E180L
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
E180M E180N E180P E180Q E180R E180S E180T E180V E180W E180Y R181A R181C R181D R181E R181F R181G R181H R181I R181K R181L R181M R181N R181P R181Q R181S R181T R181V R181W R181Y C182A C182D C182E C182F C182G C182H C182I C182K C182L C182M C182N C182P C182Q C182R C182S C182T C182V C182W C182Y S183A S183C
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
S183D S183E S183F S183G S183H S183I S183K S183L S183M S183N S183P S183Q S183R S183T S183V S183W S183Y D184A D184C D184E D184F D184G D184H D184I D184K D184L D184M D184N D184P D184Q D184R D184S D184T D184V D184W D184Y S185A S185C S185D S185E S185F S185G S185H S185I S185K S185L S185M S185N S185P S185Q
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
S185R
S185T
S185V
S185W
S185Y
D186A
D186C
D186E
D186F
D186G
D186H
D186I
D186K
D186L
D186M
D186N
D186P
D186Q
D186R
D186S
D186T
D186V
D186W
D186Y
G187A
G187C
G187D
G187E
G187F
G187H
G187I
G187K
G187L
G187M
G187N
G187P
G187Q
G187R
G187S
G187T
G187V
G187W
G187Y
L188A
L188C
L188D
L188E
L188F
L188G
L188H
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
L188I L188K L188M L188N L188P L188Q L188R L188S L188T L188V L188W L188Y A189C A189D A189E A189F A189G A189H A189I A189K A189L A189M A189N A189P A189Q A189R A189S A189T A189V A189W A189Y P190A P190C P190D P190E P190F P190G P190H P190I P190K P190L P190M P190N P190Q P190R P190S P190T P190V P190W P190Y
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
P191A P191C P191D P191E P191F P191G P191H P191I P191K P191L P191M P191N P191Q P191R P191S P191T P191V P191W P191Y Q192A Q192C Q192D Q192E Q192F Q192G Q192H Q192I Q192K Q192L Q192M Q192N Q192P Q192R Q192S Q192T Q192V Q192W Q192Y H193A H193C H193D H193E H193F H193G H193I H193K H193L H193M H193N H193P
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
H193Q H193R H193S H193T H193V H193W H193Y L194A L194C L194D L194E L194F L194G L194H L194I L194K L194M L194N L194P L194Q L194R L194S L194T L194V L194W L194Y I195A I195C I195D I195E I195F I195G I195H I195K I195L I195M I195N I195P I195Q I195R I195S I195T I195V I195W I195Y R196A R196C R196D R196E R196F
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
R196G R196H R196I R196K R196L R196M R196N R196P R196Q R196S R196T R196V R196W R196Y V197A V197C V197D V197E V197F V197G V197H V197I V197K V197L V197M V197N V197P V197Q V197R V197S V197T V197W V197Y E198A E198C E198D E198F E198G E198H E198I E198K E198L E198M E198N E198P E198Q E198R E198S E198T E198V
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
E198W
E198Y
G199A
G199C
G199D
G199E
G199F
G199H
G199I
G199K
G199L
G199M
G199N
G199P
G199Q
G199R
G199S
G199T
G199V
G199W
G199Y
N200A
N200C
N200D
N200E
N200F
N200G
N200H
N200I
N200K
N200L
N200M
N200P
N200Q
N200R
N200S
N200T
N200V
N200W
N200Y
L201A
L201C
L201D
L201E
L201F
L201G
L201H
L201I
L201K
L201M
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
L201N L201P L201Q L201R L201S L201T L201V L201W L201Y R202A R202C R202D R202E R202F R202G R202H R202I R202K R202L R202M R202N R202P R202Q R202S R202T R202V R202W R202Y V203A V203C V203D V203E V203F V203G V203H V203I V203K V203L V203M V203N V203P V203Q V203R V203S V203T V203W V203Y E204A E204C E204D
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
E204F E204G E204H E204I E204K E204L E204M E204N E204P E204Q E204R E204S E204T E204V E204W E204Y Y205A Y205C Y205D Y205E Y205F Y205G Y205H Y205I Y205K Y205L Y205M Y205N Y205P Y205Q Y205R Y205S Y205T Y205V Y205W L206A L206C L206D L206E L206F L206G L206H L206I L206K L206M L206N L206P L206Q L206R L206S
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
L206T L206V L206W L206Y D207A D207C D207E D207F D207G D207H D207I D207K D207L D207M D207N D207P D207Q D207R D207S D207T D207V D207W D207Y D208A D208C D208E D208F D208G D208H D208I D208K D208L D208M D208N D208P D208Q D208R D208S D208T D208V D208W D208Y R209A R209C R209D R209E R209F R209G R209H R209I
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
R209K R209L R209M R209N R209P R209Q R209S R209T R209V R209W R209Y N210A N210C N210D N210E N210F N210G N210H N210I N210K N210L N210M N210P N210Q N210R N210S N210T N210V N210W N210Y T211A T211C T211D T211E T211F T211G T211H T211I T211K T211L T211M T211N T211P T211Q T211R T211S T211V T211W T211Y F212A
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
F212C F212D F212E F212G F212H F212I F212K F212L F212M F212N F212P F212Q F212R F212S F212T F212V F212W F212Y R213A R213C R213D R213E R213F R213G R213H R213I R213K R213L R213M R213N R213P R213Q R213S R213T R213V R213W R213Y H214A H214C H214D H214E H214F H214G H214I H214K H214L H214M H214N H214P H214Q
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
H214R H214S H214T H214V H214W H214Y S215A S215C S215D S215E S215F S215G S215H S215I S215K S215L S215M S215N S215P S215Q S215R S215T S215V S215W S215Y V216A V216C V216D V216E V216F V216G V216H V216I V216K V216L V216M V216N V216P V216Q V216R V216S V216T V216W V216Y V217A V217C V217D V217E V217F V217G
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
V217H V217I V217K V217L V217M V217N V217P V217Q V217R V217S V217T V217W V217Y V218A V218C V218D V218E V218F V218G V218H V218I V218K V218L V218M V218N V218P V218Q V218R V218S V218T V218W V218Y P219A P219C P219D P219E P219F P219G P219H P219I P219K P219L P219M P219N P219Q P219R P219S P219T P219V P219W
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
P219Y
Y220A
Y220C
Y220D
Y220E
Y220F
Y220G
Y220H
Y220I
Y220K
Y220L
Y220M
Y220N
Y220P
Y220Q
Y220R
Y220S
Y220T
Y220V
Y220W
E221A
E221C
E221D
E221F
E221G
E221H
E221I
E221K
E221L
E221M
E221N
E221P
E221Q
E221R
E221S
E221T
E221V
E221W
E221Y
P222A
P222C
P222D
P222E
P222F
P222G
P222H
P222I
P222K
P222L
P222M
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
P222N P222Q P222R P222S P222T P222V P222W P222Y P223A P223C P223D P223E P223F P223G P223H P223I P223K P223L P223M P223N P223Q P223R P223S P223T P223V P223W P223Y E224A E224C E224D E224F E224G E224H E224I E224K E224L E224M E224N E224P E224Q E224R E224S E224T E224V E224W E224Y V225A V225C V225D V225E
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
V225F V225G V225H V225I V225K V225L V225M V225N V225P V225Q V225R V225S V225T V225W V225Y G226A G226C G226D G226E G226F G226H G226I G226K G226L G226M G226N G226P G226Q G226R G226S G226T G226V G226W G226Y S227A S227C S227D S227E S227F S227G S227H S227I S227K S227L S227M S227N S227P S227Q S227R S227T
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
S227V
S227W
S227Y
D228A
D228C
D228E
D228F
D228G
D228H
D228I
D228K
D228L
D228M
D228N
D228P
D228Q
D228R
D228S
D228T
D228V
D228W
D228Y
C229A
C229D
C229E
C229F
C229G
C229H
C229I
C229K
C229L
C229M
C229N
C229P
C229Q
C229R
C229S
C229T
C229V
C229W
C229Y
T230A
T230C
T230D
T230E
T230F
T230G
T230H
T230I
T230K
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
T230L T230M T230N T230P T230Q T230R T230S T230V T230W T230Y T231A T231C T231D T231E T231F T231G T231H T231I T231K T231L T231M T231N T231P T231Q T231R T231S T231V T231W T231Y I232A I232C I232D I232E I232F I232G I232H I232K I232L I232M I232N I232P I232Q I232R I232S I232T I232V I232W I232Y H233A H233C
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
H233D H233E H233F H233G H233I H233K H233L H233M H233N H233P H233Q H233R H233S H233T H233V H233W H233Y Y234A Y234C Y234D Y234E Y234F Y234G Y234H Y234I Y234K Y234L Y234M Y234N Y234P Y234Q Y234R Y234S Y234T Y234V Y234W N235A N235C N235D N235E N235F N235G N235H N235I N235K N235L N235M N235P N235Q N235R
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
N235S N235T N235V N235W N235Y Y236A Y236C Y236D Y236E Y236F Y236G Y236H Y236I Y236K Y236L Y236M Y236N Y236P Y236Q Y236R Y236S Y236T Y236V Y236W M237A M237C M237D M237E M237F M237G M237H M237I M237K M237L M237N M237P M237Q M237R M237S M237T M237V M237W M237Y C238A C238D C238E C238F C238G C238H C238I
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
C238K C238L C238M C238N C238P C238Q C238R C238S C238T C238V C238W C238Y N239A N239C N239D N239E N239F N239G N239H N239I N239K N239L N239M N239P N239Q N239R N239S N239T N239V N239W N239Y S240A S240C S240D S240E S240F S240G S240H S240I S240K S240L S240M S240N S240P S240Q S240R S240T S240V S240W S240Y
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
S241A S241C S241D S241E S241F S241G S241H S241I S241K S241L S241M S241N S241P S241Q S241R S241T S241V S241W S241Y C242A C242D C242E C242F C242G C242H C242I C242K C242L C242M C242N C242P C242Q C242R C242S C242T C242V C242W C242Y M243A M243C M243D M243E M243F M243G M243H M243I M243K M243L M243N M243P
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
M243Q M243R M243S M243T M243V M243W M243Y G244A G244C G244D G244E G244F G244H G244I G244K G244L G244M G244N G244P G244Q G244R G244S G244T G244V G244W G244Y G245A G245C G245D G245E G245F G245H G245I G245K G245L G245M G245N G245P G245Q G245R G245S G245T G245V G245W G245Y M246A M246C M246D M246E M246F
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
M246G
M246H
M246I
M246K
M246L
M246N
M246P
M246Q
M246R
M246S
M246T
M246V
M246W
M246Y
N247A
N247C
N247D
N247E
N247F
N247G
N247H
N247I
N247K
N247L
N247M
N247P
N247Q
N247R
N247S
N247T
N247V
N247W
N247Y
R248A
R248C
R248D
R248E
R248F
R248G
R248H
R248I
R248K
R248L
R248M
R248N
R248P
R248Q
R248S
R248T
R248V
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
R248W R248Y R249A R249C R249D R249E R249F R249G R249H R249I R249K R249L R249M R249N R249P R249Q R249S R249T R249V R249W R249Y P250A P250C P250D P250E P250F P250G P250H P250I P250K P250L P250M P250N P250Q P250R P250S P250T P250V P250W P250Y I251A I251C I251D I251E I251F I251G I251H I251K I251L I251M
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
I251N I251P I251Q I251R I251S I251T I251V I251W I251Y I252A L252C L252D L252E L252F L252G L252H L252I L252K L252M L252N L252P L252Q L252R L252S L252T L252V L252W L252Y T253A T253C T253D T253E T253F T253G T253H T253I T253K T253L T253M T253N T253P T253Q T253R T253S T253V T253W T253Y I254A I254C I254D
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
I254E I254F I254G I254H I254K I254L I254M I254N I254P I254Q I254R I254S I254T I254V I254W I254Y I255A I255C I255D I255E I255F I255G I255H I255K I255L I255M I255N I255P I255Q I255R I255S I255T I255V I255W I255Y T256A T256C T256D T256E T256F T256G T256H T256I T256K T256L T256M T256N T256P T256Q T256R
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
T256S T256V T256W T256Y L257A L257C L257D L257E L257F L257G L257H L257I L257K L257M L257N L257P L257Q L257R L257S L257T L257V L257W L257Y E258A E258C E258D E258F E258G E258H E258I E258K E258L E258M E258N E258P E258Q E258R E258S E258T E258V E258W E258Y D259A D259C D259E D259F D259G D259H D259I D259K
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
D259L D259M D259N D259P D259Q D259R D259S D259T D259V D259W D259Y S260A S260C S260D S260E S260F S260G S260H S260I S260K S260L S260M S260N S260P S260Q S260R S260T S260V S260W S260Y S261A S261C S261D S261E S261F S261G S261H S261I S261K S261L S261M S261N S261P S261Q S261R S261T S261V S261W S261Y G262A
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
G262C G262D G262E G262F G262H G262I G262K G262L G262M G262N G262P G262Q G262R G262S G262T G262V G262W G262Y N263A N263C N263D N263E N263F N263G N263H N263I N263K N263L N263M N263P N263Q N263R N263S N263T N263V N263W N263Y L264A L264C L264D L264E L264F L264G L264H L264I L264K L264M L264N L264P L264Q
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
L264R L264S L264T L264V L264W L264Y L265A L265C L265D L265E L265F L265G L265H L265I L265K L265M L265N L265P L265Q L265R L265S L265T L265V L265W L265Y G266A G266C G266D G266E G266F G266H G266I G266K G266L G266M G266N G266P G266Q G266R G266S G266T G266V G266W G266Y R267A R267C R267D R267E R267F R267G
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
R267H R267I R267K R267L R267M R267N R267P R267Q R267S R267T R267V R267W R267Y N268A N268C N268D N268E N268F N268G N268H N268I N268K N268L N268M N268P N268Q N268R N268S N268T N268V N268W N268Y S269A S269C S269D S269E S269F S269G S269H S269I S269K S269L S269M S269N S269P S269Q S269R S269T S269V S269W
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
S269Y F270A F270C F270D F270E F270G F270H F270I F270K F270L F270M F270N F270P F270Q F270R F270S F270T F270V F270W F270Y E271A E271C E271D E271F E271G E271H E271I E271K E271L E271M E271N E271P E271Q E271R E271S E271T E271V E271W E271Y V272A V272C V272D V272E V272F V272G V272H V272I V272K V272L V272M
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
V272N V272P V272Q V272R V272S V272T V272W V272Y R273A R273C R273D R273E R273F R273G R273H R273I R273K R273L R273M R273N R273P R273Q R273S R273T R273V R273W R273Y V274A V274C V274D V274E V274F V274G V274H V274I V274K V274L V274M V274N V274P V274Q V274R V274S V274T V274W V274Y C275A C275D C275E C275F
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic



Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
C275G C275H C275I C275K C275L C275M C275N C275P C275Q C275R C275S C275T C275V C275W C275Y A276C A276D A276E A276F A276G A276H A276I A276K A276L A276M A276N A276P A276Q A276R A276S A276T A276V A276W A276Y C277A C277D C277E C277F C277G C277H C277I C277K C277L C277M C277N C277P C277Q C277R C277S C277T
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic


Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
C277V C277W C277Y P278A P278C P278D P278E P278F P278G P278H P278I P278K P278L P278M P278N P278Q P278R P278S P278T P278V P278W P278Y G279A G279C G279D G279E G279F G279H G279I G279K G279L G279M G279N G279P G279Q G279R G279S G279T G279V G279W G279Y R280A R280C R280D R280E R280F R280G R280H R280I R280K
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic


Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
R280L R280M R280N R280P R280Q R280S R280T R280V R280W R280Y D281A D281C D281E D281F D281G D281H D281I D281K D281L D281M D281N D281P D281Q D281R D281S D281T D281V D281W D281Y R282A R282C R282D R282E R282F R282G R282H R282I R282K R282L R282M R282N R282P R282Q R282S R282T R282V R282W R282Y R283A R283C
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic


Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
R283D R283E R283F R283G R283H R283I R283K R283L R283M R283N R283P R283Q R283S R283T R283V R283W R283Y T284A T284C T284D T284E T284F T284G T284H T284I T284K T284L T284M T284N T284P T284Q T284R T284S T284V T284W T284Y E285A E285C E285D E285F E285G E285H E285I E285K E285L E285M E285N E285P E285Q E285R
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic


Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
E285S E285T E285V E285W E285Y E286A E286C E286D E286F E286G E286H E286I E286K E286L E286M E286N E286P E286Q E286R E286S E286T E286V E286W E286Y E287A E287C E287D E287F E287G E287H E287I E287K E287L E287M E287N E287P E287Q E287R E287S E287T E287V E287W E287Y N288A N288C N288D N288E N288F N288G N288H
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic


Damaging
Neutral
Uncertain
Not_available
Early Folding Region
LoF
GoF
AlphaMissense classification
EVE classification (25% Uncertain)
GEMME classification
DeMaSk predicted consequence
AlloSigMA 2 predicted consequence - pockets and interfaces
Phosphorylation effect in function
Phosphorylation effect in regulation
Local Int. classification (TP53_2OCJbd)
Local Int. With DNA classification (3KZ8b)
Local Int. classification (TP53BP1_AFmulti)
Functional sites (cofactor)
EFoldMine - part of early folding region
Predicted de-novo disulfide bridge
Loss of disulfide bridge
Phosphorylation effect in stability
Stability classification, alphafold, (RaSP, FoldX)
Stability classification, alphafold, (Rosetta, FoldX)
N288I
N288K
N288L
N288M
N288P
N288Q
N288R
N288S
N288T
N288V
N288W
N288Y
L289A
L289C
L289D
L289E
L289F
L289G
L289H
L289I
L289K
L289M
L289N
L289P
L289Q
L289R
L289S
L289T
L289V
L289W
L289Y
Mutations
ClinVar classification
Not available
Conflicting
Uncertain
Benign/Likely Benign
Pathogenic/Likely Pathogenic