

## Requirements from funding bodies & institutions



Korbinian Bösl Data management coordinator ELIXIR Norway/Digital Life Norway 30th November 2020



#### National strategy on access to and sharing of research data

Research data must be as open as possible, as closed as necessary

Research data should be managed and curated to take full advantage of their potential.

Decisions concerning archiving and management of research data must be taken within the research community

---

#### The Government expects:

the research institutions to develop procedures for (i) approving data management plans





### **FAIR-principles**

#### Data Management Plan Storage **Archival Ethics Deposition**



https://innsida.ntnu.no/wiki/-/wiki/English/NTNU+Open+Data


https://www.nmbu.no/en/research/for\_researchers/researchdata/node/34680

https://www.uio.no/english/for-employees/support/research/research-data-management/policies-and-guidelines/index.html





## Forskningsrådet









- Description & Re-use
- Documentation & Data quality
- Storage & Backups
- Legal & Ethic requirements
- Sharing & Preservation
- Responsibilities & Resources (FAIR principles)



**EUROPE** 

## Description & Re-use

How will new data be collected or produced and/or how will existing data be re-used





## Description & Re-use

How will new data be collected or produced and/or how will existing data be re-used

What data (for example the kinds, formats, and volumes) will be collected or produced?





### Documentation & Data quality

What metadata and documentation (for example the methodology of data collection and way of organising data) will accompany data?





## Documentation & Data quality

What metadata and documentation (for example the methodology of data collection and way of organising data) will accompany data?

What data quality control measures will be used?



# Storage and backup during the research process

How will data and metadata be stored and backed up during the research process?





# Storage and backup during the research process

How will data and metadata be stored and backed up during the research process?





# Storage and backup during the research process

How will data and metadata be stored and backed up during the research process?

How will data security and protection of sensitive data be taken care of during the research?





## Legal and ethical requirements, codes of conduct

If personal data are processed, how will compliance with legislation on personal data and on data security be ensured?





## Legal and ethical requirements, codes of conduct

If personal data are processed, how will compliance with legislation on personal data and on data security be ensured?

How will other legal issues, such as intellectual property rights and ownership, be managed? What legislation is applicable?





# Legal and ethical requirements, codes of conduct

If personal data are processed, how will compliance with legislation on personal data and on data security be ensured?

How will other legal issues, such as intellectual property rights and ownership, be managed? What legislation is applicable?

How will possible ethical issues be taken into account, and codes of conduct followed?



How and when will data be shared? Are there possible restrictions to data sharing or embargo reasons?





How and when will data be shared? Are there possible restrictions to data sharing or embargo reasons?

How will data for preservation be selected, and where will data be preserved long-term (for example a data repository or archive)?





How and when will data be shared? Are there possible restrictions to data sharing or embargo reasons?

How will data for preservation be selected, and where will data be preserved long-term (for example a data repository or archive)?

What methods or software tools will be needed to access and use the data?





How and when will data be shared? Are there possible restrictions to data sharing or embargo reasons?

How will data for preservation be selected, and where will data be preserved one-term (free and a data repositor archive)?

Open, (non-properitary)

What methods or software tool, will be needed to access and use the data?

data formats!

How will the application of a unique and persistent identifier (such as a Digital Object Identifier (DOI)) to each data set be ensured?



## Data management responsibilities and resources

Who (for example role, position, and institution) will be responsible for data management (i.e. the data steward)?





## Data management responsibilities and resources

Who (for example role, position, and institution) will be responsible for data management (i.e. the data steward)?

What resources (for example financial and time) will be dedicated to data management and ensuring that data will be FAIR (Findable, Accessible, Interoperable, Reusable)?






Norwegian e-Infrastructure for Life Sciences




















Galaxy



sensitive data





## SCIENTIFIC DATA

Amended: Addendum

#### **SUBJECT CATEGORIES**

» Research data » Publication characteristics

Received: 10 December 2015

Accepted: 12 February 2016

Published: 15 March 2016

### **OPEN** Comment: The FAIR Guiding Principles for scientific data management and stewardship

Mark D. Wilkinson et al.#

There is an urgent need to improve the infrastructure supporting the reuse of scholarly data. A diverse set of stakeholders—representing academia, industry, funding agencies, and scholarly publishers—have come together to design and jointly endorse a concise and measureable set of principles that we refer to as the FAIR Data Principles. The intent is that these may act as a guideline for those wishing to enhance the reusability of their data holdings. Distinct from peer initiatives that focus on the human scholar, the FAIR Principles put specific emphasis on enhancing the ability of machines to automatically find and use the data, in addition to supporting its reuse by individuals. This Comment is the first formal publication of the FAIR Principles, and includes the rationale behind them, and some exemplar implementations in the community.









Identifiers.org



## community metadata standards























HTTP, FTP, SMTP, ...

























































```
-<rdf:RDF xml:base="http://purl.uniprot.org/uniprot/">
 -<owl:Ontology rdf:about="http://purl.uniprot.org/uniprot/">
    <owl:/mports.rdf:resource="http://purl.uniprot.org/core/"/>
 -<rdf:Description rdf:about="http://purl.uniprot.org/uniprot/C8V1L6">
    <rdf:type rdf:resource="http://purl.uniprot.org/core/Protein"/>
    <reviewed rdf:datatype="http://www.w3.org/2001/XMLSchema#boolean">false</reviewed>
    <created rdf:datatype="http://www.w3.org/2001/XMLSchema#date">2009-11-03</created>
    <modified rdf:datatype="http://www.w3.org/2001/XMLSchema#date">2020-02-26</modified>
    <version rdf:datatype="http://www.w3.org/2001/XMLSchema#int">56</version>
    <mnemonic>C8V1L6 EMENI</mnemonic>
    <citation rdf:resource="http://purl.uniprot.org/citations/16372000" rdf:ID=" C8V1L6-citation-16372000"/>
    <citation rdf:resource="http://purl.uniprot.org/citations/19146970" rdf:ID=" C8V1L6-citation-19146970"/>
    <rd>seeAlso rdf:resource="http://purl.uniprot.org/embl-cds/CBF71237.1"/></rd>
    <rd>s:seeAlso rdf:resource="http://purl.uniprot.org/string/162425.CADANIAP00007466"/></rd>
    <rdfs:seeAlso rdf:resource="http://rdf.ebi.ac.uk/resource/ensembl.transcript/CBF71237"/>
    <rdfs:seeAlso rdf:resource="http://purl.uniprot.org/hogenom/CLU_021795_2_0_1"/>
    <rdfs:seeAlso rdf:resource="http://purl.uniprot.org/inparanoid/C8V1L6"/>
    <rdfs:seeAlso rdf:resource="http://purl.uniprot.org/oma/RRMTQWD"/>
    <rdfs:seeAlso rdf:resource="http://purl.orthodb.org/odbgroup/896650at2759"/>
    <rdfs:seeAlso rdf:resource="http://purl.uniprot.org/gene3d/3.30.70.330"/>
    <rdfs:seeAlso rdf:resource="http://purl.uniprot.org/interpro/IPR012677"/>
    <rdfs:seeAlso rdf:resource="http://purl.uniprot.org/interpro/IPR035979"/>
    <rdfs:seeAlso rdf:resource="http://purl.uniprot.org/interpro/IPR000504"/>
    <rdfs:seeAlso rdf:resource="http://purl.uniprot.org/interpro/IPR006529"/>
    <rd><rdfs:seeAlso rdf:resource="http://purl.uniprot.org/pfam/PF00076"/></rd>
    <rdfs:seeAlso rdf:resource="http://purl.uniprot.org/smart/SM00360"/>
    <rdfs:seeAlso rdf:resource="http://purl.uniprot.org/supfam/SSF54928"/>
    <rdfs:seeAlso rdf:resource="http://purl.uniprot.org/tigrfams/TIGR01642"/>
    <rdfs:seeAlso rdf:resource="http://purl.uniprot.org/prosite/PS50102"/>
    <recommendedName rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6#SIPA684070976E05B6F"/>
    <organism rdf:resource="http://purl.uniprot.org/taxonomy/227321" rdf:ID=" kb.C8V1L6 up.organism 6AB496E3E603B26C"/>
    <encodedBy rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6#gene-MD5E291E4AD4C1ECECBE4D4D7FE32B9BC83"/>
    <annotation rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6#SIPDCBF72D556B4C17A"/>
    <annotation rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6#SIP600E1880AC5770AE"/>
    <annotation rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6#SIP49AA1FD79CA811F6"/>
    <annotation rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6#SIP7BCFB6F4503520CE" rdf:ID=" kb.C8V1L6 up.annotation A9BB48146985900B"/>
    \textbf{<annotation rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6\#SIP8811C283D149FFCC" rdf:ID="kb.C8V1L6\_up.annotation\_6100E1840F3E6B30"/>}
    <annotation rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6#SIP1B2DE488903A2A87" rdf:ID="kb.C8V1L6 up.annotation 4F93D190499FD709"/>
    <annotation rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6#SIP301EE22FBBD02E62" rdf:ID=" kb.C8V1L6 up.annotation B4852F7C86362ED8"/>
    <annotation rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6#SIP4A6D84E3CC0142B3" rdf:ID="_kb.C8V1L6_up.annotation_FE1C22F76AA453DB"/>
<existence rdf:resource="http://purl.uniprot.org/core/Inferred_from_Homology_Existence"/>
    <classifiedWith rdf:resource="http://purl.uniprot.org/keywords/508" rdf:ID=" kb.C8V1L6 up.classifiedWith 27D8C345566F5B54"/>
    <classifiedWith rdf:resource="http://purl.uniprot.org/keywords/539" rdf:ID="kb.C8V1L6_up.classifiedWith_66DE634CA7CD240C"/>
    <classifiedWith rdf:resource="http://purl.uniprot.org/keywords/1185" rdf:ID=" kb.C8V1L6 up.classifiedWith 239F467843ABCFE3"/>
    <classifiedWith rdf:resource="http://purl.uniprot.org/keywords/694" rdf:ID=" kb.C8V1L6 up.classifiedWith 7EE88433D3D268B0"/>
    <classifiedWith rdf:resource="http://purl.obolibrary.org/obo/GO_0000243" rdf:ID="_kb.C@V1L6_up.classifiedWith_obo.GO_0000243"/>
    <classifiedWith rdf:resource="http://purl.obolibrary.org/obo/GO_0016607" rdf:ID="_kb.C8V1L6_up.classifiedWith_obo.GO_0016607"/>
    <classifiedWith rdf:resource="http://purl.obolibrary.org/obo/GO 0071004" rdf:ID=" kb.C8V1L6 up.classifiedWith obo.GO 0071004"/>
    <classifiedWith rdf:resource="http://purl.obolibrary.org/obo/GO 0089701" rdf:ID="kb.C8V1L6 up.classifiedWith obo.GO 0089701"/>
    <classifiedWith rdf:resource="http://purl.obolibrary.org/obo/GO_0008187" rdf:ID="_kb.C8V1L6_up.classifiedWith_obo.GO_0008187"/>
    <classifiedWith rdf:resource="http://purl.obolibrary.org/obo/GO 0030628" rdf:ID=" kb.C8V1L6 up.classifiedWith obo.GO 0030628"/>
    <classifiedWith rdf:resource="http://purl.obolibrary.org/obo/GO 0006397" rdf:ID=" kb.C8V1L6 up.classifiedWith obo.GO 0006397"/>
    <classifiedWith rdf:resource="http://purl.obolibrary.org/obo/GO 0008380" rdf:ID="kb.C8V1L6 up.classifiedWith obo.GO 0008380"/>
    <sequence rdf:resource="http://purl.uniprot.org/isoforms/C8V1L6-1"/>
    <a tribution rdf:resource="http://purl.uniprot.org/uniprot/C8V11.6#attribution-4D7F72A356C1855D0A9FA246AE0C711F"/>
    <attribution rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6#attribution-E3AA1198D64AFFBCC64F0CE694EA8E54"/>
     <a href="attribution-rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6#attribution-C5B03FC1845F8B79A72469B45442767E"/>
    <attribution rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6#attribution-0B18EE4B5423117D3F80B78128A3200F"/>
    <a tribution rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6#attribution-7062DEDAODB9D7DF2A2BE7AD38A57019"/>
    <a tribution rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6#attribution-367221EA5BFC27A5AFE9D2DBD051489F"/>
    <a tribution rdf:resource="http://purl.uniprot.org/uniprot/C8V1L6#attribution-7D5ABB862784077AC8F3594D561C3762"/>
```





Describe the scope of your data: for what purpose was it generated/collected?

Mention any particularities or limitations about the data that other users should be aware of.

Specify the date of generation/collection of the data, the lab conditions, who prepared the data, the parameter settings, the name and version of the software used.

Is it raw or processed data?

Ensure that all variable names are explained or self-explanatory

Clearly specify and document the version of the archived and/or reused data.







#### Ideal:





But also more closed license possible - has to be defined!










Where does the sample come from?

Where other analysed performed on the same sample?

On what is this based?

Which reference data was used?


....













MAGE-TAB EFO MIAME ISA-TAB PDBx/mmCIF





### Horizon 2020 → Horizon Europe

Open Research Data Pilot (ORD pilot)
Default since 2017 → mandatory 2021







### Horizon 2020 → Horizon Europe

Data summary

FAIR data implementation

Resources

Data security





### **Data Steward Wizard**



elixir-no.ds-wizard.org



