

Universidad Autónoma de Chiapas UNACH



Maldonado de Paz Elmar Enrique

Configura MVC en NODE Js usuario con Bd mysql

Docente: D.s.c. Luis Gutiérrez Alfaro

Materia: Taller de desarrollo 3

Facultad: F.C.A. C-1

L.I.D.T.S.


5to Semestre Grupo M

Tuxtla Gutiérrez Chiapas a 10 de septiembre de 2025


Vista Login



Vista dashboard



Vista contraseña incorrecta



Entrar por medio de ubuntu

```
melman@LAPTOP-JJC7E0V3:/home/taller3agos_dic_2025/pweb

— □ ×

melman@LAPTOP-JJC7E0V3:~$ cd .

melman@LAPTOP-JJC7E0V3:~$ cd /home
melman@LAPTOP-JJC7E0V3:/home$ ls

melman@LAPTOP-JJC7E0V3:/home$ cd /taller3agos_dic_2025
-bash: cd: /taller3agos_dic_2025: No such file or directory
melman@LAPTOP-JJC7E0V3:/home$ cd taller3agos_dic_2025
melman@LAPTOP-JJC7E0V3:/home$ cd taller3agos_dic_2025
melman@LAPTOP-JJC7E0V3:/home/taller3agos_dic_2025/pweb$ code .

melman@LAPTOP-JJC7E0V3:/home/taller3agos_dic_2025/pweb$ _

m
```

Mysql instalacion

```
• melman@LAPTOP-JJC7E0V3:/home/taller3agos_dic_2025/pweb$ sudo apt install mysql-server [sudo] password for melman:
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
mysql-server is already the newest version (8.0.43-0ubuntu0.24.04.1).
0 upgraded, 0 newly installed, 0 to remove and 102 not upgraded.
```

npm init -y

```
melman@LAPTOP-JJC7E0V3:/home/taller3agos_dic_2025/pweb$ npm init -y
 Wrote to /home/taller3agos dic 2025/pweb/package.json:
    "name": "pweb",
   "version": "1.0.0",
   "main": "index.js",
    "scripts": {
      "dev": "nodemon src/app.js"
    "keywords": [],
    "author": ""
    "license": "ISC",
    "dependencies": {
      "body-parser": "^2.2.0",
      "express": "^5.1.0",
"express-session": "^1.18.2",
      "mysql": "^2.18.1"
    "devDependencies": {
      "nodemon": "^3.1.10"
    "description": ""
```

npm install express mysql body-parser express-session

```
melman@LAPTOP-JJC7E0V3:/home/taller3agos_dic_2025/pweb$ npm install express mysql body-parser express-set
up to date, audited 115 packages in 5s


20 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
```

Mysql base de datos ;

```
nelman@LAPTOP-JJC7E0V3:/home/taller3agos_dic_2025/pweb$ mysql -u root -p
Enter password:
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 27
Server version: 8.0.43-0ubuntu0.24.04.1 (Ubuntu)
Copyright (c) 2000, 2025, Oracle and/or its affiliates.
Dracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> show databases;
 Database
 db clinica
 information_schema
 mysql
 performance_schema
 sys
```

Organización de archivos



Mysql operando:

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS 1

^C

^melman@LAPTOP-JJC7E0V3:/home/taller3agos_dic_2025/pweb$ sudo systemctl status mysql

[sudo] password for melman:

• mysql.service - MySQL Community Server

Loaded: loaded (/usr/lib/systemd/system/mysql.service; enabled; preset: enabled)

Active: active (running) since Tue 2025-09-09 20:02:49 CST; 20h ago

Process: 12934 ExecStartPre=/usr/share/mysql/mysql-systemd-start pre (code=exited, status=0/SUCCESS)

Main PID: 12943 (mysqld)

Status: "Server is operational"

Tasks: 38 (limit: 9132)

Memory: 363.3M (peak: 378.9M)

CPU: 2min 1.010s

CGroup: /system.slice/mysql.service

—12943 /usr/sbin/mysqld

Sep 09 20:02:48 LAPTOP-JJC7E0V3 systemd[1]: Starting mysql.service - MySQL Community Server...

Sep 09 20:02:49 LAPTOP-JJC7E0V3 systemd[1]: Started mysql.service - MySQL Community Server.

lines 1-14...skipping...

• mysql.service - MySQL Community Server

Loaded: loaded (/usr/lib/systemd/system/mysql.service; enabled; preset: enabled)
```

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS 

Tines 1-14/14 (END)

mysql.service - MySQL Community Server
Loaded: loaded (/usr/lib/systemd/system/mysql.service; enabled; preset: enabled)
Active: active (running) since Tue 2025-09-09 20:02:49 CST; 20h ago
Process: 12934 ExecStartPre=/usr/share/mysql/mysql-systemd-start pre (code=exited, status=0/SUCCESS)
Main PID: 12943 (mysqld)
Status: "Server is operational"
Tasks: 38 (limit: 9132)
Memory: 363.3M (peak: 378.9M)
CPU: 2min 1.010s
CGroup: /system.slice/mysql.service
L12943 /usr/sbin/mysqld

Sep 09 20:02:48 LAPTOP-JJC7E0V3 systemd[1]: Starting mysql.service - MySQL Community Server...
Sep 09 20:02:49 LAPTOP-JJC7E0V3 systemd[1]: Started mysql.service - MySQL Community Server...
```