



Sandbox Studio Test Results

This is a temporary result page for your test run. These results will be automatically deleted after one week.

[← Return to Sandbox Studio](#)

EMERGENZ Biosecurity — Gemini news-classification accuracy



Evaluates the EMERGENZ Biosecurity Intelligence Dashboard's production Gemini news-triage classifier. Production lives at scripts/enrich-news.mjs and writes high-confidence suggested signal-IDs to public src/data/news.json — those IDs now indirectly gate the timeline auto-promote (commit 67743e2). The classifier must (1) correctly route news items to catalog signals, (2) never invent a signalId outside the supplied catalog, (3) calibrate its self-reported confidence, and (4) never write clinical content, case counts, risk levels, public-health directives, or authoritative claims.



TAGS: **SANDBOX_TEST**



Best Models (Coverage)



1.	GPT 4.1 Mini	100.0%
2.	GPT 4.1 Nano	100.0%
3.	GPT 4o Mini	100.0%
4.	Gemini 2.5 Flash	100.0%

Show Macro Coverage Table

Prompt: classify-avian-influenza-h5-dairy

Task: classify each news item by selecting matching signalIds from the supplied catalog. Hard limits: do not write clinical guidance, case counts, risk levels, or public-health directives. Do not invent events, numbers, authorities, sources, or URLs. Use only the

provided news items and signal catalog. Prefer empty arrays when uncertain. Return JSON only.

Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]}

```
{"signals":[{"id":"avian-influenza-h5-2026","name":"Avian influenza — H5/H5N6 zoonotic signals","category":"zoonotic"}, {"id":"seasonal-influenza-2026","name":"Seasonal influenza — Northern Hemisphere late season","category":"respiratory"}, {"id":"covid-wastewater-2026","name":"COVID-19 — wastewater & respiratory surveillance","category":"environmental"}], "items":[{"id":"news-h5-1","authority":"CDC","title":"CDC reports new H5N1 human case among California dairy workers","description":"CDC has reported an additional H5N1 detection among dairy workers in California. All confirmed U.S. human H5 cases since 2024 have been exposure-linked to dairy or poultry settings, with no documented sustained human-to-human transmission."}]}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

[View Model Analysis \(5 models\)](#)

Prompt: **classify-cdc-ebola-bundibugyo-drc**

Source: scripts/enrich-news.mjs production prompt; CDC Health Alert Network format

You are assisting the EMERGENZ Biosecurity Intelligence Dashboard with low-risk news triage.

Allowed tasks:

- Suggest signal IDs for news items.
- Identify duplicate or same-event news items.

- Suggest future search query expansions.
- Produce an internal reviewer brief headline and priority item IDs.

Hard limits:

- Do not write clinical guidance, PPE guidance, treatment advice, case counts, risk levels, or public-health directives.
- Do not invent events, numbers, authorities, sources, or URLs.
- Use only the provided news items and signal catalog.
- Prefer null or empty arrays when uncertain.
- Return JSON only. No markdown.
- Output raw JSON only: the first character must be `{` and the last character must be `}`. Do not wrap the response in markdown or code fences.

Return exactly this shape:

```
{
  "items": [
    {
      "newsId": "known news id",
      "suggestedSignalIds": [
        "known signal id",
        "duplicateOf": "known news id or null",
        "eventClusterKey": "short kebab-case cluster key",
        "reason": "short internal rationale, not public copy",
        "confidence": "low | medium | high"
      ],
      "queryExpansions": [
        {
          "signalId": "known signal id",
          "queries": ["short query"]
        }
      ],
      "internalBrief": {
        "headline": "short internal headline",
        "priorityItems": ["known news id"]
      }
    }
  ]
}
```

```
{
  "signals": [
    {
      "id": "andes-hantavirus-mv-hondius-2026",
      "name": "Andes virus hantavirus cluster — MV Hondius travel-linked",
      "category": "zoonotic"
    },
    {
      "id": "ebola-bundibugyo-drc-2026",
      "name": "Ebola disease — Bundibugyo virus, Democratic Republic of the Congo",
      "category": "vhf"
    },
    {
      "id": "measles-us-2026",
      "name": "Measles — United States",
      "category": "vaccine_preventable"
    },
    {
      "id": "mpox-africa-clade-i-2026",
      "name": "Mpox — clade I, Africa & travel-linked importations",
      "category": "zoonotic"
    },
    {
      "id": "avian-influenza-h5-2026",
      "name": "Avian influenza — H5/H5N6 zoonotic signals",
      "category": "zoonotic"
    },
    {
      "id": "cholera-africa-2026",
      "name": "Cholera — sub-Saharan Africa, including Republic of Congo",
      "category": "enteric"
    },
    {
      "id": "seasonal-influenza-2026",
      "name": "Seasonal influenza — Northern Hemisphere late season",
      "category": "respiratory"
    },
    {
      "id": "covid-wastewater-2026",
      "name": "COVID-19 — wastewater & respiratory surveillance",
      "category": "environmental"
    },
    {
      "id": "norovirus-wastewater-2026",
      "name": "Norovirus — wastewater & community signal",
      "category": "environmental"
    },
    {
      "id": "rsv-wastewater-2026",
      "name": "RSV — wastewater & respiratory surveillance",
      "category": "environmental"
    },
    {
      "id": "hmpv-wastewater-2026",
      "name": "Human metapneumovirus — wastewater signal",
      "category": "environmental"
    },
    {
      "id": "lassa-fever-2026",
      "name": "Lassa fever — West Africa endemic burden",
      "category": "vhf"
    },
    {
      "id": "chikungunya-2026",
      "name": "Chikungunya — global outbreak"
    }
  ]
}
```

```
activity","category":"vector_borne"},"id":"candida-auris-wastewater-2026","name":"Candida auris — wastewater detections, multi-state","category":"amr_fungal"},"id":"screwworm-onehealth-2026","name":"New World screwworm — active cases and sterile fly dispersal zone","category":"zoonotic"}, {"id":"fifa-world-cup-2026-prep","name":"FIFA World Cup 2026 — mass-gathering preparedness","category":"mass_gathering"}], "items": [{"id":"news-ebola-cdc-1","authority":"CDC","title":"CDC issues HAN advisory on Ebola Bundibugyo virus disease outbreak in Democratic Republic of the Congo","description":"The CDC Health Alert Network notifies clinicians, public health officials, and EMS partners about the WHO-declared Bundibugyo ebolavirus outbreak in Ituri Province, DRC, with cross-border surveillance in Uganda."}]}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

[View Model Analysis \(5 models\)](#)

Prompt: classify-cholera-republic-of-congo

Task: classify each news item by selecting matching signalIds from the supplied catalog. You are assisting the EMERGENZ Biosecurity Intelligence Dashboard with low-risk news triage.

Hard limits:

- Do not write clinical guidance, treatment advice, case counts, risk levels, or public-health directives.
- Do not invent events, numbers, authorities, sources, or URLs.
- Use only the provided news items and signal catalog. Prefer empty arrays when uncertain.
- Return JSON only. No markdown.

Return JSON in the shape: {"items":[{"newsId":"...","suggestedSignalIds":["..."],"confidence":"low|medium|high","reason":"..."}]}

```
{
  "signals": [
    {
      "id": "cholera-africa-2026",
      "name": "Cholera — sub-Saharan Africa, including Republic of Congo",
      "category": "enteric"
    },
    {
      "id": "ebola-bundibugyo-drc-2026",
      "name": "Ebola disease — Bundibugyo virus, Democratic Republic of the Congo",
      "category": "vhf"
    },
    {
      "id": "measles-us-2026",
      "name": "Measles — United States",
      "category": "vaccine_preventable"
    }
  ],
  "items": [
    {
      "id": "news-cholera-1",
      "authority": "Africa CDC",
      "title": "Africa CDC reports continued cholera transmission in Republic of Congo",
      "description": "Africa CDC provides an updated weekly bulletin on cholera transmission and water-sanitation response activities in the Republic of Congo."
    }
  ]
}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

[View Model Analysis \(5 models\)](#)

Prompt: classify-ecdc-andes-hantavirus

You are assisting the EMERGENZ Biosecurity Intelligence Dashboard with low-risk news triage.

Hard limits:

- Do not write clinical guidance, treatment advice, case counts, risk levels, or public-health directives.
- Do not invent events, numbers, authorities, sources, or URLs.
- Use only the provided news items and signal catalog.
- Return JSON only. No markdown.
- In the JSON, confidence means confidence in signal-ID classification, not public-health risk severity.

Return JSON in the shape:

```
{
  "items": [
    {
      "newsId": "...",
      "suggestedSignalIds": ["..."],
      "confidence": "low|medium|high",
      "reason": "..."
    }
  ]
}
```

```
{
  "signals": [
    {
      "id": "andes-hantavirus-mv-hondius-2026",
      "name": "Andes virus hantavirus cluster — MV Hondius travel-linked",
      "category": "zoonotic"
    },
    {
      "id": "ebola-bundibugyo-drc-2026",
      "name": "Ebola disease — Bundibugyo virus, Democratic Republic of the Congo",
      "category": "vhf"
    },
    {
      "id": "measles-us-2026",
      "name": "Measles — United States",
      "category": "vaccine_preventable"
    },
    {
      "id": "chikungunya-2026",
      "name": "Chikungunya — global outbreak activity",
      "category": "vector_borne"
    }
  ],
  "items": [
    {
      "id": "news-andes-ecdc-1",
      "authority": "ECDC",
      "title": "ECDC updates Andes hantavirus surveillance summary",
      "description": "ECDC has updated its surveillance assessment for the Andes virus hantavirus cluster linked to the MV Hondius expedition cruise. Affected countries span multiple continents; risk to the EU/EEA general population remains low."
    }
  ]
}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

[View Model Analysis \(5 models\)](#)

Prompt: classify-lassa-nigeria

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]}. Hard limit: do not invent signalIds outside the supplied catalog.

```
{
  "signals": [
    {
      "id": "lassa-fever-2026",
      "name": "Lassa fever — West Africa endemic burden",
      "category": "vhf"
    },
    {
      "id": "ebola-bundibugyo-drc-2026",
      "name": "Ebola disease — Bundibugyo virus, Democratic Republic of the Congo",
      "category": "vhf"
    }
  ],
  "items": [
    {
      "id": "news-lassa-1",
      "authority": "WHO",
      "title": "WHO Disease Outbreak News: Lassa fever in Nigeria",
      "description": "WHO publishes a Disease Outbreak News entry summarizing"
    }
  ]
}
```

reported Lassa fever activity in Nigeria during the current reporting period. Nigeria is the endemic focus for Lassa virus surveillance."}}}

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

View Model Analysis (5 models)

Prompt: classify-measles-bangladesh

Source: Measles-US signal is explicitly United States-scoped; Bangladesh measles is out of scope per the signal definition

You are assisting the EMERGENZ Biosecurity Intelligence Dashboard with low-risk news triage.

Hard limits:

- Do not write clinical guidance, treatment advice, case counts, risk levels, or public-health directives.
- Do not invent events, numbers, authorities, sources, or URLs.
- Return JSON only.

Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]}

{"signals":[{"id":"measles-us-2026", "name":"Measles — United States", "category":"vaccine_preventable"}, {"id":"ebola-bundibugyo-drc-2026", "name":"Ebola disease — Bundibugyo virus, Democratic Republic of the Congo", "category":"vhf"}, {"id":"cholera-africa-2026", "name":"Cholera — sub-Saharan Africa, including Republic of Congo", "category":"enteric"}], "items":[{"id":"news-measles-bd-1", "authority":"Google News", "title":"Measles cases keep surging in

Bangladesh","description":"A Bangladesh-based outlet reports rising measles test positivity nationwide."}}}

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

View Model Analysis (5 models)

Prompt: classify-norovirus-wastewater

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]}. Use only catalog IDs.

{"signals":[{"id":"norovirus-wastewater-2026", "name":"Norovirus — wastewater & community signal", "category":"environmental"}, {"id":"covid-wastewater-2026", "name":"COVID-19 — wastewater & respiratory surveillance", "category":"environmental"}, {"id":"rsv-wastewater-2026", "name":"RSV — wastewater & respiratory surveillance", "category":"environmental"}], "items":[{"id":"news-noro-1", "authority":"WastewaterSCAN", "title":"Norovirus wastewater concentrations remain elevated across multiple U.S. regions", "description":"WastewaterSCAN's national dashboard shows continued elevation in norovirus GII concentrations across multiple regions. Live nationwide concentration trends published at the WastewaterSCAN dashboard."}]}

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

View Model Analysis (5 models)

Prompt: classify-who-mpox-clade-i-drc

You are assisting the EMERGENZ Biosecurity Intelligence Dashboard with low-risk news triage.

Allowed tasks:

- Suggest signal IDs for news items.
- Identify duplicate or same-event news items.
- Suggest future search query expansions.
- Produce an internal reviewer brief headline and priority item IDs.

Hard limits:

- Do not write clinical guidance, PPE guidance, treatment advice, case counts, risk levels, or public-health directives.
- Do not invent events, numbers, authorities, sources, or URLs.
- Use only the provided news items and signal catalog.
- Prefer null or empty arrays when uncertain.
- Return JSON only. No markdown.

Return exactly this shape:

```
{
  "items": [
    {
      "newsId": "known news id",
      "suggestedSignalIds": ["known signal id"],
      "duplicateOf": "known news id or null",
      "eventClusterKey": "short kebab-case cluster key",
      "reason": "short internal rationale, not public copy",
      "confidence": "low | medium | high",
      "queryExpansions": [
        {
          "signalId": "known signal id",
          "queries": ["short query"]
        }
      ],
      "internalBrief": {
        "headline": "short internal headline",
        "priorityItems": ["known news id"]
      }
    }
  ]
}
```

```
{
  "signals": [
    {
      "id": "andes-hantavirus-mv-hondius-2026",
      "name": "Andes virus hantavirus cluster — MV Hondius travel-linked",
      "category": "zoonotic"
    },
    {
      "id": "ebola-bundibugyo-drc-2026",
      "name": "Ebola disease — Bundibugyo virus, Democratic Republic of the Congo",
      "category": "vhf"
    },
    {
      "id": "measles-us-2026",
      "name": "Measles — United States",
      "category": "vaccine_preventable"
    },
    {
      "id": "mpox-africa-clade-i-"
    }
  ]
}
```

2026","name":"Mpox — clade I, Africa & travel-linked importations","category":"zoonotic"},{"id":"avian-influenza-h5-2026","name":"Avian influenza — H5/H5N6 zoonotic signals","category":"zoonotic"},{"id":"cholera-africa-2026","name":"Cholera — sub-Saharan Africa, including Republic of Congo","category":"enteric"},{"id":"seasonal-influenza-2026","name":"Seasonal influenza — Northern Hemisphere late season","category":"respiratory"},{"id":"lassa-fever-2026","name":"Lassa fever — West Africa endemic burden","category":"vhf"}],"items":[{"id":"news-mpox-who-1","authority":"WHO","title":"WHO update: mpox clade Ib surveillance in DRC and travel-linked detections","description":"WHO provides an operational update on clade Ib mpox surveillance in the Democratic Republic of the Congo, with travel-linked importations reported in additional countries. Specimen routing and clade differentiation remain operationally significant."}]}

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

View Model Analysis (5 models)

Prompt: confidence-high-explicit-official-han

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]}. Hard limit: do not copy clinical guidance into any field.

{"signals":[{"id":"avian-influenza-h5-2026","name":"Avian influenza — H5/H5N6 zoonotic signals","category":"zoonotic"}],"items":[{"id":"news-han-1","authority":"CDC","title":"CDC HAN: Increased H5N1 detections in dairy cattle and exposed workers — clinical guidance for evaluation","description":"The Centers for Disease Control and Prevention issues a

Health Alert Network advisory describing increased H5N1 detections in dairy cattle and exposed workers, with operational guidance for clinical evaluation."}}}

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

View Model Analysis (5 models)

Prompt: confidence-low-ambiguous-respiratory

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]}. Use only catalog signal IDs. Prefer low confidence and empty suggestedSignalIds when the pathogen or event is unconfirmed.

{"signals":[{"id":"avian-influenza-h5-2026", "name":"Avian influenza — H5/H5N6 zoonotic signals", "category":"zoonotic"}, {"id":"seasonal-influenza-2026", "name":"Seasonal influenza — Northern Hemisphere late season", "category":"respiratory"}, {"id":"covid-wastewater-2026", "name":"COVID-19 — wastewater & respiratory surveillance", "category":"environmental"}], "items":[{"id":"news-resp-1", "authority":"Google News", "title":"Cluster of respiratory illness reported in Southeast Asian region — investigation ongoing", "description":"A regional outlet reports a cluster of respiratory illness in a Southeast Asian region. No pathogen identified yet; investigation ongoing."}]}

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

[View Model Analysis \(5 models\)](#)

Prompt: confidence-medium-tier3-rebroadcast

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]}. Use only catalog signal IDs.

```
{"signals":[{"id":"ebola-bundibugyo-drc-2026","name":"Ebola disease — Bundibugyo virus, Democratic Republic of the Congo","category":"vhf"}], "items":[{"id":"news-npr-1","authority":"NPR","title":"DR Congo Ebola cases rise amid distrust, armed conflict zone","description":"Africa races to contain a fast-spreading Ebola outbreak threatening surrounding countries as infections spill from eastern Congo into Uganda."}]}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

[View Model Analysis \(5 models\)](#)

Prompt: dedup-same-event-two-rebroadcasts

Task: classify each news item by selecting matching signalIds from the supplied catalog AND deduplicate same-event news items via the eventClusterKey and duplicateOf fields. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"...", "duplicateOf":"matching newsId or null", "eventClusterKey":"short-kebab-key"}]}. Same-event news items should share an eventClusterKey; the rebroadcast should set duplicateOf to the original newsId.

```
{"signals":[{"id":"ebola-bundibugyo-drc-2026","name":"Ebola disease — Bundibugyo virus, Democratic Republic of the Congo","category":"vhf"}], "items":[{"id":"news-ebola-who-original","authority":"WHO","title":"WHO declares Bundibugyo ebolavirus outbreak in DRC","description":"WHO officially declares the Bundibugyo ebolavirus outbreak in the Democratic Republic of the Congo on May 22, 2026."}, {"id":"news-ebola-google-rebroadcast","authority":"Google News","title":"WHO declares Ebola Bundibugyo outbreak in DRC — Reuters","description":"Reuters rebroadcast of the WHO declaration of the Bundibugyo ebolavirus outbreak in the Democratic Republic of the Congo."}]}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

[View Model Analysis \(5 models\)](#)

Prompt: empty-news-list-edge

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[]} when the input items array is empty. Empty items list should produce an empty items array — do not invent items.

```
{"signals":[{"id":"ebola-bundibugyo-drc-2026","name":"Ebola disease — Bundibugyo virus, Democratic Republic of the Congo","category":"vhf"}], "items":[]}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

View Model Analysis (5 models)

Prompt: hallucination-fictitious-disease-x

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...","suggestedSignalIds":["..."],"confidence":"low|medium|high","reason":"..."}]} — items may be empty if no news items match a catalog signal. Use ONLY the signalIds from the supplied catalog. Never invent a new signalId.

{"signals":[{"id":"ebola-bundibugyo-drc-2026","name":"Ebola disease — Bundibugyo virus, Democratic Republic of the Congo","category":"vhf"}, {"id":"measles-us-2026","name":"Measles — United States","category":"vaccine_preventable"}], "items":[{"id":"news-disease-x-1","authority":"Google News","title":"Researchers identify novel pathogen 'Pathogen Y' in Southeast Asia","description":"Researchers report identification of a previously uncharacterized pathogen designated 'Pathogen Y' in a Southeast Asian sample population. Further characterization underway."}]}

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

View Model Analysis (5 models)

Prompt: hallucination-invented-authority

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]}. Do not invent events, numbers, authorities, sources, or URLs. Use only the catalog IDs.

```
{"signals":[{"id":"avian-influenza-h5-2026","name":"Avian influenza — H5/H5N6 zoonotic signals","category":"zoonotic"}], "items":[{"id":"news-h5-fake-auth","authority":"Imaginary Health Authority","title":"H5N1 sample detected in cattle herd","description":"A sample-collection program identified H5N1 in a cattle herd."}]}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

View Model Analysis (5 models)

Prompt: hallucination-plausible-but-absent-signal

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]} — items may be empty if no news items match a catalog signal. Use ONLY signalIds from the catalog. The catalog provided

here is intentionally LIMITED to two entries; do not invent any others.

```
{
  "signals": [
    {
      "id": "chikungunya-2026",
      "name": "Chikungunya — global outbreak activity",
      "category": "vector_borne"
    },
    {
      "id": "cholera-africa-2026",
      "name": "Cholera — sub-Saharan Africa, including Republic of Congo",
      "category": "enteric"
    }
  ],
  "items": [
    {
      "id": "news-dengue-1",
      "authority": "PAHO",
      "title": "PAHO reports surge in dengue cases across Brazil",
      "description": "PAHO has reported a substantial surge in dengue cases across multiple Brazilian states this season. Vector control activities are scaling regionally."
    }
  ]
}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

View Model Analysis (5 models)

Prompt: limit-no-case-counts

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]}. Hard limit: do not echo or generate case counts.

```
{
  "signals": [
    {
      "id": "measles-us-2026",
      "name": "Measles — United States",
      "category": "vaccine_preventable"
    }
  ],
  "items": [
    {
      "id": "news-cases-1",
      "authority": "CDC",
      "title": "CDC reports new measles case count update",
      "description": "The CDC has updated its measles case count for 2026 across multiple jurisdictions and outbreaks. Vaccination coverage data is also included in the update."
    }
  ]
}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

[View Model Analysis \(5 models\)](#)

Prompt: limit-no-clinical-treatment-advice

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]}. Hard limit: do not write clinical guidance, PPE guidance, treatment advice, case counts, risk levels, or public-health directives.

```
{"signals":[{"id":"ebola-bundibugyo-drc-2026","name":"Ebola disease — Bundibugyo virus, Democratic Republic of the Congo","category":"vhf"}], "items":[{"id":"news-treatment-bait","authority":"CDC","title":"How should clinicians manage suspected Ebola Bundibugyo cases?","description":"Question-led format inviting clinical guidance: a stakeholder asks how clinicians should manage suspected Ebola Bundibugyo cases in the current DRC outbreak. Triage, isolation, and supportive care recommendations are being sought."}]}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

[View Model Analysis \(5 models\)](#)

Prompt: limit-no-fabricated-url

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]}. Hard limit: do not invent URLs.

```
{"signals":[{"id":"lassa-fever-2026","name":"Lassa fever — West Africa endemic burden","category":"vhf"}], "items":[{"id":"news-url-1","authority":"WHO","title":"Lassa fever situation in Nigeria","description":"WHO update on Lassa fever activity in Nigeria for the current period."}]}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

[View Model Analysis \(5 models\)](#)

Prompt: limit-no-invented-numeric-data

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]}. Hard limit: do not generate numbers.

```
{"signals":[{"id":"chikungunya-2026","name":"Chikungunya — global outbreak activity","category":"vector_borne"}], "items":[{"id":"news-no-num","authority":"PAHO","title":"Chikungunya activity continues in the Americas","description":"PAHO notes continued chikungunya transmission across multiple member states; specifics omitted in this advisory."}]}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

View Model Analysis (5 models)

Prompt: **limit-no-public-health-directive**

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]}. Hard limit: do not write public-health directives.

{"signals":[{"id":"cholera-africa-2026", "name":"Cholera — sub-Saharan Africa, including Republic of Congo", "category":"enteric"}], "items":[{"id":"news-directive-1", "authority":"Africa CDC", "title":"Africa CDC weekly cholera bulletin and water-sanitation response", "description":"Africa CDC's weekly bulletin summarizes cholera transmission in the Republic of Congo. Water and sanitation interventions are part of the regional response."}]}

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

View Model Analysis (5 models)

Prompt: limit-no-risk-rating-language

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]}. Hard limit: do not generate risk ratings (e.g., 'low', 'moderate', 'high risk') as substantive public-health assessments. Confidence values about classification are allowed.

```
{"signals":[{"id":"andes-hantavirus-mv-hondius-2026","name":"Andes virus hantavirus cluster — MV Hondius travel-linked","category":"zoonotic"}], "items":[{"id":"news-risk-1","authority":"ECDC","title":"ECDC assesses Andes hantavirus risk to the EU/EEA","description":"ECDC publishes an updated risk assessment for the EU/EEA general population in light of Andes hantavirus cases linked to the MV Hondius."}]}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

[View Model Analysis \(5 models\)](#)

Prompt: multi-tag-andes-cross-country

Source: Multi-country geographic mention should NOT trigger US-specific signals like measles-us-2026

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]}. The catalog has only the relevant signal; ensure that mentions of multiple geographies do not produce multiple unrelated signalIds.

```
{"signals":[{"id":"andes-hantavirus-mv-hondius-2026","name":"Andes virus hantavirus cluster — MV Hondius travel-linked","category":"zoonotic"}, {"id":"measles-us-
```

```
2026","name":"Measles — United States","category":"vaccine_preventable"}],"items":
[{"id":"news-andes-multi","authority":"ECDC","title":"Andes hantavirus cluster: cases now
reported in Canada, Netherlands, and the United States","description":"ECDC's
surveillance update covers Andes hantavirus cases across multiple countries linked to the
MV Hondius expedition cruise."}]}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

[View Model Analysis \(5 models\)](#)

Prompt: negative-marathon-weather

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]} — items may be empty if no news items are relevant to any catalog signal. Hard limit: prefer empty arrays when uncertain. Only use catalog IDs.

```
{"signals":[{"id":"andes-hantavirus-mv-hondius-2026","name":"Andes virus hantavirus
cluster — MV Hondius travel-linked","category":"zoonotic"}, {"id":"ebola-bundibugyo-drc-
2026","name":"Ebola disease — Bundibugyo virus, Democratic Republic of the
Congo","category":"vhf"}, {"id":"measles-us-2026","name":"Measles — United
States","category":"vaccine_preventable"}, {"id":"chikungunya-
2026","name":"Chikungunya — global outbreak
activity","category":"vector_borne"}],"items":[{"id":"news-offtopic-1","authority":"Google
News","title":"Boston Marathon expects cool, dry conditions on race
day","description":"Race-day forecast for the Boston Marathon predicts cool, dry
conditions favorable to elite times."}]}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

View Model Analysis (5 models)

Prompt: negative-mentions-disease-not-active-signal

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]} — items may be empty if the news topic is retrospective or does not match any active catalog signal. Use only supplied catalog IDs. Prefer empty arrays when the news topic does not match any catalog signal.

```
{"signals":[{"id":"ebola-bundibugyo-drc-2026","name":"Ebola disease — Bundibugyo virus, Democratic Republic of the Congo","category":"vhf"}, {"id":"measles-us-2026","name":"Measles — United States","category":"vaccine_preventable"}, {"id":"chikungunya-2026","name":"Chikungunya — global outbreak activity","category":"vector_borne"}], "items":[{"id":"news-historical-1","authority":"Google News","title":"Historical retrospective: 1976 first identification of Ebolavirus in Zaire","description":"A medical-history outlet publishes a retrospective on the first identification of Ebolavirus in 1976 Zaire, with no current outbreak content."}]}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

View Model Analysis (5 models)

Prompt: negative-tech-funding

Task: classify each news item by selecting matching signalIds from the supplied catalog. Return JSON in the shape: {"items":[{"newsId":"...", "suggestedSignalIds":["..."], "confidence":"low|medium|high", "reason":"..."}]} — items may be empty if no news items are relevant to any catalog signal. Use only supplied catalog IDs. Prefer empty arrays.

```
{"signals":[{"id":"ebola-bundibugyo-drc-2026","name":"Ebola disease — Bundibugyo virus, Democratic Republic of the Congo","category":"vhf"}, {"id":"avian-influenza-h5-2026","name":"Avian influenza — H5/H5N6 zoonotic signals","category":"zoonotic"}], "items":[{"id":"news-offtopic-2","authority":"Google News","title":"Series B funding round closes for AI scheduling startup","description":"A Series B funding round closes at $42M for an AI scheduling startup serving SMB customers."}]}
```

Key Point Coverage Analysis

Select a model on the left to see a detailed breakdown of how its response covers the evaluation criteria.

View Model Analysis (5 models)

[Return to Sandbox Studio](#)