

Customer

Name and Address	References	Contact Information	
Schindler Supply Chain Europe AG Zugerstrasse 13 6030 Ebikon CH LU	Partner No.: 3880 Site code (Customer): 3880 Vat No.: DE307587258 Organization: SEE	Contact: Department: Role: Phone: Fax:	Buyer via EDI SCS Purch Org. DL 34 976704000 +34 976704380

Ship-to

Name and Address	References	Contact Information	
Bracchi Deutschland Transport ECH ETH Rudolf-Hell-Str. 1 77955 Ettenheim DE	Partner No.: 3880 Unloading Pt.: ECHETH Vat No.: DE307587258	Role: Phone: E-Mail:	DL +49 7822 4498428 hbogisch@bracchi.de

Invoicee

Name and Address	References	Contact Information	
Schindler Supply Chain Europe AG Zugerstrasse 13 6030 Ebikon CH LU	Partner No.: 3880 Vat No.: DE307587258	Contact: Department: Role: Phone: Fax:	Buyer via EDI SCS Purch Org. DL 34 976704000 +34 976704380

Supplier

Name and Address	References	Contact Information	
Savera Components CZ, s.r.o. 17.listopadu 6242 708 00 Ostrava-Poruba CZ	Partner No.: 0001277682	Role: E-Mail:	DL m.havlikova@saver agroup.com

Carrier

Name and Address	References	Contact Information	
SGP - Subsequent - OA0602P -Chelles 41 AVENUE DES PERDRIX 77500 CHELLES FR	Partner No.: 0001206865		

Service Provider

Name and Address	References	Contact Information	
SGP - Subsequent - OA0602P -Chelles 41 AVENUE DES PERDRIX 77500 CHELLES FR	Partner No.: 0001206865		

Document Data

Dates		References and Instructions	
Order Date:	5.6.26	Message Number:	00001186700386
Last Change:	5.6.26	Order Number:	4550623877
Message Date:	5.6.26	Order Type:	Purchase Orders
Order change		Order Subtype:	NB
information:	Not available	Company Code:	3880
		Incoterms Code:	FCA
		Incoterms Text:	.-

Attachments	
4550623877_config_20260605_132151.txt	
Value	
Value of Goods:	6.986,43 EUR
Net Value:	6.986,43 EUR
Gross Value:	6.986,43 EUR

Text Information	
Terms of delivery:	FCA . -
Terms of Payment:	Splatnost do 30 dnu -

Pos	Material (Customer) Material (Supplier)	Material description (Customer) Material description (Supplier)	Order Qty. UoM	Requested Del. Date	Net Value Price per Unit / Price Unit
00010	000000000059001036	COS Machine Support	Total: 1 PCE	4.9.26	337,52 EUR 337,52 EUR / 1
			1	4.9.26	

Action code:	001	Delivery Instruction Code:	DN
Commission number:	PAR0011876296	Engraving number:	11876296
Partner:	3883	Supplier short name :	SAC
Param.Y32:	S	Project name:	SGP - L16 - CHL OA0602
Account assignment:	0700366124/001600	Delivery Status:	Open
Transport Mode:	INB		

Free Text:

Configuration:
GRP_SOURCING_ZONE:SC-EU -
GRP_GUIDE_RAIL_SYSTEM_TYPE:MM GRS 513 -
GRP_CWT_TYPE:GGM43_51 -
GRP_MACHINE_SUPPORT_CLIP:Y -
GRP_MACHINE_SUPPORT_TYPE:MRL_SIDE_TYPE_2 -
GRP_MACHINE_TYPE:PML145 -
Typ motoru:PML145-A -
ZZ Pocet nosnych lan / pasu:4 -
GRP_ZZ_STM:4 KAZ -
Vzd.stredu CWT ke stene:421 mm -
HQ Zdvih:52,785 m -
VKN Jmenovita rychlost vytahu:1,00 m/s -
GQ Nosnost vytahu:1275 kg -
Typ strojovny:MRL -
Sirka sachty (BS):2.100 mm -
GRP_TS:2.750 mm -
GRP_STM_TYPE:STM-PV40 -
GRP_DRG:150 mm -
GRP_DD:112 mm -
GRP_KSSG:Y -
GRP_KSSG_CABLE_LENGTH:30,000 m -
GRP_CWT_SAFETY_GEAR:N -
GRP_CWTP:P11 -
GRP_CWTA:SIDE -
GRP_CWTL:L -
Typ zachycovacu kabiny:SA_GED_20 -
GRP_CAR_GB_TYPE:GBP201 -
Sirka protivahy (BG):1.400 mm -
Hloubka protivahy (TG):190 mm -
GRP_CWT_RAIL_TYPE:T89/B -
GRP_CAR_RAIL_TYPE:T127-1/B -
Dist.voditka napravo SF1:71 mm -
Force of STM on car side FZ1:31.309 N -
Force of STM on CWT side FZ2:37.404 N -
GRP_HSK_TYPE:RH -
GRP_HSG_TYPE:SP -
GRP_LCK_C:160 mm -
HSK Horní cast sachty:4.069 mm -
GRP_CABLES_TYPE:HLF -
GRP_CRANEABLE_PACKING:N -
GRP_HFP_CWT:62,00 mm -
GRP_LMF:780 mm -
GRP_HFD:190 mm -
GRP_HFKM:64 mm -
GRP_XBW:150 mm -
GRP_BDF:0 mm -
GRP_LSTM2:430 mm -
GRP_LSTM4:80 mm -
GRP_VF HOLDER_OPT:N -
GRP_CRACKED_CONCRETE:N -
GRP_SEISMIC_APPLICATION:N -
GRP_XCW:150 mm -
GRP_OCB_OPT:N -
GRP_MARKET_CLUSTER:5.1 -
Zeme instalace:FR -
GRP_JHM1:N -
GRP_INSTALLATION_ZONE:EU -

GRP_PRODUCT_LINE:F3 -
GLO_ELEVATOR_SYSTEM:ES5 -
GRP_ELEVATOR_STANDARD:EN_81-20_2020 -
Jazyk technicke dokumentace:Francouzsky -
Jazyk prevozní dokum.:FR -
Jazyk stltku:FR -
Typ balení:N -
GRP_PACKING_MATERIAL:N -
GRP_ES:ES5 -
Označení vytahu ve skupine:A -
GRP_TYPE_EXAMINATION_CODE:N -
GRP_INSPECTION_CODE:N -
GRP_FRAMEWORK_AGREEMENT:N -
Consolidation HUB:ECH Ettenheim (ETH) -
Modifikovaná rada:Ne -
Poslední změna CP:369 -
GRP_VBAP_MVGR2:160 -
Prodejní organizace:3880 -
Změna:DOC_MARGIN_SDS -
Změna:SUPP_END_PV40C_L420 -
Změna:SUPP_END_PV40X_L420 -
Změna:SUPP_SIDE_TYPE_2 -
Logo:S -
Datum záznamu C:04.06.2026 -
ACTION_CODE: -
-

Pos	Material (Customer) Material (Supplier)	Material description (Customer) Material description (Supplier)	Order Qty. UoM	Requested Del. Date	Net Value Price per Unit / Price Unit
00020	000000000059001034	COS Fix Points	Total: 1 PCE	4.9.26	197,79 EUR 197,79 EUR / 1
			1	4.9.26	

Action code: 001

Commission number: PAR0011876296

Partner: 3883

Param.Y32: S

Account assignment: 0700366124/001700

Transport Mode: INB

Delivery Instruction Code: DN

Engraving number: 11876296

Supplier short name : SAC

Project name: SGP - L16 - CHL OA0602

Delivery Status: Open

Free Text: Configuration:
GRP_SOURCING_ZONE:SC-EU -
GRP_INSTALLATION_ZONE:EU -
Zeme instalace:FR -
GRP_PRODUCT_LINE:F3 -
GLO_ELEVATOR_SYSTEM:ES5 -
GRP_MARKET_CLUSTER:5.1 -
GRP_ELEVATOR_STANDARD:EN_81-20_2020 -
Jazyk technicke dokumentace:Francouzsky -
Jazyk prevozní dokum.:FR -
Jazyk stltku:FR -
Typ balení:N -
GRP_PACKING_MATERIAL:N -
GRP_ES:ES5 -
Označení vytahu ve skupine:A -
GRP_TYPE_EXAMINATION_CODE:N -
GRP_INSPECTION_CODE:N -
GRP_FRAMEWORK_AGREEMENT:N -
Consolidation HUB:ECH Ettenheim (ETH) -
GRP_GUIDE_RAIL_SYSTEM_TYPE:MM GRS 513 -
GRP_CWT_TYPE:GGM43_51 -
Typ strojovny:MRL -
Force of STM on car side FZ1:31.309 N -
GRP_CWT_RAIL_TYPE:T89/B -
GRP_CAR_RAIL_TYPE:T127-1/B -
GRP_STM_TYPE:STM-PV40 -
HSK Horní cast sachty:4.069 mm -
GRP_HSK_TYPE:RH -
GRP_HSG_TYPE:SP -
ZZ Počet nosných lan / pasu:4 -
GRP_ZZ_STM:4 KAZ -
GRP_KSSG:Y -
GRP_KSSG_CABLE_LENGTH:30,000 m -
GRP_KSS:Y -
GRP_KSS_CABLE_LENGTH:30,000 m -
GRP_MACHINE_SUPPORT_CLIP:Y -
GRP_CAR_GB_TYPE:GBP201 -
GRP_CWT_SAFETY_GEAR:N -
GRP_CWTP:P11 -
GRP_CWTA:SIDE -
GRP_CWTL:L -
Vzd.stredu CWT ke stene:421 mm -
HQ Zdvih:52,785 m -
VKN Jmenovitá rychlost vytahu:1,00 m/s -
GQ Nosnost vytahu:1275 kg -
Sířka sachty (BS):2.100 mm -

GRP_TS:2.750 mm -
GRP_CABLES_TYPE:HLF -
GRP_COMP_MEANS:N -
GRP_LSTM4:80 mm -
GRP_MACHINE_TYPE:PML145 -
Typ motoru:PML145-A -
GRP_CAR_FIXPOINT_TYPE:ES5_TYPE_4 -
GRP_MACHINE_SUPPORT_TYPE:MRL_SIDE_TYPE_2 -
GRP_CRANEABLE_PACKING:N -
GRP_LFMBY:626 mm -
GRP_PCK:PC3 -
GRP_LMS_TYPE:CLC2 -
Modifikovana rada:Ne -
Posledni zmena CP:369 -
GRP_VBAP_MVGR2:160 -
Prodejni organizace:3880 -
Zmena:DOC_MARGIN_SDS -
Zmena:FIX_END_PV40C_L420 -
Zmena:FIX_END_PV40X_L420 -
Zmena:FIX_KSSG_30M_HLF -
Zmena:FIX_KSS_30M_HLF -
Zmena:FIX_POINT_ES5_TYPE_4 -
Zmena:FIX_SLACK_MRL_4STM -
Logo:S -
Datum zaznamu C:04.06.2026 -
ACTION_CODE: -
-

Pos	Material (Customer) Material (Supplier)	Material description (Customer) Material description (Supplier)	Order Qty. UoM	Requested Del. Date	Net Value Price per Unit / Price Unit
00030	000000000059001035	COS Brackets	Total: 1 PCE	4.9.26	3.796,68 EUR 3.796,68 EUR / 1
			1	4.9.26	

Action code: 001

Commission number: PAR0011876296

Partner: 3883

Param.Y32: S

Account assignment: 0700366124/002000

Transport Mode: INB

Delivery Instruction Code: DN

Engraving number: 11876296

Supplier short name : SAC

Project name: SGP - L16 - CHL OA0602

Delivery Status: Open

Free Text:

Configuration:
GRP_SOURCING_ZONE:SC-EU -
GRP_INSTALLATION_ZONE:EU -
Zeme instalace:FR -
GRP_PRODUCT_LINE:F3 -
GLO_ELEVATOR_SYSTEM:ES5 -
GRP_MARKET_CLUSTER:5.1 -
GRP_ELEVATOR_STANDARD:EN_81-20_2020 -
Jazyk technicke dokumentace:Francouzsky -
Jazyk prevozní dokum.:FR -
Jazyk stltku:FR -
Typ balení:N -
GRP_PACKING_MATERIAL:N -
GRP_ES:ES5 -
Oznacení vytahu ve skupine:A -
GRP_TYPE_EXAMINATION_CODE:N -
GRP_INSPECTION_CODE:N -
GRP_FRAMEWORK_AGREEMENT:N -
Consolidation HUB:ECH Ettenheim (ETH) -
GRP_GUIDE_RAIL_SYSTEM_TYPE:MM GRS 513 -
GRP_HOISTWAY_SECTIONING:P/T/H -
GRP_CWT_TYPE:GGM43_51 -
GRP_CWTP:P11 -
GRP_CWTA:SIDE -
GRP_CWTL:L -
HQ Zdvih:52,785 m -
GQ Nosnost vytahu:1275 kg -
VKN Jmenovita rychlost vytahu:1,00 m/s -
Šířka sachty (BS):2.100 mm -
Šířka protivahy (BG):1.400 mm -
Vzdálenost vodítek CWT - BGS:1.444 mm -
Dist.vodítka napravo SF1:71 mm -
Vzd.středu CWT ke stěně:421 mm -
Hloubka protivahy (TG):190 mm -
GRP_TS:2.750 mm -
Typ strojovny:MRL -
GRP_CWT_RAIL_TYPE:T89/B -
GRP_CAR_RAIL_TYPE:T127-1/B -
GRP_SEISMIC_APPLICATION:N -
GRP_HSK_TYPE:RH -
GRP_HSG_TYPE:SP -
GRP_HFP_CWT:62,00 mm -

Customer: Schindler Supply Chain Europe AG
Order No.: 4550623877

Supplier: Savera Components CZ, s.r.o.
Order Date: 5.6.26

GRP_PIT_FLOOR_DRILLING:Y -
ZZ Pocet nosnych lan / pasu:4 -
GRP_ZZ_STM:4 KAZ -
GRP_CWT_SAFETY_GEAR:N -
GLO_BFK_CWT:16,0 mm -
GRP_HSS2:35 mm -
Height plinth undern. car HSS1:1.168 mm -
HSG Hloubka prohlubne:1.720 mm -
GRP_KSSG:Y -
GRP_KSSG_CABLE_LENGTH:30,000 m -
GLO_HS:58,574 m -
GRP_COMP_MEANS:N -
GRP_XCW:150 mm -
GRP_XBW:150 mm -
GRP_TBW:30 mm -
GRP_TBWPL:0 mm -
GRP_TBWPR:0 mm -
GRP_TBWPB:0 mm -
GRP_CAR_SLIDING_CLIP_QTY:50 KAZ -
GRP_CAR_SLIDING_CLIP_QTY_O:48 KAZ -
GRP_CWT_SLIDING_CLIP_QTY:100 KAZ -
GRP_CAR_SLIDING_CLIP_TYPE:SL4_SHORT -
GRP_CAR_SLIDING_CLIP_TYPE_O:SL4_SHORT -
GRP_CWT_SLIDING_CLIP_TYPE:SL4 -
GRP_CAR_FISHPLATE_QTY:22 KAZ -
GRP_CWT_FISHPLATE_QTY:22 KAZ -
GRP_CWT_FISHPLATE_TYPE:FP_T89_D19A -
GRP_CAR_FISHPLATE_TYPE:FP_T127_M18 -
GRP_FF1_MAX:2.044 N -
GRP_FF2_MAX:2.528 N -
GRP_FF1_NO:666 N -
GRP_FF2_NO:1.008 N -
GRP_FF1G_MAX:1.817 N -
GRP_FF2G_MAX:2.810 N -
GRP_FF1G_NO:561 N -
GRP_FF2G_NO:415 N -
GRP_BUILDING_TOLERANCE_WALL:0/+35 -
GRP_EXTENSION_BLOCK_30:N -
GRP_EXTENSION_BLOCK_40:N -
GRP_EXTENSION_BLOCK_50:N -
GRP_EXTENSION_BLOCK_100:N -
GRP_EXTENSION_BLOCK_200:N -
GRP_HOISTWAY_WALL_EXT_50_OPT:N -
GRP_HOISTWAY_WALL_EXT_100_OPT:N -
GRP_HOISTWAY_WALL_EXT_200_OPT:N -
GRP_RAIL_BACKING_PLATE_QTY:0 KAZ -
GRP_ZKE:1 -
GRP_L_BRACKET_QTY_HEAD:1 KAZ -
GRP_L_BRACKET_TYPE_HEAD:L-B H 160/190 4 -
GRP_L_BRACKET_QTY_TRAV:0 KAZ -
GRP_L_BRACKET_QTY_PIT:0 KAZ -
GRP_SF2_Z_BRACKET_QTY_HEAD:4 KAZ -
GRP_SF2_Z_BRACKET_TYPE_HEAD:Z-EH12 -
GRP_SF2_Z_BRACKET_QTY_TRAV:18 KAZ -
GRP_SF2_Z_BRACKET_TYPE_TRAV:Z-EH12 -
GRP_SF2_Z_BRACKET_QTY_PIT:3 KAZ -
GRP_SF2_Z_BRACKET_TYPE_PIT:Z-EH12 -
GRP_OMEGA_BRACKET_QTY_HEAD:3 KAZ -
GRP_OMEGA_BRACKET_TYPE_HEAD:O-C H 1400 190 4 -
GRP_OMEGA_BRACKET_QTY_TRAV:18 KAZ -
GRP_OMEGA_BRACKET_TYPE_TRAV:O-B H 1400 190 5 -
GRP_OMEGA_BRACKET_QTY_PIT:3 KAZ -
GRP_OMEGA_BRACKET_TYPE_PIT:O-B H 1400 190 5 -
GRP_CWT_GUIDE_SHIM_KIT_QTY:0 -
GRP_T_BRACKET_OPT:N -
GRP_TIE_BRACKET_OPT:N -
GRP_FALL_PROTECTION_WIRE:N -
GRP_SHW1:200 mm -
GRP_SHW2:200 mm -
GRP_SHW3:200,0 mm -
GRP_SHW4:200,0 mm -
GRP_MATERIAL_OF_HOISTWAY_HEAD:CONCRETE -
GRP_MATERIAL_OF_HOISTWAY_PIT:CONCRETE -
GRP_MATERIAL_OF_HOISTWAY_TRAV:CONCRETE -
GRP_CRACKED_CONCRETE:N -
GRP_BRACKET_RAIL_FIX_TYPE_HEAD:AB -
GRP_BRACKET_RAIL_FIX_TYPE_TRAV:AB -
GRP_BRACKET_RAIL_FIX_TYPE_PIT:AB -
Typ kotvení - hmoždinek:Hmoždinky pro neporusené zdi -
GRP_ANCHOR_BOLT_M12_Z_BKT_QTY:50 -
GRP_ANCHOR_BOLT_M12_O_BKT_QTY:0 -
GRP_ANCHOR_BOLT_M12_L_BKT_QTY:0 -
GRP_ANCHOR_BOLT_M16_Z_BKT_QTY:0 -
GRP_ANCHOR_BOLT_M16_O_BKT_QTY:96 -
GRP_ANCHOR_BOLT_M16_L_BKT_QTY:4 -
GRP_HOOK_BOLT_M12_BKT_QTY:0 -
GRP_HOOK_BOLT_M16_BKT_QTY:0 -
GRP_CHEMICAL_BOLT_KIT_M12_QTY:0 -

Customer: Schindler Supply Chain Europe AG
Order No.: 4550623877

Supplier: Savera Components CZ, s.r.o.
Order Date: 5.6.26

GRP_CHEMICAL_BOLT_KIT_M16_QTY:0 -
GRP_THIN_WALL_M12_Z_BKT_QTY:0 -
GRP_THIN_WALL_M16_Z_BKT_QTY:0 -
GRP_THIN_WALL_M12_O_BKT_QTY:0 -
GRP_THIN_WALL_M12_L_BKT_QTY:0 -
GRP_ST_BEAM_BOLT_M12_BKT_QTY:0 -
GRP_ST_BEAM_BOLT_M16_BKT_QTY:0 -
GRP_HFZ_T0:600 mm -
GRP_OMEGA_BRACKET_CONN_PLA_OPT:N -
GRP_L_BRACKET_CONN_PLATE_OPT:N -
GRP_Z_BRACKET_CONN_PLATE_OPT:N -
GRP_OMEGA_BRACKET_CONN_PLA_QTY:0 KAZ -
GRP_Z_BRACKET_CONN_PLATE_QTY:0 KAZ -
GRP_REINFORCEMENT_SHIMS:N -
GRP_MACHINE_TYPE:PML145 -
GRP_BRACKET_FAMILY_O_HEAD:C -
GRP_BRACKET_FAMILY_O_TRAV:B -
GRP_BRACKET_FAMILY_O_PIT:B -
GRP_BRACKET_FAMILY_L_HEAD:B -
GRP_SF2_BRACKET_FAMILY_Z_HEAD:E -
GRP_SF2_BRACKET_FAMILY_Z_TRAV:E -
GRP_SF2_BRACKET_FAMILY_Z_PIT:E -
GRP_SHIM_TYPE1_QTY:25 -
GRP_SHIM_TYPE2_QTY:0 -
GRP_CRANEABLE_PACKING:N -
GRP_ZE:14 -
GRP_PR_VARIABLE:BRA_O_B_H_1400_190_5 -
GRP_VAR_STR_A:N/A -
GRP_VAR_STR_B:SL4 -
GRP_VAR_STR_C:SL4 -
Height of Safety System:57,844 m -
GRP_BDF:0 mm -
HSK Hornl cast sachty:4.069 mm -
GRP_TRAV_CABLE_FIXATION:B -
GRP_WELDED_BRACKET_PLATE_OPT:N -
GRP_FISHPLATE_SHIMS_OPT:N -
GRP_RAIL_BRACKET_SHIM_O:N -
GRP_CAR_CLIP_FAMILY:SL -
GRP_CWT_CLIP_FAMILY:SL -
GRP_MACHINE_SUPPORT_CLIP:Y -
GRP_TKHY:-500 mm -
GRP_BKT_QTY_L_1:1 -
GRP_BKT_QTY_L_2:0 -
GRP_BKT_QTY_L_3:0 -
GRP_BKT_QTY_Z_1:0 -
GRP_BKT_QTY_Z_2:0 -
GRP_BKT_QTY_Z_3:0 -
GRP_BKT_QTY_Z_4:25 -
GRP_BKT_QTY_Z_5:0 -
GRP_BKT_QTY_Z_6:0 -
GRP_BKT_QTY_Z_7:0 -
GRP_BKT_QTY_Z_8:0 -
GRP_BKT_QTY_Z_9:0 -
GRP_BKT_QTY_Z_10:0 -
GRP_BKT_QTY_Z_11:0 -
GRP_BKT_QTY_Z_12:0 -
GRP_BKT_QTY_T_1:0 -
GRP_BKT_QTY_T_2:0 -
GRP_BKT_QTY_T_3:0 -
GRP_BKT_QTY_O_1:3 -
GRP_BKT_QTY_O_2:21 -
GRP_BKT_QTY_O_3:0 -
GRP_VAR_STR_E:2HEAD_X_1HEAD -
GRP_VAR_STR_E:2HEAD_X_1PIT -
GRP_VAR_STR_E:2HEAD_X_1TRAV -
GRP_VAR_STR_E:2PIT_X_1HEAD -
GRP_VAR_STR_E:2PIT_X_1PIT -
GRP_VAR_STR_E:2PIT_X_1TRAV -
GRP_VAR_STR_E:2TRAV_X_1HEAD -
GRP_VAR_STR_E:2TRAV_X_1PIT -
GRP_VAR_STR_E:2TRAV_X_1TRAV -
GRP_TEMP_NUM:24 -
GRP_TEMP_NUM_1:0,000 -
GRP_TEMP_NUM_2:0,000 -
GRP_CAR_GB_TYPE:GBP201 -
GRP_CWT_BUFFER_CATEGORY:PU -
GRP_CAR_BUFFER_CATEGORY:PU -
GRP_PIT_LADDER_TYPE:MOVABLE_STD -
GRP_GB_TYPE:GBP201 -
Vycsa ramu protivahy (HGR):3.300 mm -
Typ naraz.pod kabinou:PS Type D 3 -
Typ naraz.pod protivahou:PS Type D 2 -
Modifikovana rada:Ne -
Posledni zmena CP:369 -
GRP_VBAP_MVGR2:160 -
Prodejni organizace:3880 -
Zmena:BRA_ANCHOR_BOLT_1 -
Zmena:BRA_ANCHOR_BOLT_3 -

Zmena:BRA_CLIP_SL4 -
Zmena:BRA_CLIP_SL4_SHORT -
Zmena:BRA_FP_T127_M18 -
Zmena:BRA_FP_T89_D19A -
Zmena:BRA_L_B_H_160_190_4 -
Zmena:BRA_O_B_H_1400_190_5 -
Zmena:BRA_O_C_H_1400_190_4 -
Zmena:BRA_TRAV_CAB_SUPP_OMEGA -
Zmena:BRA_Z_EH12 -
Zmena:DOC_MARGIN_SDS -
Zmena:PKG_MECH1_TYPE2 -
Zmena:PKG_MECH2_NR4 -
Logo:S -
Datum zaznamu C:04.06.2026 -
ACTION_CODE: -
-

Pos	Material (Customer) Material (Supplier)	Material description (Customer) Material description (Supplier)	Order Qty. UoM	Requested Del. Date	Net Value Price per Unit / Price Unit
00040	000000000059001030	COS Buffers	Total: 1 PCE	4.9.26	26,66 EUR 26,66 EUR / 1
			1	4.9.26	

Action code:001

Commission number:PAR0011876296

Partner:3883

Param.Y32:S

Account assignment:0700366124/002100

Transport Mode:INB

Delivery Instruction Code:DN

Engraving number:11876296

Supplier short name :SAC

Project name:SGP - L16 - CHL OA0602

Delivery Status:Open

Free Text:

Configuration:
GRP_SOURCING_ZONE:SC-EU -
GRP_INSTALLATION_ZONE:EU -
Zeme instalace:FR -
GRP_PRODUCT_LINE:F3 -
GLO_ELEVATOR_SYSTEM:ES5 -
GRP_MARKET_CLUSTER:5.1 -
GRP_ELEVATOR_STANDARD:EN_81-20_2020 -
Jazyk technicke dokumentace:Francouzsky -
Jazyk prevozní dokum.:FR -
Jazyk štítku:FR -
Typ balení:N -
GRP_PACKING_MATERIAL:N -
GRP_ES:ES5 -
Oznacení vytahu ve skupině:A -
GRP_TYPE_EXAMINATION_CODE:N -
GRP_INSPECTION_CODE:N -
GRP_FRAMEWORK_AGREEMENT:N -
Consolidation HUB:ECH Ettenheim (ETH) -
VKN Jmenovita rychlost vytahu:1,00 m/s -
GRP_CAR_BUFFER_CATEGORY:PU -
Typ naráz.pod kabinou:PS_D3 -
GRP_ZPK:2 -
GRP_CWT_BUFFER_CATEGORY:PU -
Typ naráz.pod protivahou:PS_D2 -
Pocet narázníku CW ZPG:2 -
GRP_CONTROL_TYPE:CO_SC_1 -
GRP_CRACKED_CONCRETE:N -
GRP_CRANEABLE_PACKING:N -
GRP_PRICE_VARIABLE:BUFFER_PS_D2 -
Modifikovaná rada:Ne -
Poslední změna CP:369 -
GRP_VBAP_MVGR2:160 -
Prodejní organizace:3880 -
Zmena:BF_PACKING_NORMAL -
Zmena:BUFFER_PS_D2 -
Zmena:BUFFER_PS_D3 -
Zmena:DOC_MARGIN_SDS -
Logo:S -
Datum zaznamu C:04.06.2026 -
ACTION_CODE: -
-

Pos	Material (Customer) Material (Supplier)	Material description (Customer) Material description (Supplier)	Order Qty. UoM	Requested Del. Date	Net Value Price per Unit / Price Unit
00050	000000000059001042	COS Tension Device TD	Total: 1 PCE	4.9.26	83,82 EUR 83,82 EUR / 1
			1	4.9.26	

Action code:001

Commission number:PAR0011876296

Partner:3883

Param.Y32:S

Account assignment:0700366124/002300

Transport Mode:INB

Delivery Instruction Code:DN

Engraving number:11876296

Supplier short name :SAC

Project name:SGP - L16 - CHL OA0602

Delivery Status:Open

Free Text:

Configuration:
GRP_COMPONENT_APPLICATION:CAR -
GRP_GB_TD_TYPE_CAR:203C -
GRP_KSSBV_JHSG1_CABLE_LENGTH:10,50 m -
GRP_CABLES_TYPE:HLF -
GRP_TD_CONTACT_IP_DEGREE:IP65 -
Height of Safety System [HQB]:57,844 m -
GRP_GB_TYPE:GBP201 -
GRP_FCU:250 N -
GRP_CONTROL_TYPE:CO_SC_1 -
GRP_CAR_RAIL_TYPE:T127-1/B -
GRP_TD_DISPO:R -
GRP_BC_TD:50,0 mm -
GRP_LC_TD:160 mm -
GRP_CRANEABLE_PACKING:N -
GLO_ELEVATOR_SYSTEM:ES5 -
GRP_MARKET_CLUSTER:5.1 -
GRP_INSTALLATION_ZONE:EU -
GRP_SOURCING_ZONE:SC-EU -
Zeme instalace:FR -
GRP_PRODUCT_LINE:F3 -
GRP_ELEVATOR_STANDARD:EN_81-20_2020 -
Jazyk technicke dokumentace:Francouzsky -
Jazyk prevozní dokum.:FR -
Jazyk stítku:FR -
Typ balení:N -
GRP_PACKING_MATERIAL:N -
GRP_ES:ES5 -
Oznacení vytahu ve skupine:A -
GRP_TYPE_EXAMINATION_CODE:N -
GRP_INSPECTION_CODE:N -
GRP_FRAMEWORK_AGREEMENT:N -
Consolidation HUB:ECH Ettenheim (ETH) -
Modifikovaná rada:Ne -
Poslední změna CP:369 -
GRP_VBAP_MVGR2:160 -
Prodejní organizace:3880 -
Změna:DOC_MARGIN_SDS -
Změna:TD_203C -
Změna:TD_HLF_CABLE -
Změna:TD_PACKING_NORMAL -
Logo:S -
Datum zaznamu C:04.06.2026 -
ACTION_CODE: -
-

Pos	Material (Customer) Material (Supplier)	Material description (Customer) Material description (Supplier)	Order Qty. UoM	Requested Del. Date	Net Value Price per Unit / Price Unit
00060	000000000059001045	COS Pit Set	Total: 1 PCE	4.9.26	817,96 EUR 817,96 EUR / 1
			1	4.9.26	

Action code: 001

Commission number: PAR0011876296

add Info exists: X

Supplier short name : SAC

Param.Y32: S

Account assignment: 0700366124/002400

Transport Mode: INB

Delivery Instruction Code: DN

Engraving number: 11876296

Partner: 3883

Your offer number: INCOTERMS:EXW OSTRAVA

Project name: SGP - L16 - CHL OA0602

Delivery Status: Open

Free Text:

Configuration:
GRP_SOURCING_ZONE:SC-EU -
GRP_INSTALLATION_ZONE:EU -
Zeme instalace:FR -
GRP_MARKET_CLUSTER:5.1 -
GRP_ELEVATOR_STANDARD:EN_81-20_2020 -
GRP_GUIDE_RAIL_SYSTEM_TYPE:MM GRS 513 -
GRP_MATERIAL_OF_HOISTWAY_PIT:CONCRETE -
GRP_MACHINE_TYPE:PML145 -
HQ Zdvih:52,785 m -
GQ Nosnost vytahu:1275 kg -
VKN Jmenovita rychlost vytahu:1,00 m/s -
GLO_HS:58,574 m -
Sirka sachty (BS):2.100 mm -
Sirka protivahy (BG):1.400 mm -
GRP_CWT_TYPE:GGM43_51 -
GRP_CWTA:SIDE -
GRP_CWTL:L -
GRP_CWTP:P11 -
Vzdálenost vodítek CWT - BGS:1.444 mm -
GRP_COMP_MEANS:N -
ZZ Počet nosných lan / pasu:4 -
GRP_ZZ_STM:4 KAZ -
Faktor lanovaní KZU:2 -
GRP_BPG:200 -
GRP_DD:112 mm -

Customer: Schindler Supply Chain Europe AG
Order No.: 4550623877

Supplier: Savera Components CZ, s.r.o.
Order Date: 5.6.26

Dist.voditka napravo SF1:71 mm -
GRP_CABLES_TYPE:HLF -
HSG Hloubka prohlubne:1.720 mm -
Vzd.stredu CWT ke stene:421 mm -
Hloubka protivahy (TG):190 mm -
GRP_HGP:100 mm -
HSK Hornl cast sachty:4.069 mm -
Vycsa ramu protivahy (HGR):3.300 mm -
GRP_XCW:150 mm -
GRP_HP_CWT:80,0 mm -
GRP_HP_CAR:80,0 mm -
GRP_HSS2:35 mm -
Height plinth undern. car HSS1:1.168 mm -
Pocet naraznlku CW ZPG:2 -
GRP_ZPK:2 -
GK Hmotnost klece:1.524 kg -
Hmotnost protivahy GG:2.170 kg -
GRP_BGR:1.400 mm -
GRP_KSSG:Y -
GRP_KSSG_CABLE_LENGTH:30,000 m -
GRP_T_BRACKET_OPT:N -
TKS Prahova mezera s-kab.dverl:30 mm -
BK Sirka klece:1.200 mm -
TK Hloubka klece:2.300 mm -
Vzdal. mezi vod.celistmi BKS:1.280 mm -
GRP_HPHG:72,0 mm -
GRP_HPHK:72,0 mm -
GRP_TBW:30 mm -
GRP_TBWPL:0 mm -
GRP_TBWPR:0 mm -
GRP_TBWPB:0 mm -
GRP_CWT_RAIL_TYPE:T89/B -
GRP_CAR_RAIL_TYPE:T127-1/B -
GRP_SEISMIC_APPLICATION:N -
GRP_CWT_SAFETY_GEAR:N -
GRP_CAR_GB_TYPE:GBP201 -
GRP_HSK_TYPE:RH -
GRP_HSG_TYPE:SP -
GRP_HFP_CWT:62,00 mm -
GRP_HPE_CAR:8,0 mm -
GRP_HPE_CWT:8,0 mm -
GRP_PIT_FLOOR_DRILLING:Y -
GRP_PIT_FRAME:N -
GRP_MAINTENANCE_PLATFORM:N -
GRP_BPC:230 -
GRP_OIL_TYPE_GUIDERAIL_TRACK:HLP68 -
Typ strojovny:MRL -
GLO_BFK_CWT:16,0 mm -
GRP_TKG1:879,0 mm -
Carguid.ax-CWTguid.trckc. TKG2:0 mm -
GRP_CAR_GUIDE_SHOE_TYPE:MM_GSL_I10 -
GRP_CWT_GUIDE_SHOE_TYPE:MM_GSL_I10 -
GRP_CWT_GUIDE_SHOE_CATEGORY:SLIDING -
GRP_CAR_GUIDE_SHOE_CATEGORY:SLIDING -
GRP_MAINT_PLATFORM_TRAPDOOR:N -
GRP_REFUGE_SPACE_POSTURE_PIT:2L -
GRP_DRIVE_POS:L -
GRP_CAR_BUFFER_STAND_TYPE:STEEL -
GRP_CWT_BUFFER_STAND_TYPE:STEEL -
Typ naraz.pod kabinou:PS_D3 -
Typ naraz.pod protivahou:PS_D2 -
GRP_M_CAR:1.400,000 kg -
GRP_M_CWT:1.085,000 kg -
GRP_PLINTH_PROTECTION:N -
GRP_PLINTH_PROTECTION_CAR:N -
Poloha narazniku na CWT:V prohlubni -
GRP_CWT_SCREEN_TOP_HEIGHT_MIN:2.000 mm -
GRP_FF1_MAX:2.044 N -
GRP_FF2_MAX:2.528 N -
GRP_FF1_NO:666 N -
GRP_FF2_NO:1.008 N -
GRP_FF1G_MAX:1.817 N -
GRP_FF2G_MAX:2.810 N -
GRP_FF1G_NO:561 N -
GRP_FF2G_NO:415 N -
GRP_LFKP:525 mm -
GRP_GB_TD_TYPE_CAR:203C -
GRP_TSD:N -
GRP_STM_TYPE:STM-PV40 -
Balanced evacuation kit (BEK):Ano -
GRP_CRANEABLE_PACKING:N -
GRP_CWT_BUFFER_CATEGORY:PU -
GRP_CAR_BUFFER_CATEGORY:PU -
GRP_ZSR_PIT:2 -
GRP_HSR1:500 mm -
GRP_HSR2:500 mm -
GRP_BSR1:1.000 -
GRP_BSR2:1.000 -

Customer: Schindler Supply Chain Europe AG
Order No.: 4550623877

Supplier: Savera Components CZ, s.r.o.
Order Date: 5.6.26

GRP_TSR1:700 -
GRP_TSR2:700 -
GRP_PIT_DOOR:N -
GRP_FRB_UP_CAR:0 N -
GRP_FRB_UP_CWT:0 N -
GRP_DOCKING_DEVICE_OPT:N -
Typ motoru:PML145-A -
GRP_RAIL_MOUNTING_METHOD_CWT:RAIL_SUPPORT -
GRP_RAIL_MOUNTING_METHOD_CAR:RAIL_SUPPORT -
GRP_CWT_RAIL_SUPPORT_TYPE:RS_V13_CWT -
GRP_CAR_RAIL_SUPPORT_TYPE:RS_V13_CAR -
BT Šírka dverí:1100 mm -
GRP_TKF:1.200,0 mm -
GRP_LTK1:0 mm -
GRP_TKF1:1.200,0 mm -
GRP_ZKE:1 -
GRP_HFP_CAR:89,00 mm -
GRP_SPH_POS:N -
GRP_SWITCH_JHSG1_POS:P4 -
GRP_PIT_LADDER_OPT:Y -
GRP_PIT_LADDER_TYPE:MOVABLE_STD -
GRP_HSPL:3.200 mm -
GRP_BSPL:343 -
GRP_LSPL:63,0 mm -
GRP_PIT_LADDER_ANGLE:75,00 stu -
GRP_JHSG1_BRACKET_OPT:N -
GRP_PIT_BOX_TYPE:INT -
GRP_HGP_TOL_RANGE:-20/0 -
Cel.stena - osa vod. klece TK1:1.050,0 mm -
Zad.stena - osa vod.klece TK2:1.250,0 mm -
GRP_PRODUCT_LINE:F3 -
GRP_SET_VALUE_INDICAOTR:CWT_BUF_STAND_WOOD_ERROR -
GRP_MACHINE_SUPPORT_TYPE:MRL_SIDE_TYPE_2 -
GRP_CRACKED_CONCRETE:N -
GRP_CAR_RAIL_CATEGORY:B -
GRP_CWT_RAIL_CATEGORY:B -
GLO_ELEVATOR_SYSTEM:ES5 -
Jazyk technické dokumentace:Francouzsky -
Jazyk převozní dokum.:FR -
Jazyk stltku:FR -
Typ balení:N -
GRP_PACKING_MATERIAL:N -
GRP_ES:ES5 -
Označení vytahu ve skupině:A -
GRP_TYPE_EXAMINATION_CODE:N -
GRP_INSPECTION_CODE:N -
GRP_CAL_MET:ABSOLUTE -
GRP_FRAMEWORK_AGREEMENT:N -
Consolidation HUB:ECH Ettenheim (ETH) -
GRP_SUPPLIER:SAC -
Modifikovaná rada:Ano -
Dodatečné materi. náklady (EUR):817,96 -
Reference MOD/další dokumenty:Použijte dodatečné dokumenty -
GRP_MOD_ORDER_NET_PLAN_INFO:X -
Poslední změna CP:369 -
GRP_VBAP_MVGR2:160 -
Prodejní organizace:3880 -
Změna:COSTS_FOR_MODIFIED_ORDER -
Změna:DOC_MARGIN_SDS -
Logo:S -
Datum zaznamu C:04.06.2026 -
ACTION_CODE: -
-
Additional documents:
For EtO details, please refer below information.

EtOLeadTime=65
EtOTP_Absolute_SCCurrency=817.96
EtOTP_Delta_SCCurrency=0

[AR32] Special Pit Set - SGP Type OA
CosNo=59001045
ManufacturerNameShort=SAC
ValidTo=2026-06-30
SCOfferNo=
VendorOfferNo=INCOTERMS:EXW OSTRAVA
EtOLeadTimeCOS=65
EtOTPCOS_Delta=0
EtOTPCOS_Absolute=817.96

FeatureString=
Comment=
Name=[AR32] Special Pit Set - SGP Type OA
Value=

ETOFeatures=ETOFeature
EtOComment=[24.03.2026 07:53 NOURIME] BT=1200 mm instead of BT = 1100 mm

Order

Customer:	Schindler Supply Chain Europe AG	Supplier:	Savera Components CZ, s.r.o.
Order No.:	4550623877	Order Date:	5.6.26

NonStandardValue=1200
FeatureName=BT

ETOFeatures=ETOFeature
EtOComment=
NonStandardValue=1200
FeatureName=BT

ETOFeatures=ETOFeature
EtOComment=[24.03.2026 11:28 NOURIME] BT=1200 mm instead of BT = 1100 mm
NonStandardValue=1200
FeatureName=BT

ETOFeatures=ETOFeature
EtOComment=[24.03.2026 11:28 NOURIME] BT=1200 mm instead of BT = 1100 mm
NonStandardValue=1200
FeatureName=BT

ETOFeatures=ETOFeature
EtOComment=
NonStandardValue=Roller
FeatureName=Car_Guide_Shoe_Category

ETOFeatures=ETOFeature
EtOComment=[24.02.2026 11:18 NOURIME] GED_30 --- Roller ----Impossible
GED_20
NonStandardValue=SA_GED_30
FeatureName=Safety_Gear_Type

ETOFeatures=ETOFeature
EtOComment=
NonStandardValue=1250
FeatureName=HSS1

ETOFeatures=ETOFeature
EtOComment=
NonStandardValue=250
FeatureName=HSS2
-

Pos	Material (Customer) Material (Supplier)	Material description (Customer) Material description (Supplier)	Order Qty. UoM	Requested Del. Date	Net Value Price per Unit / Price Unit
00070	000000000059001046	COS Pit Ladder	Total: 1 PCE	4.9.26	73,33 EUR 73,33 EUR / 1
			1	4.9.26	

Action code:	001	Delivery Instruction Code:	DN
Commission number:	PAR0011876296	Engraving number:	11876296
Partner:	3883	Supplier short name :	SAC
Param.Y32:	S	Project name:	SGP - L16 - CHL OA0602
Account assignment:	0700366124/002500	Delivery Status:	Open
Transport Mode:	INB		

Free Text:

Configuration:
GRP_SOURCING_ZONE:SC-EU -
GRP_GUIDE_RAIL_SYSTEM_TYPE:MM GRS 513 -
GRP_HSPL:3.200 mm -
GRP_PIT_LADDER_TYPE:MOVABLE_STD -
GRP_TSPL:63,0 mm -
GRP_PIT_LADDER_TYPE_HSPL_ES:MOV_STD_3200_ES5_63 -
GRP_CWTA:SIDE -
GRP_CWTL:L -
GRP_CWTP:P11 -
Dist.voditka napravo SF1:71 mm -
GRP_CABLES_TYPE:HLF -
GRP_BSPL:343 -
GRP_LSPL:63,0 mm -
GRP_LSLP:700 mm -
GRP_PIT_LADDER_ANGLE:75,00 stu -
GRP_PIT_LADDER_POS:2 -
GRP_REFUGE_SPACE_POSTURE_PIT:2L -
HSG Hloubka prohlubne:1.720 mm -
GRP_PIT_FLOOR_DRILLING:Y -
GRP_BUILDING_TOLERANCE_WALL:0/+35 -
GRP_SEISMIC_APPLICATION:N -
GRP_TSW1:120 mm -
TKS Prahaova mezera s-kab.dverl:30 mm -
GRP_CRANEABLE_PACKING:N -
GRP_PIT_ENTRANCE_SIDE:FRONT -
GRP_CRACKED_CONCRETE:N -
GRP_VAR_STR_A:MOV_STD -
GRP_VAR_STR_B:3200 -
GRP_VAR_STR_C:ES5 -
GRP_VAR_STR_D:63 -

Order

Customer:	Schindler Supply Chain Europe AG	Supplier:	Savera Components CZ, s.r.o.
Order No.:	4550623877	Order Date:	5.6.26

GRP_INSTALLATION_ZONE:EU -
Zeme instalace:FR -
GRP_PRODUCT_LINE:F3 -
GLO_ELEVATOR_SYSTEM:ES5 -
GRP_MARKET_CLUSTER:5.1 -
GRP_ELEVATOR_STANDARD:EN_81-20_2020 -
Jazyk technicke dokumentace:Francouzsky -
Jazyk prevozní dokum.:FR -
Jazyk stltku:FR -
Typ balení:N -
GRP_PACKING_MATERIAL:N -
GRP_ES:ES5 -
Oznacení vytahu ve skupine:A -
GRP_TYPE_EXAMINATION_CODE:N -
GRP_INSPECTION_CODE:N -
GRP_FRAMEWORK_AGREEMENT:N -
Consolidation HUB:ECH Ettenheim (ETH) -
Modifikovaná rada:Ne -
Poslední změna CP:369 -
GRP_VBAP_MVGR2:160 -
Prodejní organizace:3880 -
Změna:DOC_MARGIN_SDS -
Změna:LAD_MSTD_3200_63 -
Logo:S -
Datum zaznamu C:04.06.2026 -
ACTION_CODE: -
-

Pos	Material (Customer) Material (Supplier)	Material description (Customer) Material description (Supplier)	Order Qty. UoM	Requested Del. Date	Net Value Price per Unit / Price Unit
00080	000000000059001033	COS Counterweight Frame	Total: 1 PCE	4.9.26	1.652,67 EUR 1.652,67 EUR / 1
			1	4.9.26	

Action code:	001	Delivery Instruction Code:	DN
Commission number:	PAR0011876296	Engraving number:	11876296
add Info exists:	X	Partner:	3883
Supplier short name :	SAC	Your offer number:	EXW OSTRAVA
Param.Y32:	S	Project name:	SGP - L16 - CHL OA0602
Account assignment:	0700366124/003700	Delivery Status:	Open
Transport Mode:	INB		

Free Text:

Configuration:
GRP_TEMP_CHAR: 1 -
GRP_SOURCING_ZONE:SC-EU -
GRP_INSTALLATION_ZONE:EU -
Zeme instalace:FR -
GRP_PRODUCT_LINE:F3 -
GLO_ELEVATOR_SYSTEM:ES5 -
GRP_MARKET_CLUSTER:5.1 -
GRP_ELEVATOR_STANDARD:EN_81-20_2020 -
Jazyk technicke dokumentace:Francouzsky -
Jazyk prevozní dokum.:FR -
Jazyk stltku:FR -
Typ balení:N -
GRP_PACKING_MATERIAL:N -
GRP_ES:ES5 -
Oznacení vytahu ve skupine:A -
GRP_TYPE_EXAMINATION_CODE:N -
GRP_INSPECTION_CODE:N -
GRP_CAL_MET:DELTA -
GRP_FRAMEWORK_AGREEMENT:N -
Consolidation HUB:ECH Ettenheim (ETH) -
GRP_GUIDE_RAIL_SYSTEM_TYPE:MM GRS 513 -
GRP_CWT_TYPE:GGM43_51 -
GRP_CWT_SAFETY_GEAR:N -
GRP_STM_TYPE:STM-PV40 -
HQ Zdvih:52,785 m -
ZZ Pocet nosnych lan / pasu:4 -
GRP_ZZ_STM:4 KAZ -
GQ Nosnost vytahu:1275 kg -
VKN Jmenovita rychlost vytahu:1,00 m/s -
Sirka protivahy (BG):1.400 mm -
Vzdalenost voditek CWT - BGS:1.444 mm -
GRP_COMP_MEANS:N -
GRP_CWT_GUIDE_SHOE_TYPE:MM_GSL_110 -
GRP_CWT_BUFFER_CATEGORY:PU -
GRP_HGUR:150 mm -
GRP_HGU:162 mm -
GRP_BRN_CWT:62 mm -
GRP_DRG:150 mm -
Faktor lanovani KZU:2 -
GRP_BPG:200 -
GRP_CWT_RAIL_TYPE:T89/B -
Vycsa ramu protivahy (HGR):3.300 mm -
Hloubka protivahy (TG):190 mm -

Customer: Schindler Supply Chain Europe AG
Order No.: 4550623877

Supplier: Savera Components CZ, s.r.o.
Order Date: 5.6.26

GRP_DD:112 mm -
GRP_HGP:100 mm -
Typ naraz.pod protivahou:PS Type D 2 -
Pocet naraznlku CW ZPG:2 -
GLO_BFK_CWT:16,0 mm -
GRP_CWTP:P11 -
GRP_CWTA:SIDE -
GRP_CWTL:L -
GRP_SEISMIC_APPLICATION:N -
GRP_HGJ1:220 mm -
GRP_HGJ2:220 mm -
GRP_MACHINE_TYPE:PML145 -
GRP_CRANEABLE_PACKING:N -
GRP_COMPONENT_APPLICATION:CWT -
GRP_CWT_GUIDE_SHOE_CATEGORY:SLIDING -
Hmotnost protivahy GG:2.170 kg -
GRP_LSTM4:80 mm -
GRP_EU_SOURCING_SAFETY_GEAR:N -
GRP_CWT_FRAME_COVER:N -
GRP_PULLEY_COATING_CWT:N -
GRP_HGP_TOL_RANGE:-20/0 -
Vzd.stredu CWT ke stene:421 mm -
GRP_SUPPLIER:SAC -
Modifikovana rada:Ano -
Dodatecne mater.naklady (EUR):659,24 -
Reference MOD/dalsi dokumenty:Pouzijte dodatecne dokumenty -
GRP_MOD_ORDER_NET_PLAN_INFO:X -
Posledni zmena CP:369 -
GRP_VBAP_MVGR2:160 -
Prodejni organizace:3880 -
Zmena:COSTS_FOR_MODIFIED_ORDER -
Zmena:CWT_FR_CW_GGM43_51 -
Zmena:CWT_MM_GSL_I10_16_N -
Zmena:DOC_MARGIN_SDS -
Logo:S -
Datum zaznamu C:04.06.2026 -
ACTION_CODE: -
-
Additional documents:
For EtO details, please refer below information.

EtOLeadTime=30
EtOTP_Absolute_SCCurrency=0
EtOTP_Delta_SCCurrency=659.24

[AR10] Special Cpds Height -SGP OA
CosNo=59001033
ManufacturerNameShort=SAC
ValidTo=2026-06-30
SCOfferNo=
VendorOfferNo=EXW OSTRAVA
EtOLeadTimeCOS=30
EtOTPCOS_Delta=659.24
EtOTPCOS_Absolute=0

FeatureString=
Comment=
Name=[AR10] Special Counterweight Height
Value=

ETOFeatures=ETOFeature
EtOComment=[20.03.2026 07:42 NOURIME] HGR= 3200 mm instead of HGR=
3300 mm
NonStandardValue=3200
FeatureName=HGR_Max
-