Backend API Documentation (Runam Project - User Side)

Base URL:

http://localhost/runam-backend/

AUTH APIs

POST /auth/register.php

Registers a new user.

Request Body:

```
{

  "full_name": "John Doe",

  "location": "Lagos",

  "phone": "09012345678",

  "email": "john@example.com",

  "password": "secret123"

}
```

Response:

```
{

  "status": "success",

  "message": "Registration successful"

}
```

POST /auth/login.php

Logs in the user.

Request Body:

```
{
  "email": "john@example.com",

  "password": "secret123"

}
```

Response:

```
{
  "status": "success",

  "message": "Login successful"

}
```

GET /auth/logout.php

Logs out the user.

Response:

```
{
  "status": "success",

  "message": "Logged out"

}
```

USER APIs (Require Login)

POST /user/place-order.php

Request Body:

```
{
  "order_type": "Website Development",

  "order_description": "Build a portfolio website with blog"

}
```

Response:

```json
{
  "status": "success",
  "message": "Order placed"
}
```

GET /user/my-orders.php

Response:

```json
{
  "status": "success",
  "orders": [
    {
      "id": 1,
      "order_type": "Website Development",
      "order_description": "Build a portfolio",
      "order_status": "pending",
      "created_at": "2025-06-27 11:00:00"
    }
  ]
}
```

GET /user/profile.php

Response:

```json
{
  "status": "success",
  "data": {
    "user_fullname": "John Doe",
    "user_email": "john@example.com",
```

```
    "user_location": "Lagos",

    "user_phone": "09012345678"

  }

}


PUT /user/update-profile.php

Request Body:

{

  "user_fullname": "John D.",

  "user_location": "Abuja",

  "user_phone": "08098765432"

}

Response:

{

  "status": "success",

  "message": "Profile updated"

}
```