PRINTABLE VERSION

Quiz 2

You scored 75 out of 100

Question 1

Your answer is CORRECT.

After a statement P has been negated 2 times, the resulting statement is logically equivalent to

- a) $\bullet P$
- b) $\bigcirc P \lor \neg P$
- c) $\bigcirc P \land \neg P$
- d) $\bigcirc \neg P$
- e) O None of the above.

Question 2

Your answer is CORRECT.

 $\neg Q \Rightarrow \neg P$ is logically equivalent to which, if any, of the following statements? (Hint: a truth table should help!)

- a) $\bullet P \Rightarrow Q$
- b) $\bigcirc \neg Q \land \neg P$
- c) $\bigcirc \neg P \land Q$
- d) $\bigcirc Q \Rightarrow P$
- e) $\bigcirc \neg P \Rightarrow \neg Q$

Question 3

Your answer is INCORRECT.

1 of 4 1/21/2023, 7:23 PM

De Morgan's Laws tells us that $\neg (\neg P \land \neg Q)$ is logically equivalent to which of the following statements?

- a) $\bigcirc P \land Q$
- b) $\bigcirc \neg P \land Q$
- c) $\bigcirc \neg Q \land \neg P$
- e) $\bigcirc P \lor Q$

Question 4

Your answer is CORRECT.

The symbol "∃" means ...

- a) O "Not all" or "Not every"
- b) "There does not exist"
- c) "There exists" or "Some "
- d) O "For all" or "For every"
- e) \(\text{"There exists exactly one" or "There exists a unique"} \)

Question 5

Your answer is CORRECT.

Determine which of the following statements is true when using the universal set $U = \{-2, 0, 2\}$.

- a) $\bigcirc \forall x$, $x^3 4x \neq 0$
- **b)** $\bigcirc \exists x, x^3 4x = 0$, but not every x satisfies this condition.
- c) $\bullet \forall x$, $x^3 4x = 0$

d) $\bigcirc \exists x, x^2 \le -1$, but not every x satisfies this condition.

e)
$$\bigcirc \exists ! x, x^3 - 4x = 0$$

Question 6

Your answer is CORRECT.

Consider the English sentence:

The sum of two integers is another integer.

Which of the following statements correctly expresses this sentences using logical symbols?

a)
$$\bigcirc \forall x, y \in \mathbb{Z}, xy \in \mathbb{Z}$$

b)
$$\bigcirc \forall x, y \in \mathbb{Z}, x+y \leq 0$$

c)
$$\bigcirc \exists x, y \in \mathbb{Z}, x + y \in \mathbb{Z}$$

d)
$$\bigcirc \exists x, y \in Z, xy \in Z$$

e)
$$\bigcirc \exists x, y \in \mathbb{Z}, x + y \leq 0$$

$$\mathbf{f}$$
) $\mathbf{o} \forall x, y \in \mathbf{Z}, x+y \in \mathbf{Z}$

Question 7

Your answer is CORRECT.

Consider the following statement:

$$\exists x, \forall y, xy = y.$$

From the options provided below, which universal set U makes this statement true?

a)
$$\bullet$$
 $U = \{1/2, 1, 2\}$

b)
$$\bigcirc U = \{5\}$$

c)
$$OU = \{2, 4, 6, 8, ...\}$$

d)
$$\bigcirc U = \{-1, 3\}$$

e)
$$U = \{-9, -6, -3, 0, 3, 6, 9\}$$

Question 8

3 of 4 1/21/2023, 7:23 PM

Your answer is INCORRECT.

Consider the English sentence P: "Someone is wearing a blue shirt." The negation of P can be expressed in logical symbols as which of the following? (We are using $U = \{ \text{ all people } \}$ as our universal set.)

- a) $\bigcirc \neg P : \forall x, x$ is not wearing a blue shirt
- c) $\bigcirc \neg P : \exists x, x$ is wearing a blue shirt
- d) $\bigcirc \neg P : \forall x, x$ is wearing a blue shirt

4 of 4