

```
1  -- MySQL dump 10.13  Distrib 5.6.19, for osx10.7 (i386)
2  --
3  -- Host: localhost    Database: honors_application
4  -- -----
5  -- Server version    5.6.23
6
7  /*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
8  /*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
9  /*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
10 /*!40101 SET NAMES utf8 */;
11 /*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE */;
12 /*!40103 SET TIME_ZONE='+00:00' */;
13 /*!40014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0 */;
14 /*!40014 SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0 */;
15 /*!40101 SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;
16 /*!40111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;
17
18 --
19 -- Table structure for table `admin`
20 --
21
22 DROP TABLE IF EXISTS `admin`;
23 /*!40101 SET @saved_cs_client      = @@character_set_client */;
24 /*!40101 SET character_set_client = utf8 */;
25 CREATE TABLE `admin` (
26   `person_id` int(11) NOT NULL,
27   `admin_level` enum('fellow','admin','superuser') NOT NULL,
28   PRIMARY KEY (`person_id`)
29 ) ENGINE=InnoDB DEFAULT CHARSET=latin1;
30 /*!40101 SET character_set_client = @saved_cs_client */;
31
32 --
33 -- Table structure for table `handbook`
34 --
35
36 DROP TABLE IF EXISTS `handbook`;
37 /*!40101 SET @saved_cs_client      = @@character_set_client */;
38 /*!40101 SET character_set_client = utf8 */;
39 CREATE TABLE `handbook` (
40   `year` int(11) NOT NULL,
41   PRIMARY KEY (`year`)
42 ) ENGINE=InnoDB DEFAULT CHARSET=latin1;
43 /*!40101 SET character_set_client = @saved_cs_client */;
44
45 --
46 -- Table structure for table `person`
47 --
48
49 DROP TABLE IF EXISTS `person`;
50 /*!40101 SET @saved_cs_client      = @@character_set_client */;
51 /*!40101 SET character_set_client = utf8 */;
52 CREATE TABLE `person` (
53   `id` int(11) unsigned NOT NULL AUTO_INCREMENT,
54   `login_name` varchar(25) NOT NULL,
55   `password` varchar(45) NOT NULL,
```

```
56     PRIMARY KEY (`id`),
57     UNIQUE KEY `login_name_UNIQUE` (`login_name`),
58     UNIQUE KEY `id_UNIQUE` (`id`)
59 ) ENGINE=InnoDB DEFAULT CHARSET=latin1;
60 /*!40101 SET character_set_client = @saved_cs_client */;
61
62 --
63 -- Table structure for table `requirement`
64 --
65
66 DROP TABLE IF EXISTS `requirement`;
67 /*!40101 SET @saved_cs_client      = @@character_set_client */;
68 /*!40101 SET character_set_client = utf8 */;
69 CREATE TABLE `requirement` (
70   `handbook_year` year(4) NOT NULL,
71   `name` varchar(45) NOT NULL,
72   `handbook_description` varchar(45) DEFAULT NULL,
73   PRIMARY KEY (`name`,`handbook_year`)
74 ) ENGINE=InnoDB DEFAULT CHARSET=latin1;
75 /*!40101 SET character_set_client = @saved_cs_client */;
76
77 --
78 -- Table structure for table `steps_to_complete`
79 --
80
81 DROP TABLE IF EXISTS `steps_to_complete`;
82 /*!40101 SET @saved_cs_client      = @@character_set_client */;
83 /*!40101 SET character_set_client = utf8 */;
84 CREATE TABLE `steps_to_complete` (
85   `handbook_year` year(4) NOT NULL,
86   `requirement_name` varchar(45) NOT NULL,
87   `order_number` int(11) NOT NULL,
88   `name` varchar(45) NOT NULL,
89   `description` varchar(45) NOT NULL,
90   PRIMARY KEY (`handbook_year`,`requirement_name`,`order_number`)
91 ) ENGINE=InnoDB DEFAULT CHARSET=latin1;
92 /*!40101 SET character_set_client = @saved_cs_client */;
93
94 --
95 -- Table structure for table `student`
96 --
97
98 DROP TABLE IF EXISTS `student`;
99 /*!40101 SET @saved_cs_client      = @@character_set_client */;
100 /*!40101 SET character_set_client = utf8 */;
101 CREATE TABLE `student` (
102   `person_id` int(11) unsigned NOT NULL AUTO_INCREMENT,
103   `year_started` varchar(45) DEFAULT NULL,
104   `expected_graduation_year` varchar(45) DEFAULT NULL,
105   `expected_graduation_semester` varchar(45) DEFAULT NULL,
106   `first_name` varchar(45) NOT NULL,
107   `last_name` varchar(45) NOT NULL,
108   `handbook_year` year(4) NOT NULL,
109   PRIMARY KEY (`person_id`),
110   UNIQUE KEY `person_id_UNIQUE` (`person_id`)
```

```
111 ) ENGINE=InnoDB DEFAULT CHARSET=latin1;
112 /*!40101 SET character_set_client = @saved_cs_client */;
113
114 --
115 -- Table structure for table `student_following`
116 --
117
118 DROP TABLE IF EXISTS `student_following`;
119 /*!40101 SET @saved_cs_client      = @@character_set_client */;
120 /*!40101 SET character_set_client = utf8 */;
121 CREATE TABLE `student_following` (
122   `person_id` int(11) NOT NULL,
123   `honors_type` enum('university','departmental','highest') NOT NULL,
124   PRIMARY KEY (`person_id`,`honors_type`)
125 ) ENGINE=InnoDB DEFAULT CHARSET=latin1;
126 /*!40101 SET character_set_client = @saved_cs_client */;
127
128 --
129 -- Table structure for table `student_program`
130 --
131
132 DROP TABLE IF EXISTS `student_program`;
133 /*!40101 SET @saved_cs_client      = @@character_set_client */;
134 /*!40101 SET character_set_client = utf8 */;
135 CREATE TABLE `student_program` (
136   `person_id` int(11) NOT NULL,
137   `program_name` varchar(45) NOT NULL,
138   `type` enum('major','minor') NOT NULL,
139   PRIMARY KEY (`person_id`,`program_name`,`type`)
140 ) ENGINE=InnoDB DEFAULT CHARSET=latin1;
141 /*!40101 SET character_set_client = @saved_cs_client */;
142
143 --
144 -- Dumping events for database 'honors_application'
145 --
146
147 --
148 -- Dumping routines for database 'honors_application'
149 --
150 /*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */;
151
152 /*!40101 SET SQL_MODE=@OLD_SQL_MODE */;
153 /*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
154 /*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;
155 /*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
156 /*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
157 /*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
158 /*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;
159
160 -- Dump completed on 2015-03-31 12:25:03
161
```