
## **Certificate of Analysis**





Description	
Product Name	HUtSMC-c / HUtSMC-p
Order Number	C-12575 / C-12576
Lot Number	8011507.2
Donor Age / Sex / Race	48 / female / caucasian
Tissue / Localization	uterus / myometrium
Number of Viable Cells	600.000
Freezing Medium	Cryo-SFM (Order No.: C-29910)
QC Evaluation Medium	Smooth Muscle Cell Growth Medium 2 (Order No.: C-22062)
Stage of Culture	HUtSMC-c: thawing and seeding results in passage 2 (3 <sup>rd</sup> culture) HUtSMC-p: shipped in passage 2 (3 <sup>rd</sup> culture)

## Viability & Growth Characteristics

Viability	73 % * (adherence of cells could vary under customer culture conditions)
Population Doubling (PD) Time in Log Phase	22.9 h / PD *
Population Doublings	> 15 *

## Phenotypic Characterization (tested within the first two passages)

Smooth muscle $\alpha$ -actin	positive by immunohistochemical staining
vWF / Factor VIII-related antigen	negative by immunohistochemical staining
CD90	negative by immunohistochemical staining

## **Test for Microbial Contaminants and Infectious Viruses**

Bacteria / Fungi / Mycoplasma	negative / negative / negative
HIV-1	negative
HBV / HCV	negative / negative

<sup>\*</sup> Using PromoCell's standardized culture system and procedures. The stated values may vary under customer culture conditions.

The tissue used by PromoCell for the isolation of human cell cultures is derived from donors who have signed an informed consent form, which outlines in detail the purpose of the donation and the procedure for processing the tissue (www.promocell.com/ethics).



18 Sep 2008

Silke Busch, Ph.D. Quality Control Manager

itrol Manager

FOR IN VITRO USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC PROCEDURES.

Orders and Technical Information

PromoCell GmbH Sickingenstr. 63 / 65 69126 Heidelberg Germany Germany France United Kingdom USA International Phone: 0800 – 776 66 23 Phone: 0800 90 93 32 Phone: 0800 96 03 33 Phone: 1 – 866 – 251 – 2860 Phone: +49 6221 – 649 34 0

Email: info@promocell.com www.promocell.com

Date: