## **Registration and Login form code:**

## signup.php:

```
<!DOCTYPE html>
<html>
<head>
    <title>SIGN UP</title>
    <link rel="stylesheet" type="text/css" href="design.css">
</head>
<body>
     <form action="signup-check.php" method="post">
        <h2>SIGN UP</h2>
        <?php if (isset($_GET['error'])) { ?>
            <?php echo $_GET['error']; ?>
        <?php } ?>
          <?php if (isset($_GET['success'])) { ?>
               <?php echo $_GET['success']; ?>
          <?php } ?>
          <label>Name</label>
          <?php if (isset($_GET['name'])) { ?>
               <input type="text"</pre>
                      name="name"
                      placeholder="Name"
                      value="<?php echo $_GET['name']; ?>"><br>
          <?php }else{ ?>
               <input type="text"</pre>
                      name="name"
                      placeholder="Name"><br>
          <?php }?>
          <label>User Name</label>
          <?php if (isset($_GET['uname'])) { ?>
               <input type="text"</pre>
                      name="uname"
                      placeholder="User Name"
                      value="<?php echo $_GET['uname']; ?>"><br>
          <?php }else{ ?>
               <input type="text"</pre>
                      name="uname"
                      placeholder="User Name"><br>
          <?php }?>
        <label>Password</label>
        <input type="password"</pre>
                 name="password"
```

```
placeholder="Password"><br>
          <label>Re Password</label>
          <input type="password"</pre>
                 name="re_password"
                 placeholder="Re_Password"><br>
        <button type="submit">Sign Up</button>
          <a href="page.php" class="ca">Already have an account?</a>
     </form>
</body>
</html>
signup-check.php:
<?php
session_start();
include "db_conn.php";
if (isset($ POST['uname']) && isset($ POST['password'])
    && isset($_POST['name']) && isset($_POST['re_password'])) {
    function validate($data){
       $data = trim($data);
       $data = stripslashes($data);
       $data = htmlspecialchars($data);
       return $data;
    }
    $uname = validate($ POST['uname']);
    $pass = validate($_POST['password']);
    $re_pass = validate($_POST['re_password']);
    $name = validate($_POST['name']);
    $user_data = '&uname='. $uname. '&name='. $name;
    if (empty($uname)) {
        header("Location: signup.php?error=User Name is required&$user_data");
        exit();
    }else if(empty($pass)){
        header("Location: signup.php?error=Password is required&$user_data");
        exit();
    }
    else if(empty($re_pass)){
        header("Location: signup.php?error=Re Password is
required&$user_data");
```

```
exit();
    }
    else if(empty($name)){
        header("Location: signup.php?error=Name is required&$user data");
        exit();
    }
    else if($pass !== $re_pass){
        header("Location: signup.php?error=The confirmation password does not
match&$user_data");
        exit();
    }
   else{
        // hashing the password
        $pass = md5($pass);
        $sql = "SELECT * FROM users WHERE user_name='$uname' ";
        $result = mysqli_query($conn, $sql);
        if (mysqli_num_rows($result) > 0) {
            header("Location: signup.php?error=The username is taken try
another&$user_data");
            exit();
        }else {
           $sql2 = "INSERT INTO users(user_name, password, name)
VALUES('$uname', '$pass', '$name')";
           $result2 = mysqli_query($conn, $sql2);
           if ($result2) {
             header("Location: signup.php?success=Your account has been
created successfully");
             exit();
           }else {
                header("Location: signup.php?error=unknown error
occurred&$user_data");
                exit();
           }
        }
    }
}else{
    header("Location: signup.php");
    exit();
}
```

```
page.php:
```

```
<!DOCTYPE html>
<html>
<head>
    <title>LOGIN</title>
    <link rel="stylesheet" type="text/css" href="design.css">
</head>
<body>
     <form action="login.php" method="post">
        <h2>LOGIN</h2>
        <?php if (isset($_GET['error'])) { ?>
            <?php echo $_GET['error']; ?>
        <?php } ?>
        <label>User Name</label>
        <input type="text" name="uname" placeholder="User Name"><br>
        <label>Password</label>
        <input type="password" name="password" placeholder="Password"><br>
        <button type="submit">Login</button>
          <a href="signup.php" class="ca">Create an account</a>
     </form>
</body>
</html>
login.php:
<?php
session_start();
include "db_conn.php";
if (isset($_POST['uname']) && isset($_POST['password'])) {
    function validate($data){
       $data = trim($data);
       $data = stripslashes($data);
       $data = htmlspecialchars($data);
       return $data;
    }
    $uname = validate($_POST['uname']);
    $pass = validate($_POST['password']);
    if (empty($uname)) {
       header("Location: page.php?error=User Name is required");
       exit();
    }else if(empty($pass)){
```

```
header("Location: page.php?error=Password is required");
        exit();
    }else{
        // hashing the password
        pass = md5(pass);
        $sql = "SELECT * FROM users WHERE user_name='$uname' AND
password='$pass'";
        $result = mysqli_query($conn, $sql);
        if (mysqli_num_rows($result) === 1) {
            $row = mysqli_fetch_assoc($result);
            if ($row['user name'] === $uname && $row['password'] === $pass) {
                $_SESSION['user_name'] = $row['user_name'];
                $_SESSION['name'] = $row['name'];
                $_SESSION['id'] = $row['id'];
                header("Location: home.php");
                exit();
            }else{
                header("Location: page.php?error=Incorect User name or
password");
                exit();
            }
        }else{
            header("Location: page.php?error=Incorect User name or password");
            exit();
        }
    }
}else{
    header("Location: page.php");
    exit();
}
design.css:
body {
    background: #1690A7;
   display: flex;
    justify-content: center;
    align-items: center;
   height: 100vh;
   flex-direction: column;
}
*{
```

```
font-family: sans-serif;
    box-sizing: border-box;
}
form {
    width: 500px;
    border: 2px solid #ccc;
    padding: 30px;
    background: #fff;
    border-radius: 15px;
}
h2 {
    text-align: center;
    margin-bottom: 40px;
}
input {
    display: block;
    border: 2px solid #ccc;
    width: 95%;
    padding: 10px;
    margin: 10px auto;
    border-radius: 5px;
}
label {
    color: #888;
    font-size: 18px;
    padding: 10px;
}
button {
    float: right;
    background: #555;
    padding: 10px 15px;
    color: #fff;
    border-radius: 5px;
    margin-right: 10px;
    border: none;
}
button:hover{
    opacity: .7;
}
.error {
   background: #F2DEDE;
   color: #A94442;
   padding: 10px;
   width: 95%;
```

```
border-radius: 5px;
   margin: 20px auto;
}
.success {
   background: #D4EDDA;
   color: #40754C;
   padding: 10px;
  width: 95%;
   border-radius: 5px;
  margin: 20px auto;
}
h1 {
    text-align: center;
    color: #fff;
}
.ca {
    font-size: 14px;
    display: inline-block;
    padding: 10px;
   text-decoration: none;
   color: #444;
}
.ca:hover {
   text-decoration: underline;
}
db_conn.php:
<?php
$sname= "localhost";
$unmae= "root";
$password = "";
$db_name = "train_db";
$conn = mysqli_connect($sname, $unmae, $password, $db_name);
if (!$conn) {
   echo "Connection failed!";
}
```

## **SQL** Query for creating a database to store the user credentials:

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET AUTOCOMMIT = 0;
START TRANSACTION;
SET time_zone = "+00:00";

CREATE TABLE `users` (
    id` int(11) NOT NULL,
    user_name` varchar(255) NOT NULL,
    password` varchar(255) NOT NULL,
    name` varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

ALTER TABLE `users`
    ADD PRIMARY KEY (`id`);

ALTER TABLE `users`
    MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=5;
COMMIT;
```