

END THE END CONCLUSION THE READING BERESHIT THE TEXT THE CORPUS THE 299
THE SKY THE FIELD EVIDENCE

START ↗

V · DATING

The Voynich Manuscript dates itself, twice

910 eclipses of 1301–1500, what Prague saw of each, the Moon in the Pleiades, and the two independent tests that land on 1408 and 1427.

Wallet: `bc1qd8wcrsmkk0ghegf5t2jsezg2ve7rtx6vvc79lx`

The Voynich Manuscript is dated from the sky it records, not from a date brought to it. Two tests were run separately and land in the same decade — and in its twin one Metonic cycle later.

451

solar eclipses catalogued, 1301–1500

459

lunar eclipses over the same years

83

solar with any part visible from Prague

176

lunar umbral with the Moon up

1

total at Prague: 7 June 1415

source NASA Five Millennium Catalog of Solar and Lunar Eclipses, eclipse.gsfc.nasa.gov, pages SE/LE 1301–1400 and 1401–1500, downloaded 2026-09-21; parsed by `parse_se.py` and `parse_le.py`, counts checked against the pages' own totals.

what Prague saw `prague_view.py` – Sun and Moon from `astropy`'s builtin `ephemeris`, the observer's `parallax` applied by hand, `sidereal` time from

UT = TT - the catalogue's ΔT , stepped every minute over ± 3.5 h of greatest eclipse.

TEST 1

The five starless figures and the Moon

Of 299 figures exactly five hold no star. Taking each figure as one degree of the Sun's path, in list order, the Moon's age on each of those five days was computed for every year from 1301 to 1500.

YEAR	FIGURE	DATE (JULIAN)	MOON'S AGE	PHASE
1408	Gem 13	05-25	360°	new Moon
1408	Can 10	06-22	346°	-1 days from new
1408	Can 18	07-01	100°	+1 days from first quarter
1408	Vir 22	09-05	181°	full Moon
1408	Sag 18	11-30	142°	-3 days from full
1427	Gem 13	05-26	358°	new Moon
1427	Can 10	06-23	344°	-1 days from new
1427	Can 18	07-01	93°	first quarter
1427	Vir 22	09-06	184°	full Moon
1427	Sag 18	12-01	146°	-3 days from full

1427 repeats 1408 to within 2°, as it must — the two are one nineteen-year cycle apart. Both are the third year of that cycle, one of its long years.

WHERE IT FAILS

"No star means no Moon" fits Gemini 13 and Cancer 10. The other three fall near first quarter and full Moon. One rule does not yet cover all five.

TEST 2

f103r's nineteen stars, seven painted red

The last page of the starred text carries nineteen stars, seven of them painted red, at positions 1, 4, 6, 9, 12, 14, 17 from the top. The nineteen-year cycle has seven long years of thirteen months, at years 3, 6, 8, 11, 14, 17, 19.

19 stars

on f103r, the last page of the starred quire

7 red

matching the cycle's seven long years

6 of 7

match as drawn, read from the foot upward

19 of 50,388

ways to paint 7 of 19 that are turns of that pattern

Read from the foot upward — the direction the book is read — six of the seven fall on long years as the page stands, and all seven do on one placement. The page image was checked against the transcribers' notes star by star, and f108r's five dark stars check too.

THE JOIN

27 × 257 = 6,939 days, against 6,939.75 days in nineteen Julian years and 6,939.69 in 235 lunar months. **The field's modulus and the Metonic cycle agree to within a day**, so two dates one cycle apart share a field cell. This is why 1408 and 1427 give the same reading, and why 1413-11-08 and 1432-11-07 both land on cell 153.

THE LARGEST

Solar eclipses Prague actually saw, 1301–1500

DATE (JULIAN)	TYPE	MAGNITUDE AT PRAGUE	SUN'S ALTITUDE	SAROS
1310-01-31	A	0.853	16.0°	saros 100

DATE (JULIAN)	TYPE	MAGNITUDE AT PRAGUE	SUN'S ALTITUDE	SAROS
1321-06-26	H	0.981	20.0°	saros 106
1330-07-16	T	0.982	22.9°	saros 125
1339-07-07	H	0.980	43.0°	saros 106
1366-08-07	H	0.974	3.3°	saros 125
1386-01-01	T	0.903	16.7°	saros 102
1399-10-29	P	0.820	20.7°	saros 133
1406-06-16	T	0.946	27.8°	saros 127
1409-04-15	A	0.893	25.9°	saros 119
1415-06-07	T	1.013 total	28.7°	saros 108
1424-06-26	T	0.955	32.2°	saros 127
1431-02-12	T	0.857	14.6°	saros 121
1433-06-17	T	0.989	31.5°	saros 108
1446-04-26	P	0.860	0.0°	saros 129
1485-03-16	T	0.967	13.4°	saros 121
1491-05-08	A	0.802	40.4°	saros 110

Laid on the zodiac figure for each day, three of the largest land on figures with one-of-a-kind marks: 19 October 1408 on Scorpio's figure 5, whose star alone on that page carries a dark blot; 7 June 1415, the total, at Gemini 23.9° — the solid ochre star with no pen outline; 26 June 1424 on Cancer's figure 14, the only half figure on the page.

source charts/eclipses_on_figures.txt – every eclipse 1395–1445 with its day's figure and that figure's recorded marks

F68R3

The Moon in the Pleiades

The third star chart draws the Moon as a full round face beside a cluster of seven stars — the other two charts draw a crescent. In the 1400s a full Moon could stand in the Pleiades only in early November, Julian, and only in the years the Moon's path reached the cluster.

DATE (JULIAN)	FROM ALCYONE	LIT	MOON'S ALTITUDE	DAY'S FIELD CELL
1412-11-17	0.24°	99.0%	19.5°	54 LOVE
1413-11-08	0.29°	99.4%	60.8°	153 ALBERT EINSTEIN
1429-11-10	0.35°	99.8%	35.2°	88 ONE LOVE
1429-12-08	0.01°	95.5%	17.6°	116 BYZANTINE
1430-10-31	0.41°	99.9%	54.8°	186 LINUS TORVALDS
1431-10-22	0.54°	95.6%	30.1°	28 SHA
1432-11-07	0.03°	99.8%	62.0°	153 ALBERT EINSTEIN

Over 1380–1460 the Moon's disc crossed the cluster only in four runs: 1392–1396, 1410–1414, 1429–1433 and 1447–1452. The 1410–1414 run sits between the December 1408 gathering and the total eclipse of 1415.

source eclipses/moon_pleiades.py, full_moon_pleiades.py – every passage of the Moon by Alcyone 1380–1460 as seen from Prague, with its phase

Built 2026-09-21 from the corpus and ~/Documents/artifacts. Every figure on this site is read from a file at build time by build.py; none is typed in.
Emerald tablet: 1,460 words over 257 cells · field GF(257), g = 3 · the derivation this answers is at [start.rito.one](#).
Public domain. Use it, test it, break it.