




OptiTrack	Hand Rigid Body (HRB)		
Tolerance (mm): ±0.13	Rev. C	Date of Issue 7/1/2021	Sheet 1 OF 6

Copyright ©2021 NaturalPoint, Inc. All rights reserved.




OptiTrack	HRB with Ø9.5 Marker		
Tolerance (mm): ±0.2	Rev. C	Date of Issue 7/1/2021	Sheet 2 OF 6

Copyright ©2021 NaturalPoint, Inc. All rights reserved.




OptiTrack	HRB with Ø12.7 Marker		
Tolerance (mm): ±0.2	Rev. C	Date of Issue 7/1/2021	Sheet 3 OF 6

Copyright ©2021 NaturalPoint, Inc. All rights reserved.




OptiTrack	HRB with Ø14 Marker		
Tolerance (mm): ±0.2	Rev. C	Date of Issue 7/1/2021	Sheet 4 OF 6

Copyright ©2021 NaturalPoint, Inc. All rights reserved.



OptiTrack	HRB with Ø15.9 Marker		
Tolerance (mm): ±0.2	Rev. C	Date of Issue 7/1/2021	Sheet 5 OF 6

Copyright ©2021 NaturalPoint, Inc. All rights reserved.



OptiTrack	HRB with Ø19 Marker		
Tolerance (mm): ±0.2	Rev. C	Date of Issue 7/1/2021	Sheet 6 OF 6

Copyright ©2021 NaturalPoint, Inc. All rights reserved.