Lecture 01b – Reproducible Science

ENVX1002 Introduction to Statistical Methods

Januar Harianto

The University of Sydney

Feb 2025



Importance of statistics

Never leave a number all by itself. Never believe that one number on its own can be meaningful. If you are offered one number, always ask for at least one more. Something to compare it with.

- Hans Rosling (1948-2017)

Why learn statistics?

All of science (and industry) are increasingly data-driven and computational:

- **Research** papers are filled with statistical analyses
- Business and policy decisions are based on data analytics
- Environmental **policies** are guided by statistical models
- **Medical** treatments are evaluated using statistical methods

Most of you are majoring in a field that will require you to understand and use statistics in some form.

Benefits

Even if you don't become a data scientist, statistics will help you to:

1. Evaluate claims critically

- Understand and analyse data in your field
- Make informed decisions based on evidence

2. Communicate effectively

- Create compelling data visualisations and reports
- Present findings clearly to different audiences

3. Solve real-world problems

- Design and analyse experiments properly
- Make evidence-based predictions and identify trends

The joy of stats

200 countries, 200 years, 4 minutes

In your own time: The best stats you've ever seen

Lionel Messi is impossible

It's not possible to shoot more efficiently from outside the penalty area than many players shoot inside it. It's not possible to lead the world in weak-kick goals and long-range goals. It's not possible to score on unassisted plays as well as the best players in the world score on assisted ones. It's not possible to lead the world's forwards both in taking on defenders and in dishing the ball to others. And it's certainly not possible to do most of these things by insanely wide margins.


But Messi does all of this and more.




Messi playing for Argentina

Image credit: **Кирилл Венедиктов**, СС BY-SA 3.0 GFDL, via Wikimedia Commons

Lionel Messi is impossible




Lionel Messi is impossible




Serious stats

Which sepal length is longer?


Iris setosa



Iris versicolor



Iris virginica




Source: Embedded Robotics

Note: common dataset used in statistics and machine learning.

Serious stats

Visualise

► Code



Serious stats

Infer

We use formal statistical tests to determine if differences are **statistically significant** so that we can make **inferences** about the population based on the sample data – part of the **scientific method**.

Code

Table 1: One-way ANOVA results comparing sepal length between iris species


Effect	DFn	DFd	F	р	p<.05	ges
Species	2	147	119.265	1.67e-31	*	0.619

Scientific reporting

A one-way ANOVA revealed significant differences in sepal length between species (ANOVA, F(2, 147) = 119.26, p < .001).

Not always formal





Source: "Guys where do you pee?"

Source: You scrolled 69,420 bananas this year

The beauty of statistics – formal hypothesis testing is not always required to make a point!


The scientific method

The man of science has learned to believe in justification, not by faith, but by verification.

- Thomas Huxley (1825-1895)


Science as an enterprise

- The scientific method fundamental to centuries of scientific progress
- If you discover something (or not), it should be possible for others to verify your findings independently
- Your findings should be **reproducible** and **replicable**



No single method


Variation of the scientific method exist—it is a **framework** that guides the process of scientific inquiry



No single method

HATPC

Hypothesis – **A**ssumptions – **T**est statistic – **P**-value – **C**onclusion



You will see some variation of the HATPC in your firstyear units – a common framework for **report writing**


Key principles


- 1. **Observation**: Identify a phenomenon of interest that can be measured
- 2. **Question**: Formulate a question that can be answered by collecting data
- 3. **Research**: Review the literature to understand what is already known your question may already have been asked by someone else. This step helps in understanding what is already known and what gaps in knowledge may exist.
- 4. **Hypothesis**: Formulate a **testable** hypothesis something that can be assessed using data collection and analysis
- 5. **Experiment**: Design an experiment to test the hypothesis
- 6. Data collection: Collect data
- 7. **Analysis**: use statistical methods to analyse the data and determine if results are statistically significant or demonstrate a pattern
- 8. **Conclusion**: Interpret the results and draw conclusions. If the results are not significant, this is still a valid conclusion!

Reproducibility crisis despite the scientific method

From **Nature** (including image sources):

More than 70% of researchers have tried and failed to reproduce another scientist's experiments, and more than half have failed to reproduce their own experiments.





Statistical analysis, experimental design and data issues are the main factors affecting research reproducibility.

Reproducibility and replicability

Key definitions

- Reproducibility: the ability to re-run an analysis and obtain the same results
- Replicability: the ability to obtain the same conclusions using a different dataset or study population


Scientific findings should be **both** reproducible and replicable – the tools that we use *should* facilitate this in the most efficient way possible.

Reproducibility

How would you explain to someone how to reproduce this plot...

- in Excel? Check the **guide**
- In SPSS? Check the **guide**
- In R?

Code



An over-simplification

Those without programming knowledge will *still* struggle to understand and use the two lines of R code shown above.

Pre-requisites

- Understanding of the R programming language
- Knowing how to debug (i.e. read error messages or "play" with code)
- It takes time, but the payoff is worth it all programming languages follow similar principles and you will find others easier to learn, even if not for statistics...

Demonstration

References

- Quinn & Keough (2002). Sections 1.1-1.2, pages 1-7.
- Underwood AJ (1997) Experiments in Ecology: Their Logical Design and Interpretation using Analysis of Variance. Cambridge University Press, Cambridge.

Thanks!

This presentation is based on the **SOLES Quarto reveal.js template** and is licensed under a **Creative Commons Attribution 4.0 International License**.